UNIVERSITAS
GADJAH MADA
**SIFAT FISIK DAN KIMIAWI WATER KEFIR POMACE SEMANGKA (Citrullus vulgaris)**
RATIH SANGGRA MW, Dr. Andriati Ningrum, S.TP, M.Agr; Ir. Ag. Pamudji Raharjo, M.P.
**Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/**

# DAFTAR PUSTAKA

Adetutu, A., Olorunnisoa, O.S., Owoade, O.A., 2015. *Nutritive Values and Antioxidant Activity Citrullus lanatus Fruit Extract*. Journal of Food and Nutrition Science 6:1056-1064.

Agusman. 2013. Pengujian Organoleptik. Teknologi Pangan Universitas Muhammadiyah Semarang. Semarang.

Alsayadi, Munir M.S., Al Jawfi, Yaser,Belarbi, Meriem, Sabri, Fatima Z. 2013. *Antioxidant potency of water kefir*. Journal of Microbiology, Biotechnology, and Food Sciences: 2(6) 2444-2447.

Alves CCO, Resende JV, Cruvinel RSV and Prado MET. 2008. *Stability of the microstructure and carotenoids contents of the freeze-dried pequi (Caryocar brasiliense Camb.) pulp in the powdered form*. Food Science and Technology 28(4): 830–839.

Amerine. 1987. *Technology of Wine Making. Connecticut*. The AVI Publishing Co. Inc., Westport

Amiot, M.J., Aubert, S., Nicolas, J., Groupy, P., Aparicio, P., 1992. *Phenolic composition and browning susceptibility of various apple and pear cultivars at maturity*. C.R. Jiep 9R, 16:48-51

AMSA. 2012. *Meat color measurement guidelines*. American Meat Science Association: halaman 1–136. http://www.meatscience.org. Diakses pada tanggal 30 Maret 2019

AOAC. 1995. *Official methods of analysis 16th Ed*. Association of official analytical chemists. Washington DC, USA

Apriogi, Ade Sandra. 2012. *Pengaruh Pemberian Bokashi terhaadap Pertumbuhan dan Hasil Tanaman Semangka (Citrullus vulgaris L.)*, Pertenakan UIN Sultan Syarif Kasim, Pekanbaru.

Arias, R., Lee, T., Logendra, L., Janes, H., 2000. *Correlation of lyocopene measured by hplc with the L*a*b* color reading of a hydroponic tomato and the relationsjip pf maturity with color and lycopene content*.

UNIVERSITAS
GADJAH MADA
**SIFAT FISIK DAN KIMIAWI WATER KEFIR POMACE SEMANGKA (Citrullus vulgaris)**
RATIH SANGGRA MW, Dr. Andriati Ningrum, S.TP, M.Agr; Ir. Ag. Pamudji Raharjo, M.P.
**Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/**


Arocho, Y.D., 2012[b]. *Incorporation of dried watermelon pomace into cookies and its effect on rheological properties, bakingquality, sensory attributes, and nutritional composition*. Journal of FOOD Quality: Wileys Perodicals Incorporation

Arocho, Y.D., Bellmer, D.,Maness, N., Mcglynn, W., Rayas-Duarte, P., 2012[a]. *watermelon pomace composition and the effect of drying and storage on lycopene content and color.* Journal of FOOD Quality. : Wileys Perodicals Incorporation

Arvanitoyannis, I. S., & Varzakas, T. H. 2008. *Fruit/Fruit Juice Waste Management: Treatment Methods and Potential Uses of Treated Waste*. Waste Management for the Food Industries, 569–628.

Aziz Homayouni, Laleh Payahoo and Aslan Azizi, 2012. Effects of Probiotics on Lipid Profile: A Review. *American Journal of Food Technology, 7: 251-265.*

Babina, N.A., Rozhokova,I.V., 1973. *Quantiaitve composition of kefir grains and kefir microflora at different of the year*. Molochnaya Promyxhlennost, 2: 15-17

Badan Pusat Statistik. 2017[a]. *Statistik Industri Besar dan Sedang*. Kementrian Perindustrian: Jakarta

Badan Pusat Statistik. 2017[b]. *Statistik Pertanian*. Kementrian Pertanian Republik Indonesia: Jakarta

Badan Pusat Statistik. 2018. *Angka Harapan Hidup Saat Lahir Mneurut Provinsi tahun 2010-2018*. Jakarta

Badan Pusat Statistik. 2018. *Statistik Tanaman Buah-Buahan dan Sayuran Tahunan Indonesia* 2017. Kementrian Pertanian Republik Indonesia: Jakarta

Bahar, B. 2008.*Kefir Minuman Susu Fermentasi*. Gramedia Pustaka Utama. Jakarta

BAPPENAS, 2013. *Proyeksi Penduduk Indonesia.* Badan Pusat Statistik: Jakarta.

Bartkiene, E., Vidmantiene, D., Juodeikiene, G., Viskelis, P., Urbonaviciene, D., 2013. *Lactic acid fermentation of tomato: effects on cis/trans lycopene isomer ration, β Carotene mas fraction and formation of L(+)- and D(-)-Lactic acid*. Food Technology Biotechnology 51(4):471-478

UNIVERSITAS
GADJAH MADA
**SIFAT FISIK DAN KIMIAWI WATER KEFIR POMACE SEMANGKA (Citrullus vulgaris)**
RATIH SANGGRA MW, Dr. Andriati Ningrum, S.TP, M.Agr; Ir. Ag. Pamudji Raharjo, M.P.
**Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/**


Bayu, M.K., H. Rizqiati dan Nurwantoro. 2017. *Analisis total padatan terlarut, keasaman, kadar lemak dan viskositas pada kefir optima dengan lama fermentasi yang berbeda*. Jurnal Teknologi Pangan. 1(2): 33-38

Bensmira, M., Nsabimana, C., Jiang, Bo. 2010. *Effect of fermentation conditions and homogenization pressure on the rheological properties of kefir*. LWT-Food Science and Technology 43: 1180-1184

Bindhumol V, Chitra KC, Mathur PP. 2003. *A induces reactive oxygen species generation in the liver of male rats*. Toxicology. 188:117-124

Blois, M. S. 1958. *Antioxidant determinations by the use of a stable free radical*. Nature, 181, 1199–1200.

Bohm, F., Tinkler, J.H., Truscott, T.G., 1995. *Carotenoids Protect Against Cell Membrane Damage by The Nitrogen Dioxide Radical*. Nature Med 1: 98–99

Bonczar, G., Regula, A., 2003. *The influence of different amount of starter culture on the properties of yoghurts obtained from ewe's milk*. Journal of Polish Agricultural University 6(2): 1-7

Brand-Williams, W., Cuvelier, M. E., & Berset, C. (1995). *Use of a free radical method to evaluate antioxidant activity*. LebensmittelWissenschaft und Technologie, 28, 25±30

Brazinha, C., Cadima, M., Crespo, J.G., 2014. *Optimization of extraction of bioactive compounds from different types of grape pomace produced at wineries and distilleries*. Journal of Food Science 79, E1142–E1149. http://dx.doi.org/10.1111/1750-3841.12476

Carson,K.,Collins,J.dan Penfield,M. 1994. *Unrefined, dried apple pomace as a potential food ingredient*. J.FoodSci. 59(6),1213–1215.

Carunchia , M., Wang, J.H., Han. 2015.*Handbook of Antioxidants for Preservation: The use of antioxidants in the preservationof snack foods*, 447-474. Woodhead Publishing Series, USA.

Charley, Helen, dan Weaver, Conie M. 1998. *Foods: A Scientific Approach* 3rd edition. Pearson: Oregon.

UNIVERSITAS
GADJAH MADA
**SIFAT FISIK DAN KIMIAWI WATER KEFIR POMACE SEMANGKA (Citrullus vulgaris)**
RATIH SANGGRA MW, Dr. Andriati Ningrum, S.TP, M.Agr; Ir. Ag. Pamudji Raharjo, M.P.
**Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/**


Choudary,B.R., Haldhar, S.M., Maheswari, S.K., Bhargava, B., Sharma, S.K. 2015 *phytochemicals dad antioxidants in watermelon (Citrullus lanatus) genotypes under hot arid region*. Indian Journal of Aricultural Sciences 85(3):414-417

Collins JK, Wu G, Perkins-Veazie P, Spears K, Claypool PL, Baker RA, Clevidence BA. 2007 *Watermelon consumption increases plasma arginine concentrations in adults*. Nutrition 23(3):261–266

Coote, N.; Kirsop, B.H. 1976. *A haze consisting largely of pentosan*. J. Inst. Brew. 82: 34

Corona, O., Randazzo, W., Micelli, A., Guarcello, R., Fransesca, N., Erten, H., Moschetti, G., Settanni, L..,2016. *Characterization of kelir-like beverages produced from vegetable juices*. LWT-Food Science and Technology 66: 572-581

Council of Europe. 2007. *Determination of tannins in herbal drugs*. In European Pharmacopoeia, 6th ed.; European Directorate for the Quality of Medicines: Strasbourg, France: 286

Crandall, P.G., Kesterson, J.W., 1981. *Components of processed watermelon fruit*. Journal of American Society HorticulturalScience 106: 493-495

da Costa, M.R., de Alencar, E.R., Leandro, E.S., Mendonca, M.A., Ferreira, W.F.S., 2018. *Characterization of the kefir beverage produced frm yan(Colocasia esculenta L.), sesame seed (Sesamum indicum L.) and bean (Phaseolus vulgaris L.) extracts*. Journal of Food Science and Technology 55(12): 4851-4858

da Miguel MG, Cardoso PG, Magalha ‘es KT, Schwan RF.2011. *Profile of microbial communities present in tibico (sugary kefir) grains from different Brazilian States*. World J. Microbiol. Biotechnol. 27: 1875–1884

Dane F, Lang P, Bakhtiyarova R. 2004. *Comparative Analysis of Chloroplast DNA Variability in Wild and Cultivated Citrullus Species*. Theory Application Genetic 108:958–966.

Dave, R.I., Shah, N.P., 1997. *Effectiveness of ascorbic acid as an oxygen scavenger in improving viability of probiotic bacteria in yghurts made with commercial starter cultures*. International Dairy Jurnal 7(6/7): 435-443

UNIVERSITAS
GADJAH MADA
**SIFAT FISIK DAN KIMIAWI WATER KEFIR POMACE SEMANGKA (Citrullus vulgaris)**
RATIH SANGGRA MW, Dr. Andriati Ningrum, S.TP, M.Agr; Ir. Ag. Pamudji Raharjo, M.P.
**Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/**


Desrosier, N. W. 1988. *Teknologi Pengawetan Pangan. Edisi III*. Penerjemah Muchji Mulyohardjo. Universitas Indonesia Press, Jakarta

Di Mascio P, Kaiser S, Sies H. 1989. *Lycopene as the most efficient biological carotenoid singlet oxygen quencher*. Arch Biochem Biophys 274:532–538

Dworkin, Martin; Falkow, Stanley (2006). *The Prokaryotes: Proteobacteria: alpha and beta subclasses*. Springer: halaman 129

Estrada-Cuellar, J. 1985. *Estudio de las levaduras de los tibicos y de la madre del vinagre*. Tesis. Biolog´ıa, Facultad de Ciencias, UNAM

Farnworth, E. 2005. *Kefir – a complex probiotic.Food Science and Technology*. Bulletin: Functional Foods, 2 (1) 1–17.

Fessenden, R. J. dan Fessenden, J. S. 1992. *Kimia Organik, Edisi Ketiga*b. Pudjatmaka H. Gramedia. Jakarta

Fidrianny I, Puspitasari N, Singgih M. 2014. *Antioxidant activities, total flavonoid, phenolic, carotenoid of various shells extract from four species of legumes*. Asian J Pharm Sci. 7(4):42-6

Fife, J.M., Frampton, V.L., 1935. *The effect of carbon dioxide upon the Ph and certainnitrogen fractions of the sugar-beet plant*. Journal of Biological Science 109(2):643.

Fiorentino, A., Gentili, A., Isidori, M., Monaco, P., Nardelli, A., & Parrella, A. 2003. *Environmental effects caused by olive mill wastewaters: toxicity comparison of low-molecular weight phenol components*. Journal of Agricultural and Food Chemistry, 51(4), 1005-1009.

Fish W.W., Perkins., V.P., Collins, J.K., 2001. *A quantitative assay for lycopene that utilizes reduced volumes of organic solvents*. J. Food Composition Analysis 15, 309-317

Gawecki, J., Hryniewecki, L., 2000. *Zywienie ezlowieka 1 (Human Nutrition).* PWN Warsaw, 243-248

Gill N, Bansal R, Garg M, Sood S, Muthuraman A, Bali M. 2010. *Evaluation of antioxidant, anti-infl ammatory and analgesic potential of Citrullus lanatus seed extract in rodent model*. Internet J Nutr Wellness 9(2)

UNIVERSITAS
GADJAH MADA
**SIFAT FISIK DAN KIMIAWI WATER KEFIR POMACE SEMANGKA (Citrullus vulgaris)**
RATIH SANGGRA MW, Dr. Andriati Ningrum, S.TP, M.Agr; Ir. Ag. Pamudji Raharjo, M.P.
**Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/**


Gordillo, B., Mignani, A.G., Ciaccheri, L., Gonzales-Miret, M.L., 2011. *Influence of turbidiy grade on color and appearance of virin olive oil.* Journal of the American Oil Chemist Society 88(9): 1317-1327

Guinda, A.; Rada, M.; Delgado, T.; Gutiérrez-Adánez, P.; Castellano, J. M. 2010. *Pentacyclic Triter-penoids from Olive Fruit and Leaf*. J. Agr. Food Chem., 58 (17), 9685–9691

Gulitz A, Stadie J, Ehrmann MA, Ludwig W, Vogel RF. 2013. *Comparative phylobiomic analysis of the bacterial community of water kefir by 16S rRNA gene amplicon sequencing and ARDRA analysis*. J. Appl. Microbiol. 114:1082–1091.

Gulitz A, Stadie J, Wenning M, Ehrmann MA, Vogel RF. 2011. *The microbial diversity of water kefir*. Int. J. Food Microbiol. 151:284–288.

Hariyadi, Purwiyatno. (2006). Pangan Fungsional Indonesia. FOODREVIEW Indonesia. 8-10.

Hastuti, Afifah Puji, dan Kusnadi, Joni. 2016. *Organoleptik dan Karakteristik Kefir Rosella Merah (Hibiscus sabdariffa L.) dari The Rosella Merah Pasaran.* Jurnal Pangan dan Agroindustri Universitas Brawijaya 4(1).

Hayoglu, L.A., Fenercioglu, H., 1990. *A research on the possubulitu of using watermelon juice in fruit juice industry*. Gida 15, 329-332

Hendry, G.A.F., and Houghton, J.D., 1992. *Natural food colorants*:halaman 154

Hsieh HH, Wang SY, Chen TL, Huang YL, Chen MJ. 2012. *Effects of cow's and goat's milk as fermentation media on the microbial ecology of sugary kefir grains*. Int. J. Food Microbiol. 157:73–81.

Insani, H., Rizqiati, H., Pratama, Y., 2018. *Pengaruh variasi konsentrasi sukrosa terhadap total khamir, total padatan terlarut, kadar alcohol dan mutu hedonic pada water kefir buah naga merah (Hyloreceus polyrhizus)*. Jurnal Teknologi Pangan 22(2): 90-95

International Standard Organization. 2011. ISO 29842:2011. *Sensory analysis-methodology-Balanced Incomplete Block Designs*. Switzerland: ISO

UNIVERSITAS
GADJAH MADA
**SIFAT FISIK DAN KIMIAWI WATER KEFIR POMACE SEMANGKA (Citrullus vulgaris)**
RATIH SANGGRA MW, Dr. Andriati Ningrum, S.TP, M.Agr; Ir. Ag. Pamudji Raharjo, M.P.
**Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/**


Jamal, P., Hashlamona A., Jaswir, I., Akbar, I., Nawawi, W.M.F.W. 2017. *Extraction of lycopene tomato waste using solid state fermentation*. Internationa Food Research Journal 25:416-421

Jasmine, Ginting J, Siagian B. 2014. *Respons Pertumbuhan dan Produksi Semangka (Citrullus vulgaris Schard.) terhadap Konsentrasi Paclobutrazol dan Dosis Pupuk NPK*. J. Argroteknologi 2(3):967–974.

Jayaraman KS, Ramanuja MN, Dhakne YS, Vijayaraghavan PK. 1982. *Enzymatic browning in some banana varieties as related to polyphenoloxidase activity and other endogenous factors*. J Food Sci Technol 19:181–186

Karastogianni S., Girousi S. and Sotiropoulos S. 2016. *pH: Principles and Measurement*. Dalam: Carlos, B., Finglas, P., and Toldrá, F. (eds.) *The Encyclopedia of Food and Health* vol. 4, pp. 333-338. Oxford: Academic Press

Kebler LF. 1921. *California bees*. J. Am. Pharm. Assoc. 10:939–943.

Kunaepah,U. 2008. *Pengaruh lama fermentasi dan konsentrasi glukosa terhadap aktivitas antibakteri, polifenol total dan mutu kimia kefir susu kacang merah*. Tesis. program pasca sarjana Universitas Diponogoro, Semarang

Kurtzman CP. 2003. *Phylogenetic circumscription of Saccharomyces, Kluyveromyces and other members of the Saccharomycetaceae, and the proposal of the new genera Lachancea, Nakaseomyces, Naumovia, Vanderwaltozyma and Zygotorulaspora*. FEMS Yeast Res 4: 233–245

Lambrechts MG, Pretorius IS. 2000. *Yeast and its importance to wine aroma - a review*. S. Afr. J. Enol. Vitic. 21:97–129

Larrauri J.A., Sa´ nchez-Moreno C. and Saura-Calixto F. 1998. *Effect of temperature on the free radical scavenging capacity of extracts from red and white grape pomace peels*. Journal of Agricultural and Food Chemistry 46: 2694–2697

Laureys, David, Vuyst, Luc De, 2014. *Microbial species diversity, community dynamics, and metabolite kinetics of water kefir fermentation*. Journal of Application Environment Microbiology 80(8):2564

UNIVERSITAS
GADJAH MADA
**SIFAT FISIK DAN KIMIAWI WATER KEFIR POMACE SEMANGKA (Citrullus vulgaris)**
RATIH SANGGRA MW, Dr. Andriati Ningrum, S.TP, M.Agr; Ir. Ag. Pamudji Raharjo, M.P.
**Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/**


Lawless, Harry T., dan Heymann, Hildegarde. 1990. *Sensory Evaluation of Food: Principles and Practices*. Springer-Verlag: New York.

Lin Li, J., Sun, D., Cheng, Jun-Hu. 2016. *recent advance in non-destructive analytical techniques for determining the total soluble solids in fruits: A review*. Comprehensive Reviews in Food Science and Food Safety 15(5): 897-911

LIN, M., CHANG, F. 2000. *Antioxidative Effect of Intestinal Bacteria Bifidobacteriumlongum ATCC 15708 and Lactobacillus acidophilus ATCC 4356*. Digestive Diseases and Sciences, 45(8) , 1617–1622

Lopez-Rojo, J.P., Garcia-Pinilla, S., Cornejo-Mazon, M., 2017. *Estduio de la fermentacion de kefir de agua de pina con tibicos*. Revista exicana de Ingenieria Quimica. Vol 16(2): 405-414

Lutz ML. 1899. *Recherches biologiques sur la constitution du Tibi*. Bull. Soc. Mycol. France 15:68–72.

MacWillian, L.D. 2005. *Comparative guide to nutritional supplement*, hal. 31– 32. Northern Dimensions Publishing

Magalhaes, K.T., Puereira,G.V.M., Dias, D.R., Schwan, R.F., 2010. *Microbial communities and chemical change during fermentation of sugary Brazilian kefir*. World Journal of Microbiology Biotechnology 26: 1241-1250

Manab, A. 2008. *Kajian Sifat Fisik Yogurt Selama Penyimpanan Pada Suhu 4ºC*. Jurnal Ilmu dan Teknologi Hasil Ternak 3:1, 52-58

Marsh, A.J., O'Sullivan, O., Hill, C., Ross, R.P., Cotter, P.D., 2013. *Sequence-based analysis of the microbial composition of water kefir from multiple sources*. Federation of European Microbiological Societies Letter 348: 79-85. John Wiley & Sons Ltd.

Maryana, D. 2014. *Pengaruh Penambahan Sukrosa terhadap Jumlah Bakteri dan Keasaman Whey Fermentasi dengan Menggunakan Kombinasi Lactobacillus plantarum dan Lactobacillus acidophilus*. Naskah Skripsi S-1. Fakultas Peternakan Universitas Hasanuddin, Makasar

Meilgaard, Morten C., Carr, Thomas, dan Civille, Gail Vance. 2006. *Sennsory Evaluation Techniques* 4th ed. CRC Press.

UNIVERSITAS
GADJAH MADA
**SIFAT FISIK DAN KIMIAWI WATER KEFIR POMACE SEMANGKA (Citrullus vulgaris)**
RATIH SANGGRA MW, Dr. Andriati Ningrum, S.TP, M.Agr; Ir. Ag. Pamudji Raharjo, M.P.
**Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/**


Moritz B, Tramonte VLC. 2006. *Bioavailability of lycopene*. Rev Nutr 19:265–273

Mortensen, Alan. 2006. *Carotenoids and other pigments as natural colorants*. Pure Application Chemistry78(8):1477-1491.

Mounts, T.L.; and K. Warner. In Handbook of Soy Oil Processing and Utilization; D.R. Erickson, E.H. Pryde, O.L. Brekke, T.L. Mounts, and R.A. Falb, Eds.; American Oil Chemists' Society: Champaign, IL, 1980; pp. 245–266.

Mullai K, Jebanesan A, Pushpanathan T (2008) *Effect of bioactive fractions of Citrullus vulgaris Schrad. leaf extract against Anopheles stephensi and Aedes aegypti* . Parasitol Res 102(5):951–955

Munawir, I.R., 2010. *Pembuatan sorbitol dari sirup glukosa dengan proses dehidrogenasi katalistik kapaitas 60 ton/hari*, Skripsi, Universitas Sumatera Utara, Medan.

Mussdholifah, Zubaidah, Elok. 2016. *Studi aktivitas antioksida kefir the daun sirsak*. Jurnal pangan dan agroindustry 4(1):29-39

Narita, Maya. 2016. *Kualitas kefir sari buah stroberi (Fragaria vesca) dengan variasi penambahan Sukrosa.* Skripsi. F. Teknobiologi: Universitas Atma Jaya. Yogyakarta.

Nishino T, Shibahara-Sone H, Kikuchi-Hayakawa H and Ishikawa F. 2000. *Transit of radical scavenging activity of milk products prepared by Maillard reaction and Lactobacillus casei strain Shirota fermentation through the hamster intestine*. Journal of Dairy Science 83: 915–922.

Noberto, A.P., Marmentini, R.P., Carvalho, P.H., Campagnollo, F.B., Takeda, H.H., Alberte, T.M., Soca, R.S., Cruz, A.G., Alvarenga, V.O., Sant'Ana, A.S., 2018. *Impact of partial and total replacement of milk by water-soluble soybean extract on fermentation and growth parameters of kefir microorganisms.* LWT-Food Science and Technology 93: 491-498

Oberoi, D.P.S., Sogi, D.S., 2015. *Prediction of lycopene degradation during dehydration of watermelon pomace (cv. Sugar Baby).* Journal of the Saudi Society of Agricultural Sciences (2017) 16, 97-103

UNIVERSITAS
GADJAH MADA
**SIFAT FISIK DAN KIMIAWI WATER KEFIR POMACE SEMANGKA (Citrullus vulgaris)**
RATIH SANGGRA MW, Dr. Andriati Ningrum, S.TP, M.Agr; Ir. Ag. Pamudji Raharjo, M.P.
**Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/**


Omoni,A.O.Andaluko,R.E. 2005. *Theanti-carcinogenic and anti-atherogenic effects of lycopene:A review*. Trends Food Sci. Technol. 16,344–350

Parmar HS, Kar A. 2008. *Possible amelioration of atherogenic diet induced dyslipidemia, hypothyroidism and hyperglycemia by the peel extracts of Mangifera indica, Cucumis melo and Citrullus vulgaris fruits in rats*. Biofactors 33(1):13–24

Pathare, P.B., Opara, U.L., Al-Said, F.A., 2013. *Colour measurement and analysis in fresh and processed foods: A Review.* Food Bioprocess Technology 6:36-60

Penfield, M.P.; and A.M. Campbell. In Experimental Food Science, 3rd ed.; Academic Press: San Diego, CA, 1990; pp. 51–77.

Perkins-Veazie P, Collins JK, Davis AR, Roberts W. 2006. *Carotenoid content of 50 watermelon cultivar*s. J Agric Food Chem 54(7):2593–2597

Perkins-Veazie P, Collins JK, Edwards A, Wiley E, Clevidence B . 2003. *Watermelon: rich in the antioxidant lycopene.* Acta Hort ISHS 628:663–668

Perkins-Veazie, P., Collins, J.K., Pair, S.D., Robert, W., 2001. *Lycopene Content differs among red-fleshed watermeloncultivar*s. Journal of Science Food Agricultural. 81, 1-5

Perkins-Veazie,P., Collins, J.K., Siddiq, M. And Dolan, K. 2006. *Juice and carotenoid yield fromprocessed watermelon*[abstract].HortScience41(3),518.

Pertiwi SRR, N Novidahlia, and L Lidia. 2012. *Chemical Properties Changes of Water-kefir Fermented in Various Sugar Concentrations*. Proceedings of 2nd International Seminar on Food and Agricultural Sciences (ISFAS 2012), Innovating Indigenous Functional Food and Agro-Biotechology, Putri Pujangga Universiti Kebangsaan Malaysia, September 4-6 2012, Jointly Organized by Faculty of Agricultural Technology University of Andalas Indonesia, and Faculty of Agro-Industri Kasetsart University, Thailand

Picinelli A, Suarez B, Moreno J, Rodriguez R, Caso-Garcia LM, Mangas JJ. 2000. *Chemical characterization of Asturian cider*. J. Agric. Food Chem. 48:3997–4002.

UNIVERSITAS
GADJAH MADA
**SIFAT FISIK DAN KIMIAWI WATER KEFIR POMACE SEMANGKA (Citrullus vulgaris)**
RATIH SANGGRA MW, Dr. Andriati Ningrum, S.TP, M.Agr; Ir. Ag. Pamudji Raharjo, M.P.
**Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/**


Pidoux M, Brillouet JM, Quemener B. 1988. *Characterization of the polysaccharides from a Lactobacillus brevis and from sugary kefir grains*. Biotechnol. Lett. 10:415–420. http://dx.doi.org/10.1007/BF01087442. 8.

Pidoux M, Marshall VM, Zanoni P, Brooker B. 1990. *Lactobacilli isolated from sugary kefir grains capable of polysaccharide production and minicell formation*. J Appl Microbiol 69:311– 320. doi:10.1111/j.1365-2672.1990.tb01521.x

PidouxM. 1989. *The microbial flora of sugary kefir grain (the gingerbeer plant) - biosynthesis of the grain from Lactobacillus hilgardii producing a polysaccharide gel*. J. Appl. Microbiol. 5:223–238. http://dx.doi.org/10 .1007/Bf01741847

*Pomac*e. 2011. Dalam Merriam-Webster.com. diakses pada tanggal 02 Februari, 2019, dari www.merriam-webster.com/dictionary/pomace

Pratimasari, D. 2009. *Uji Aktivitas Penangkap Radikal Buah Carica papaya I. Dengan Metode DPPH dan Penetapan Kadar Fenolik serta Flavonoid Totalnya*. Skripsi. Fakultas Farmasi. Universitas Muhammadiyah. Surakarta Press

Primurdia, E.G. dan J. Kusnadi. 2013. *Aktivitas Antioksidan Minuman Probiotik Sari Kurma (Phoenix dactilyferaL.) dengan Isolat L. plantarum dan L. casei*. Jurnal Pangan dan Agroindustri Vol 2(3) : 98-109.

Puerari C, Magalha ˜es KT, Schwan RF. 2012. *New cocoa pulp-based kefir beverages: Microbiological, chemical composition and sensory analysis*. Food Res. Int. 48: 634–640

Purba, A.P., Dwiloka, B., Rizqati, H., 2018. *Pengaruh lama fermentasi terhadap bakteri asam laktat, viskositas, aktiitas antioksidan, dan organoleptic water kefir anggur merah (Vitis vinifera)*. Jurnal Teknoloi Pangan 2(1):49-51

Purba, Amanda Pavita, Dwiloka, Bambang, dan Riqiati, Heni. 2018. *Pengaruh Lama Fermentasi terhadap Bakteri Asam Laktat (BAL), Viskositas, Aktivitas Antioksidan, dan Organoleptik Water Kefir Anggur Merah (Vitis vinifera L.)*. Jurnal Teknologi Pangan 2(1): halaman 49-51.

UNIVERSITAS
GADJAH MADA
**SIFAT FISIK DAN KIMIAWI WATER KEFIR POMACE SEMANGKA (Citrullus vulgaris)**
RATIH SANGGRA MW, Dr. Andriati Ningrum, S.TP, M.Agr; Ir. Ag. Pamudji Raharjo, M.P.
**Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/**


Ramulu, P. and Udayasekhara, R.P. 2003. *Total, insoluble and soluble dietary fibre contents of Indian fruits*. Journal of Food Composition and Analysis 16: 677 – 685

Randazzo, W., O. Corona, R. Guarcello, N. Francesca, M. A. Germana, H. Erten, G. Moschetti, and L. Settani. 2015. *Development of new non–dairy beverages from mediterranean fruit juices fermented with water kefir microorganisms*. Food Microbiology. 54 (2016): 40 – 51

Ranganna, S., 1986, 2nd ed., *Handobook of Analysis and Quality control for Fruit and Vegetable products.* Volume 278 Tata McGraw Hill Publishing Company, New Delhi. Page 265-266

Rattray F.P., O'Connell, M.J., 2011. *Fermented Milks: Kefir. Encyclopedia of dairy Sciences*, halamn 518-524

Rhim, JW. & Hong, SI. 2011. *Effect of water activity and temperature on the coor change of red pepper(Capsicum annuum L.)powder.* Food Sci Biotechnol 20: 215.

Roberta, O.V., Magalhaes, K.T., Alves, R., Dias, D.R., Sxhwan, R.F., 2017. *Fermentation process for production of apple-based kefir vinegar: microbological, chemical, and sensory analysis*. Brazilian Journal of Microbiology 48: 592-601

Robinson, Jancis(Ed.).2006 *The Oxfords Companion To Wine 3rd Ed*. Oxfords:Oxord Univ Press, halaman 534-535.

Rouhier N Lemaire SD, Jacquot JP. *The role of glutathione in photosynthetic organisms: Emerging functions for glutaredoxins and glutathionylation*. Annual Review of Plant Biology. 2008;59:143-166.

Rubatzky V.E., Yamaguchi M. 1997. *Cucumber, Melons, Watermelons, Squash, and Other Cucurbits. In: World Vegetables*. Springer, Boston, MA

Ruberto, G., Renda, A., Amico, V., Tringali, C., 2008. *Volatile compo-nents of grape pomaces from different cultivars of Sicilian Vitis vinifera L*. Bioresour. Technol. 99, 260268

UNIVERSITAS
GADJAH MADA
**SIFAT FISIK DAN KIMIAWI WATER KEFIR POMACE SEMANGKA (Citrullus vulgaris)**
RATIH SANGGRA MW, Dr. Andriati Ningrum, S.TP, M.Agr; Ir. Ag. Pamudji Raharjo, M.P.
**Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/**


Rubio MT, Lappe P, Wacher C, Ulloa M. 1993. *Estudio microbiano y químico de la fermentación de soluciones de piloncillo inoculadas con tibicos*. Rev Latinoam Microbiol 35(1):19–31

Ruiz-Oronoz, M. 1932. *Estudio micol´ogico de las zoogleas conocidas vulgarmente como tibicos*. Anales del Instituto de Biolog´ıa, UNAM 3, 183190.

Rupasinghe, H. P. V., Wang, L., Huber, G. M., & Pitts, N. L. 2008. *Effect of baking on dietary fibre and phenolics of muffins incorporated with apple skin powder*. Food Chemistry, 107, 1217–1224.

Samadi B. 1996. *Semangka Tanpa Biji*. Yogyakarta: Kanisius.

Saravacos, G. D. 1970. *Effect of temperatur on viscosity of fruit juices and pure'es*. Journal of Food Science, 35, 122-125

Schofield, L. 2008. *The finesse of fibre*. Diakses pada tanggal 2 Februari 2019 dari http://www. nutraceuticalsworld.com/articles/2008/01/thefinesse-of-fiber

Schofield, P.; Mbugua, D.M.; Pell, A.N. 2001. *Analysis of condensed tannins: A review*. Anim. Feed Sci. Tech. 91, 21–40.

Sharma, R., Kaur D., Oberoi, D.P.S., Sogi,D.S., 2008. *Thermal degradation kinetics of pigments and visual in tomato dehydration*. Food Research International 32, 12-21

Shen B, Jensen RG, Bohnert HJ. 1997. *Mannitol protects against oxidation by hydroxyl radicals*. Plant Physiol. 115:527–532

Shimizu, T. (2003). *Health claims on functional foods: the Japanese regulations and an international comparison. Nutrition Research Reviews, 16(02), 241*

Shin, D.H., Koo, .J., Kim, C.O., Min, B.Y., Suh, K.B., 1978. *Studies on the production of watermelonand antaloupe melon juic*e. Korea: Journal of Food Science Technology. 10, 215-218

Simova E, Beshkova D, Angelov A, Hristozova T, Frengova G, Spasov Z. 2002. *Lactic acid bacteria and yeasts in kefir grains and kefir made from them*. J Ind Microbiol Biotechnol 28:1–6. doi:10.1038/sj/jim/7000186

UNIVERSITAS
GADJAH MADA
**SIFAT FISIK DAN KIMIAWI WATER KEFIR POMACE SEMANGKA (Citrullus vulgaris)**
RATIH SANGGRA MW, Dr. Andriati Ningrum, S.TP, M.Agr; Ir. Ag. Pamudji Raharjo, M.P.
**Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/**


Singleton, V.L., Rossi, J., A. Jr., 1965. *Colorimetry of total phenolics with phosphomolybdic-phosphotungstic acid reagents*. American Journal Enol. Viticul. 16: 144-158

Soewarno, T.Soekarto. 1981. *Penilaian Organoleptik, Pusat Pengembangan Teknologi Pangan (Pusbangtepa)*. Bogor : IPB.

Sogi, D.S., 2003. *Effect of concentration and temperature on the viscosity of watermelon juice*. Journal of Food Science Technology 40(5), 509-511

Stadie J, Gulitz A, Ehrmann MA, Vogel RF. 2013. *Metabolic activity and symbioticinteractionsoflacticacidbacteriaandyeastsisolatedfromwater kefir*. Food Microbiol. 35:92–98.

Stahl W, Sies H. 1993. *Physical quenching of singlet oxygen and cis-trans isomerization of carotenoids.* Ann N Y Acad Sci 691:10–19

Stone, Herbert dan Sidel, Joel. 1993. *Sensory Evaluation Practices* 2nd ed. Academic Press: California.

Subardjo, M.V.K., 2017. *Black Tea water kefir*. Thesis. Massey University: Albany, New Zealand

Sugisawa, T., Miyazaki, T., Hoshino, T., 2005. *Microbial production of l ascorbic acid from D-Sorbitol, L-sorbose, dan L-Sorbosone by Ketogluconicigenium vulgare*. DSM 4025, Biotechnology, Bioscience, and Biochemistry, 69(3): 659-662

Sunardjono, H. Hendro. 2013. *Berkebun 26 jenis tanaman buah*. Jakarta: Penebar Swadaya.

Sundia T. 2007. *Watermelon production and consumption demographics*. p. 35 – 40. SundraCorp. India

T.K. Lim. 2012. *Edible Medicinal And Non-Medicinal Plants:* Volume 2. Springer Science+Business Media B.V.

Tlili, I., Hdider, C., Ilahy, R., Jebari, H.,2010. *Phytochemical composition and antioxidant activity of selected watermelon varieties grown n Tunisia*. The African Journal of Plant Science and Biotechnology 4(2): 68-71

UNIVERSITAS
GADJAH MADA
**SIFAT FISIK DAN KIMIAWI WATER KEFIR POMACE SEMANGKA (Citrullus vulgaris)**
RATIH SANGGRA MW, Dr. Andriati Ningrum, S.TP, M.Agr; Ir. Ag. Pamudji Raharjo, M.P.
**Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/**


Uddin, M.B., Nanjudaswanny, A.M., 1998. *Studies on processing of watermelons for juice. Bang*. Journal of Science Industry. Res, 17, 80-86

Usmiati, S. dan Adi, S. 2004. *Pengaruh Stater Kombinasi Bakteri dan Khamir Terhadap Sifat Fisikokimia dan Sensori Kefir*. Jurnal Pascapanen 1:1, 12-21

Vanbeneden, N.; Van Roey, T.; Willems, F.; Delvaux, F.; Delvaux, F.R. Release of phenolic flavour precursors duringwortproduction: Influenceofprocessparametersandgristcompositiononferulicacidreleaseduring brewing. Food Chem. 2008, 111, 83–91.

Vendruscolo, F., Albuquerque, P.M., Streit, F., Esposito, E., Ninow, J.L., 2008. *Apple pomace: a versatile substrate for biotechnologicalapplications*. Crit. Rev. Biotechnol. 28, 112

Vincent, S.J.F., Faber, E.J., Neeser, J.R., Stingele, F., Kamerling, J.P., 2001. *Structure and protperties of the exopolysaccharides produced by streptococcus macedonicus-Sc 136*. Journal of Glycobiology 11:131-139

Walker JRL, Ferrar PH. 1998. *Diphenol oxidases, enzyme-catalysed browning and plant disease resistance*. Biotechnol Genet Eng Rev 15:457–498

Ward HM. 1892. *The ginger-beer plant and the organisms composing it; a contribution to the study of fermentation-yeasts and bacteria*. Philos. Trans. R. Soc. London 183:125–197. http://dx.doi.org/10.1098/rstb.1892 .0006.

Watanabe, K., Saito, T., 1987. *Carotenoid pigments in Red, orange, and yellow fleshed fruits of watermelon (Citrullus vulgaris) Cultivars*. Journal of Japan Society Horticultural Science 56(!):45-50

Wehner T.C. 2008. *Watermelon. In: Prohens J., Nuez F. (eds) Vegetables I. Handbook of Plant Breeding*, vol 1. Springer, New York, NY

Weisburger, J. H. 2001. *Chemopreventive effects of cocoa polyphenols on chronic diseases*. Exp Biol Med, 226(10), 891–897

Wihardjo, Suwandi. 1993. *Bertanam Semangka*. Yogyakarta, Kanisius, halaman 107

Winarno F.G., 1992. *Kimia Pangan dan Gizi*, Gramedia, Jakarta

UNIVERSITAS
GADJAH MADA
**SIFAT FISIK DAN KIMIAWI WATER KEFIR POMACE SEMANGKA (Citrullus vulgaris)**
RATIH SANGGRA MW, Dr. Andriati Ningrum, S.TP, M.Agr; Ir. Ag. Pamudji Raharjo, M.P.
**Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/**


Wollgast, J., & Anklam, E. 2000. *Review on polyphenols in Theobroma cacao: Changes in composition during the manufacture of chocolate and methodology for identification and quantification*. Food Res Int, 33(6), 423–447.

Wu, G., Collins, J.K., Perkins-Veazie, P., Siddiq M., Dolan, K.D., Kelly, K.A., Heaps, CL., Meininger, C.J., 2007. *Dietary supplementation with watermelon pomace juice enhances arginine availability and ameliorates the metabolic syndrome in zucker diabetic fatty rats*. Journal of Nutrition: Nutrient Physiology, Metabolism, and Nutrient Interaction 137(2680-2685)

Xiang, Y., Xu, X., Li, J. 2012. *Chemical properties and antioxidant activity of exopolysaccharides fractions from mycelial culture of Inonotusobliquus in a ground corn stover medium*. Food Chemistry 3:121

Yamaguchi, T., Takamura, H., Matoba, T., Terao, J. 1998. *HPLC method for evaluation of the free radical-scavenging activity of foods by using 1,1,-diphenyl-2-picrylhydrazyl*. Bioscience, Biotechnology and lBiochemistry, 62,1201-1204.

Yana, Malsa Fian. 2015. *Pembuatan Yogurt Berbasis Kacang Tunggak (Vigna Unguiculata) dengan Metode Freeze Drying (Kajian Jenis dan Konsentrasi Bahan Pengisi*). Jurnal Pangan dan Agroindustri Vol. 3 No 3 p.1203-1213

Yoo, S. H., K. S. Seong, and S. S. Yoon. 2013. *Physicochemical properties of kefir manufactured by a two–step fermentation*. Korean J. Food Sci. An. 33 (6): 744 – 751

Yunus, Y dan E. Zubaidah. 2015. *Pengaruh konsentrasi sukrosa dan lama fermentasi terhadap viabilitas L. casei selama penyimpana beku velva pisang ambon*. Jurnal Pangan dan Agroindustri. 3(2): 303 – 312

Yusmarini R. dan R. Efendi. 2004. *Evaluasi Mutu Soyghurt yang dibuat dengan Penambahan Beberapa Jenis Gula*. Jurnal Natur Indonesia 6(2): 104-110 (2004).