



DAFTAR PUSTAKA

- Adetutu, A., Olorunnisoa, O.S., Owoade, O.A., 2015. *Nutritive Values and Antioxidant Activity Citrullus lanatus Fruit Extract*. Journal of Food and Nutrition Science 6:1056-1064.
- Agusman. 2013. *Pengujian Organoleptik*. Teknologi Pangan Universitas Muhammadiyah Semarang. Semarang.
- Alsayadi, Munir M.S., Al Jawfi, Yaser, Belarbi, Meriem, Sabri, Fatima Z. 2013. *Antioxidant potency of water kefir*. Journal of Microbiology, Biotechnology, and Food Sciences: 2(6) 2444-2447.
- Alves CCO, Resende JV, Cruvinel RSV and Prado MET. 2008. *Stability of the microstructure and carotenoids contents of the freeze-dried pequi (Caryocar brasiliense Camb.) pulp in the powdered form*. Food Science and Technology 28(4): 830–839.
- Amerine. 1987. *Technology of Wine Making*. Connecticut. The AVI Publishing Co. Inc., Westport
- Amiot, M.J., Aubert, S., Nicolas, J., Groupy, P., Aparicio, P., 1992. *Phenolic composition and browning susceptibility of various apple and pear cultivars at maturity*. C.R. Jiep 9R, 16:48-51
- AMSA. 2012. *Meat color measurement guidelines*. American Meat Science Association: halaman 1–136. <http://www.meatscience.org>. Diakses pada tanggal 30 Maret 2019
- AOAC. 1995. *Official methods of analysis 16th Ed*. Association of official analytical chemists. Washington DC, USA
- Apriogi, Ade Sandra. 2012. *Pengaruh Pemberian Bokashi terhadap Pertumbuhan dan Hasil Tanaman Semangka (Citrullus vulgaris L.)*, Pertenakan UIN Sultan Syarif Kasim, Pekanbaru.
- Arias, R., Lee, T., Logendra, L., Janes, H., 2000. *Correlation of lycopene measured by hplc with the L*a*b* color reading of a hydroponic tomato and the relationsjip pf maturity with color and lycopene content*.



- Arocho, Y.D., 2012^b. *Incorporation of dried watermelon pomace into cookies and its effect on rheological properties, baking quality, sensory attributes, and nutritional composition*. Journal of FOOD Quality: Wileys Perodicals Incorporation
- Arocho, Y.D., Bellmer, D., Maness, N., Mcglynn, W., Rayas-Duarte, P., 2012^a. *watermelon pomace composition and the effect of drying and storage on lycopene content and color*. Journal of FOOD Quality. : Wileys Perodicals Incorporation
- Arvanitoyannis, I. S., & Varzakas, T. H. 2008. *Fruit/Fruit Juice Waste Management: Treatment Methods and Potential Uses of Treated Waste*. Waste Management for the Food Industries, 569–628.
- Aziz Homayouni, Laleh Payahoo and Aslan Azizi, 2012. Effects of Probiotics on Lipid Profile: A Review. *American Journal of Food Technology*, 7: 251-265.
- Babina, N.A., Rozhokova, I.V., 1973. *Quantitative composition of kefir grains and kefir microflora at different of the year*. Molochnaya Promykhennost, 2: 15-17
- Badan Pusat Statistik. 2017^a. *Statistik Industri Besar dan Sedang*. Kementrian Perindustrian: Jakarta
- Badan Pusat Statistik. 2017^b. *Statistik Pertanian*. Kementrian Pertanian Republik Indonesia: Jakarta
- Badan Pusat Statistik. 2018. *Angka Harapan Hidup Saat Lahir Menurut Provinsi tahun 2010-2018*. Jakarta
- Badan Pusat Statistik. 2018. *Statistik Tanaman Buah-Buahan dan Sayuran Tahunan Indonesia 2017*. Kementrian Pertanian Republik Indonesia: Jakarta
- Bahar, B. 2008. *Kefir Minuman Susu Fermentasi*. Gramedia Pustaka Utama. Jakarta
- BAPPENAS, 2013. *Proyeksi Penduduk Indonesia*. Badan Pusat Statistik: Jakarta.
- Bartkiene, E., Vidmantiene, D., Juodeikiene, G., Viskelis, P., Urbonaviciene, D., 2013. *Lactic acid fermentation of tomato: effects on cis/trans lycopene isomerization, β Carotene mass fraction and formation of L(+)- and D(-)-Lactic acid*. Food Technology Biotechnology 51(4):471-478



- Bayu, M.K., H. Rizqiati dan Nurwantoro. 2017. *Analisis total padatan terlarut, keasaman, kadar lemak dan viskositas pada kefir optima dengan lama fermentasi yang berbeda*. Jurnal Teknologi Pangan. 1(2): 33-38
- Bensmira, M., Nsabimana, C., Jiang, Bo. 2010. *Effect of fermentation conditions and homogenization pressure on the rheological properties of kefir*. LWT-Food Science and Technology 43: 1180-1184
- Bindhumol V, Chitra KC, Mathur PP. 2003. *A induces reactive oxygen species generation in the liver of male rats*. Toxicology. 188:117-124
- Blois, M. S. 1958. *Antioxidant determinations by the use of a stable free radical*. Nature, 181, 1199–1200.
- Bohm, F., Tinkler, J.H., Truscott, T.G., 1995. *Carotenoids Protect Against Cell Membrane Damage by The Nitrogen Dioxide Radical*. Nature Med 1: 98–99
- Bonczar, G., Regula, A., 2003. *The influence of different amount of starter culture on the properties of yoghurts obtained from ewe's milk*. Journal of Polish Agricultural University 6(2): 1-7
- Brand-Williams, W., Cuvelier, M. E., & Berset, C. (1995). *Use of a free radical method to evaluate antioxidant activity*. LebensmittelWissenschaft und Technologie, 28, 25±30
- Brazinha, C., Cadima, M., Crespo, J.G., 2014. *Optimization of extraction of bioactive compounds from different types of grape pomace produced at wineries and distilleries*. Journal of Food Science 79, E1142–E1149. <http://dx.doi.org/10.1111/1750-3841.12476>
- Carson, K., Collins, J. dan Penfield, M. 1994. *Unrefined, dried apple pomace as a potential food ingredient*. J.FoodSci. 59(6), 1213–1215.
- Carunchia, M., Wang, J.H., Han. 2015. *Handbook of Antioxidants for Preservation: The use of antioxidants in the preservation of snack foods*, 447-474. Woodhead Publishing Series, USA.
- Charley, Helen, dan Weaver, Conie M. 1998. *Foods: A Scientific Approach* 3rd edition. Pearson: Oregon.



- Choudary, B.R., Haldhar, S.M., Maheswari, S.K., Bhargava, B., Sharma, S.K. 2015 *phytochemicals and antioxidants in watermelon (*Citrullus lanatus*) genotypes under hot arid region*. Indian Journal of Agricultural Sciences 85(3):414-417
- Collins JK, Wu G, Perkins-Veazie P, Spears K, Claypool PL, Baker RA, Clevidence BA. 2007 *Watermelon consumption increases plasma arginine concentrations in adults*. Nutrition 23(3):261–266
- Coote, N.; Kirsop, B.H. 1976. *A haze consisting largely of pentosan*. J. Inst. Brew. 82: 34
- Corona, O., Randazzo, W., Micelli, A., Guarcello, R., Francesca, N., Erten, H., Moschetti, G., Settanni, L., 2016. *Characterization of kefir-like beverages produced from vegetable juices*. LWT-Food Science and Technology 66: 572-581
- Council of Europe. 2007. *Determination of tannins in herbal drugs*. In European Pharmacopoeia, 6th ed.; European Directorate for the Quality of Medicines: Strasbourg, France: 286
- Crandall, P.G., Kesterson, J.W., 1981. *Components of processed watermelon fruit*. Journal of American Society Horticultural Science 106: 493-495
- da Costa, M.R., de Alencar, E.R., Leandro, E.S., Mendonca, M.A., Ferreira, W.F.S., 2018. *Characterization of the kefir beverage produced from yam (*Colocasia esculenta* L.), sesame seed (*Sesamum indicum* L.) and bean (*Phaseolus vulgaris* L.) extracts*. Journal of Food Science and Technology 55(12): 4851-4858
- da Miguel MG, Cardoso PG, Magalhaes KT, Schwan RF. 2011. *Profile of microbial communities present in tibico (sugary kefir) grains from different Brazilian States*. World J. Microbiol. Biotechnol. 27: 1875–1884
- Dane F, Lang P, Bakhtiyarova R. 2004. *Comparative Analysis of Chloroplast DNA Variability in Wild and Cultivated *Citrullus* Species*. Theory Application Genetic 108:958–966.
- Dave, R.I., Shah, N.P., 1997. *Effectiveness of ascorbic acid as an oxygen scavenger in improving viability of probiotic bacteria in yghurts made with commercial starter cultures*. International Dairy Journal 7(6/7): 435-443



- Desrosier, N. W. 1988. *Teknologi Pengawetan Pangan. Edisi III*. Penerjemah Muchji Mulyohardjo. Universitas Indonesia Press, Jakarta
- Di Mascio P, Kaiser S, Sies H. 1989. *Lycopene as the most efficient biological carotenoid singlet oxygen quencher*. Arch Biochem Biophys 274:532–538
- Dworkin, Martin; Falkow, Stanley (2006). *The Prokaryotes: Proteobacteria: alpha and beta subclasses*. Springer: halaman 129
- Estrada-Cuellar, J. 1985. *Estudio de las levaduras de los tibicos y de la madre del vinagre*. Tesis. Biología, Facultad de Ciencias, UNAM
- Farnworth, E. 2005. *Kefir – a complex probiotic*. Food Science and Technology. Bulletin: Functional Foods, 2 (1) 1–17.
- Fessenden, R. J. dan Fessenden, J. S. 1992. *Kimia Organik, Edisi Ketigab*. Pudjatmaka H. Gramedia. Jakarta
- Fidrianny I, Puspitasari N, Singgih M. 2014. *Antioxidant activities, total flavonoid, phenolic, carotenoid of various shells extract from four species of legumes*. Asian J Pharm Sci. 7(4):42-6
- Fife, J.M., Frampton, V.L., 1935. *The effect of carbon dioxide upon the Ph and certain nitrogen fractions of the sugar-beet plant*. Journal of Biological Science 109(2):643.
- Fiorentino, A., Gentili, A., Isidori, M., Monaco, P., Nardelli, A., & Parrella, A. 2003. *Environmental effects caused by olive mill wastewaters: toxicity comparison of low-molecular weight phenol components*. Journal of Agricultural and Food Chemistry, 51(4), 1005-1009.
- Fish W.W., Perkins., V.P., Collins, J.K., 2001. *A quantitative assay for lycopene that utilizes reduced volumes of organic solvents*. J. Food Composition Analysis 15, 309-317
- Gawecki, J., Hryniewecki, L., 2000. *Zywienie człowieka 1 (Human Nutrition)*. PWN Warsaw, 243-248
- Gill N, Bansal R, Garg M, Sood S, Muthuraman A, Bali M. 2010. *Evaluation of antioxidant, anti-inflammatory and analgesic potential of Citrullus lanatus seed extract in rodent model*. Internet J Nutr Wellness 9(2)



- Gordillo, B., Mignani, A.G., Ciaccheri, L., Gonzales-Miret, M.L., 2011. *Influence of turbidity grade on color and appearance of virgin olive oil*. Journal of the American Oil Chemist Society 88(9): 1317-1327
- Guinda, A.; Rada, M.; Delgado, T.; Gutiérrez-Adánez, P.; Castellano, J. M. 2010. *Pentacyclic Triterpenoids from Olive Fruit and Leaf*. J. Agr. Food Chem., 58 (17), 9685–9691
- Gulitz A, Stadie J, Ehrmann MA, Ludwig W, Vogel RF. 2013. *Comparative phylobiomic analysis of the bacterial community of water kefir by 16S rRNA gene amplicon sequencing and ARDRA analysis*. J. Appl. Microbiol. 114:1082–1091.
- Gulitz A, Stadie J, Wenning M, Ehrmann MA, Vogel RF. 2011. *The microbial diversity of water kefir*. Int. J. Food Microbiol. 151:284–288.
- Hariyadi, Purwiyatno. (2006). Pangan Fungsional Indonesia. FOODREVIEW Indonesia. 8-10.
- Hastuti, Afifah Puji, dan Kusnadi, Joni. 2016. *Organoleptik dan Karakteristik Kefir Rosella Merah (*Hibiscus sabdariffa* L.) dari The Rosella Merah Pasaran*. Jurnal Pangan dan Agroindustri Universitas Brawijaya 4(1).
- Hayoglu, L.A., Fenercioglu, H., 1990. *A research on the possibility of using watermelon juice in fruit juice industry*. Gida 15, 329-332
- Hendry, G.A.F., and Houghton, J.D., 1992. *Natural food colorants*:halaman 154
- Hsieh HH, Wang SY, Chen TL, Huang YL, Chen MJ. 2012. *Effects of cow's and goat's milk as fermentation media on the microbial ecology of sugary kefir grains*. Int. J. Food Microbiol. 157:73–81.
- Insani, H., Rizqiati, H., Pratama, Y., 2018. *Pengaruh variasi konsentrasi sukrosa terhadap total khamir, total padatan terlarut, kadar alcohol dan mutu hedonic pada water kefir buah naga merah (*Hylotreceus polyrhizus*)*. Jurnal Teknologi Pangan 22(2): 90-95
- International Standard Organization. 2011. ISO 29842:2011. *Sensory analysis-methodology-Balanced Incomplete Block Designs*. Switzerland: ISO



- Jamal, P., Hashlamona A., Jaswir, I., Akbar, I., Nawawi, W.M.F.W. 2017. *Extraction of lycopene tomato waste using solid state fermentation*. *International Food Research Journal* 25:416-421
- Jasmine, Ginting J, Siagian B. 2014. *Respons Pertumbuhan dan Produksi Semangka (*Citrullus vulgaris* Schard.) terhadap Konsentrasi Paclobutrazol dan Dosis Pupuk NPK*. *J. Argroteknologi* 2(3):967–974.
- Jayaraman KS, Ramanuja MN, Dhakne YS, Vijayaraghavan PK. 1982. *Enzymatic browning in some banana varieties as related to polyphenoloxidase activity and other endogenous factors*. *J Food Sci Technol* 19:181–186
- Karastogianni S., Girousi S. and Sotiropoulos S. 2016. *pH: Principles and Measurement*. Dalam: Carlos, B., Finglas, P., and Toldrá, F. (eds.) *The Encyclopedia of Food and Health* vol. 4, pp. 333-338. Oxford: Academic Press
- Kebler LF. 1921. *California bees*. *J. Am. Pharm. Assoc.* 10:939–943.
- Kunaepah,U. 2008. *Pengaruh lama fermentasi dan konsentrasi glukosa terhadap aktivitas antibakteri, polifenol total dan mutu kimia kefir susu kacang merah*. Tesis. program pasca sarjana Universitas Diponegoro, Semarang
- Kurtzman CP. 2003. *Phylogenetic circumscription of *Saccharomyces*, *Kluyveromyces* and other members of the *Saccharomycetaceae*, and the proposal of the new genera *Lachancea*, *Nakaseomyces*, *Naumovia*, *Vanderwaltozyma* and *Zygorhizomyces**. *FEMS Yeast Res* 4: 233–245
- Lambrechts MG, Pretorius IS. 2000. *Yeast and its importance to wine aroma - a review*. *S. Afr. J. Enol. Vitic.* 21:97–129
- Larrauri J.A., Sa´ nchez-Moreno C. and Saura-Calixto F. 1998. *Effect of temperature on the free radical scavenging capacity of extracts from red and white grape pomace peels*. *Journal of Agricultural and Food Chemistry* 46: 2694–2697
- Laureys, David, Vuyst, Luc De, 2014. *Microbial species diversity, community dynamics, and metabolite kinetics of water kefir fermentation*. *Journal of Application Environment Microbiology* 80(8):2564



- Lawless, Harry T., dan Heymann, Hildegard. 1990. *Sensory Evaluation of Food: Principles and Practices*. Springer-Verlag: New York.
- Lin Li, J., Sun, D., Cheng, Jun-Hu. 2016. *recent advance in non-destructive analytical techniques for determining the total soluble solids in fruits: A review*. *Comprehensive Reviews in Food Science and Food Safety* 15(5): 897-911
- LIN, M., CHANG, F. 2000. *Antioxidative Effect of Intestinal Bacteria Bifidobacterium longum ATCC 15708 and Lactobacillus acidophilus ATCC 4356*. *Digestive Diseases and Sciences*, 45(8) , 1617–1622
- Lopez-Rojo, J.P., Garcia-Pinilla, S., Cornejo-Mazon, M., 2017. *Estudio de la fermentacion de kefir de agua de pina con tibicos*. *Revista exicana de Ingenieria Quimica*. Vol 16(2): 405-414
- Lutz ML. 1899. *Recherches biologiques sur la constitution du Tibi*. *Bull. Soc. Mycol. France* 15:68–72.
- MacWillian, L.D. 2005. *Comparative guide to nutritional supplement*, hal. 31– 32. Northern Dimensions Publishing
- Magalhaes, K.T., Puereira, G.V.M., Dias, D.R., Schwan, R.F., 2010. *Microbial communities and chemical change during fermentation of sugary Brazilian kefir*. *World Journal of Microbiology Biotechnology* 26: 1241-1250
- Manab, A. 2008. *Kajian Sifat Fisik Yogurt Selama Penyimpanan Pada Suhu 4°C*. *Jurnal Ilmu dan Teknologi Hasil Ternak* 3:1, 52-58
- Marsh, A.J., O’Sullivan, O., Hill, C., Ross, R.P., Cotter, P.D., 2013. *Sequence-based analysis of the microbial composition of water kefir from multiple sources*. *Federation of European Microbiological Societies Letter* 348: 79-85. John Wiley & Sons Ltd.
- Maryana, D. 2014. *Pengaruh Penambahan Sukrosa terhadap Jumlah Bakteri dan Keasaman Whey Fermentasi dengan Menggunakan Kombinasi Lactobacillus plantarum dan Lactobacillus acidophilus*. Naskah Skripsi S-1. Fakultas Peternakan Universitas Hasanuddin, Makassar
- Meilgaard, Morten C., Carr, Thomas, dan Civille, Gail Vance. 2006. *Sensory Evaluation Techniques* 4th ed. CRC Press.



- Moritz B, Tramonte VLC. 2006. *Bioavailability of lycopene*. Rev Nutr 19:265–273
- Mortensen, Alan. 2006. *Carotenoids and other pigments as natural colorants*. Pure Application Chemistry 78(8):1477-1491.
- Mounts, T.L.; and K. Warner. In Handbook of Soy Oil Processing and Utilization; D.R. Erickson, E.H. Pryde, O.L. Brekke, T.L. Mounts, and R.A. Falb, Eds.; American Oil Chemists' Society: Champaign, IL, 1980; pp. 245–266.
- Mullai K, Jebanesan A, Pushpanathan T (2008) *Effect of bioactive fractions of Citrullus vulgaris Schrad. leaf extract against Anopheles stephensi and Aedes aegypti*. Parasitol Res 102(5):951–955
- Munawir, I.R., 2010. *Pembuatan sorbitol dari sirup glukosa dengan proses dehidrogenasi katalistik kapaitas 60 ton/hari*, Skripsi, Universitas Sumatera Utara, Medan.
- Mussdholifah, Zubaidah, Elok. 2016. *Studi aktivitas antioksidan kefir the daun sirsak*. Jurnal pangan dan agroindustry 4(1):29-39
- Narita, Maya. 2016. *Kualitas kefir sari buah stroberi (Fragaria vesca) dengan variasi penambahan Sukrosa*. Skripsi. F. Teknobiologi: Universitas Atma Jaya. Yogyakarta.
- Nishino T, Shibahara-Sone H, Kikuchi-Hayakawa H and Ishikawa F. 2000. *Transit of radical scavenging activity of milk products prepared by Maillard reaction and Lactobacillus casei strain Shirota fermentation through the hamster intestine*. Journal of Dairy Science 83: 915–922.
- Noberto, A.P., Marmantini, R.P., Carvalho, P.H., Campagnollo, F.B., Takeda, H.H., Alberte, T.M., Soca, R.S., Cruz, A.G., Alvarenga, V.O., Sant'Ana, A.S., 2018. *Impact of partial and total replacement of milk by water-soluble soybean extract on fermentation and growth parameters of kefir microorganisms*. LWT-Food Science and Technology 93: 491-498
- Oberoi, D.P.S., Sogi, D.S., 2015. *Prediction of lycopene degradation during dehydration of watermelon pomace (cv. Sugar Baby)*. Journal of the Saudi Society of Agricultural Sciences (2017) 16, 97-103



- Omoni, A.O., Andaluko, R.E. 2005. *The anti-carcinogenic and anti-atherogenic effects of lycopene: A review*. Trends Food Sci. Technol. 16, 344–350
- Parmar HS, Kar A. 2008. *Possible amelioration of atherogenic diet induced dyslipidemia, hypothyroidism and hyperglycemia by the peel extracts of *Mangifera indica*, *Cucumis melo* and *Citrullus vulgaris* fruits in rats*. Biofactors 33(1):13–24
- Pathare, P.B., Opara, U.L., Al-Said, F.A., 2013. *Colour measurement and analysis in fresh and processed foods: A Review*. Food Bioprocess Technology 6:36-60
- Penfield, M.P.; and A.M. Campbell. In *Experimental Food Science*, 3rd ed.; Academic Press: San Diego, CA, 1990; pp. 51–77.
- Perkins-Veazie P, Collins JK, Davis AR, Roberts W. 2006. *Carotenoid content of 50 watermelon cultivars*. J Agric Food Chem 54(7):2593–2597
- Perkins-Veazie P, Collins JK, Edwards A, Wiley E, Clevidence B . 2003. *Watermelon: rich in the antioxidant lycopene*. Acta Hort ISHS 628:663–668
- Perkins-Veazie, P., Collins, J.K., Pair, S.D., Robert, W., 2001. *Lycopene Content differs among red-fleshed watermelon cultivars*. Journal of Science Food Agricultural. 81, 1-5
- Perkins-Veazie, P., Collins, J.K., Siddiq, M. And Dolan, K. 2006. *Juice and carotenoid yield from processed watermelon* [abstract]. HortScience 41(3), 518.
- Pertiwi SRR, N Novidahlia, and L Lidia. 2012. *Chemical Properties Changes of Water-kefir Fermented in Various Sugar Concentrations*. Proceedings of 2nd International Seminar on Food and Agricultural Sciences (ISFAS 2012), Innovating Indigenous Functional Food and Agro-Biotechnology, Putri Pujangga Universiti Kebangsaan Malaysia, September 4-6 2012, Jointly Organized by Faculty of Agricultural Technology University of Andalas Indonesia, and Faculty of Agro-Industri Kasetsart University, Thailand
- Picinelli A, Suarez B, Moreno J, Rodriguez R, Caso-Garcia LM, Mangas JJ. 2000. *Chemical characterization of Asturian cider*. J. Agric. Food Chem. 48:3997–4002.



- Pidoux M, Brillouet JM, Quemener B. 1988. *Characterization of the polysaccharides from a Lactobacillus brevis and from sugary kefir grains*. Biotechnol. Lett. 10:415–420. <http://dx.doi.org/10.1007/BF01087442>. 8.
- Pidoux M, Marshall VM, Zaroni P, Brooker B. 1990. *Lactobacilli isolated from sugary kefir grains capable of polysaccharide production and minicell formation*. J Appl Microbiol 69:311– 320. doi:10.1111/j.1365-2672.1990.tb01521.x
- Pidoux M. 1989. *The microbial flora of sugary kefir grain (the gingerbeer plant) - biosynthesis of the grain from Lactobacillus hilgardii producing a polysaccharide gel*. J. Appl. Microbiol. 5:223–238. <http://dx.doi.org/10.1007/Bf01741847>
- Pomace. 2011. Dalam Merriam-Webster.com. diakses pada tanggal 02 Februari, 2019, dari www.merriam-webster.com/dictionary/pomace
- Pratimasari, D. 2009. *Uji Aktivitas Penangkap Radikal Buah Carica papaya I. Dengan Metode DPPH dan Penetapan Kadar Fenolik serta Flavonoid Totalnya*. Skripsi. Fakultas Farmasi. Universitas Muhammadiyah. Surakarta Press
- Primurdia, E.G. dan J. Kusnadi. 2013. *Aktivitas Antioksidan Minuman Probiotik Sari Kurma (Phoenix dactilyferaL.) dengan Isolat L. plantarum dan L. casei*. Jurnal Pangan dan Agroindustri Vol 2(3) : 98-109.
- Puerari C, Magalhaes KT, Schwan RF. 2012. *New cocoa pulp-based kefir beverages: Microbiological, chemical composition and sensory analysis*. Food Res. Int. 48: 634–640
- Purba, A.P., Dwiloka, B., Rizqati, H., 2018. *Pengaruh lama fermentasi terhadap bakteri asam laktat, viskositas, aktiitas antioksidan, dan organoleptic water kefir anggur merah (Vitis vinifera)*. Jurnal Teknoloi Pangan 2(1):49-51
- Purba, Amanda Pavita, Dwiloka, Bambang, dan Riqiati, Heni. 2018. *Pengaruh Lama Fermentasi terhadap Bakteri Asam Laktat (BAL), Viskositas, Aktivitas Antioksidan, dan Organoleptik Water Kefir Anggur Merah (Vitis vinifera L.)*. Jurnal Teknologi Pangan 2(1): halaman 49-51.



- Ramulu, P. and Udayasekhara, R.P. 2003. *Total, insoluble and soluble dietary fibre contents of Indian fruits*. Journal of Food Composition and Analysis 16: 677 – 685
- Randazzo, W., O. Corona, R. Guarcello, N. Francesca, M. A. Germana, H. Erten, G. Moschetti, and L. Settani. 2015. *Development of new non-dairy beverages from mediterranean fruit juices fermented with water kefir microorganisms*. Food Microbiology. 54 (2016): 40 – 51
- Ranganna, S., 1986, 2nd ed., *Handobook of Analysis and Quality control for Fruit and Vegetable products*. Volume 278 Tata McGraw Hill Publishing Company, New Delhi. Page 265-266
- Ratray F.P., O'Connell, M.J., 2011. *Fermented Milks: Kefir*. *Encyclopedia of dairy Sciences*, halamn 518-524
- Rhim, JW. & Hong, SI. 2011. *Effect of water activity and temperature on the coor change of red pepper(*Capsicum annuum L.*)powder*. Food Sci Biotechnol 20: 215.
- Roberta, O.V., Magalhaes, K.T., Alves, R., Dias, D.R., Sxhwan, R.F., 2017. *Fermentation process for production of apple-based kefir vinegar: microbiological, chemical, and sensory analysis*. Brazilian Journal of Microbiology 48: 592-601
- Robinson, Jancis(Ed.).2006 *The Oxfords Companion To Wine 3rd Ed.* Oxfords:Oxord Univ Press, halaman 534-535.
- Rouhier N Lemaire SD, Jacquot JP. *The role of glutathione in photosynthetic organisms: Emerging functions for glutaredoxins and glutathionylation*. Annual Review of Plant Biology. 2008;59:143-166.
- Rubatzky V.E., Yamaguchi M. 1997. *Cucumber, Melons, Watermelons, Squash, and Other Cucurbits*. In: *World Vegetables*. Springer, Boston, MA
- Ruberto, G., Renda, A., Amico, V., Tringali, C., 2008. *Volatile compo-nents of grape pomaces from different cultivars of Sicilian Vitis vinifera L.* Bioresour. Technol. 99, 260268



- Rubio MT, Lappe P, Wachter C, Ulloa M. 1993. *Estudio microbiano y químico de la fermentación de soluciones de piloncillo inoculadas con tибicos*. Rev Latinoam Microbiol 35(1):19–31
- Ruiz-Oronoz, M. 1932. *Estudio micológico de las zoogleas conocidas vulgarmente como tибicos*. Anales del Instituto de Biología, UNAM 3, 183190.
- Rupasinghe, H. P. V., Wang, L., Huber, G. M., & Pitts, N. L. 2008. *Effect of baking on dietary fibre and phenolics of muffins incorporated with apple skin powder*. Food Chemistry, 107, 1217–1224.
- Samadi B. 1996. *Semangka Tanpa Biji*. Yogyakarta: Kanisius.
- Saravacos, G. D. 1970. *Effect of temperatur on viscosity of fruit juices and pure 'es*. Journal of Food Science, 35, 122-125
- Schofield, L. 2008. *The finesse of fibre*. Diakses pada tanggal 2 Februari 2019 dari <http://www.nutraceuticalsworld.com/articles/2008/01/thefinesse-of-fiber>
- Schofield, P.; Mbugua, D.M.; Pell, A.N. 2001. *Analysis of condensed tannins: A review*. Anim. Feed Sci. Tech. 91, 21–40.
- Sharma, R., Kaur D., Oberoi, D.P.S., Sogi,D.S., 2008. *Thermal degradation kinetics of pigments and visual in tomato dehydration*. Food Research International 32, 12-21
- Shen B, Jensen RG, Bohnert HJ. 1997. *Mannitol protects against oxidation by hydroxyl radicals*. Plant Physiol. 115:527–532
- Shimizu, T. (2003). *Health claims on functional foods: the Japanese regulations and an international comparison*. Nutrition Research Reviews, 16(02), 241
- Shin, D.H., Koo, J., Kim, C.O., Min, B.Y., Suh, K.B., 1978. *Studies on the production of watermelon and antaloupe melon juice*. Korea: Journal of Food Science Technology. 10, 215-218
- Simova E, Beshkova D, Angelov A, Hristozova T, Frengova G, Spasov Z. 2002. *Lactic acid bacteria and yeasts in kefir grains and kefir made from them*. J Ind Microbiol Biotechnol 28:1–6. doi:10.1038/sj/jim/7000186



- Singleton, V.L., Rossi, J., A. Jr., 1965. *Colorimetry of total phenolics with phosphomolybdic-phosphotungstic acid reagents*. American Journal Enol. Viticul. 16: 144-158
- Soewarno, T. Soekarto. 1981. *Penilaian Organoleptik, Pusat Pengembangan Teknologi Pangan (Pusbangtepa)*. Bogor : IPB.
- Sogi, D.S., 2003. *Effect of concentration and temperature on the viscosity of watermelon juice*. Journal of Food Science Technology 40(5), 509-511
- Stadie J, Gulitz A, Ehrmann MA, Vogel RF. 2013. *Metabolic activity and symbiotic interaction of lactic acid bacteria and yeasts isolated from water kefir*. Food Microbiol. 35:92–98.
- Stahl W, Sies H. 1993. *Physical quenching of singlet oxygen and cis-trans isomerization of carotenoids*. Ann N Y Acad Sci 691:10–19
- Stone, Herbert dan Sidel, Joel. 1993. *Sensory Evaluation Practices* 2nd ed. Academic Press: California.
- Subardjo, M.V.K., 2017. *Black Tea water kefir*. Thesis. Massey University: Albany, New Zealand
- Sugisawa, T., Miyazaki, T., Hoshino, T., 2005. *Microbial production of l ascorbic acid from D-Sorbitol, L-sorbose, dan L-Sorbosone by Ketogluconicigenium vulgare*. DSM 4025, Biotechnology, Bioscience, and Biochemistry, 69(3): 659-662
- Sunardjono, H. Hendro. 2013. *Berkebun 26 jenis tanaman buah*. Jakarta: Penebar Swadaya.
- Sundia T. 2007. *Watermelon production and consumption demographics*. p. 35 – 40. SundraCorp. India
- T.K. Lim. 2012. *Edible Medicinal And Non-Medicinal Plants: Volume 2*. Springer Science+Business Media B.V.
- Tlili, I., Hdider, C., Ilahy, R., Jebari, H., 2010. *Phytochemical composition and antioxidant activity of selected watermelon varieties grown n Tunisia*. The African Journal of Plant Science and Biotechnology 4(2): 68-71



- Uddin, M.B., Nanjudaswanny, A.M., 1998. *Studies on processing of watermelons for juice*. *Bang. Journal of Science Industry. Res*, 17, 80-86
- Usmiati, S. dan Adi, S. 2004. *Pengaruh Stater Kombinasi Bakteri dan Khamir Terhadap Sifat Fisikokimia dan Sensori Kefir*. *Jurnal Pascapanen* 1:1, 12-21
- Vanbeneden, N.; Van Roey, T.; Willems, F.; Delvaux, F.; Delvaux, F.R. Release of phenolic flavour precursors during wort production: Influence of process parameters and grist composition on ferulic acid released during brewing. *Food Chem.* 2008, 111, 83–91.
- Vendruscolo, F., Albuquerque, P.M., Streit, F., Esposito, E., Ninow, J.L., 2008. *Apple pomace: a versatile substrate for biotechnological applications*. *Crit. Rev. Biotechnol.* 28, 112
- Vincent, S.J.F., Faber, E.J., Neeser, J.R., Stingle, F., Kamerling, J.P., 2001. *Structure and properties of the exopolysaccharides produced by streptococcus macedonicus-Sc 136*. *Journal of Glycobiology* 11:131-139
- Walker JRL, Ferrar PH. 1998. *Diphenol oxidases, enzyme-catalysed browning and plant disease resistance*. *Biotechnol Genet Eng Rev* 15:457–498
- Ward HM. 1892. *The ginger-beer plant and the organisms composing it; a contribution to the study of fermentation-yeasts and bacteria*. *Philos. Trans. R. Soc. London* 183:125–197. <http://dx.doi.org/10.1098/rstb.1892.0006>.
- Watanabe, K., Saito, T., 1987. *Carotenoid pigments in Red, orange, and yellow fleshed fruits of watermelon (*Citrullus vulgaris*) Cultivars*. *Journal of Japan Society Horticultural Science* 56(!):45-50
- Wehner T.C. 2008. *Watermelon*. In: *Prohens J., Nuez F. (eds) Vegetables I. Handbook of Plant Breeding*, vol 1. Springer, New York, NY
- Weisburger, J. H. 2001. *Chemopreventive effects of cocoa polyphenols on chronic diseases*. *Exp Biol Med*, 226(10), 891–897
- Wihardjo, Suwandi. 1993. *Bertanam Semangka*. Yogyakarta, Kanisius, halaman 107
- Winarno F.G., 1992. *Kimia Pangan dan Gizi*, Gramedia, Jakarta



- Wollgast, J., & Anklam, E. 2000. *Review on polyphenols in Theobroma cacao: Changes in composition during the manufacture of chocolate and methodology for identification and quantification*. Food Res Int, 33(6), 423–447.
- Wu, G., Collins, J.K., Perkins-Veazie, P., Siddiq M., Dolan, K.D., Kelly, K.A., Heaps, CL., Meininger, C.J., 2007. *Dietary supplementation with watermelon pomace juice enhances arginine availability and ameliorates the metabolic syndrome in zucker diabetic fatty rats*. Journal of Nutrition: Nutrient Physiology, Metabolism, and Nutrient Interaction 137(2680-2685)
- Xiang, Y., Xu, X., Li, J. 2012. *Chemical properties and antioxidant activity of exopolysaccharides fractions from mycelial culture of Inonotusobliquus in a ground corn stover medium*. Food Chemistry 3:121
- Yamaguchi, T., Takamura, H., Matoba, T., Terao, J. 1998. *HPLC method for evaluation of the free radical-scavenging activity of foods by using 1,1-diphenyl-2-picrylhydrazyl*. Bioscience, Biotechnology and IBiochemistry, 62,1201-1204.
- Yana, Malsa Fian. 2015. *Pembuatan Yogurt Berbasis Kacang Tunggak (*Vigna Unguiculata*) dengan Metode Freeze Drying (Kajian Jenis dan Konsentrasi Bahan Pengisi)*. Jurnal Pangan dan Agroindustri Vol. 3 No 3 p.1203-1213
- Yoo, S. H., K. S. Seong, and S. S. Yoon. 2013. *Physicochemical properties of kefir manufactured by a two–step fermentation*. Korean J. Food Sci. An. 33 (6): 744 – 751
- Yunus, Y dan E. Zubaidah. 2015. *Pengaruh konsentrasi sukrosa dan lama fermentasi terhadap viabilitas *L. casei* selama penyimpana beku velva pisang ambon*. Jurnal Pangan dan Agroindustri. 3(2): 303 – 312
- Yusmarini R. dan R. Efendi. 2004. *Evaluasi Mutu Soyghurt yang dibuat dengan Penambahan Beberapa Jenis Gula*. Jurnal Natur Indonesia 6(2): 104-110 (2004).