

DAFTAR PUSTAKA

- Adimihardja, A., L.I. Amin, F. Agus, and Djaenudin. 2000. Sumberdaya Lahan Indonesia dan Pengelolaannya. Pusat Penelitian Tanah dan Agroklimat Badan Penelitian dan Pengembangan Pertanian Departemen Pertanian:19.
- Afa, L., B.S. Purwoko, A. Junaedi, O. Haridjaja.I.S. Dewi.2012. Pendugaan toleransi padi hibrida terhadap kekeringan dengan polyetilen glikol (PEG) 6000. Jurnal Agrivigor. 11:292-299.
- Akram, H. M., A. Ali, A. Sattar, H.S.U. Rehman, and A. Bibi. 2013. Impact of water deficit stress on various physiological and agronomic traits of three basmati rice (*Oryza sativa* L.) cultivar. The Journal Animal and Sciences 5:1415-1423
- Allard, R.W. 1960. Principles of Plant Breeding. John Wiley and Sons Inc. New York.
- Audebert, A., F. Asch, and M. Dingkuhn. 2013. Morphophysiological research on drought tolerance in rice at WARDA. Field screening in drought tolerance in crop plants with emphasis on rice. IRRI.
- Azrai, Muhammad. 2005. Pemanfaatan marka molekuler dalam proses seleksi pemuliaan tanaman. Jurnal Agro Biogen 1 : 26-37.
- Babu, R.C., H.G. Zheng, M.S. Pathan, M.L. Ni, A. Blum, and H.T. Nguyen. 1996. Moleculer mapping of drought resistance traits in rice. In Khush, G.s. (Ed.).
- Badan Pusat Statistik. 2010. Statistika Indonesia Tahun 2010. Badan Pusat Statistika. Jakarta Pusat.
- Badan Pusat Statistik. 2015. Statistika Indonesia Tahun 2015. Badan Pusat Statistika. Jakarta Pusat.
- Bahagiawati. 2011. Bioteknologi jalan pintas angkat petani, peran marka molekuler dalam pemuliaan tanaman. Agro Inovasi Badan Litbang Pertanian. Edisi 16-22 Maret 2011 Nomor 3397 Tahun XLI.
- Balitbangtan. 2015. Deskripsi varietas unggul baru padi. Badan Litbang Pertanian.
- Banyo, Y.E., N.S. Ai, P. Siahaan, and A.M. Tangapo. 2013. Konsentrasi klorofil daun padi pada saat kekurangan air yang diinduksikan dengan polietilen glikol. Jurnal Ilmiah Sains 1:1-8.
- [BB Padi] Balai Besar Penelitian Tanaman Padi. 2011. Varietas Situ Bagendit Padi Amfibi. Subang: Balai Besar Penelitian Tanaman Padi. Badan Litbang Pertanian.

- Bouman, B.A.M., T.P. Tuong. 2001. Field water management to save water and increase its productivity in irrigated rice. *Agric. Water Manage.* 49:11-30.
- Bray, E.A. 2001. Plant response to water-deficit stress. *Encyclopedia of Life Sciences.*
- Castillo, E.G., T.P. Tuong, U. Singh, K. Inubushi, and J. Padilla. 2006. Drought response of dry seeded rice to water stress timing, N-fertilizer rates and sources. *Soil Science Plant Nutrition* 52:249-508.
- Chang, T. T. 2003. Origin, Domestication, and Diversification. In: W. C. Smith and R. H. Dilday (EDS.). John Wiley and Sons, Inc. Hoboken, New Jersey.
- Collard, B.C.Y., M.Z.Z. Jahufer, J.B., Brouwer, Pang, E. C. K. 2005. An introduction to markers, quantitative trait loci (QTL) mapping and marker-assisted selection for crop improvement : the basic concepts. *Euphytica* 142 : 169-196.
- Daradjat, A.A., S. Silitonga, dan Nafisah. 2009. Ketersediaan Plasma Nutfah untuk Perbaikan Varietas Padi. Subang: Balai Besar Penelitian Tanaman Padi.
- Departemen Pertanian. 1993. Kumpulan Buku Tanaman Pangan, Sayur, Buah, Kebun, dan Obat. Jakarta.
- Doerge R.W. and G.A. Churchill. 1996. Permutation tests for multiple loci affecting a quantitative character. *Genetics* 142 : 285-294.
- Firmanto, B.H. 2011. Sukses Bertanam Padi secara Organik. Angkasa Bandung, Bandung.
- Fischer, K.S. and S. Fukai. 2003. How rice respond to drought. *Breeding rice for drought-prone environment.* IRRI.
- Halimursyadah., and H.R. Simajuntak. 2012. Respon pertumbuhan dan produksi plasma nutfah padi local Aceh terhadap system budidaya aerob. *Jurnal Agrista* 16: 114-121.
- Haque, M.M., D.J. Mackill, and K.T. Ingram. 1992. Inheritance of leaf epicuticular wax content in rice. *Crop Sci.* 32:865-868.
- Kadir, A. 2011. Respon genotipe padi mutan hasil iradiasi sinar gamma terhadap cekaman kekeringan. *Jurnal Agrivivor* 3:235-246.
- Lestari, P., Risliawati., dan H.J. Koh. 2012. Identifikasi dan aplikasi marka berbasis PCR untuk identifikasi varietas padi dengan palatabilitas tinggi. *Jurnal Agrobiogen.* 8: 69–77.

- Liu, J.K., D.Q. Liao, R. Oane, L. Esrtenor, X.E. Yang, and Z.C. Li. 2006. Genetic variation in sensitivity of anther dehiscence to drought stress in rice. *Field Crops Res.* 97:87-100.
- Liu, H.Y., J.Y. Li, Y. Zhao, and K.K. Huang. 2007. Influence of drought stress on gas exchange and water use efficiency of *salix psammophila* growing in five places. *Arid Zone Res.* 24:815-820.
- Mayo, O. 1980. *The theory of plant breeding.* Clarendon Press, Oxford.
- Mulyaningsih, E. S, Hajrial. A, Didy. S, Pieter. B. F. O, Inez.H.S.L .2010. Toleransi genotipe padi gogo dengan marka qtl 12.1 terhadap kekeringan. *Penelitian Pertanian Tanaman Pangan* 29:72-81.
- Mulyaningsih, E. S., A.Y. Perdani, S. Indrayani, and Suwarno .2016. Seleksi fenotipe populasi padi gogo untuk hasil tinggi, toleran aluminium dan tahan blas pada tanah masam. *Penelitian Pertanian Tanaman Pangan* 35:191-197
- Panigrahi, J., Mishra, R. R., Sahu, A. R., Rath, S. C., Seth, S., Mishra, S. P. 2013. Marker-assisted breeding for simple inherited traits conferring stress resistance in crop plants. *The Ecoscan* 3 : 217-233.
- Pantuwan, G., S. Fukai, M. Cooper, S. Rajatasereekul, and J.C. O'Toole. 2002. Yield response of rice (*Oryza sativa* L.) genotype to drought under rainfed lowland, selection of drought resistant genotypes. *Field Crops Res.* 73:169-180.
- Pena, A.D. H. Lorz, and J. Schell. 1987. Transgenik rye plants obtained by injecting DNA into young floral tillers. *Journal of Nature* 325: 274-276
- Philips, R.L. and I.K. Vosil. 1994. *DNA-based in plants.* Kluwer Academic Publisher, the Netherlands.
- Poelhman, J.M. 1983. *Crop breeding a hungry word*, in: D.R. Wol(Ed.). *Crop Amirica, Madicon.* Winconsin.
- Poespodarsono, S. 1988. *Dasar-Dasar Ilmu Pemuliaan Tanaman.* Pusat Antar Universitas Institut Pertanian Bogor. Bogor.
- Rice Genetics III. *Proceeding of the the third International Rice Genetics Symposium.* IRRI, Los Banos, Philippines. P. 637-642.
- Sabetfar, S., M. Ashouri, E. Amiri, and S. Babazadeh. 2013. Effect of drought stress at different growth stages on yield and yield component of rice plant. *Persian Gulf Crop Protection* 2:14-18.

- Sadimantara, G., A. Widarsih dan Muhidin. 2013. Seleksi beberapa progeni hasil persilangan padi gogo (*Oryza sativa* L.) berdasarkan karakter pertumbuhan tanaman. *Jurnal Agritekno* 3: 48-52.
- Samaullah, M.Y. dan A.A. Darajat. 1996. Toleransi beberapa genotipe padi gogo terhadap cekaman kekeringan. *Penelitian Pertanian Tanaman Pangan* 1:17-23.
- Sambrook, J., D.W. Russel. 2001. *Molekuler Cloning: A Laboratory Manual*. New York (US):Cold Spring Harbor Laboratory. Press.
- Smith, J.S.C. and O.S. Smith. 1992. Fingerprinting crop varieties. *Adv. Agron.* 47:85-129.
- Silitonga, T. S. 2004. Pengelolaan dan pemanfaatan plasma nutfah padi Indonesia. *Buletin Plasma Nutfah* 10 : 56-71.
- Suardi, Didi, and B. Abdullah. 2003. Padi liar tetua toleran kekeringan. *Buletin Plasma Nutfah* 9:33-38.
- Sujinah., and Jamil, A. 2016. Mekanisme Respon Tanaman Padi terhadap Cekaman Kekeringan dan Varietas Toleran. *Jurnal Iptek dan Tanaman Pangan* 11: 1–7.
- Tajima, K. 1995. Occurrence and mechanism of drought damage, In Matsuo T, K Kumazawa, R Ishii, K Ishihara, H Hirata (eds), *Science of the rice plant physiology*. Food and Agriculture Policy Research Centre, Tokyo.
- Tohari, E. Martono, dan S. Somowiyarjo. 2007. *Budidaya Tanaman Pangan Utama*. Penerbit Universitas Terbuka, Jakarta.
- Trijatmiko, K.R., Supriyanta, J. Prasetyono, M.J. Thompson, C.M.V Cruz, S. Moeljopawiro, dan A. Pereira. 2014. Meta-analysis of Quantitative Trait Loci for Grain Yield and Component Traits Under Reproductive-Stage Drought Stress in an Upland Rice Population. *Mol. Breeding*. 2: 283.
- Tubur, H.W., M.A. Chozin, E. Santosa, and A. Junaedi. 2012. Respon agronomi varietas padi terhadap periode kekeringan pada sistem sawah. *Jurnal Agronom Indonesia* 3:167-173.
- USDA, NRCS. 2006. The Plants Database.<<http://plants.usda.gov>>. Diakses 22 Oktober 2018.
- Utami, D.W., Trinity S., Kadir, and S. Yuriah. 2011. Faktor virulensi AvrBs3/PthA pada Ras III, Ras IV, dan Ras VIII, dan IX093-068 patogen hawar daun bakteri (*Xanthomonas oryzae* pv. *Oryzae*). Balai Besar Penelitian dan Pengembangan Bioteknologi dan Sumberdaya Genetik Pertanian. *Jurnal Agrobiogen* 7: 1-8.

- Wardoyo, S. H., Miftahudin, Sugiono.M., dan Joko.P. 2017. Evaluasi galur-galur padi mengandung lokus P uptake 1 (Pup1) toleran kekeringan. *Penelitian Pertanian Tanaman Pangan* 1: 21-28.
- Wilson, D. 1981. *Breeding for Morphological and Physiological traits. Plant breeding II.* The Gowa State University Press. Minnesota.
- Yoshida, S. 1981. *Fundamentals of Rice Crop Science.* Manila: International Rice Research Institute.
- Zen, S., H. Zarwan., Bahar., F. Dasmal., Artati, Aswardi., dan Taufik. 2002. Pengkajian Varietas Padi Sawah Spesifik Preferensi Konsumen Sumatera Barat. Departemen Pertanian, Balai Pengkajian Teknologi Sumatera Barat.
- Zhao B.R., J.L. Huang, C.L. Liu, X.Q. Fu, H.S. Li, and L.P. Yuan. 1998. A study on the transportation way of exogenous DNA in vivo and a female sterile variant of rice. *J Hun Agr Univ* 116: 436–441.
- Zhao, B., Q. Xin, H. Xia, H. Yang, D. Jin, X. Liu, S. Wang, B. Wang, and L. Yua. 2005. DNA Polymorphism among yewei B, V20B, and *Oryza minuta* J. S. Presl. ex C. B. Presl. *Journal of Integrative Plant Biology* 47: 1485–1492.
- Zhao, C. B. Zhao, Y. Ren, W. Tong, J. Wang, K. Zhao, S. Shu, N. Xu, and S. Liu. 2007. Seeking transformation markers: an analysis of differential tissue proteomes on the rice germplasm generated from transformation of *Echinochloa crusgalli* genomic DNA. *Journal of Proteome* 40: 1-10.