

## DAFTAR PUSTAKA

- Basumatary, N., V. Parkash, A.K. Tamuli, A.J. Saikia, dan R. Teron, 2014. Arbuscular mycorrhizal inoculation affects growth and rhizospheric nutrient availability in *Hevea brasiliensis* (Willd. ex A. Juss.) Mull. Arg. Clones. *International Journal of Current Biotechnology* 2:14-21.
- Behie, S.W. dan M.J. Bidochka. 2014. Nutrient transfer in plant–fungal symbioses. *Trends in Plant Science* 19: 734-740.
- Bray, R.H. dan L.T. Kurtz. 1945. Determination of total, organic, and available forms of phosphorus in soils. *Soil science* 59 :39-46.
- Carr, J., D.G. Williams and R.T. Hayden. 2010 *Molecular Diagnostics: Techniques and Applications for the Clinical Laboratory* 1 ed. Academic Press. Inc.
- Casazza, G., E. Lumini, E. Ercole, F. Dovana, M. Guerrina, A. Arnulfo, L. Minuto, A. Fusconi, dan M. Mucciarelli, 2017. The abundance and diversity of arbuscular mycorrhizal fungi are linked to the soil chemistry of screes and to slope in the Alpic paleo-endemic *Berardia subacaulis*. *PloS one*, 12.
- Charoenpakdee, S., P. Cherdchai, B. Dell, dan S. Lumyong. 2010. The mycorrhizal status of indigenous arbuscular mycorrhizal fungi of physic nut *Jatropha curcas* in Thailand. *Mycosphere* 1: 167-181.
- Deka, H.K., Varghese Philip, KK Vinod dan AK Krishnakumar. 1998. Spatial distribution of soil microflora in a five year old rubber plantation in Tripura. *Indian Journal of Natural Rubber Research* 11: 88-93.
- Dornelas, M.C. dan A.P.M. Rodriguez. 2005. The rubber tree (*Hevea brasiliensis* Muell. Arg.) homologue of the leafy/floricaula gene is preferentially expressed in both male and female floral meristems. *Journal of Experimental Botany* 56: 1965–1974.
- Ernaningtyas, Y. 2013. Standar Mutu Bahan Tanam Karet (*Hevea brasiliensis*) Untuk Batang Atas Dan Batang Bawah. <<http://ditjenbun.pertanian.go.id/bbpptpmedan/berita-208-standar-mutu-bahan-tanam-karet-hevea-brasiliensis-untuk--batang-atas--dan-batang-bawah.html>>. Diakses pada 31 Maret 2015.
- Feddermann, N., R. Finlay, T. Boller, M. Elfstrand. 2010. Functional diversity in arbuscular mycorrhiza – the role of gene expression, phosphorous nutrition and symbiotic efficiency. *Fungal Ecology* 3:1–8.
- Finlay, R.D. 2008. Ecological aspects of mycorrhizal symbiosis: with special emphasis on the functional diversity of interactions involving the extraradical mycelium. *Journal of Experimental Botany* 59: 1115–1126.
- Gerdemann, J.W dan T. H. Nicolson. 1963. Spores of mycorrhizal *endogones* species extracted from soil by wet sieving & decanting. *Transactions of the British Mycological Society* 46: 235-244.
- Guo, D., M. Xia, X. Wei, W. Chang, Y. Liu dan Z . Wang. 2008. Anatomical traits associated with absorption and mycorrhizal colonization are linked to root

- branch order in twenty-three Chinese temperate tree species. *New Phytol.* 180: 673–683.
- Hapsah, S. Yahya, T. M. H. Oelim dan B.S. Purwoko. 2006. Respons fisiologi beberapa genotipe kedelai yang bersimbiosis dengan MVA terhadap berbagai tingkat cekaman kekeringan. *Hayati*: 43-48.
- Icraft. 2013. Lembar Informasi Panduan Budidaya Karet untuk Petani Skala Kecil. < <http://www.worldagroforestry.org/downloads/Publications/PDFS/BR13135.pdf> >. Bogor. diakses pada 10 November 2015.
- Ikram, A., A.W. Mahmud, M.N. Ghani, M.T. Ibrahim dan A.B. Zainal. 1992. Field nursery inoculation of *Hevea brasiliensis* Muell. Arg. seedlings rootstock with vesicular-arbuscular mycorrhizal (VAM) fungi. *Plant Soil* 145:231–236.
- Jayaratna, R., A. De S. Liyanage dan W. Pahalawattaarachchi. 1986. Effect of VA mycorrhizae (*Gigaspora margarita*) on white root disease resistance in *Pueraria phaseoloides* and *Hevea brasiliensis* seedlings. *Rubb. Res. Inst. Sri Lanka* 65: 22-31
- Kamal, M.H.M.A., W.M.K.W.K. Azira, M. Kasmawati, Z. Haslizaidi, dan W.N.W. Saime. 2010. Sequestration of toxic Pb(II) ions by chemically treated rubber (*Hevea brasiliensis*) leaf powder. *Journal of Environmental Sciences* 22: 248–256.
- Lee, J.L., S. Lee, dan J.P.W Young. 2008. Improved PCR primers for detection and identification of arbuscular mycorrhizal fungi. *FEMS Microbiology Ecology*, 65: 339-349.
- Lespinasse, D., Rodier-Goud, M., Grivet, L., Leconte, A., Legnate, H., dan M. Seguin. 2000. A saturated genetic linkage map of rubber tree (*Hevea* spp.) based on RFLP, AFLP, microsatellite, and isozyme markers. *Theoretical and Applied Genetics* 100: 127-138.
- Manurung, Y.C., A.S. Hanafiah, dan P. Marbun. 2015. Pengaruh berbagai kadar air tanah pada efektifitas mikoriza arbuskular terhadap pertumbuhan dan serapan hara bibit karet (*Hevea brasiliensis* Muell. Arg.) di Rumah Kasa. *Jurnal Online Agroekoteknologi* 3: 465 – 475.
- Miyasaka, S.C., M. Habte, J.B. Friday, dan E.V. Johnson. 2003. *Manual on Arbuscular Mycorrhizal Fungus Production and Inoculation Techniques*. Soil and Crop Management: 1-4.
- Newsham, K.K., Fitter, A.H., dan Watkinson, A.R. 1995. Multi-functionality and biodiversity in arbuscular mycorrhizas. *Trends in Ecology & Evolution* 10: 407-411.
- Nurhayati. 2011. Pengaruh jenis amelioran terhadap efektivitas dan infektivitas mikroba pada tanah gambut dengan kedelai sebagai tanaman indikator. *J. Floratek* 6: 124– 139.
- Omorusi, V.I., Igeleke. C.L., Ogbebor, N.O., Evueh, G.A., dan Omo-Ikerodah, E.E. 2012. Current status of mycorrhizal spore numbers and root colonization of

*Hevea* saplings as affected by seasonal variations in plantations of Rubber Research Institute of Nigeria, Iyanomo. Researcher 4:37-41.

- Pacioni, G. 1992. Wet-sieving and decanting technique for extraction of spores of vesicular-arbuscular fungi. *Method of Microbiology* 24:317-322.
- Parniske, M. 2008. Arbuscular mycorrhiza: the mother of plant root endosymbioses. *Nature Reviews Microbiology* 6: 763-775.
- Permentan, 2013. Peraturan Menteri Pertanian Republik Indonesia Nomor 132/Permentan/OT.140/12/2013 Tentang Pedoman Budidaya Karet (*Hevea brasiliensis*) Yang Baik.
- Sahar, A., H. Guci dan Muhdi. 2016. Effect of vesicular arbuscular mycorrhiza and organic matter on growth of rubber stump (*Hevea brasiliensis* Muell. Arg.). *Int. J. Agron. Agri. Res.* 9: 31-35.
- Sano, S.M. L.K. Abbott, M.Z. Solaiman dan A.D. Robson. 2012. Influence of liming, inoculum level and inoculum placement on root colonization of subterranean clover. *Influence of liming, inoculum level and inoculum placement on root colonization of subterranean clover* 12: 285-290.
- Setyamidjaja, D. 1993. Karet Budidaya dan Pengelolaan. Kanisius, Yogyakarta.
- Sivakumar, N., 2013. Effect of edaphic factors and seasonal variation on spore density and root colonization of arbuscular mycorrhizal fungi in sugarcane fields. *Annals of microbiology* 63:151-160.
- Sosa-Rodriguez, T., S. Declerck, F. Granet, S. Gaurel, E.J.M. Van Damme dan H. D. de Boulois. 2013. *Hevea brasiliensis* and *Urtica dioica* impact the in vitro mycorrhization of neighbouring *Medicago truncatula* seedlings. *Symbiosis* 60:123-132.
- Suwarto, Y. Octaviany, dan S. Hermawati. 2014. Top 15 Tanaman Perkebunan. Penebar Swadaya, Jakarta.
- Venkatachalam, P., R. Jayashree, K. Rekha, S. Sushmakumari, S. Sobha, P. K. Jayasree, R. G. Kala, dan A. Thulaseedharan. 2007. Rubber Tree (*Hevea brasiliensis* Muell. Arg.). *Methods in Molecular Biology* 344: 153-164.
- Von Alten, H., B. Blal, J.C. Dodd, F. Feldmann, dan M. Vosatka. 2002. Quality control of arbuscular mycorrhizal fungi inoculum in Europe. In *Mycorrhizal Technology in Agriculture*: 281-296. Birkhäuser, Basel.
- Walker, C. dan Sanders, F.E. 1986. Taxonomic concepts in the Endogonaceae: III. The separation of *Scutellospora* gen. nov. from *Gigaspora* Gerd. And Trappe. *Mycotaxon* 27: 169-182.
- Walkley, A. I.A. dan Black. 1934. An examination of the Degtjareff method for determining soil organic matter, and a proposed modification of the chromic acid titration method. *Soil Science* 37: 29-38.
- Widiastuti, H., dan K. Kramadibrata. 1993. Identifikasi jamur mikoriza arbuskular di beberapa kebun sawit di Jawa Barat. *Menara Perkebunan* 61: 13-19.