

DAFTAR PUSTAKA

- Amini. 1995. Petunjuk Laboratorium Isolasi dan Pemurnian Antibiotik. PAU Bioteknologi UGM. Yogyakarta.
- Anitha, D., V. Tartte, P. Duggina, V. R. Betala, C. M. Kalla, V. Nagam, & S. B. Desaraju. 2013. Isolation and characterization of endophytic fungi of endemic medical plant of Tirumala Hills. *International Journal of Life Science Biotechnology and Pharma Research*, 2: 367-373.
- Ardi, G. S. 2012. Produksi Metabolit Sekunder (Senyawa Antimikrobia) oleh Isolat Bakteri Endofit. Fakultas Pertanian. Universitas Gadjah Mada. Skripsi.
- Bacon, C.W. & D. M. Hilton. 2006. Bacterial endophytes: Endophytic niche, its occupants, and its utility. *Plant-Associated Bacteria*, 1:155–194.
- Baydar, H.; Sagdiç, O.; Ozkan, G. 2004. Antibacterial activity and composition of essential oils from *Origanum*, *Thymbra* and *Satureja* species with commercial importance in Turkey. *Food Control*, 15: 169-172.
- Benkeblia, N. 2004. Antimicrobial activity of essential oils extract of various onions (*Allium cepa*) and garlic (*Allium sativum*). *Lebensmittel-Wissenschaft & Technologie*, 37: 263-268.
- Brader, G., S. Compant, B. Mitter, F. Trognitz, & A. Sessitsch. 2014. Metabolic potential of endophytic bacteria. *Current Opinion in Biotechnology*, 27:30–37.
- Castillo, U. F., K. Harper, G. A. Strobel., J. Sears, K. Alesi, E. Ford, J. Lin, M. Hunter, M. Maranta, H. G. D. Yaver, J. B. Jensen, H. Porter, R. Robinson, D. Millar, W. M. Hess, M. Condron., D. Teplow. 2003. Kakandumycins, novel antibiotics from *Streptomyces sp.* NRRL 30566, an endophyte of *Grevillea pteridifolia*. *FEMS Lett* 24: 183-190.
- Castillo, U. F., Strobel, G. A., Ford, E. J., Hess, W. M., Porter, H., Jensen, J. B. 2002. Munumbicins, wide-spectrum antibiotics produced by *Streptomyces* NRRL 30562, endophytic on *Kennediana nigricans* *Microbiology*, 148:2675-85.
- Cheeptam, N. 1999. Studies on antifungal from *Ellisiodothis inquinans* L 1588-A8. Hokkaido University Sapporo. Japan.
- Christina, A., Christopher, V & Bhore, S. J. 2013. Endophytic bacteria as a source of a novel antibiotics: An overview. *Pharmacognosy Reviews* 7: 13-16.
- Clark, J. 2007. Thin layer chromatography. <<http://www.chemguide.co.uk/analysis/chromatography/thinlayer.html>> diakses pada tanggal 10 Mei 2019.

- Ding, L., Münch, J., Goerls, H., Maier, A., Fiebig, H. H., Lin, W. H.s 2010. Xiamycin, a pentacyclic indolosesquiterpene with selective anti-HIV activity from a bacterial mangrove endophyte. *Bioorg Med Chem Lett*, 20:6685-7.
- Ding, L., Armin, M., Heinz-Herbert, F., Wen-Han, L., Christian, H. 2011. A family of multi-cyclic indolosesquiterpenes from a bacterial endophyte *Origin Biomolecular Chemical*, 9:4029-31
- Dewick, M. 2002. *Medicinal Natural Products 2nd Edition*. John Wiley & Son School of Pharmaceutical Sciences. University of Nottingham. England.
- Fair, J. D. & Kormos, C. M.. 2008. Flash column chromatograms estimated from thin-layer chromatography data. *Journal of Chromatography A*, 1211: 49–54.
- Franklin, T. J. & Snow, G. A. 2005. *Biochemistry and Molecular Biology of Antimicrobial Drug Action*. Springer Science & Business Media Inc. New York.
- Gracia, F. N., M. Sanchez, C. Nombela, & J. Pla. 2001. Virulence genes in the pathogenic yeast *Candida albicans*. *FEMS Microbiology Review*, 25: 245-268.
- Gunantilika, A. A. L. 2006. Natural products form plant associated microorganism distribution structural diversity. *Bioactivity and Implication of the National Park. Pahang Malaysia*.
- Harrison LH, Teplow DB, Rinaldi M, Strobel G. 1991. Pseudomycins, a family of novel peptides from *Pseudomonas syringae* possessing broad-spectrum antifungal activity *Journal Genetica Microbiol*, 137:2857-65.
- He, R. I., G. P. Wang, X. H. Liu, C. L. Zhang, F. C. Lin. 2009. Antagonistic bioactivity of an endophytic bacterium isolated from *Epimedium brevicornu*. *African Journal of Biotechnology*, 8: 191-195.
- Igarashi, Y., H. Oguran, K. Furihata, C. Indananda, & A. Thamchaipenet. 2011. Myclamycin polyketide from an endophytic *Micromonospora* sp. *Journal of Natural Products*, 74: 670-674.
- James, E. K. 2000. Nitrogen fixation in endophytic and associate symbiosis. *Field Crops Res* 65:197-199.
- Jawetz, E., J. L. Metnick & E. A. Adelberg. 2007. *Medical Microbiolofy*. 24th ed. EGC Publisher. London.
- Jayalakshmi, L., Ratna Kumari, G., Samson, SH. 2011. Isolation, speciation and antifungal susceptibility testing of *Candida* from clinical specimens at a tertiary care hospital. *Sch Journal Applied Medical Science*, 2:3193–8.
- Kasi, Y. A., J. Posangi, M. Wowor, & R. Bara. 2015. Uji efek antibakteri jamur endofit daun mangrove avicennia marina terhadap bakteri uji *Staphylococcus aureus* dan *Shigella dysenteriae*. *Jurnal Biomedik Unsrat*, 3: 112-117.

- Khieu, T. N., Liu, M. J., Nimaichand, S., Quach, N. T., Ky, S. C., Q. Phi, T. T., Vu, T. T., Nguyen, D., Xiong, Z., Prabhu, D. M., Li, W. J. 2015. Characterization and evaluation of antimicrobial and cytotoxic effects of *Streptomyces* sp. HUST012 isolated from medicinal plant *Dracaena cochinchinensis* Lour. *Frontiers in Microbiology*, 6:1-9.
- Kiyomizu, K., Yagi, T., Yoshida, H., Minami, R., Tanimura, A., Karasuno, T., Hiraoka, A. 2008. Fulminant septicemia of *Bacillus cereus* resistant to carbapenem in a patient with biphenotypic acute leukemia. *Journal of Infection and Chemotherapy*, 14: 361–367.
- Konning, G.H., Agyare, C. & Enninson, B. 2004. Antimicrobial activity of some medicinal plants from Ghana. *Fitoterapia*, 75: 65-67.
- Long, H. H., Naruto, F., Daisuke K, dan Minoru T. 2003. Isolation of Endophytic Bacteria from *Solanum* sp. and Their Antibacterial Activity. *Journal Faculty Agriculture, Kyushu Univ* 48: 21-28.
- Madigan, M.T., Martinko, J. M., Dunlap, P. V., Clark, D. P. 2008. *Biology of Microorganism* 12th edn. Pearson Benjamin Cummings. San Fransisco.
- Margino, S. 1998. Tropical Bioresources Conservation. Microbial Biodiversity in Tropical South East Asia and Their Utilization for Producing Useful Materials. Training Report. Laboratory Applied Microbiology Dept. of Bioscience and Biochemistry. Faculty of Agriculture. Hokkaido University-Sapporo. Japan.
- Margino, S. 2008. Produksi metabolit sekunder (antibiotik) oleh isolat jamur endofit Indonesia. *Majalah Farmasi Indonesia*, 19: 86-94.
- Maria, G. L., Sridhar, K. R. & Raviraja, N. S. 2005. Antimicrobial and enzyme activity of mangrove endophytic fungi of southwest coast of India. *Journal of Agricultural Technology*, 1: 67-80.
- Marpaung, E. L. 2004. Flavonoid dari buah *Sonneratia caseolaris* Engl. dan kegunaannya sebagai antibakterial: Studi laboratorium infeksi *Vibrio harveyi* pada udang windu, *Penaeus monodon* Fab. Tesis. Bogor: FPIK, IPB.
- Meliawati, R., Widyaningrum, D. N., Djohan, A.C., & Sukiman, H. 2006. Pengkajian Bakteri Endofit Penghasil Senyawa Bioaktif untuk Proteksi Tanaman. *Jurnal Biodiversitas*, 7:221-224.
- Mendez, M. B., Osaria, L. M., Philippe, V. M., Pedrido, E., Grau, R. 2004. Novel roles of the master transcription factors Spo0A and B for survival and sporulation of *Bacillus subtilis* at low growth temperature. *Journal of Bacteriology*, 186: 989-1000.
- Miller, C. M., Miller, R. V., Garton-Kenny, D., Redgrave, B., Sears, J., Condron, M. M. 1998. Ecomycins, unique antimycotics from *Pseudomonas viridiflava*. *J Appl Microbiol*, 84:937-44.

- Monteiro, R. A., Scimidt, M. A., de Baura, V. A., Basonelli, E, R., Wassem, M. G., Yates, M. A., Randi, F. F., Pedrasa, O., de Saosa, E. M. 2008. Early colonization pattern maize (*Zea mays* L. *poales*) roots by *Herbaspirillum seropediae* (*Burkholderiales*, *Oxabacteraceae*). *Genetic and Molecular Biology*, 31: 932-937.
- Mubin, F. 1999. Kajian Produksi Senyawa Antimikrobia oleh Endofit. Fakultas Pertanian Universitas Gadjah Mada. Skripsi.
- Muharam, A. & Subijanto. 1991. Status Penyakit Pisang di Indonesia dalam Penyakit Pisang di Asia dan Pasifik . INIBAP.
- Nuryono, I., Tahir & Pranowo, D. 2007. Petunjuk Praktikum Kimia Organik. Laboratorium Kimia Dasar FMIPA Universitas Gadjah Mada. Yogyakarta.
- Nugroho, E. C. 2009. Potensi Daya Antibakteri Isolat *Lactobacillus* dari Tempoyak *Escherichia coli*. Seminar Hasil Penelitian & Pengabdian kepada Masyarakat. Unila.
- O'Hara, C. M. 2005. Manual and automated instrumentation for identification of Enterobacteriaceae and other aerobic gram negative-Bacilli. *Clinical Microbiology*, 18: 147-162.
- Patel, H. A., Khirsti, S. M., Perikh, K., Rajaram, G. 2012. Isolation and characterization of bacterial endophytic from *Lycopersicon esculentum* plant and their plant promoting characteristic. *Nepal Journal of Biotechnology*, 2: 37-52.
- Qin, S., Xing, K. J., Jiang, H., Xu, L. H., Li, W. J. 2011. Biodiversity, bioactive natural products and biotechnological potential of plant associated endophytic *Actinobacteria*. *Journal of Applied Microbiology Biotechnology*, 89: 457-473.
- Radji, M. 2005. Peranan bioteknologi dan mikrobia endofit dalam pengembangan obat herbal. *Majalah Ilmu Kefarmasian*, 3: 113-126.
- Rahman, S., A. Parvez, K. R., Islam., Khan, M. H. 2011. Antibacterial activity of natural spices on multiple drug resistant *Escherichia coli* isolated from drinking water, Bangladesh. *Annals of Clinical Microbiology and Antimicrobials*, 10:1-10.
- Refdanita, R., Maksum, A., Nurgani., Endang, P. 2004. Pola kepekaan kuman terhadap antibiotika di rang intensif rumah sakit fatmawati Jakarta. *Makara Kesehatan*, 8: 41-48.
- Ruhe, J. J., Monson, T., Bradsher, R. W., Menon, A. 2005. Use of long-acting tetracyclines for methicillin-resistant *Staphylococcus aureus* infections: case series and review of the literature. *Clinical Infectious Diseases*, 40: 1429–1434.
- Ryan, R. P., Germaine, K., Franks, A. D., Ryan, J., Dowling, D. N. 2008. Bacterial endophytes: recent developments and applications. *Federation of European Microbiological Societies*, 278: 1-9.

- Sagdiç, O. 2003. Sensitivity of four pathogenic bacteria to Turkish thyme and oregano hydrossols. *Lebensmittel-Wissenschaft und-Technology*, 36: 467-473.
- Savi, D. C., Shaaban, K. A., Vargas, N. L., Ponomareva, V., Posseide, Y. M., Thorson, J. S., Glienke, C., Rohr, J. 2015. *Microspora* sp. LGMB259 endophytic actinomycete isolated from *Vochysia divergens* (Pantanal, Braxil) producing (beta)-carboline and indoles with biological activity. *Current Microbiology*, 70: 345-354.
- Savini, V., Favaro, M., Fontana, C., Catavittello, C., Balbinot, A., Talia, M.,Febbo, F., D'Antonio, D. 2009. *Bacillus cereus* heteroresistant to carbapenems in a cancer patient. *Journal of Hospital Infection*, 71: 288–290.
- Savoia, D. 2012. Plant-derived antimicrobial compounds. *Future Microbiology*, 7: 1-17.
- Schulz, B., Boyle, C., Draeger, S., Rommert, A. K., Krohm, K. 2002. Endophytic fungi: a source of novel biologically active secondary metabolites. *Mycology Research*, 106: 996-1004.
- Semangun, H. 1994. Penyakit – Penyakit Tanaman Hortikultura Di Indonesia. Gadjah Mada University Press. Yogyakarta.
- Shan, B., Cai, Y. Z., Brooks, J. D., Corke, H. 2007. The in vitro antibacterial activity of dietary spice and medicinal herb extracts. *International Journal of Food Microbiology*, 117: 112–119.
- Shiomi, H. F., Sandro, H., Silva, H. S., Melo, F. V., Nuners., W. Bettiol. 2006. Bioprospecting endhophytic bacteria for biological control of coffee leaf rust. *Journal of Science Agriculture*, 63: 32-39.
- Simarmata, R., Lekatompessy, S. & Sukiman, H. 2007. Isolasi mikroba endofitik dari tanaman obat sambung nyawa (*Gymura procumbens*) dan analisis potensinya sebagai antimikroba. *Berkalah Penelitian Hayati*, 13 : 85-90.
- Snook, M. E., Mitchell, T., Hinton, D. M., Beacon, C. W. 2009. Isolation and characterization Leu-7-Surfaction from endophytic bacterium *Bacillus mojavensis* RRC-101. A biocontrol agent for *Fusarium verticilloides*. *Journal of Agriculture and Food Chemistry* 57: 4287-4293.
- Strobel, G.A., & Daisy, B. 2003. Bioprospecting for Microbial Endophytes and Their Natural Products. *Microbiol. and Mol. Biology Rev* 67:491-502..
- Supong, K., Thawai, C., Choowong, W., Kittiwongwattana, C., Thanaboripat, D. Laosinwattana, W., Koohakan, P., Parinthawong, N., Pittayakhajonwut, P. 2016. Antimicrobial compounds from endophytic *Streptomyces* sp. BCC 72023 isolated from rice (*Oryza sativa* L.). *Research in Microbiology King Mongkut's Institute of Technology Ladkrabang, Bangkok*.
- Suprianto. 2008. Potensi Ekstrak Sereh Wangi (*Cymbopogon nardus* L.) Sebagai Anti *Streptococcus mutans*. Intitut Pertanian Bogor. Skripsi.

- Tan, R. X. & Zou, W. X. 2001. Endophytes: a rich source of functional metabolites. *Natural Product Report*, 18: 448-459.
- Tassou, C., Koutsoumanis, K., Nychas, G.J.E. 2000. Inhibition of *Salmonella enteridis* and *Staphylococcus aureus* in nutrient broth by mint essential oil. *Food Research International*, (33): 273-280.
- Velluti, A., Sanchis, V., Ramos, A. J. 2003. Inhibitory effect of cinnamon, clove, lemongrass, oregano and palmarose essential oils on growth and fumonisin B1 production by *Fusarium proliferatum* in maize grain. *International Journal of Food Microbiology*, 89: 145-154.
- Wang, Y., Fang, X., An, F., Zhang, X. 2011. Improvement of antibiotic activity of *Xenorhabdus bioveonii* by medium optimization using response surface methodology. *Journal of Microbial Cell Factorises*, 1: 1-11.
- Yuwantiningsih, S. 2017. Bakteri Endofit Tanaman Taman Nasional Di Pulau Jawa Sebagai Agen Penghasil Antibiotik. Program Studi Bioteknologi. Universitas Gadjah Mada. Disertasi.
- Zinniel, D. K., Lambrecht, P., Harris, N. B., Feng, Z., Kuczmarski, D., Higley, P., Ishimaru, C.I., Arunakumari, A., Barletta, R. G., Vidaver, A. K. 2002. Isolation and characterization of endophytic colonizing bacteria from agronomic crops and prairie plants. *Applied Environment Microbiology*, 68: 2198-2208.