



TABLE OF CONTENT

COVER PAGE.....	i
ANTI-PLAGIARISM STATEMENT.....	ii
ACKNOWLEDGEMENT	vii
TABLE OF CONTENT	ix
LIST OF TABLE	xi
LIST OF FIGURE.....	xii
NOMENCLATURE.....	xiv
ABSTRACT.....	xv
INTISARI.....	xvi
CHAPTER I INTRODUCTION	1
I.1. Background	1
I.2. Problem Formulation.....	2
I.3. Scope and Limitation.....	3
I.4. Objective	3
I.5. Study Benefit.....	3
CHAPTER II LITERATURE REVIEW	4
CHAPTER III THEORETICAL FRAMEWORK.....	7
III.1. Fast Breeder Reactor	7
III.1.1. Concept and Definition of Fast Breeder Reactor.....	7
III.1.2. Fast Breeder Reactor Design	9
III.1.3. Breed-and-Burn Reactor	16
III.1.4. Coolant Material for Fast Breeder Reactor	19
III.2. Research Parameter	25
III.2.1. The Initial Multiplication Factor (K_{eff})	25
III.2.2. Temperature Coefficient	25
III.2.3. Radial Power Peaking Factor.....	27
III.2.4. Conversion Ratio	28
III.3. Monte Carlo N-Particle eXtended Simulation	28
CHAPTER IV RESEARCH METHODOLOGY	30



IV.1.	Tools and Materials	30
IV.2.	Research Procedure	30
IV.3.	Proposed Data Analysis Arrangement	37
CHAPTER V RESULT AND DISCUSSION		39
V.1.	Coolant Variation	39
V.2.	Loading Pattern Variation	41
V.2.1.	Initial Effective Multiplication Factor (K_{eff}).....	42
V.2.2.	Temperature coefficient	43
V.2.3.	Radial Power Peaking Factor.....	47
V.2.4.	Conversion Ratio	51
V.3.	Comparison Benchmark	55
CHAPTER VI CONCLUSION AND RECOMMENDATION		57
VI.1.	Conclusion.....	57
VI.2.	Recommendations	57
REFERENCE.....		58
APPENDIX A		61



LIST OF TABLE

Table 3.1. Properties of Considered Coolant of Fast Breeder Reactor	21
Table 3.2. Sodium Characteristic [3, 8].....	22
Table 3.3. Helium Characteristic [3]	23
Table 3.4. Lead Characteristic [3]	24
Table 4.1. Traveling Wave Reactor-Prototype Standard Assembly Parameter [7]	31
Table 4.2. Universe and Assembly Type	34
Table 4.3. TWR-P Core Legend.....	35
Table 5.1. Initial Multiplication Value for Different Coolant.....	39
Table 5.2. Loading Pattern Variation	41
Table 5.3. Initial Effective Multiplication Factor on Layout Variation	42
Table 5.4. Coolant Temperature Coefficient and Fuel Temperature Coefficient.	44
Table 5.5. Reactivity of Fuel and Coolant Temperature Coefficient Calculation	45
Table 5.6. Radial Power Peaking Factor on Layout Variation.....	49
Table 5.7. Total Nuclide Mass in the Core of First Layout Variation (1 Year) ...	52
Table 5.8. Total Nuclide Mass in the Core of Second Layout Variation (1 Year)	52
Table 5.9. Nuclide Produced from Layout Variation LP1 (40 Years)	53
Table 5.10. Nuclide Produced from Layout Variation LP2 (40 Years)	53
Table 5.11. Benchmark Comparison	55



LIST OF FIGURE

Figure 1.1. Composition of Natural Uranium	1
Figure 1.2. Traveling Wave Reactor Plant Design [3].....	2
Figure 3.1. Three-Looped Sodium Cooled Fast Reactor [16].....	9
Figure 3.2. a. Internal Breeding Concept b. External Breeding Concept [3].....	10
Figure 3.3. a. Homogenous Core b. Heterogeneous Core [3].....	11
Figure 3.4. Fuel pin of a. Clinch River Breeder Reactor Plant b. Super Phènix Reactor [3].....	12
Figure 3.5. Typical Fuel Assembly of Fast Breeder Reactor [3]	14
Figure 3.6. Typical Internal Reactor Vessel of Sodium-cooled Fast Reactor [3]	15
Figure 3.7. CANDLE Concept in Traveling Wave Reactor [19].....	18
Figure 3.8. Standing Wave Reactor Burning Region.....	19
Figure 4.1. Side and Top View of MCNPX design using Visual Editor	35
Figure 4.2. TWR-P Core Design TerraPower	35
Figure 5.1. Initial Multiplication Factor based on Coolant Variation.....	39
Figure 5.2. LP1.....	41
Figure 5.3. LP2.....	41
Figure 5.4. LP3.....	41
Figure 5.5. LP4.....	41
Figure 5.6. LP5.....	42
Figure 5.7. Initial Effective Multiplication Factor on Layout Variation.....	43
Figure 5.8. Reactivity to Temperature on LP1	46
Figure 5.9. Reactivity to Temperature on LP2.....	46
Figure 5.10. Reactivity to Temperature on LP3.....	46
Figure 5.11. Reactivity to Temperature on LP4.....	46
Figure 5.12. Reactivity to Temperature on LP5.....	46
Figure 5.13. Power Distribution (LP1)	49
Figure 5.14. Power Distribution (LP2)	49
Figure 5.15. Power Distribution (LP4)	50



Figure 5.16. Power Distribution (LP3)	50
Figure 5.17. Power Distribution (LP5)	50
Figure 5.18. Radial Power Distribution	51
Figure 5.19. Conversion Ratio based on Layout Variation.....	54
Figure 5.20. Multiplication Factor based on Layout Variation.....	54