

DAFTAR PUSTAKA

- Bahadur, B., M. V. Rajam, L. Sahijram, and K.V. Krishnamurthy. 2015. *Plant Biology and Biotechnology I: Plant diversity, organization, function, and improvement*. Springer, New Delhi.
- Banerjee, B. 1992. Selection and breeding of tea. *In: K.C. Willson and M.N. Clifford (Eds.) Tea*. Springer Science+Business Media Dordrecht, North Yorkshire, p: 53–81.
- Charr, M.K.V. 1971. The internal water status of the tea plant (*Camellia sinensis*): Some results illustrating the use of the pressure chamber technique. *Agricultural Meteorology* 9: 447–60.
- Charr, M.K.V. and W. Stephens. 1992. *Climate, weather, and the yield of tea. Tea: Cultivation to Consumption*. Springer Science Business Media, North Yorkshire.
- Chen, Z and L. Chen. 2012. Delicious and healthy tea: An overview. *In: Chen, L., Z. Apostolides, and Z. Chen (Eds.) Global Tea Breeding: Achievements, Challenges, and Perspectives*. Zhejiang University Press, p: 1–11.
- Das, S.C., S. Das, and M. Hazarika. 2012. Breeding of the tea plant (*Camellia sinensis*) in India. *In: L. Chen, Z. Apostolides, and Z. Chen (Eds.) Global Tea Breeding: Achievements, Challenges, and Perspectives*. Zhejiang University Press, Hangzhou, p: 69–120.
- Dalimonthe, S.L. 2013. Pengaruh media tanam organik terhadap pertumbuhan dan perakaran pada fase awal benih teh di pembibitan. *Jurnal penelitian teh dan kina* 16: 1–11.
- Dickson, A., A.L. Leaf, and J.F. Hosner. 1960a. Quality appraisal of white spruce and white pine seedling stock in nurseries. *Forestry Chronicle* 36: 10–13.
- Dickson, A., A.L. Leaf, and J.F. Hosner. 1960b. Seedling quality: soil fertility relationships of white spruce, and red and white pine in nurseries. *Forestry Chronicles* 36: 10–13.
- Dudley, J.W. and R.H. Moll. 1969. Interpretation and use of estimates of heretability and genetic variances in plant breeding. *Crop Science* 9: 257–262.
- Effendi, D.S., M. Syakir, M. Yusron, dan Wiratno. 2010. *Budidaya dan Pasca Panen Teh*. Pusat Penelitian Pengembangan Perkebunan, Badan Penelitian dan Pengembangan Pertanian, Kementrian Pertanian, Bogor.

- Gebely, T. 2017. List of Tea Producing Countries in The World. <https://specialtyteaalliance.org/world-of-tea/tea-producing-countries/>. Diakses 10 Juli 2018.
- Green, M.J. 1971. An evaluation of some criteria used in selecting large-yielding tea clones. *J. agric. Sci. Camb.* 76: 143–156.
- Hallauer, A.R., M.J., Carena, and J.B.M. Filho. 2010. *Quantitative Genetics in Maize Breeding*. Springer, New York.
- Hendromono. 2003. Kriteria penilaian mutu bibit dalam wadah yang siap tanam untuk rehabilitasi hutan dan lahan. *Buletin Penelitian dan Pengembangan Kehutanan* 4: 11–20. Badan Litbang Kehutanan, Jakarta.
- Hase, D.L. 2008. Understanding forest seedling quality: Measurements and interpretation. *Tree Planters' Notes* 52: 24–30.
- Irawan, A. dan Y. Kafiari. 2015. Pemanfaatan *cocopeat* dan arang sekam padi sebagai media tanam bibit cempaka wasian (*Elnerrilia ovalis*). *Prob. Sem. Nas. Masy. Biodiv. Indon.* 1: 805–808.
- Istomo dan N. Valentino. 2012 Pengaruh perlakuan kombinasi media terhadap pertumbuhan anakan Tumih (*combretocarpus rotundatus* (Miq.) Danser). *Jurnal Silvikultur Tropika* 3: 81–84.
- Janicke, H. 1999. *Good Tree Nursery Practices: Practical guidelines for research nurseries*. International Centre for Research in Agriforestry, Nairobi.
- Kementrian Pertanian. 2017. *Outlook Teh*. Pusat Data dan Sistem Informasi Pertanian Sekretariat Jenderal Kementerian Pertanian, Jakarta.
- Mahfudloh, A. 2008. Keberhasilan dan pertumbuhan stek teh (*Camellia sinensis* (L.) O. Kuntze) klon GMB 4 dan GMB 7 pada beberapa macam media tanam. Fakultas Pertanian. Institut Pertanian Bogor. Skripsi.
- Mindawati, N. dan E.Y. Susilo. 2005. Pengaruh macam media terhadap pertumbuhan semai *Acacia manhium* Willd. *Jurnal Penelitian Hutan dan Konsevasi Alam* 1: 53–59.
- Mondal, T.K. 2014. *Breeding and Biotechnology of Tea and its Wild Species*. Springer, New York.
- Nagarajah, S. and G.B. Ratnasuriya. 1980. Clonal variability in root growth and drought resistance in tea (*Camellia sinensis*). *Plant Soil* 60: 153–155.
- Nyoka, B.I., R. Kamanga, J. Njoloma, R. Jamnadass, S. Mng'omba, and S. Muwanje. 2018. Quality of tree seedlings produced in nurseries in Malawi: an assessment of morphological attributes. *Forest, Trees, and Livelihoods* 27: 1–15.

- Oguchi, R., Y. Onoda, and I. Terashima. 2018. leaf anatomy and function. *In*: W.W. Adams III and I. Terashima (Eds.) *The Leaf: A Platform for Performing Photosynthesis, Advances in Photosynthesis and Respiration* 44. Springer International Publishing AG, p: 97–139.
- Paramita, G., D. Indradewa, dan S. Waluyo. 2014. Pertumbuhan bibit tujuh klon teh (*Camellia sinensis* (L.) Kuntze) PGL dengan pemberian bahan mengandung hormon tumbuh alami. *Vegetalika* 3: 1–12.
- Peraturan Menteri Pertanian Republik Indonesia No. 50 Tahun 2014 Tentang Pedoman Teknis Budidaya Teh yang Baik.
- Peraturan Menteri Pertanian Republik Indonesia No. 111 Tahun 2014 Tentang Standar Operasional Prosedur Penetapan Calon Kebun Sumber Benih, Sertifikasi Benih, dan Evaluasi Kebun Sumber Benih Tanaman Teh (*Camellia sinensis* (L.) O. Kuntze).
- Pusat Penelitian Teh dan Kina. 2005. Petunjuk Kultur Teknis Tanaman Teh. Edisi ketiga. Pusat Penelitian Teh dan Kina, Bandung.
- Putranto, I.J. 2017. Karakterisasi Teh Klon Induk PT. Pagilaran Batang Jawa Tengah. Fakultas Pertanian. Universitas Gadjah Mada. Makalah Kerja Lapangan.
- Rahadi, V.P., H.S. Khomseni, dan B. Sriyadi. 2016. Pengujian daya tumbuh stek klon teh (*Camellia sinensis*) hasil persilangan klon-klon generasi pertama. *Jurnal Penelitian Teh dan Kina* 19: 124–130.
- Roberts, K. 2007. *Handbook of Plant Science*. John Wiley & Sons Ltd, West Sussex.
- Robinson. H.F., R.E. Comstock, and P.H. Harvey. 1954. Genetic variances in open pollinated varieties of corn. *Genetics* 40: 45–60.
- Roller, K.J. 1977. Suggested minimum standards for containerized seedlings. Information Report M-X-69. Fisheries and Environment Canada, Canadian Forestry Service, Maritimes Forest Research Centre, Canada, p: 1–18
- Ritchie, G.A. 1984. Assessing seedlings quality *In*: Duryea and T.D. Landis (Eds.). *Forest Nursery Manual: Production of Bareroot Seedlings*. MartinusNijhoff/Dr W. Junk Publisher, The Hague, p: 243–259.
- Saraswati, D. 2008. Analisis Produktivitas Teh (*Camellia sinensis* (L.) O. Kuntze) di PT. Pagilaran, Batang, Jawa Tengah. Fakultas Pertanian. Institut Pertanian Bogor. Skripsi.
- Sebastiampillai, A.R. and H.R. Solomon. 1976 Short-term yield in the immature stage as an indicator of the yield potential of tea clones (*Camellia sinensis* (L.) O. Kuntze). *Tea Q.* 46: 16–25.

- Setyamidjaja, D. 2000. Teh Budidaya dan Pengolahan Pascapanen. Kanisius, Yogyakarta.
- Shanmugarajah, V. 1994. Selection criteria for Tea (a review). S.L.J Tea Sci. 63: 94–108.
- Shanmugarajah, V., S, Kulasegaram, and Y.D.A Senanayake. 1990. Growth characters as criteria for selection of new Tea clones (*Camellia sinensis* (L.) O. Kuntze) Tropical Agricultural Research 2: 36–44.
- Sharma, V.S. 1982. Vegetative propagation in tea: a review. Proceedings 5th Symposium on Plantation Crops, pp: 1–15.
- Sriyadi, B. 2015. Penilaian hubungan genetik klon teh berdasarkan komponen senyawa kimia utama dan potensi hasil. Jurnal Penelitian Teh dan Kina 18: 1–15.
- Sriyadi, B., R. Suprihatini, and H.S. Khomaeni. 2012. The development of high yielding tea clones to Increase Indonesian Tea Production. *In*: Chen, L., Z. Apostolides, and Z. Chen (Eds.). Global Tea Breeding: Achievements, Challenges, and Perspectives. Zhejiang University Press, p: 299–307.
- Stoskopf, N.C. 1933. Plant Breeding Theory and Practice. Westview Press, Inc., Colorado.
- Sukarman, Kainde R, Rombang J, Thomas A. 2012. Pertumbuhan bibit sengon (*Paraserianthes falcataria*) pada berbagai media tumbuh. Eugenia 18: 215-221.
- Supriyanto dan F. Fiona. 2010 Pemanfaatan arang sekam untuk memperbaiki pertumbuhan semai Jabon (*Anthocephalus cadamba* (Roxb.) Miq) pada media subsoil. Jurnal Silbikultur Tropika 1: 24–28.
- Susilo, A.W., D. Sulastri, dan S Djatiwaloejo. 2005. Seleksi dan pendugaan parameter genetik beberapa sifat batang bawah Kakao (*Theobroma cacao* L.) pada semaian famili saudara tiri. Pelita Perkebunana 21: 147–158.
- Tasma, I.M. dan I. Darwati. 1989. Pengaruh bahan setek dan pupuk daun terhadap pertumbuhan dan hasil nilam. Bal. Litro 4: 75–79.
- Taryono, S. Waluyo, and Sholehan. 2014. Adventitious root characteristics of some Assamica tea clones (*Camellia sinensis* L.Kuntz). Ilmu Pertanian 17: 37–45.
- Thompson, B.E. 1985. Seedlings morphologica evaluation: what you can tell by looking. Proceedings of evaluating seedling quality: principles, procedures, and predictive abilities of major tests. Oregon States University, Cervallis, 16–18 Oktober 1984.

- Toyao, T. 1965. Correlation and genetical analyses of the several characteristics at the stage of individual selection in the tea plant. II. On the correlations among yield, number of leaves per plant and characters of leaf in the clonal varieties for Green Tea. *Study of Tea* 30:1–4 (Summary).
- Utami NW, Witjaksono, Hoesen DSH. 2006. Perkecambahan biji dan pertumbuhan semai ramin (*Gonystylus bancanus* Miq.) pada berbagai media tumbuh. *J Biol Div* 7 (3): 264-268.
- Wight, W. 1958. The agrotype in tea taxonomy. *Nature* 181: 893–895.
- Wilson, K.C. 1992. Field operations: 1. *In*: K.C. Wilson and M.N. Clifford (Eds.). *Tea: cultivation to consumption*. Springer Science+Business Media, B.V., p: 201–223.
- Wulansari, R. Y. Rachmiati, dan E. Rezamela. 2016. Pengaruh aplikasi pupuk mineral dan organik cair terhadap peningkatan pertumbuhan benih teh siap salur. *CR Journal* 20: 135–146.
- Zenginbal, H., A. Haznedar, and E. Zanginbal. 2014. Influence of type cutting, IBA concentration and collection time on rooting of tea (*Camellia sinensis* L.). *Research in Plant Biology* 4: 1–8.