

DAFTAR PUSTAKA

- Acosta, J.C., Gill, J., 2012, Senescence: A new weapon for cancer therapy, *Trends Cell Biol*, **22**: 211-219.
- Ahmad, A., Husain, A., Mujeeb, M., Khan, S.A., Najmi, A.K., Siddique, N.A., Damanhoury, Z.A., Anwar, F., 2013, A review on therapeutic potential of *Nigella sativa*: A miracle herb, *Asian Pac J Trop Biomed*, **3**(5): 337-352.
- Al-Jumaily, E.F., Al-Jumaily, A.J.S., 2015, The Chemical Composition of The Fixed and Volatile Oils of *Nigella sativa* L. and its Physico-Chemical Properties, *European Journal of Pharmaceutical and Medical Research*, **2**(5): 906-917.
- Arianna, C., Andrea, A., 2017, Aging tumour cells to cure cancer: “pro-senescence” therapy for cancer, *Swiss Med Wkly*, **147**: 14367.
- Asrani, K., Keri, R.A., Galisteo, R., Brown, S.A.N., Morgan, S.J., Ghosh, A., dkk., 2013. The HER2- and heregulin β 1 (HRG)-inducible TNFR superfamily member Fn14 promotes HRG-driven breast cancer cell migration, invasion, and MMP9 expression. *Molecular cancer research: MCR*, **11**: 393–404.
- ATCC, 2014. 'MCF7 ATCC ® HTB-22TM' MCF7 ATCC ® HTB-22TM. URL: <http://www.atcc.org/products/all/HTB-22.aspx> (diakses tanggal 20/7/2019).
- Aydin, E., Turkez, H., Geikogklu, F., 2013, Antioxidantive, anticancer, and genotoxic properties of alpha-pinene on N2a neuroblastoma cells, *Biologia*, **68**(5): 1004-1009.
- Baselga, J., Swain, S.M., 2009, Novel Anticancer Targets: Revisiting ERBB2 and Discovering ERBB3, *Nat Rev Cancer*, **9**: 463-475.
- Baselga, J., 2010, Treatment of HER2-overexpressing Breast Cancer, *Annals of Oncology*, **7**: 36-40.
- Benkaci-Ali, F., Baaliouamer, A., Meklati, B.Y., Chemat, F., 2007, Chemical composition of seed essential oils from Algerian *Nigella sativa* extracted by microwave and hydrodistillation, *Flavour and Fragrance Journal*, **22**:148-153.
- Benz, C.C., Scott, G.K., Sarup, J.C., Johnson, R.M., Tripathy, D., Coronado, E., Shepard, H.M., Osborne, K., 1992, Estrogen-dependent, tamoxifen-resistant tumorigenic growth of MCF-7 cells transfected with HER2/neu, *Breast Cancer Research and Treatment*, **24**: 85-95.
- Braig, M., 2005, Oncogene-induced senescence as an initial barrier in lymphoma development, *Nature*, **436**: 660-665.
- Bourgou, S., Pichette, A., Marzouk, B., Legault, J., 2010, Bioactivities of black cumin essential oil and its main terpenes from Tunisia, *South African Journal of Botany*, **76**: 210-216.
- Burgess, A.W., Cho, H.S., Eigenbrot, C., Ferguson, K.M., Garrett, T.P., Leahy, D.J., Lemmon, M.A., Sliwkowski, M.X., Ward, C.W., Yokoyama, S.,

- 2003, An Open-and-Shut Case? Recent Insights Into The Activation of EGF/ErbB Receptors, *Mol Cell*, **12**(3): 541-52.
- Burstein, H.J., 2005, The distinctive nature of HER2-positive breast cancers, *The New England Journal of Medicine*, **353**(16): 1652–1654.
- Cahu, J., Sola, B., 2013, A sensitive method to quantify senescent cancer cells, *J Vis Exp*, **78**.
- Callahan, R., Hurvitz, S., 2015, HER2-Positive Breast Cancer: Current Management of Early, Advanced, and Recurrent Disease, *Curr Opin Obstet Gynecol*, **23**(1): 37-43.
- Campisi, J., 2005, Senescent cells, tumor suppression, and organismal aging: Good citizens, bad neighbors., *Cell*, **120**: 513–522.
- Cappers, R.T.J., Bekker, R.M., 2013, A Manual for The Identification of Plant Seeds and Fruits, Barkuis and University Of Groningen Library, Groningen.
- Chaudhry, S., Siddiqui, S., Steffen, T.K., Raimondi, S.L., 2017, Blackseed (*Nigella sativa*) Oil and its active ingredient, Thymoquinone, Suppress the aggressive phenotype of breast cancer cells, *American Journal of Undergraduate Research*, **14**(2).
- Chen, W., Zheng, R., Peter D., Zhang, S., 2016, Cancer Statistics in China 2015, *CA CANCER J CLIN*, **66**(2) : 115-132.
- Coppé, J.P., Desprez, P.Y., Krtolica, A., Campisi, J., 2010, The senescence - associated secretory phenotype: the dark side of tumour suppression, *Annu Rev Pathol*, **5**(1): 99-118.
- Davalli, P., Mitic, T., Caporali, A., Lauriola, A., D., 2019, dan Arca, D., 2016. ROS, Cell Senescence, and Novel Molecular Mechanisms in Aging and Age-Related Diseases. *Oxidative Medicine and Cellular Longevity*, **2016**: e3565127.
- Debacq-Chainiaux, F., Erusalimsky, J.D., Campisi, J., dan Toussaint, O., 2009. Protocols to detect senescence-associated beta-galactosidase (SA-βgal) activity, a biomarker of senescent cells in culture and in vivo. *Nature Protocols*, **4**: 1798–1806.
- Dilalah, I., 2018, Aktivitas Ekstrak Jinten Hitam (*Nigella sativa* L.) sebagai Ko-Kemoterapi Doksorubisin melalui Penurunan Level Reactive Oxygen Species (ROS) pada Sel Kanker Payudara, *Skripsi*, Fakultas Farmasi, Universitas Gadjah Mada.
- Di Mitri, D., Alimonto, A., 2016, Non-Cell-Autonomous Regulation of Cellular Senescence In Cancer *Trends Cell Biol*, **26**(3): 215-226.
- Djajanegara, I., dan Wahyudi, P., 2010, Uji Sitotoksitas Ekstrak Etanol Herba Ceplukan (*Physalis angulata* Linn.) terhadap Sel T47D secara In Vitro, *Jurnal Ilmu Kefarmasian Indonesia*, **8**(1): 41-47.
- Done, S.J., 2011, Preface. In Breast Cancer - Recent Advances in Biology, Imaging and Therapeutics. Rijeka, *InTech*, p IX.
- Eccles, M., Li, C.G., 2012, Senescence Associated β-galactosidase staining, *Bio Protoc*, **2**(16).

- Ekowati H, Rachmani, E.P.N and Rastuti, U., 2011, The Active fraction from *Nigella sativa* and Its Activity Against T47D Cell Line, *Indo. J. Chem*, **11**(3):217 – 222.
- Ellithey, M.S., Lall, N., Hussein, A.A., Meyer, D., 2014, Cytotoxic and HIV-1 enzyme inhibitor activities of red sea marine organisms, *BMC Compliment. Altern. Med.*, **14**:77.
- Ewald, J.A., Desotelle, J.A., Wilding, G., Jarrard, D.F., 2010, Therapy-induced senescence in cancer, *J Natl Cancer Inst*, **102**(20): 1536-46.
- Fadliyah, H., Putri, N.B., Walidah, Z., Nurhayati, I.P., Ikawati, M., Meiyanto, E., 2018, Anti-metastatic Profiles of *Boesenbergia pandurata* towards MCF-7/HER2 Cells, *Indonesian Journal of Cancer Chemoprevention*, **9**(2), 68-77.
- Farrah, I.O., Begum, R.A., 2003, Effect of *Nigella sativa* (*N. sativa* L.) and oxidative stress on the survival pattern of MCF-7 breast cancer cells, *Biomed Sci Instrum*, **39**: 359-64.
- Ferraz, R.P., Bomfim, D.S., Carvalho, N.C., Soares, M.B.,dkk., 2013. Cytotoxic Effect Of Leaf Essential Oil Of *Lippia Gracilis* Schauer (Verbenaceae), *Phytomedicine*, **20**(7) :.615-621.
- Fitsiou, E., Mitropoulou, G., Spyridopoulou, K., Tiptiri-Kourpeti, A., Vamvakias, M., Bardouki, H., Panayiotidis, M., Galanis, A., Kourkoutas, Y., Chlichlia, K. and Pappa, A., 2016. Phytochemical Profile And Evaluation of The Biological Activities Of Essential Oils Derived From The Greek Aromatic Plant Species *Ocimum basilicum*, *Mentha spicata*, *Pimpinella anisum* and *Fortunella margarita*, *Molecules*, **21**(8) :1069.
- Forouzanfar, F., Bazzaz, B.S.F., Hosseinzadeh, H., 2014, Black cumin (*Nigella sativa*) and its constituent (thymoquinone): a review on antimicrobial effects, *Iranian Journal of Basic Medical Sciences*, **17**(12): 929-938.
- Gabos, Z., Sinha, R., Hanson, J., Cauhan, N., Hugh, J., Mackey, J.R., Abdulkarim, B., 2006, Prognostic significance of human epidermal growth factor receptor positivity for the development of brain metastasis after newly diagnosed breast cancer, *Journal of Clinical Oncology*, **24**(36): 5658–5663.
- Gadhikar M.A., Singh, P.K., 2014, Exploiting Senescence for Cancer Treatment, *Mol Bio*, **5**:4.
- Gest, C., Joimel, U., Huang, L., Pritchard, L.L., Petit, A., Dulong, C., Buquet, C., Hu, C.Q., Mirshahi, P., Lauren, M., Fauvel-Lafève, F., Cazin, L., Vannier, J.P., Lu, H., Soria, J., Li, H., Varin, R., Soria, C., 2013, Rac3 induces a molecular pathway triggering breast cancer cell aggressiveness: differences in MDA-MB-231 and MCF-7 breast cancer cell line, *BMC Cancer*, **13**: 63.
- Ghandourah, M.A., Alarif, W.M., Abdel-Lateff, A., Al-Footy, K.O., Halid, M., Al-Lihaibi, S.S., Alorfi, H., 2017, Antiproliferative effects of isoprenoids from *Sarcophyton glaucum* on breast cancer MCF-7 cells, *Tropical Journal of Pharmaceutical Research*, **16**(3): 501-507.
- Hairunisa, I., Utomo, R.Y., Ertanto, Y., Jenie, R.I., Meiyanto, E., 2018, Pentagamaboronon-0 Fructose Inhibited Migration and Overexpression

- of Matrix Metalloproteinases 9 on MCF-7/HER2 Breast Cancer Cell, *Indonesian Journal of Cancer Chemoprevention*, **9**(3), 134-142.
- Handayani, S., 2017, Penelusuran Mekanisme Aksi Brazilin dan Brazilein dari Secang (*Caesalpinia sappan* L.) dalam Menghambat Metastasis Sel Kanker Payudara Bertarget HER2 signaling, *Disertasi*, Fakultas Farmasi, Universitas Gadjah Mada, Yogyakarta.
- Harzallah, H.J., Kouidhi, B., Flamini, G., Bakhrouf, A., Mahjoub, T., 2011, Chemical composition, antimicrobial potential against cariogenic bacteria and cytotoxic activity of Tunisian *Nigella sativa* essential oil and thymoquinone, *Food Chemistry*, **129**: 1469–1474.
- Hassanien, M.F.R., Assari, A.M.A., Alzohairy, A.M., Oraby, H.F., 2015, *J Food Sci Technol*, **52**(10): 6136-6142.
- Held, P.G., 2006, Determination of β -Galactosidase Activity using the FL600™ Microplate Fluorescence Reader, BioTek, USA.
- Heyne, K., 1987, Tumbuhan Berguna Indonesia, Edisi II, Yayasan Sarana Wana Jaya, Jakarta.
- Hussain, A.R., Ahmed, M., Ahmed, S., Manogaran, P., Platanius, L.C., Alvi, S.N., Al-Kuraya, K.S., Uddin, S., 2011, Thymoquinone suppresses growth and induces apoptosis via generation of reactive oxygen species in primary effusion lymphoma, *Free Radic Biol Med*, **50**(8): 978-987.
- Hynes, N.E., Lane, H.A., 2005, ERBB receptors and cancer: The complexity of targeted inhibitors, *Nat.Rev.Cancer*, **5**: 341-354.
- Iqbal, N., Iqbal, N., 2014, Human Epidermal Growth Factor Receptor 2 (HER2) in Cancers: Overexpression and Therapeutic Implications, *Mol Bio Inter*, **2014**: 852748.
- Itahana, K., Campisi, J., Dimri, G.P., 2007, Methods to detect biomarker of cellular senescence: the senescence-associated beta-galactosidase assay, *Methods Mol Biol*, **371**: 21-31.
- Jenie, R.I., Handayani, S., Susidarti, R.A., Udin, L.Z., Meiyanto, E., 2018, The Cytotoxic and Antimigratory Activity of Brazilin-Doxorubicin on MCF-7/HER2 Cells, *Advanced Pharmaceutical Bulletin*, **8**(3), 507-516.
- Kausar, H., Abidin, L., Mujeeb, M., 2017, Comparative assessment of extraction methods and quantitative estimation of thymoquinone in the seeds of *Nigella sativa* L. by HPLC, *International Journal of Pharmacognosy and Phytochemical Research*, **9**(12): 1425-1428.
- Kiralan, M., 2012, Volatile Compounds of Black Cumin Seeds (*Nigella sativa* L.) from Microwave-Heating and Conventional Roasting, *Journal of Food Science*, **77**(24).
- Kumari, S., Badana, A.K., Murali, M.G., Shailender, G., Malla R., 2018, Reactive oxygen species: a key constituent in cancer survival, *Biomark Insight*, **13**: 1177271918755391.
- Kute, T., Lack, C.M., Willingham, M., Bishwokama, B., Williams, H., Barrett, K., Mitchell, T., Vaughn, J.P., 2004, "Development of Herceptin Resistance in Breast Cancer Cells, *Cytometry A*, **57**(2): 86–93.

- Laberge, R.M., Sun, Y., Orjalo, A.V., Patil, C.K., Freund, A., et al., 2015, MTOR regulates the pro-tumorigenic senescence-associated secretory phenotype by promoting IL1A translation, *Net Cell Biol*, **17**(8): 1049-1061.
- Lattrich, C., Juhasz-Boess, I., Ortmann, O., Treck, O., 2008, Detection of an elevated HER2 expression in MCF-7 breast cancer cells overexpressing estrogen receptor β 1, *Oncology Reports*, **19**: 811-817.
- Lee, A.V., Oesterreich, S., Davidson, N.E., 2015, MCF-7 Cells-Changing the course of breast cancer research and care for 45 years, *J Natl Cancer Inst*, **107**(7): djv073.
- Legault, J., Pichette, A., 2007, Potentiating effect of beta-caryophyllene on anticancer activity of alpha-humulene, isocaryophyllene and paclitaxel, *J Pharm Pharmacol*, **59**(12): 1643-7.
- León-García, M.C., Ríos-Castro, E., López-Romero, E., Cuéllar-Cruz, M., 2017, Evaluation of cell wall damage by dimethyl sulfoxide in *Candida* species, *Res. Microbiol*, **168**: 732–739.
- Li, J. and Wang, S.X., 2016, Synergistic Enhancement Of The Antitumor Activity Of 5-Fluorouracil By Bornyl Acetate In SGC-7901 Human Gastric Cancer Cells And The Determination Of The Underlying Mechanism Of Action, *Gastric Cancer*, **4**: 5.
- Liu, S., Uppal, H., Demaria, M., Desprez, P.Y., Campisi, J., Kapahi, P., 2015, Simvastatin suppresses breast cancer cell proliferation induced by senescent cell, *Sci Rep*, **5**: 17895.
- Mahmoud, S.S. and Torchilin, V.P., 2012, Hormetic/cytotoxic effects of *Nigella sativa* seed alcoholic and aqueous extracts on MCF-7 breast cancer cells alone or in combination with doxorubicin, *Cell Biochem Biophys*, **25**(7): 1392-1398.
- Majdalawieh, A.F., Fayyad, M.W., 2016, Recent advances on the anti-cancer properties of *Nigella sativa* a widely used food additive, *J Ayurveda Integr Med*, **7**(3): 173-180.
- Majdalawieh, A.F., Fayyad, M.W., Nasrallah, G.K., 2017, Anti-CANCer properties and mechanisms of action of thymoquinone, the major active ingredient of *Nigella sativa*, *Critical Reviews in Foods Science and Nutrition*, **57**(18): 3911-3928.
- Mbarek, L.A., Mouse, H.A., Elabbadi, N., Bensalah, M., Gamouh, A., Aboufatima, R., Benharref, A., Chait, A., Kamal, M., Dalal, A., Ziad, A., 2007, Anti-tumor properties of blackseed (*Nigella sativa* L.) extracts, *Brazilian Journal of Medical and Biological Research*, **40**: 839-847.
- Mènard, S., Pupa, S.M., Campiglio, M., Tagliabue, E., 2003, Biologic and therapeutic role of HER2 in cancer, *Oncogene*, **22**(43), 6570–6578.
- McDermott, M.S.J., Conlon, N., Browne, B.C., Szabo, A., Synnott, N.C., O'Brien, N.A., Duffy, M.J., Crown, J., O'Donovan, N., 2019, HER2-Targeted tyrosine kinase inhibitors cause therapy-induced-senescence in breast cancer cells, *Cancers (Basel)*, **11**(2): 197.

- Moasser, M.M., 2007, The oncogene HER2: its signaling and transforming functions and its role in human cancer pathogenesis, *Oncogene*, **26**(45): 6469–6487.
- Mohammed, N.K., Manap, M.Y.A., Tan, C.P., Muhialdin, B.J., Alhelli, A.M., Hussin, A.S.M., 2016, The Effects of Different Extraction Method on Antioxidants Properties, Chemical Composition, and Thermal Behavior of Black Seed (*Nigella sativa* L.) Oil, *Evid Based Complement Alternat Med.*, **2016**: 6273817.
- Mosmann, T., 1983, Rapid Colorimetric Assay for Celluler Growth and Survival: Application to Proliferation anzd Cytotoxicity, *Assays Journal of Immunological Methods*, **65**: 55-63.
- Munoz-Espin, D., Serrano, M., 2014, Cellular senescence from physiology to pathology, *Nat Rev Mol Cell Biol*, **15**: 482-496.
- Nardella, C., Clohessy, J.G., Alimonti, A., Pandolfi, P.P., 2011, Pro-senescence therapy for cancer treatment, *Nat Rev Cancer*, **11**(7): 503-511.
- Neve, R.M., Chin, K., Fridlyand, J., Yeh, J., Baehner, F.L., Fevr, T., et al., 2006, A collection of breast cancer cell lines for the study of functionally distinct cancer subtypes, *Cancer cell*, **10**: 515-27.
- O’Leary, B., Finn, R.S., Tumer, N.C., 2016, Treating cancer with selective CDK4/6 inhibitors, *Nat Rev Clin Oncol*, **13**(7): 417-430.
- Press, M.F., Pike, M.C., Chazin, V.R., Hung, G., Udove, J.A., Markowicz, M., Danyluk, J., Godolphin, W., Sliwkowski, M., Akita, R., 1993, Her-2/neu expression in node-negative breast cancer: direct tissue quantitation by computerized image analysis and association of overexpression with increased risk of recurrent disease, *Cancer Research*, **53**(20):4960–4970.
- Qodria, L., Hairunisa, I., Utomo, R.Y., Hermawan, A., Meiyanto, E., 2018, Anti-metastatic Activity of Curcumin Analog Pentagamaboronon-0-Sorbitol Against HER2-overexpressed MCF-7 Breast Cancer Cells, *Indonesian Journal of Cancer Chemoprevention*, **9**(3), 118-125
- Reichelt, U., Duesedau, P., Tsourlakis, M., Quaas, A., Link, B.C., Schurr, P.G., Kaifi, J.T., Gros, S.J., Yekebas, E.F., Marx, A., Simon, R., Izbicki, J.R., Sauter, G., 2007, Frequent homogenous HER-2 amplification in primary and metastatic adeno carcinomas of the esophagus, *ModernPathology*, **20**(1), 120–129.
- Rodier, F., Campisi, J., 2011, Four faces of cellular senescence, *J Cell Biol*, **192**(4): 547-556.
- Roh, H., Pippin, J., Drebin, J.A., 200, Down-regulation of HER2/neu expression induces apoptosis in human cancer cells that overexpress HER2/neu, *Cancer Res.* **60**: 560–565.
- Salama, R., 2014, Cellular senescence and its effector programs, *Genes Dev*, **28**: 99-134.
- Sangwan, N.S., Farooqi, A.H.A., Shabih, F.R., Sangwan, S., 2002, Regulation of essential oil production in plants, *Plant Growth Regulation*, **34**: 3-21.
- Santoso, R.A., Lienaningrum, A.S., Bangun, E.D., Reformatika, H.G., Susidarti, R.A., Meiyanto, E., 2019, Black Cumin (*Nigella sativa* L.) and Awar-

- awar (*Ficus septica* burm. F.) Combination Extract Inhibit Proliferation and Modulates Cell Cycle On Hela Cell, *AIP Conference Proceedings*, **2099**: 020023.
- Scaltriti, M., Rojo, F., Ocana, A., Anido, J., Guzman, M., Cortes, J., Di Cosimo, S., Matias-Guiu, X., Ramon, Y.C., Ambas, J., Baselga, J., Expression of p95 HER2, a truncated form of the HER2 receptor, and response to anti HER2 therapies in breast cancer, *Journal of the National Cancer Institute*, **99**(8): 628–638.
- Serrano, M., 1997, Oncogenic ras provokes premature cell senescence associated with accumulation of p53 dan p16INK4a, *Cell*, **88**: 593-602.
- Shlush, L., Itzkovitz, S., Cohen, A., Rutenberg, A., Berkovirtz, R., Yehezkel, S., Shahar, H., Seliq, S., Skorecki, K., 2011, Quantitative digital in situ senescence-associated β -galactosidase assay, *BMC Cell Biol*, **12**:16.
- Siddiq, A., Long, L.M., Li, J., Marciniak, R.A., Kazhdan, L., 2008, Expression of HER-2 in MCF-7 breast cancer cells modulates anti-apoptotic proteins surviving and Bcl-2 via the extracellular signal-related kinase (ERK) and phosphoinositide-3 kinase (PI3K) signaling pathway, *BMC Cancer*, **8**:129.
- Slamon, D., Eiermann, W., Robert, N., et al., 2005, Phase III randomized trial comparing doxorubicin and cyclophosphamide followed by docetaxel (AC/T) with doxorubicin and cyclophosphamide followed by docetaxel and trastuzumab (AC/TH) with docetaxel, carboplatin and trastuzumab (TCH) in HER2 positive early breast cancer patients :BCIRG006 study, *Breast Cancer Research and Treatment*, **94**(1): S1.
- Slamon, D., Leyland-Jones, B., Shak, S., et al., Use of chemotherapy plus a monoclonal antibody against her2 for metastatic breast cancer that overexpresses HER2, *The New England Journal of Medicine*, **344**(11):783–792.
- Sobral, A., dan Antoine, V., 2014, A Comprehensive Review Of Background Subtraction Algorithms Evaluated With Synthetic And Real Videos, *Computer Vision and Image Understanding*, **122** : 4-21.
- Soule, H.D., Vazquez, J., Long, A., Albert, S., Brennan, M., 1973, A human cell line from a pleural effusion derived from a breast carcinoma, *J Natl Cancer Inst*, **51**: 1409-1416.
- Stone, W.L., Krishnan, K., Campbell, S.E., Palau, V.E., 2014, The role of antioxidants and pro-oxidants in colon cancer, *World J Gastrointest Oncol.*, **6**(3): 55-66.
- Taha, M.M., Sheikh, B.Y., Salim, L.Z., Mohan, S., Khan, A., Kamalidehghan, B., Ahmadipour, F., Abdelwahab, S.I., 2016, Thymoquinone induces apoptosis and increase ROS in ovarium cancer cell line, *Cell Mol Biol*, **62**(6): 97-101.
- Theiszová, M., Jantova, S., Dragunova, J., Grznarova, P., Palou, M., 2005, Comparison the cytotoxic of hydroxyapatite measured by direct cell counting and MTT test in murine fibroblast NIH-3T3 cells, *Biomed Pap Med Univ Palacky Olomouc*, **149**(2):393-396.

- Torres, M.P., Ponnusamy, M.P., Chakraborty, S., Smuth, L.M., Das, S., Arafat, H.A., Batra, S.K., 2010, Effects of thymoquinone in the expression of Mucin4 in pancreatic cancer cells: Implication for the development of novel cancer therapies, *Molecular Cancer Therapeutics*, **9**(5).
- Toso, A., Di Mitri, D., Alimonto, A., 2015, Enhancing chemotherapy efficacy by reprogramming the senescence-associated secretory phenotype of prostate tumors: A way to reactive the antitumor immunity, *Oncology*, **4**(3): e994380.
- Türkez, H., Togar, B., Tatar, A., Geyikoglu, F., Hacimuftuoglu, A., 2014, Cytotoxic and cytogenetic effects of α -copaene on rat neuron and N2a neuroblastoma cell lines, *Biologia*, **69**(7):936-942.
- Türkez, H., Celik, K., Togar, B., 2014, Effect of copaene, a tricyclic sesquiterpene, on human lymphocytes cells in vitro, *Cytotechnology*, **66**(4): 597-603.
- Van Deursen, J.M., 2014, The role of senescent cells in ageing, *Nature*, **509** (7501): 439–446.
- Venkatachallam, S.K.T., Pattekhani, H., Divakar, S., Kadimi, U.S., 2010, Chemical composition of *Nigella sativa* L. seed extracts by supercritical carbon dioxide, *J Food Sci Technol.*, **47**(6): 598-605.
- Vyas, D., Laput, G., Vyas, A.K., 2014, Chemotherapy-enhanced inflammation may lead to the failure of therapy and metastasis, *Onco Targets Ther*, **7**: 1015-23.
- Wajid, N., Ali, F., Tahir, M., Rehman, A., Ali, A., 2014, Dual Properties of *Nigella sativa*: Antioxidant and Pro-oxidant, *Adv. life sci.*, **1**(2): 79-88.
- Wagner, J., Damaschke, N., Yang, B., Truong, M., Guenther, C., McCoemick, J., et al., 2015, Overexpression of the novel senescence marker beta-galactosidase (GLB1) in prostate cancer predicts reduced PSA recurrence, *PLoS One*, **10**(4): e0124366.
- Woo, C.C., Loo, S.Y., Gee, V., Yap, C.W., Sethi, G., Kumar, A.P., et al., 2011, Anticancer activity of thymoquinone in breast cancer cells: possible involvement of PPAR- γ pathway, *Biochem Pharmacol*, **82**(5): 464-475.
- Worthen, D.R., Ghosheh, O.A., Crooks, P.A., 1998, The in vitro anti-tumor activity of some crude and purified components of blackseed, *Nigella sativa* L., *Anticancer Res*, **18**: 1527-1532.
- Ya-Nan, W., Jia-Liang, W., Dan-Wei, M., Jiao, L., Du-Yu, D., 2015, Anticancer Effects of *Chenopodium ambrosioides* L. Essential Oil on Human Breast Cancer MCF-7 Cells In vitro, *Tropical Journal of Pharmaceutical Research*, **14**(10): 1813-1820.
- Xu, D., Tahara, H., 2013, The role of exosomes and microRNAs in senescence and aging, *Adv Drug Deliv Rev*, **65**(3): 368-75.
- Yang, M.Y., Lin, P.M., Liu, Y.C., Hsiao, H.H., Yang, W.C., Hsu, J.F., Hsu, C.M., Lin, S.M., 2012, Induction of cellular senescence by doxorubicin is associated with upregulated miR-375 and induction of autophagy in K562 cells, *PLoS One*, **7**(5): e37205.
- Yu, S.M., Kim, S.J., 2014, The thymoquinone-induced production of reactive oxygen species promotes dedifferentiation through the ERK pathway and inflammation through the p38 and PI3K pathways in rabbit articular

chondrocytes, *International Journal of Molecular Medicine*, **35**: 325-332.

Zhao, Y., Chen, R., Wang, Y., Yang, Y., 2018, α -Pinene Inhibits Human Prostate Cancer Growth in a Mouse Xenograft Model, *Chemotherapy*, **63**(1):1-7.

Zubair, H., Khan, H.Y., Sohali, A., Azim, S., Ullah, M.F., Ahmad, A., Sarkar, F.H., Hadi, S.M., 2013, Redox cycling of endogenous copper by thymoquinone leads to ROS-mediated DNA breakage and consequent cell death: putative anticancer mechanism of antioxidants, *Cell Death and Disease*, **4**: e660.