

DAFTAR PUSTAKA

- Adisewojo, S. 1982. Bercocok Tanam Teh (*Camelia theifera*). Sumur Bandung, Bandung.
- Asosiasi Teh Indonesia (ATI). 2000. Reformasi Pemasaran Teh untuk Kelestarian Industri Teh Indonesia. Asosiasi Teh Indonesia, Bandung.
- Astika, W. dan D. Muchtar. 1978. Anjuran bahan teh tahun 1978. Warta BPTK. 4 (3/4) : 297-306
- Baligar, V.C., N.K. Fageria, dan Z.L. He. 1001. Nutrient use efficiency in plants. *Commun. Soil Sci. Plant Anals.*32 : 921-950
- Bandara, S.N. 2011. Agronomy of Irrigated Tea in Low Elevation Growing Areas of Sri Lanka. University of Adelaide, Australia. Master Thesis.
- Basu S., V. Ramegowda, A. Kumar, dan A. Pereira. 2016. Plant adaptation to drought stress. *F1000Res.* 5
- Boyer, J.S., S.C. Wong, dan C.D. Farquhar. 1997. CO₂ and water vapor exchange across leaf cuticle (epidermis) at various water potentials. *Plant Physiology.* 114 : 185-191
- Brunner, I., C. Herzog, M.A. Dawes, M. Arend, dan C. Sperisen. 2015. How tree roots respond to drought. *Front. Plant. Sci, Switzerland.*
- Carr, M.K.V. dan W. Stephens. 1992. Climate, weather, and the yield of tea. Springer, Dordrecht.
- Cheruiyot, E.K., L.M. Mumera, W.K. Ng'etich, A. Hassanali, dan F. Wachira. 2007. Polyphenols as potential indicators for drought tolerance in tea (*Camellia sinensis* L.). *Bioscience, Biotechnology, and Biochemistry.* 71 (9) : 2190-2197.
- Conquist, A. 1981. An Integrated System of Clasification of Flowering Plants. Columbia University Press, New York.
- Crozier, A., I.B. Jaganath, dan M.N. Clifford. 2009. Dietary phenolics: chemistry, bioavailability and effects on health. *Nat. Product Rep.* 8. 1001–1004
- De Carvalho, M.H.C. 2008. Drought stress and reactive oxygen species. *Plant Signaling and Behaviour, Perancis.* 3 (3) : 156-165
- De Costa, W.A.J.M., A.J. Mohotti, dan M.A. Wijeratne. 2007. Ecophysiology of tea. *Brazilian Journal of Plant Physiol.* 19 (4) : 299-332
- De Costa, W.A.J.M. 2004. *Plant Water Relations: Principles and Applications.* Printing Unit, University of Peradeniya, Sri Lanka.
- Direktorat Jenderal Perkebunan. 2016. Statistik Perkebunan Indonesia Tahun 2014-2016: Teh. Direktorat Jenderal Perkebunan, Departemen Pertanian, Jakarta.
- Efendi, R. Dan M. Azrai. 2008. Identifikasi karakter toleransi cekaman kekeringan berdasarkan tanggapan pertumbuhan dan hasil genotipe jagung. Balai Penelitian Tanaman Serealia, Sulawesi Selatan.

- Effendi, D.S., M. Syakir, M. Yusron, dan Wiratno. 2010. *Budidaya dan Pasca Panen Teh*. Pusat Penelitian dan Pengembangan Perkebunan, Kementerian Pertanian.
- Evy. 1989. Harga Teh Rakyat Anjlok Petani Teh Jual Tanah. <http://www.kompas.com/>. Diakses tanggal 2 September 2017.
- Fernandez, G.C.J. 1992. Effective selection criteria for assessing plant stress tolerance. *Proceedings of the International Symposium on Adaptation of Vegetables and other Food Crops in Temperature and Water Stress, Taiwan*. 257-270
- Gardner, E.J. 1991. *Principles of Genetics*. John Wiley & Sons Inc., Canada.
- Gomez-Cadenas, A. Dan F.R. Tadeo. 1996. Leaf abscission induced by ethylene in water stressed intact seedlings of Cleopatra mandarin requires previous abscisic acid accumulation in roots. *Plant Physiology*. 112 (1) : 401.
- Goren, R. 1993. Anatomical, physiological, and hormonal aspects of abscission in citrus. *Horticultural reviews*. 15 : 33-36
- Hajiboland, R. 2017. Environmental and nutritional requirements for tea cultivation. *Folia Horticulture, Iran*. 29 (2) : 199-220
- Harler, C. R. 1966. *Tea Growing*. Oxford University Press, London.
- Hatier, J.H.B. dan K.S. Gould. 2008. Foliar anthocyanins as modulators of stress signals. *J. Theor. Biol*. 253 : 625–627
- International Tea Committe (ITC). 2003. *UNSD Comtrade Database System*. International Trade Center.
- Jeyaramraja, P.R., S.N. Meenakshi, R.S. Kumar, S.D. Joshi, dan B. Ramasubramanian. 2005. Water deficit induced oxidative damage in tea (*Camellia sinensis*) plants. *J. Biol. Sci*. 30 : 101-105.
- Jeyaramraja, P., D. Jayakumar, P. Pius, dan R. Rajkumar. 2002. Screening of certain tea cultivars for productivity and drought hardiness using biochemical markers. *J Plant Crops*. 30 : 23–26
- Kanwar, R.S., J.L. Baker, dan S. Mukhtar. 1988. Excessive soil water effects at various stages of development on the growth and yield of corn. *American Society of Agriculturan Engineers, Iowa*. 31(1): 133-141.
- Levitt, J. 1980. *Responses of plants to environmental stresses: water, radiation, salt, and other stresses*. Academic Press, New York.
- Liu, S., J. Liu, J. Cao, C. Bai, dan R. Shi. 2006. Stomatal distribution and character analysis of leaf epidermis of jujube under drought stress. *Journal of Anhui Agricultural Science, China*. 34 : 1315-1318
- Maritim, T.K. 2013. *Drought responsive genes in tea cultivars grown in Kenya*. Egerton University. Master Thesis.
- Martosupono, M., I.S Arifin, D.J. Rayati, dan M.S. Gandasmita. 1989. *Penyakit Penting Pada Teh dan Pengendaliannya*. Balai Penelitian Teh dan Kina, Gambung.

- Meng, L., L. Li, W. Chen, Z. Xu, dan L. Liu. 1999. Effect of water stress on stomatal density, length, width and net photosynthetic rate in rice leaves, *Journal of Shenyang Agricultural University, China*. 30 : 477-480
- Muljana, W. 1993. *Bercocok Tanam Teh. Aneka Ilmu*, Semarang.
- Nagarajah, S. Dan G. Ratnasuriya. 1981. Clonal variability in root growth and drought resistance in tea (*Camellia sinensis*). *Plant and Soil*. 60 (1) : 153-155
- Nissanka, S.P., A.J. Mohotti, dan M.M.N. Damayanthi. 2010. Comparison of tolerant ability of mature field grown tea (*Camellia sinensis* L.) cultivars exposed to a drought stress in Passara area. *Tropical Agriculture Research*. 22 (1) : 66-75.
- Owuor, P.O., M. Obanda, H.E. Nyirenda, dan W.L. Mandala. 2008. Influence of region of production on clonal black tea chemical characteristics. *Food Chem*. 108: 263-271
- PPTK. 2006. *Petunjuk Kultur Teknis Teh: Edisi Ketiga*. Pusat Penelitian Teh dan Kina, Gambung.
- PPTK. 1992. *Petunjuk Kultur Teknis Teh*. Pusat Penelitian Teh dan Kina, Gambung.
- Putri, Y.S., R.H. Murti, S. Mitrowihardjo. 2015. Evaluasi klon-klon harapan teh (*Camellia sinensis* (L.) O. Kuntze) keturunan TRI 2024xPS I pada lingkungan berbeda. *Vegetalika, Yogyakarta*. 4 (3) : 127-137
- Rahimah. 1996. *Perkebunan Teh*. Fakultas Pertanian Universitas Sumatera Utara, Medan.
- Rahimi, M., M. Kordrostami, dan M. Mortezaei. 2018. Evaluation of tea (*Camellia sinensis* L.) biochemical traits in normal and drought stress conditions to identify drought tolerant clones. *Physiology and Molecular Biology of Plant, Iran*.
- Sánchez-Blanco, M.J., S. Alvarez, M.F. Ortuno, dan M.C. Ruiz-Sánchez. 2014. Root system response to drought and salinity: root distribution and water transport. *Soli biology, Spain*. 40
- Setyamidjaja, D. 2000. *Teh Budidaya dan Pengolahan Pascapanen*. Kanisius, Yogyakarta.
- Sharp, R.E., V. Poroyko, J.G. Hejlek, W.G. Spollen, G.K. Springer, H.J. Bohnert, dan H.T. Nguyen. 2004. Root growth maintenance during water deficits: physiology to functional genomics. *J Exp Bot*. 55 : 2343–2351
- Shimura, T. 1939. Studies on the root development in tea plants: a preliminary report. *Japanese Journal of Crop Science, Jepang*. 11 (1) : 50-75
- Soehardjo, H., H. Djiman, dan S. Hartati. 1996. *Vademecum Teh*. PT. Perkebunan Nusantara IV-Press, Pematang Siantar.
- Sriyadi, B. dan W. Astika. 1997. Uji adaptasi klon teh seri TPS, MPS, PPS, GPPS, dan GMB. *Risalah Penelitian PPTK, Gambung*. 1-21
- Tagliavini, M., L.J. Veto, dan N.E. Looney. 1993. Measuring root surface area and mean root diameter of peach seedlings by digital image analysis. *HortScience*. 28 (11) : 1129-1130.

- Tuberosa, R. 2012. Phenotyping for drought tolerance crops in the genomics era. *Front. Physiol, Italy*. 3 (347)
- Tudela, D. dan E. Primo-Millo. 1992. 1-aminocyclopropane-1-carboxylic acid transported from roots to shoots promotes leaf abscission in Cleopatra mandarin (*Citrus reshni* Hort. ex Tan.) seedlings rehydrated after water stress. *Plant Physiology*. 100 (1) : 131
- Upadhyaya, H., Panda, S.K. 2013. Abiotic stress tanggapanes in tea (*Camellia sinensis* L (O) Kuntze). *Agricultural Science*. 1: 1-10.
- Upadhyaya, H., Panda, S.K. and Dutta, B. K. 2008. Variation of physiological and antioxidative tanggapanes in tea cultivars subjected to elevated water stress followed by rehydration recovery. *Acta Physiol. Plant*, 30: 457–468.
- Upadhyaya, H., Panda, S.K. 2004. Tanggapanes of *Camellia sinensis* to drought and rehydration. *Biol Plant*. 48: 597–600.
- Van der Voosen, H.A.M. dan M. Wessel. 2000. Stimulants. *Plant Resources of South-Easr Asia, Leiden*. 16 : 55-63
- Van Schilfgaarde, J. Dan R.E. Williamson. 1965. Studies of crop response to drainage: I. Growth chamber. *TRANSACTION of the ASAE*. 8 (1): 94-97.
- Van Steenis. 2008. *Flora*, Cetakan ke-7. PT Pradnya Paramita, Jakarta.
- Varela, M.C., I. Arslan, M.A. Reginato, A.M. Cenzano, dan M.V. Luna. 2016. Phenolic compounds as indicators of drought resistance in shrubs from Patagonian shrublands (Argentina). *Plant Physiology and Biochemistry, Argentina*.
- Wijeratne, M. A., & Chandrapala, L. 2014. Climatic variations in tea growing regions and vulnerability of tea plantations to climate change. *Proceedings of the 228th experiments and extension forum*. 8-19.
- Zdravković, J., M. Đorđević, Z. Jovanovic, Z. Girek, M. Zdravković, dan R. Stikić. 2013. Application of stress susceptibility index for drought tolerance screening of tomato populations. *Genetika, Serbia*. 45 (3) : 679-689.