

## DAFTAR PUSTAKA

- Agarwal, D.K., Razdan, A., Agarwal, A., Bhattacharya, P., Gupta, A., Kapoor, D.N., 2011, A Comparative Study of Orthodontic Coil Springs, *J Ind Orthod Soc*, 45 (4) : 160-8.
- Alansari, S., Sangsuwon, Chinapa., Vongthongleur, T., Kwal, R., Teo, M., Lee, Y.B., Nervina, J., Teixeira, C., Alikhani, M., 2015, Biological Principles Behind Accelerated Tooth Movement, *Semin Orthod*, 21 : 151-61
- Alavi, S.H., Yaghchie, M., 2006, Force Characteristics of Nickel Titanium Closed Coil Springs (3M, GAC, RMO), *Dental Research Journal*, 3 (2): 77-83
- Alhadiq, A.M., 2015, Biomarkers of Orthodontic Tooth Movement in Gingival Crevicular Fluid : A Systematic Review, *J Contemp Dent Pract*, 16 (7): 578-87
- Al-Sayagh, N.M., Ismael, A.J., 2011, Evaluation of space closure rate during canine retraction with nickel titanium closed coil spring and elastomeric chain, *Al-Rafidain Dent J*, 11(1):146-53
- Angolkar, P.V., Arnold, J.V., Nanda, R.S., dan Ducanson, M.G., 1992, Force degeneration of closed coil spring : an in vitro evaluation, *Am J Orthod Dentofacial Orthop*, 102 (2) : 127-33
- Apuzzo, F., Cappabianca, S., Ciavarella, D., Monsurro, A., Biavati, A.S., Perillo, L., 2013, Biomarkers of Periodontal Tissue Remodeling during Orthodontic Tooth Movement in Mice and Men : Overview and Clinical Appearance, *Scientific W. J.*, pp 1-8
- Ardhana, W., 2013, Identifikasi Perawatan Ortodontik Spesialistik dan Umum, *Maj Ked Gigi Juni*, 20 (1) : 1-8
- Ariffin, S.H.Z., Yamamoto, Z., Abidin, I.Z.Z., Wahab, R.M.A., Ariffin, Z.Z., 2011, Cellular and Molecular Changes in Orthodontic Tooth Movement, *Scientific W.J.*, 11: 1788-1803
- Asma, A.A.A., Rohaya, M.A.W., Hisham, Z.A.S., 2008, Crevicular Alkaline Phosphatase Activity During Orthodontic Tooth Movement: Canine Retraction Stage, *J. Med. Sci.*, 8(3) : 228-33
- Asma, A.A.A. dan Abdul, R.M., 2011, Pattern of Crevicular Alkaline Phosphatase During Orthodontic Tooth Movement : Levelling and Aligning Stage, *Sains Malays*, 40(10): 1147-51

- Baba, S., Kuroda, N., Arai, C., Nakamura, Y., Sato, T., 2011, Immunocompetent cells and cytokine expression in the rat periodontal ligament at the initial stage of orthodontic tooth movement, *Arch Oral Biol* ,56: 466-73
- Batra, P., Kharbanda, O. P., Duggal, R., Singh, R., Parkash, H., 2006, Alkaline Phosphatase Activity in Gingival Crevicular Fluid during Canine Retraction. *Orthod Craniofacial Res*, 9 : 44–51
- Beertsent, W dan Everts, V., 1995, Alkaline Phosphatase Activity in the Periodontal Ligament and Gingiva of the Rat Molar: Its Relation to Cementum Formation, *J Dent Res* 74(7):1374-1381
- Bhalaji, S.I., 2003, *Orthodontic The Art and Science*, Arya (MEDI) Publishing House, New Delhi, pp 201
- Boss, J., Fehm, T., Ney, J.T., Solomayer, E.F., 2012, Pathophysiology of Bone Remodelling and Current Therapeutic Approaches, *Gerbutsilfe Frauenheilkd*, 72(6): 502–6
- Brauchli, L.M., Senn, C., Ball, J., Wichelhaus, Andrea., 2011, Force Level of 23 nickel-titanium open coil spring in compression testing, *Am J Orthod Dentofacial Orthop*, 139 (5) : 601-5
- Bryan F., Currier, F., Nanda, R.S., Duncanson, M.G., 1989, Load Deflection Rate Measurement of Activated Open and Closed Coil Spring, *Angle Orthod*, 1 (60): 27-32
- Carranza, F.A., Newman, M.G., Tackel, H.H., 2002, *Clinical Periodontology*, Saunders, Elsevier, Missouri, St Louis, pp 9-14
- Chappie, L.C., Glenwright, H.D., Matthews, J.B., Thorpe, G.H.G., Lumley, P.J., 1994, Site-specific alkaline phosphatase levels in gingival crevicular fluid in health and gingivitis: cross-sectional studies, *J Clin Periodontol*, 21: 409-14
- Copray, J.C.V.M., Jansen, H.W.B., Duterloo, H.S., 1985, Effect of Compressive forces on Phosphatase Activity in Mandibular Condylar Cartilage, *J. Anat*, 140(3) : 479-89
- Danaei, M., Oshagh., K., 2013, Effect of Recycling and Autoclave Sterilization on the Unloading Forces of NiTi Closed-Coil Springs: An In Vitro Study, *J Dent (Shiraz)*, 14(4): 184-90
- Dhar, N.S., Yezdani, A.A., Murali, R.V., 2015, Alkaline Phosphatase Activity in Gingival Crevicular Fluid – A Diagnostic Marker to Assess Human Orthodontic Tooth Movement, *Biomed Pharmacol J*, 8 : 293-301

- Eastell, R., 2005, Role of oestrogen in the regulation of bone turnover at the menarche, *J Endocrinol*, 185: 223–34
- Ekaputri, S., Masulili, S.L., 2010, Cairan Sulkus Gingiva sebagai Indikator Keadaan Jaringan Periodontal, *MajKed Gigi. Juni*, 17 (1) ; 81-6
- Fang, S., Zhong, Y., Li, Meile., Luo,J., Khadka,N., Jiang,C., Wang, J., Du,Xi.,2017, Comparing two Methods of Orthodontics Space Closure: A Randomized clinical trial, *Int J Clin Exp Med*, 10(10): 14667-72
- Farahani, M., Reza, S.M., Dianat, O., Khoramian,S., Younessian, F.,2015, Acid and Alkaline Phosphatase Levels in GCF during Orthodontic Tooth Movement, *J Dent Shiraz UnivMed Sci*, 16(3): 237-245
- Foster,T.D., 1997, *Buku Ajar Ortodonti*, Penerbit Buku Kedokteran EGC, Jakarta, pp 168-83
- Fraunhover, J.A V., Bonds, P.W., Johnson, B.E., 1993, Force Generation by Orthodontic Coil Spring, *Angle Orthod*, 63 (2) : 145-8
- Harry, D.R., Sandy, J, 2004.,Orthodontic part 11 : Orthodontic Tooth Movement, *Bs. Dent. J*, 196 (7) : 391-4
- Insoft, M.G dan S. Keeling, 1996, The measurement of acid and alkaline phosphatase in gingival crevicular fluid during orthodontic tooth movement, *Am. J. Ortho. Dentofacial Orthop*, 109 (3): 287-96
- Jeyrac, Y., Katta, A.K., Vnnala, V., Lokanathan, D., Reddy, S.N., 2015, Estimation of alkaline phosphatase in the gingival crevicular fluid during orthodontic tooth movement in premolar extraction cases to predict therapeutic progression, *J Nat Sci Biol Med*, 6 (2) : 343-6
- Jiang, S.Y., Shu, R., Xie, Y.F., Zhang, S.Y.,2010, Age-related changes in biological characteristics of human alveolar osteoblasts, *Cell Prolif*, 43: 464–70
- Kapoor, P., Kharbanda, O. P., Monga, N., Migiani, R., Kapila, S., 2014, Effect of orthodontic forces on cytokine Ana receptor levels in gingival crevicular fluid: a systematic review, *Prog Orthod*, 15 (65): 1-21
- Katao, Y.,Sawai, H., Inami, K., Domae, Naochika., Matsumoto, N., 2011, Direct effects of estrogen on differentiation and apoptosis of osteoclasts, *Orthodontic waves*, 70:8-14

- Kawiyana, I.K.S., 2010, Osteoporosis Patogenesis Diagnosis dan Penanganan Terkini, *J Peny Dalam*, 10(2):158-70
- Kishorekumar, S., 2014, Force Decay Characteristics of Niti Closed Coil Spring at Different Time Intervals, *Biotech. Res. Asian*, 11(1) 219-22
- Konool, T., Kim, Y.J., Gu, G.M., King, G.J., 2001, Intermittent Force in Orthodontic Tooth Movement, *J Dent Res*, 80(2): 457-60
- Krishnan, V., Davidovitch, Z., 2006, Cellular, molecular, and tissue-level reactions to orthodontic force, *J Orthod Dentofacial Orthop*, 129:469e.1-460e.32
- Kulshrestha, R. S., Tandon, R., Chandra, P., 2015., Canine retraction : A systematic review of different methods used, *J Orthod Sci*, 4(1): 1–8
- Kumara, M.E., Ravindranb, N.S., Balasubramaniamc., 2009, Holographic Analysis of the Initial Canine Displacement Produced by Four Different Retraction Springs, *Angle Orthod*, 79 (2): 90-8
- Lacey, D.L., Timms E., Tan, H.L., dkk, 1998, Osteoprotegerin ligand is a cytokine that regulates osteoclast differentiation and activation, *Cell*, 93:165–76.
- Lubis, M.M., Utami, A.R., 2015, Distribusi Maloklusi berdasarkan Klasifikasi Angle pada Pasien Departemen Ortodonsia RSGMP FKG USU Tahun 2009-2013, *dentika Dental Jurnal*, 18 (3): 257-61
- Mezomoa, M., Lima, E.S., Menezes, L.M., Weissshelmer, Andrew., 2011, Maxillary canine retraction with self-ligating and conventional brackets A randomized clinical trial. *Angle Orthod*, 81(2) : 292-7
- Monica, G.A dan Anggani, H.S., 2005, Penutupan ruang pasca pencabutan pada perawatan ortodonti, *IJD*, 12(2) : 89-95
- Nakao, K., Goto, T., Gunjigake, K.K., 2007, Intermittent Force Induces High RANKL Expression in Human Periodontal Ligament Cells, *J Dent Res*, 86: 623-8
- Nanda, R., 2005, *Esthetic and Biomechanic in Orthodontics*, Saunders, Elsevier, St. Louis, Missouri, pp. 96-9.
- Natgrass, C., Ireland, J.A., Sherriff, M., 2008, The effect of environmental factors on elastomeric chain and nickel titanium coil springs, *Eur J Orthod*, 20 :169–76

- Norman, N., Worthington, H., Chadwick, S., 2016, Nickel Titanium Springs Versus Stainless Steel Springs: A Randomized Clinical Trial of Two Methods, *J Orthod*, pp 1-10
- Oliveira D.D., de Oliveira b.F.M, dan Soares R.V., 2010, Alveolar Corticotomies in Orthodontics : Indications and Effect on Tooth Movement, *Dent Press J Orthod* (4); 144-57
- Oley, A.B., Anindita, P.S., Leman, M.A., 2015, Kebutuhan Perawatan Ortodonti berdasarkan Index of Orthodontic Treatment Need pada Usia 15-17 tahun, *Jurnal e-GiGi (eG)*, 3 (2) : 292-7
- Ozawa, H., Imamura, K., Abe,E., Takahashi, N.,Hiraide, T.T., Shibasaki,Y., Fukuhara, T.,Suda, T., 1990, Effect of a Continuously Applied Compressive Pressure on Mouse Osteoblast-like Cells (MC3T3-E1) In Vitro , *J Cell Physiol* , 142: 177-8
- Pardhe, B.D., Pathak,S., Bhetwaal, A., Ghimire, S., Shakyaa, S., Khanal, P.R.,Marahatta, S.B., 2017, Effect of age and estrogen on biochemical markers of bone turnover in postmenopausal women: a population-based study from Nepal, *Int J Womens Health*, 9 : 781-8
- Park, H., Kwon, T., 2004, Sliding Mechanics with Microscrew Implant Anchorage. *Angle Orthod*, 74(5):703-10
- Perinetti, G., Paolantonio, M., D'Atillo, M., D'Archivio, D., Tripodi,D., Femminella, B., Spoto, G., 2002, Alkaline Phospatase Activity in Gingival Crevicular Fluid during Human Orthodontic Tooth Movement, *Am J Orthod Dentofacial Orthop*, 122:548-56
- Perinetti, G., Franchib, L., Castaldoc, L., 2012, Gingival crevicular fluid protein content and alkaline phosphatase activity in relation to pubertal growth phase, *Angle Orthod*, 82 (6): 1047-52
- Phulari, B.S., 2013, *History of Orthodontics A glance at an exciting path, the oldest specialty of dentistry has treaded so far*. Jaypee Brothers Medical Publishers, New Delhi, p 1811
- Proffit, W.R., Fields, H. W., Sarver, D. M., 2007, *Contemporary Orthodontics*, Mosby Elsevier, St. Louis, pp 331-59
- Pudyani, P., Asmara, W., Ana, I. D., Utari, T.R., 2014, Alkaline Phosphatase Expression during Relapse after Orthodontic Tooth Movement, *Maj Ked Gigi*, 47 (1) : 25-30

- Samuel, R. H.A., Rudge, S.J., Mair, L.H, 1993, Comparison of the rate of Space Closure using a Nickel Titanium spring and an Elastic Module : A Clinical Study, *Am J Orthod Dentofacial Orthop*, May 464-7
- Santos, A.C., Tortamano, A., Naccarato, S. R. F. N., Rodriguez, G. C.D, 2007, An *in vitro* comparison of the force decay generated by different commercially available elastomeric chains and NiTi closed coil springs, *Braz J Med Biol Res*, 21(1):51-8
- Sharman, R., Mittal, A.K., Sidana, A., Tiwari, P., 2015, Canine Retraction in Orthodontics : A review of Various Methods, *Med. Res. Chron*, (1) : 85-93
- Shetty, S.V., Patil, A. K., Ganeshkar.V, 2015, Assessment of acid phosphatase and alkaline phosphatase in gingival crevicular fluid in growing and adult orthodontic patients: An *in vivo* study, *J Indian Orthod Soc*, 49 (1): 10-14
- Shpack, N., Davidovitch, M., Sarne, O., Panayi, N., Vardimon, A. D., 2008, Duration and Anchorage Management of Canine Retraction with Bodily Versus Tipping Mechanics, *Angle Orthod*, 78: 95-100
- Singh, G., 2007, *Textbook of Orthodontics*, Jaypee Brothers Medical Publishers, New Delhi, pp 216-24
- Smith, N.R., 2007, Clinical pearl: a method of controlled movement of teeth using open and closed coil spring, *J. Orthod*, 34 : 173-5
- Stagi, S., Cavalli, L., Seminara, S., Brandi, M.L., Martino, M., 2013, Bone metabolism in children and adolescents: main characteristics of the determinants of peak bone mass, *Clin Cases Miner Bone Metab*, 10 (3); 172-79
- Sulaeiman, M.A dan Shehadah, M., 2014, Comparison of Two Methods for Canine Retraction Depending on Direct Skeletal Anchorage System (CR-DSAS), *Int J Dent & Oral Heal*, 1(1): 21-32
- Susilo, S.G., Amtha, R., Roeslan, B.O., Kusnoto, J., 2014, The Difference of Orthodontic Tooth Movement on Menstrual and Ovulation Cycle, *Dent J (Maj. Ked. Gigi)*, 47 (4) : 177-80.
- Tuncer, B.B., Ozdemir, B.C., Boynueğri, D., Karakaya, I.B., Erguder, I., Yucel, A.A., Aral, L.A., Ozmeric, N., 2013, OPG-RANKL Levels After Continuous Orthodontic Force. *GMJ*, 24: 33-36
- Vieira, C.I.V., Reis, J.M.S.N., Vaz, L.G., Martins, L.P., Martins, R.P., 2017, Deformation of nickel titanium closed coil spring an *in vitro* study, *Dental Press J Orthod*, 22(1):38-46

- Vibhute, P.J., 2011, Case Report Open-Coil Retraction Spring, *Case Rep Dent*, 2011:1-8
- Vijay, N.Y., Dharma, R.M., Dinesh, M.R., Sharma, K., Gupta, S., Chitakara, G., Nayyar, A.S, 2017, Alkaline Phosphatase and lactate dehydrogenase enzyme activity in gingival crevicular fluid during orthodontic tooth movement, *Int J Clinicopathol Corel*, 14(2): 189-90
- Wahab, R.M.A., Dasor, M., Senafi, S., Abdullah, A.A.A., Jemain, A.A., Kasim, N.A., Yamamoto, Z., Arifin, S.H.Z., 2011, Crevicular tartrate resistant acid phosphatase activity and rate of tooth movement under different continuous force applications. *Afr J Pharm Pharmacol* 5(20): 2213-19
- Wahab, R.M.A., Dasor, M., Senafi, S., Abdullah, A.A.A., Yamamoto, Z., Jemain, A.A., Arifin, S.H.Z., 2013, Crevicular Alkaline Phosphatase Activity and Rate of Tooth Movement of Female Orthodontic Subjects under Different Continuous Force Applications, *Int J Dent*, 1-7
- Wichelhaus, A., Brauchli, L., Ball, J., Mertmann, M., 2010, Mechanical Behaviour and Clinical Application of Nickel-Titanium closed coil springs under different stress levels and mechanical loading cycles. *Am J Orthod Dentofacial Orthop*, 137 (5) : 673-8
- Xu, X., Zhao, Q., Yang, S., Fu, G., Chen, Y., 2010, A new approach to accelerate orthodontic tooth movement in women: Orthodontic force application after ovulation, *Med Hypotheses*, 75 : 405-7
- Yamaguchi, M., 2009, RANK/RANKL/OPG during orthodontic tooth movement, *Orthod Craniofac Res*, 12:113-9
- Yan, J., XiangLong, H., BiHuan, C., 2013, Three -dimensional FEM analysis of stress distribution in dynamic maxillary canine movement, *Chin Sci Bull*, 58 (20):2454-8
- Yang, W., Ho-Kim, B., Kim, Y.H., 2001. A Study of the Regional Load Deflection Rate of Multiloop Edgewise Archwire, *Angle Orthod*, 71(2): 103-9.
- Yee, A.J., Tu, T., Tu, S.E., Cheng, L.L., 2009, Rate of Tooth Movement under Heavy and Light Continuous Orthodontic Forces, *Am J Orthod Dentofacial Orthop*, 136 (2):150-9