

DAFTAR PUSTAKA

- Afifah, N., Ratnawati, L., & Darmajana, D. A. (2019). Evaluation of Plasticizer Addition in Composite Edible Coating on Quality of Fresh-Cut Mangoes during Storage. *IOP Conference Series: Earth and Environmental Science*, 251(1). <https://doi.org/10.1088/1755-1315/251/1/012029>
- Ahmed, M. G., Harish, N. M., Charyulu, R. N., & Prabhu, P. (2009). Formulation of chitosan-based ciprofloxacin and diclofenac film for periodontitis therapy. *Tropical Journal of Pharmaceutical Research*. <https://doi.org/10.4314/tjpr.v8i1.14710>
- Arya, A., Chandra, A., Sharma, V., & Pathak, K. (2010). Fast dissolving oral films: an innovative drug delivery system. *Structure*, 2(1), 576–583
- Association of Official Analytical Chemist*, 2016, Appendix F: Guideline for Standard Method Performance Requirement, http://www.eoma.aoac.org/app_f.pdf, 28 September 2018.
- Audic, J. L., & Chaufer, B. (2005). Influence of plasticizers and crosslinking on the properties of biodegradable films made from sodium caseinate. *European Polymer Journal*, 41(8), 1934–1942. <https://doi.org/10.1016/j.eurpolymj.2005.02.023>
- Aydinli, M., & Tutas, M. (2000). Water Sorption and Water Vapour Permeability Properties of Polysaccharide (Locust Bean Gum) Based Edible Films. *LWT - Food Science and Technology*, 33(1), 63–67. <https://doi.org/10.1006/fstl.1999.0617>
- Barnhart, S., dan Sloboda, M. S., 2007, The future of dissolvable films, *Drug Del. Tech* 1: 34–35 cit. Nagaraju, T., Gowthami, R., Rajashekar, M., Sandeep, S., Mallesham, M., Sathish, D., dan Shravan Kumar, Y., 2013, Comprehensive review on oral disintegrating films, *Curr. Drug Deliv.* 10(1):96–108.
- Bernal, E. (2014). Advances in Gas Chromatography. *Advances in Gas Chromatography*, (April). <https://doi.org/10.5772/57016>
- Bonsu, M. A., Ofori-Kwakye, K., Kipo, S. L., Boakye-Gyasi, M. E., dan Fosu, M., 2016, Development of oral dissolvable films of diclofenac sodium for osteoarthritis using albizia and khaya gums as hydrophilic film formers, *J. Drug Deliv.* 2016: 1 – 11.
- Bourtoom, T. (2008). Plasticizer effect on the properties of biodegradable blend from rice starch-chitosan. *Songklanakarin Journal of Science and Technology*, 30(SUPPL. 1), 149–155.
- Cao, N., Yang, X., & Fu, Y. (2009). Effects of various plasticizers on mechanical and water vapor barrier properties of gelatin films. *Food Hydrocolloids*, 23(3), 729–735. <https://doi.org/10.1016/j.foodhyd.2008.07.017>

- Chongkar, A. D., Rao, J. Venkat, Managuli, R. S., Mutalik, S., Dengale, S., Jain, P., dan Udupa, N., 2016, Development of Fast Dissolving Oral Films Containing Lercanidipine HCl Nanoparticles in Semicrystalline Polymeric Matrix for Enhanced Dissolution and Ex Vivo Permeation, *Eur. J. Pharm. Biopharm.* 103:179–191.
- Cornell, J. A., 2011, Experiment with mixture: design, model, and the analysis of mixture data, Edisi 3, John Wiley & Sons, Inc.: New York.
- Crouch, C. (2013). *Zwick Z5 kN Testing Machine Operating Manual*.
- Dianursanti, Khalis, S. A., & Chaeruniza, F. S. (2019). The effect of plasticizer addition on *Chlorella vulgaris*/ PVA-g-MA. *AIP Conference Proceedings*, 2092(April). <https://doi.org/10.1063/1.5096695>
- Duangjit, S., & Kraisit, P. (2018). Optimization of orodispersible and conventional tablets using simplex lattice design: Relationship among excipients and banana extract. *Carbohydrate Polymers*, 193(March), 89–98. <https://doi.org/10.1016/j.carbpol.2018.03.087>
- Faradilla, R. F., Lee, G., Sivakumar, P., Stenzel, M., & Arcot, J. (2019). Effect of polyethylene glycol (PEG) molecular weight and nanofillers on the properties of banana pseudostem nanocellulose films. *Carbohydrate Polymers*, 205(October 2018), 330–339. <https://doi.org/10.1016/j.carbpol.2018.10.049>
- Faradilla, R. H. F., Lee, G., Roberts, J., Martens, P., Stenzel, M., & Arcot, J. (2017). Effect of glycerol, nanoclay and graphene oxide on physicochemical properties of biodegradable nanocellulose plastic sourced from banana pseudo-stem. *Cellulose*, 25(1), 399–416. <https://doi.org/10.1007/s10570-017-1537-x>
- Farhan, A., & Hani, N. M. (2017). Characterization of edible packaging films based on semi-refined kappa-carrageenan plasticized with glycerol and sorbitol. *Food Hydrocolloids*, 64, 48–58. <https://doi.org/10.1016/j.foodhyd.2016.10.034>
- Gandjar, I. G. dan Rohman, A., 2007, *Kimia Farmasi Analisis*, Pustaka Pelajar: Yogyakarta.
- Gheribi, R., Puchot, L., Verge, P., Jaoued-Grayaa, N., Mezni, M., Habibi, Y., & Khwaldia, K. (2018). Development of plasticized edible films from *Opuntia ficus-indica* mucilage: A comparative study of various polyol plasticizers. *Carbohydrate Polymers*, 190(February 2018), 204–211. <https://doi.org/10.1016/j.carbpol.2018.02.085>
- Gounga, M. E., Xu, S. Y., & Wang, Z. (2007). Whey protein isolate-based edible films as affected by protein concentration, glycerol ratio and pullulan addition in film formation. *Journal of Food Engineering*, 83(4), 521–530. <https://doi.org/10.1016/j.jfoodeng.2007.04.008>

- Hariharan, M., dan Bogue, A., 2009, Orally dissolving film strips (ODFS): the final evolution of orally dissolving dosage forms, *Drug Del. Technol* 2:24–29 cit. Nagaraju, T., Gowthami, R., Rajashekar, M., Sandeep, S., Malleshm, M., Sathish, D., dan Shravan Kumar, Y., 2013, Comprehensive review on oral disintegrating films, *Curr. Drug Deliv.* 10(1):96–108.
- Haw, C. K. (2011). Limit of Detection and Its Establishment in Analytical Chemistry. *Health and the Environment Journal*, 2(1), 38–43.
- Hazirah, M. A. S. P. N., Isa, M. I. N., dan Sarbon, N. M., 2016, Effect of xanthan gum on the physical and mechanical properties of chicken skin gelatin-cmc biodegradable blends films, *Food Packag. Shelf Life* 9:55–63.
- Hinz, B., Chevts, J., Renner, B., Wuttke, H., Rau, T., Schmidt, A., ... Werner, U. (2005). Bioavailability of diclofenac potassium at low doses. *British Journal of Clinical Pharmacology*, 59(1), 80–84. <https://doi.org/10.1111/j.1365-2125.2005.02226.x>
- Irfan, M., Rabel, S., Bukhtar, Q., Qadir, M. I., Jabeen, F., & Khan, A. (2016). Orally disintegrating films: A modern expansion in drug delivery system. *Saudi Pharmaceutical Journal*, 24(5), 537–546. <https://doi.org/10.1016/j.jsps.2015.02.024>
- Johnson, R. dan Steer, R., 2005, in Rowe, R. C., Sheskey, Paul J., dan Owen, Sian C., 2006, *Handbook of Pharmaceutical Excipients*, Edisi 5, Pharmaceutical Press, London.
- Jouki, M., Yazdi, F. T., Mortazavi, S. A., & Koocheki, A. (2013). International Journal of Biological Macromolecules Physical, barrier and antioxidant properties of a novel plasticized edible film from quince seed mucilage. *International Journal of Biological Macromolecules*, 62, 500–507. <https://doi.org/10.1016/j.ijbiomac.2013.09.031>
- Kementrian Kesehatan Indonesia. (2014). *Farmakope Indonesia* (V). Jakarta.
- Mahesh, A., Shastri, N., & Sadanandam, M. (2010). Development of Taste Masked Fast Disintegrating Films of Levocetirizine Dihydrochloride for Oral Use. *Current Drug Delivery*, 7(1), 21–27. <https://doi.org/10.2174/156720110790396454>
- Martelli, S. M., & Laurindo, J. B. (2012). Chicken feather keratin films plasticized with polyethylene glycol. *International Journal of Polymeric Materials and Polymeric Biomaterials*, 61(1), 17–29. <https://doi.org/10.1080/00914037.2011.557809>
- Mohod, S. M., & Bodhankar, S. L. (2013). Antiulcer activity of aqueous extract of leaves of *Madhuca indica* J. F. Gmel against naproxen induced gastric mucosal injury in rats. *Journal of Acute Disease*, 2(2), 127–133. [https://doi.org/10.1016/s2221-6189\(13\)60112-2](https://doi.org/10.1016/s2221-6189(13)60112-2)

- Nagaraju, T., Gowthami, R., Rajashekar, M., Sandeep, S., Malleshm, M., Sathish, D., & Kumar, Y. S. (2013). Comprehensive review on oral disintegrating films. *Current Drug Delivery*, 10(1), 96–108. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/22920576>
- Parameswara, R. V., Miguel, M.-N., Javier, O. M., & Sitaram, V. (2017). Effect of plasticizers on the physico-mechanical properties of pullulan based pharmaceutical oral film. *European Journal of Pharmaceutical Sciences*, 109(August), 290–296. <https://doi.org/10.1016/j.ejps.2017.08.019>
- Paraskevas, S., Huizinga, J. D., & Loos, B. G. (2008). A systematic review and meta-analyses on C-reactive protein in relation to periodontitis. *Journal of Clinical Periodontology*, 35(4), 277–290. <https://doi.org/10.1111/j.1600-051X.2007.01173.x>
- Pasini Pasini Cabello, S. D., Takara, E. A., Marchese, J., & Ochoa, N. A. (2015). Influence of plasticizers in pectin films: Microstructural changes. *Materials Chemistry and Physics*, 162, 491–497. <https://doi.org/10.1016/j.matchemphys.2015.06.019>
- Price, J. C., 2005, Gelatin, in Rowe, R. C., Sheskey, Paul J., dan Owen, Sian C., 2006, *Handbook of Pharmaceutical Excipients*, Edisi 5, Pharmaceutical Press, London.
- Price, J. C., 2005, Polyethylene Glycol, in Rowe, R. C., Sheskey, Paul J., dan Owen, Sian C., 2006, *Handbook of Pharmaceutical Excipients*, Edisi 5, Pharmaceutical Press, London.
- Rachtanapun, P., & Rattanapanone, N. (2011). Synthesis and Characterization of Carboxymethyl Cellulose Powder and Films from Mimosa pigra. *Journal of Applied Polymer Science*, 122(5), 2658–2667. <https://doi.org/10.1002/app>
- Ricciotti, E., & Fitzgerald, G. A. (2011). Prostaglandins and inflammation. *Arteriosclerosis, Thrombosis, and Vascular Biology*, 31(5), 986–1000. <https://doi.org/10.1161/ATVBAHA.110.207449>
- Saberi, B., Chockchaisawasdee, S., Golding, J. B., Scarlett, C. J., & Stathopoulos, C. E. (2017). Physical and mechanical properties of a new edible film made of pea starch and guar gum as affected by glycols, sugars and polyols. *International Journal of Biological Macromolecules*, 104, 345–359. <https://doi.org/10.1016/j.ijbiomac.2017.06.051>
- Siddiqui, M. D. N., Garg, G., & Sharma, P. K. (2011). A Short Review on “ A Novel Approach in Oral Fast Dissolving Drug Delivery System and Their Patents ” Conventional oral Modified release Fast action oral solid. *Advances in Biological Research*, 5(6), 291–303.
- Stat-Ease, 2017, Handbook for experimenters, Stat-Ease, Inc., Minneapolis.

- Suderman, N., Isa, M. I. N., & Sarbon, N. M. (2018). The effect of plasticizers on the functional properties of biodegradable gelatin-based film: A review. *Food Bioscience*, 24(June), 111–119. <https://doi.org/10.1016/j.fbio.2018.06.006>
- Tanaka, M., Iwata, K., Sanguandeeikul, R., & Handa, A. (2001). *Edible films from fish proteins*. 346–351.
- Van Den Abeele, J., Brouwers, J., Mattheus, R., and Tack, J., 2016, Gastrointestinal behaviour of weakly acidic BCS class II drugs in man-case study of diclofenac potassium, *J. Pharm. Sci.* 105:687 – 696.
- Vieira, M. G. A., Da Silva, M. A., Dos Santos, L. O., & Beppu, M. M. (2011). Natural-based plasticizers and biopolymer films: A review. *European Polymer Journal*, 47(3), 254–263. <https://doi.org/10.1016/j.eurpolymj.2010.12.011>
- Wang, H., 2005, Aspartame, in Rowe, R. C., Sheskey, Paul J., dan Owen, Sian C., 2006, *Handbook of Pharmaceutical Excipients*, Edisi 5, Pharmaceutical Press, London.
- WARNER, T. D., & MITCHELL, J. A. (2004). Cyclooxygenases: new forms, new inhibitors, and lessons from the clinic. *The FASEB Journal*, 18(7), 790–804. <https://doi.org/10.1096/fj.03-0645rev>
- Wichchukit, S. dan O'Mahony, M., 2010, Paired preference tests: 'Liking', 'Buying' and 'Take Away' preferences, *Food Qual. Pref.* 21: 925 – 929.
- Yang, L., & Paulson, A. T. (2000). *Mechanical and water vapour barrier properties of edible gellan*® *lms*. 33, 563–570.