

## DAFTAR PUSTAKA

- ADA, 2015, Classification and Diagnosis of Diabetes, *Diabetes Care*, **38**, 8-16.
- ADA, 2018<sup>a</sup>, Classification and Diagnosis of Diabetes: Standards of Medical Care in Diabetes, *Diabetes Care*, **41** (1), 13-27.
- ADA, 2018<sup>b</sup>, Glycemic Targets: Standards of Medical Care on Diabetes, *Diabetes Care*, **41** (1), 55–64.
- ADA, 2018<sup>c</sup>, The Cost of Diabetes, <http://www.diabetes.org/advocacy/news-events/cost-of-diabetes.html>, 26 Juni 2018.
- ADA, 2018<sup>d</sup>, Pharmacologic Approaches to Glycemic Treatment: Standards of Medical Care in Diabetes, *Diabetes Care*, **41** (1), S73–S85.
- Adibe, M.O., Aguwa, C.N., Ukwe, C.V., 2013, Cost Utility Analysis of Pharmaceutical Care Intervention Versus Usual Care in Management of Nigeria Patient with Type 2 Diabetes, cit. Khoiriyah, S. D. & Lestari, K., 2018, Review Artikel: Kajian Farmakoekonomi Yang Mendasari Pemilihan Pengobatan di Indonesia, *Farmaka.*, **16** (3), 134 – 145.
- Adikusuma, W., Perwitasari, D.A., Supadmi, W., 2018, Evaluasi Kualitas Hidup Pasien Diabetes Melitus Tipe 2 Rumah Sakit Umum PKU Muhammadiyah Bantul, *Prosiding “Simposium Nasional Peluang dan Tantangan Obat Tradisional dalam Pelayanan Kesehatan Formal”*, 32-39.
- Adriaanse, M.C., Drewes, H.W., Heide, I.V.D., Struijs, J.N., Baan, C.A., 2016, The Impact of Comorbid Chronic Conditions on Quality of Life in Type 2 Diabetes Patients, *Qual Life Res.*, **25**, 175-182.
- Agarwal, A.A., Jadhav1, P.R., Deshmukh, Y.A., 2014, Prescribing Pattern and Efficacy of Anti-Diabetic Drugs, *Jurnal of Basic and Clinical Pharmacy*, **3** (5), 79-83.
- Al Hayek, A.A., Robert, A.A., Al Saeed, A., Alzaid, A.A., Al Sabaan, F.S., 2014, Factors Associated with Health Related Quality of Life among Saudi Patients with Type 2 Diabetes Mellitus: A Cross Sectional Survey, *Diabetes and Metabolism Journal*, **38**, 220-229.
- Amelia, R., Lelo, A., Lindarto, D., Mutiara, E., 2018, Quality of Life and Glycemic Profile of Type 2 Diabetes Mellitus Patients of Indonesian: a Descriptive Study, *IOP Conf. Series: Earth and Environmental Science*, **125**, 012171.
- Anonim, 2017, EQ-5D, <https://euroqol.org/eq-5d-instruments>, 25 Oktober 2018.

- Anonim, 2018, Diabetes Mellitus Type 2 in Adults, *DynaMed*, pp. 1–71.
- Andayani, T.M., 2013, *Farmakoekonomi, Prinsip dan Metodologi*, Bursa Ilmu, Yogyakarta.
- Arifin, B., Idrus, L.R., Van Asselt, A.D.I., Purba, F.D., Perwitasari, D.A., Thobari, J.A., Cao, Q., Krabbe, P.F.M., Postma, M.J., 2019, Health-Related Quality of Life in Indonesian Type 2 Diabetes Mellitus Outpatients Measured with the Bahasa Version of EQ-5D, *Quality of Life Research*.
- Charlson, M.E., Ales, K.A., Pomper, P, MacKenzie, C.R., 1987, A New Method of Classification of Prognostic Comorbidity for Longitudinal Studies Development and Validation, *J Chron Disease*, **40** (5), 373-383.
- Charlson, M.E., Charlson, R.E., Briggs, W., Hollenberg, J., 2007, Can Disease Management Target Patients Most Likely to Generate High Costs? The Impact of Comorbidity, *J Gen Intern Med*, **22** (4), 464-469.
- Cho, N.H., Shaw, J.E., Karuranga, S., Huang, Y., Fernandes, J.D.R., Ohlrogge, A.W., Malanda, B., 2018, IDF Diabetes Atlas: Global Estimates of Diabetes Prevalence for 2017 and Projections for 2045, *Diabetes Research and Clinical Practice*, **138**, 271-281
- Coons, S.J., 2005, Health Outcomes and Quality of Life, in Dipiro, J.T (Eds), *Pharmacotherapy A Pathophysiologic Approach*, sixth edition, 1-5, Appleton and Lange, Standford Connecticut.
- Cramer, J.A., 2004, A Systematic Review of Adherence With Medications for Diabetes, *Diabetes Care*, **27**, 1218–1224.
- Daher, A.M., AlMashoor, S.A.H., Winn, T., 2015, Glycaemic Control and Quality of Life Among Ethnically Diverse Malaysian Diabetic Patients, *Qual Life Res*, **24**, 951-958.
- De Grauw, et al., 2001, Insulin Therapy in Poorly Controlled Type 2 Diabetic Patients: Does it Affect Quality of Life?, *Br. J. Gen. Pract.*, **51** (468), 527-532.
- Departemen Kesehatan RI., 2005, *Pharmaceutical Care Untuk Penyakit Diabetes Melitus*, Jakarta, Direktorat Bina Farmasi Komunitas dan Klinik Direktorat Jendral bina Kefarmasian dan Alat Kesehatan.
- Departemen Kesehatan RI, 2017, Profil Kesehatan Provinsi, Daerah Istimewa Yogyakarta, [www.depkes.go.id/resources/download/profil/PROFIL\\_KES./14\\_DIY\\_2017.pdf](http://www.depkes.go.id/resources/download/profil/PROFIL_KES./14_DIY_2017.pdf), Departemen Kesehatan Republik Indonesia, Jakarta.

- Didarloo, A., Alizadeh, M., 2016, Health-Related Quality of Life and its Determinants Among Women With Diabetes Mellitus: A Cross-Sectional Analysis, *Nurs Midwifery Stud.*, **5** (1):e28937.
- Diener, E., & Suh, E. M., 2000, National difference in subjective well-being, cit. Wahyuni, Y., Nursiswati, Anna, A., 2014, Kualitas Hidup Berdasarkan Karakteristik Pasien Diabetes Melitus Tipe 2, *Jurnal Keperawatan Padjadjaran*, **2** (1), 25-34.
- DiPiro, J.T., Wells, B.G., Schwinghammer, T.L., dan DiPiro, C.V., 2015, *Pharmacotherapy Handbook*, 9<sup>th</sup> Ed., 161-175, McGraw-Hill Education, USA.
- Fal, A.M., Jankowska, B., Uchmanowicz, I., Sen, M., Panaszek, B., Polanski, J., 2011, Type 2 Diabetes Quality of Life Patients Treated with Insulin and Oral Hypoglycemic Medication, *Acta Diabetol*, **48**, 237–242.
- Fatimah, R.N., 2015, Diabetes Melitus Tipe 2, *J MAJORITY*, **4** (5), 93-101.
- George, C.M., Bruijn, L.L., 2015, Management of Blood Glucose with Noninsulin Therapies in Type 2 Diabetes, *American Academy of Family Physicians*, **92** (1), 27-34.
- International Diabetes Federation (IDF), 2017, *IDF Diabetes Atlas*, 8<sup>th</sup> edition.
- Javanbakht, M., Abolhasani, F., Mashayekhi, A., Baradaran, H. R., Noudeh, Y. J., 2012, Health Related Quality of Life in Patients with Type 2 Diabetes Mellitus in Iran: A National Survey, *PLOS ONE*, **7** (8), 1-9.
- Khoiriyah, S.D. & Lestari, K., 2018, Review Artikel: Kajian Farmakoekonomi Yang Mendasari Pemilihan Pengobatan di Indonesia, *Farmaka.*, **16** (3), 134 – 145.
- Kurniawan, I., 2010, Diabetes Melitus Tipe 2 pada Usia Lanjut, *Maj Kedokt Indon*, **60** (12), 576 – 584.
- Lee, W.J., Song, K.H., Noh, J.H., Choi, Y.J., Jo, Min-Woo, 2012, Health-Related Quality of Life Using the EuroQol 5D Questionnaire in Korean Patients with Type 2 Diabetes, *J Korean Med Sci*, **27**, 255-260.
- Lu, Y., Wang, N., Chen, Y., Nie, X., Li, Q., Han, B., Chen, Y., Xia, F., Cang, Z., Lu, M., Meng, Y., and Lu, Y., 2017, Health-Related Quality of Life in Type-2 Diabetes Patients: A Cross-Sectional Study in East China, *BMC Endocrine Disorders*, **17** (38), 1-7.

- Maruthur, N. M., Tseng, E., Hutfless, S., Wilson, L.M., Suarez-Cuervo, C., Berger, Z., Chu, Y., Iyoha, E., Segal, J.B., Bolen, S., 2016, Diabetes Medications as Monotherapy or Metformin based Combination Therapy for Type 2 Diabetes: A Systematic Review and Meta-Analysis, *Annals of Internal Medicine*, **164** (11), 740–751.
- Nathan, D.M., Buse, J.B., Davidson, M.B., Ferrannini, E., Holman, R.R., Sherwin, R., Zinman, B., 2009, Medical Manajement of Hyperglycaemia in Type 2 Diabetes Mellitus: A Consensus Algorithm For the Initiation and Adjustment of Therapy, *Diabetologia*, **52**, 17-30.
- Ningtyas, 2013, Analisis Kualitas Hidup Pasien Diabetes Melitus tipe 2 RSUD Bangil kabupaten 1-7.
- Notoatmodjo, 2005, *Metodologi Penelitian Kesehatan*, Cetakan III, 92, Rineka Cipta, Jakarta.
- Nuryanti, I., dan Bantas, K., 2014, Prevalensi dan Faktor Risiko Kejadian Diabetes Melitus pada Wanita Dewasa di Indonesia, <http://lontar.ui.ac.id/naskahringkas/2016-06/S55925-Irma%20Nuryanti>, FKM UI, Jakarta.
- Papadopoulos, A.A., Kontodimopoulos, N., Frydas, A., Ikonomakis, E., Niakas, D., 2007, Predictors of Health-Related Quality of Life in Type II Diabetic Patients in Greece, *BMC Public Health*, **7** (186), 1 - 9.
- PERKENI, 2006, Konsensus Pengelolaan dan Pencegahan Diabetes Mellitus Tipe 2 di Indonesia, PB. PERKENI, Jakarta.
- PERKENI, 2015, Konsensus Pengelolaan Dan Pencegahan Diabetes Mellitus Tipe 2 di Indonesia, PB PERKENI, Jakarta.
- Perwitasari, D.A., Urbayatun, S., Faridah, I.N., Masyithah, N., 2017, Relationship of Therapeutic Outcome with Quality of Life on Type 2 Diabetes Mellitus Patients in Abdul Azis Singkawang Hospital, *IOP Conf. Ser.: Mater. Sci. Eng.* **259** 012023.
- Punthakee, Z., Goldenberg, R., Katz, P., 2018, Definition, Classification and Diagnosis of Diabetes, Prediabetes and Metabolic Syndrome, *Can J Diabetes.*, **42**, 10–15.
- Purba, F.D., Hunfeld, J. A. M., Iskandarsyah, A., Fitriana, T.S., Sadarjoen, S. S., Ramos-Gon, J. M., Passchier, J., Busschbach, J. J. V., 2017, The Indonesian EQ-5D-5L Value Set, *PharmacoEconomics*, **35** (11), 1153–1165.

- Purba, F.D., Hunfeld, J. A. M., Iskandarsyah, A., Fitriana, T.S., Sadarjoen, S. S., Passchier, J., Busschbach, J. J. V., 2018, Quality of Life of the Indonesian General Population: Test-Retest Reliability and Population Norms of the EQ-5D-5L and WHOQOL-BREF, *PLoS ONE*, **13** (5), 1–20.
- Purwaningsih, N., 2018, Analisis Faktor-Faktor Yang Mempengaruhi Kualitas Hidup Pasien Diabetes Melitus Tipe 2 di Instalasi Rawat Jalan RSUD Dr. Moewardi Periode Februari - Maret 2018, *Skripsi*, Universitas Muhammadiyah Surakarta.
- Price, S.A., and Wilson, L.M., 2005, *Patofisiologi; Konsep Klinis Proses-Proses Penyakit*, Edisi 6, EGC, Jakarta.
- Rabin, R. and de Charro, F., 2001, EQ-5D A Measure of Health Status from the EuroQol Group, *Annals of Medicine*, **33**, 337-343.
- Rahajeng, E., 2004, Risiko Obesitas pada Kasus Toleransi Glukosaa Terganggu terhadap Kejadian Diabetes Melitus Tipe 2 dan Faktor “Non genetik” Lain yang Berhubungan, Jakarta, DEPKES RI cit. Nuryanti, I., dan Bantas, K., 2014, Prevalensi dan Faktor Risiko Kejadian Diabetes Melitus pada Wanita Dewasa di Indonesia, <http://lontar.ui.ac.id/naskahringkas/2016-06/S55925-Irma%20Nuryanti>, 16 Mei 2019.
- Rantung, J., Yetti, K., Herawati, T., 2015, Hubungan Self-care dengan Kualitas Hidup Pasien Diabetes Melitus (DM) di Persatuan Diabetes Indonesia (PERSADIA) Cabang Cimahi, *Jurnal Skolastik Keperawatan*, **1** (1), 38-51.
- Rasdianah, 2016, Gambaran Kepatuhan Pengobatan Pasien Diabetes Melitus Tipe 2 di Puskesmas Daerah Istimewa Yogyakarta, *Jurnal Farmasi Klinik Indonesia*, **5** (4), 249–257.
- Redekop, W. K., Koopmanschap, M. A., Stolk, R. P., Rutten, G.E.H.M., Wolffenbuttel, B. H. R., Niessen, L. W., 2002, Health-Related Quality of Life and Treatment Satisfaction in Dutch Patient With Type 2 Diabetes, *Diabetes Care*, **25**, 458-463.
- Reenen, M.V., & Janssen, B., 2015, *EQ-5D-5L User Guide Basic information on how to use the EQ-5D-5L instrument*, EuroQoL Research Group, Rotterdam.
- Restada, E.J., 2016, Hubungan Lama Menderita dan Komplikasi Diabetes Melitus dengan Kualitas Hidup pada Penderita Diabetes Melitus di Wilayah Puskesmas Gatak Sukoharjo, *Skripsi*, Universitas Muhammadiyah Surakarta.

- Rizkifani, 2014, Pengukuran Kualitas Hidup pasien Diabetes Melitus di Rumah Sakit PKM Muhammadiyah Bantul, *Farmasains*, **2** (3), 1-4.
- Safita, N., Islam, S. M. S., Chow, C. K., Niessen, L., Lechner, A., Holle, R., Laxy, M., 2016, The Impact of Type 2 Diabetes on Health Related Quality of Life in Bangladesh: Results from Matched Study Comparing Treated Cases with Non-diabetic Controls, *Health and Quality of Life Outcomes*, **14** (129), 1-9.
- Safnurbaiti, D.P., Andayani, T.M., Irijanto, F., 2018, Analisis Biaya dan Nilai Utilitas Pasien Hemodialisa yang diberikan Terapi Sevelamer Karbonat, *Oceana Biomedicina Journal*, **1** (2), 79 – 89.
- Sakamaki, H., Ikeda, S., Ikegami, N., Uchigata, Y., Iwamoto, Y., Origasa, H., Otani, T., Otani, Y., 2006, Measurement of HRQL Using EQ-5D in Patients with Type 2 Diabetes Mellitus in Japan, *International Society for Pharmacoeconomics and Outcomes Research (ISPOR)*, **9** (1), 47–53.
- Sari, R.M., Thobari, J.A., Andayani, T.M., 2011, Evaluasi Kualitas Hidup Pasien Diabetes Melitus Tipe 2 yang di Terapi Rawat Jalan dengan Antidiabetik Oral di RSUP Dr. Sardjito, *Jurnal Manajemen dan Pelayanan Farmasi*, **1** (1), 35-42.
- Sari, 2017, Analisis Outcome Klinik, Kualitas Hidup, dan Biaya Terapi Pasien Diabetes Melitus tipe 2, *Thesis*, Sekolah Pascasarjana Universitas Gadjah Mada.
- Saraswati, A.D., 2018, Hubungan Karakteristik Pasien dan Kepatuhan Berobat terhadap Kualitas Hidup pada Pasien Diabetes Melitus tipe 2 di RSUD kota Yogyakarta, *Skripsi*, Fakultas Farmasi Universitas Gadjah Mada.
- Snoek, F.J., 2000, Quality of Life: A Closer Look at Measuring Patients' Well-Being, cit. Trikkalinou, A., Papazafiropoulou, A.K., Melidonis, A., 2017, Type 2 diabetes and quality of life, *World J Diabetes*, **8** (4), 120-129.
- Soelistijo, S.A., *et al.*, 2015, Konsensus Pengelolaan Dan Pencegahan Diabetes Melitus Tipe 2 Di Indonesia 2015, Perkeni.
- Solli, O., Stavem, K., Kristianse, I. S., 2010, Health-related quality of life in diabetes: The associations of complications with EQ-5D scores, *Health and Quality of Life Outcomes*, **8** (18), 1 – 8.
- Spilker, B., 1996, *Quality of Life and Pharmacoeconomics in Clinical Trials*, 2nd, edition, 192-195, 517, Lippicott-Raven Publishers, Philadelphia.

- Stratton, I.M., et al., 2000, Association of glycemia with macrovascular and microvascular complications of type 2 diabetes (UKPDS 35): prospective observational study, *BMJ*, **321** (7258), 405-12.
- Sukandar, E.Y., Andrajati, R., Sigit, J.I., Adnyana, I.K., Setiadi, A.P., Kusnandar, 2013, *ISO Farmakoterapi*, buku 1, ISFI Penerbitan Jakarta.
- Suyono, S., 2004, *Patofisiologi Diabetes Melitus*, Editor: Soegondo, S., Soewondo, P., Subekti, I., Diabetes Melitus Penatalaksanaan Terpadu, Cetakan ke-5, Fakultas Kedokteran Universitas Indonesia, Jakarta.
- Testa, M.A. and Simonson, D.C., 1996, Assesment of Quality of Life Outcomes, (online), (<http://www.erj.ersjournals.com/cgi/reprint/8/6/885.pdf>, diakses 1 Mei 2018).
- Tjandrawinata, R.R., 2016, Peran Farmakoekonomi dalam Penentuan Kebijakan yang Berkaitan dengan Obat-Obatan., *MEDICINUS*, **29** (1), 46–52 cit. Khoiriyah, S. D. & Lestari, K., 2018, Review Artikel: Kajian Farmakoekonomi Yang Mendasari Pemilihan Pengobatan di Indonesia, *Farmaka.*, **16** (3), 134 – 145.
- Tjay, T.H., dan Raharja, K., 2007, *Obat-obat Penting (Khasiat Penggunaan dan Efek-efek Sampingnya)*, Edisi VI, Cetakan Pertama, PT. Elex Media Komputindo Kelompok Kompas-Gramedia, Jakarta.
- Trikkalinou, A., Papazafiropoulou, A.K., Melidonis, A., 2017, Type 2 Diabetes and Quality of Life, *World J Diabetes*, **8** (4), 120-129.
- Triplitt, C.L., Reasner, C.A and Isley, W.L., 2005, Diabetes Mellitus, in Dipiro, J.T. (eds), *Pharmacotherapy A Pathophysiologic Approach*, six ed, 1333-1368, Appleton & Lange, Stanfor, Connecticute.
- UK Prospective Diabetes Study (UKPDS) Group, 1998, Intensive blood-glucose control with sulphonylureas or insulin compared with conventional treatment and risk of complications in patients with type 2 diabetes (UKPDS 33), *The Lancet*, **352**, 837-853.
- Ulinur, M., 2018, Kualitas Hidup dan Faktor yang Mempengaruhi pada Pasien Diabetes Melitus Tipe 2 di Rumah Sakit Umum Daerah Sleman, *Skripsi*, Fakultas Farmasi Universitas Gadjah Mada.
- Walling, A.D., 2002, Type 2 Diabetes Quality of Life and Early Insulin Therapy, *AFP*, **65** (4) 707-8.

- Wahyuni, Y., Nursiswati, Anna, A., 2014, Kualitas Hidup Berdasarkan Karakteristik Pasien Diabetes Melitus Tipe 2, *Jurnal Keperawatan Padjadjaran*, **2** (1), 25-34.
- Wahyuni, S. dan Alkaff, R. N., 2013, Diabetes Melitus pada Perempuan Usia Reproduksi di Indonesia Tahun 2007, *Jurnal Kesehatan Reproduksi*, **3** (1), 46 – 51.
- Wandell, P.E., 2005, Quality of Life of Patients with Diabetes Mellitus, *Scandinavian Journal of Primary Health Care*, **23**, 68-74.
- World Health Organization (WHO), 2016, *Global Report on Diabetes*, Geneva.
- Zeng, Y.C., Ching, S.S., and Loke, A.Y., 2010, Quality of Life Measurement in Women with Cervical Cancer: Implications for Chinese Cervical Cancer Survivors, *Health and Quality of Life Outcomes*, **8** (30), 1-9.
- Zhang, P., Brown, M.D., Bilik, D., Ackermann, R.T., Li,R., Herman, W.H.,2012, Health Utility Score for People with Type 2 Diabetes in U.S. Managed Care Health Plans, *Diabetes Care*, **35** (11), 2250-2256.