

## DAFTAR PUSTAKA

- Allen, L.V., 2009, Stearic Acid, dalam: *Handbook of Pharmaceutical Excipients*, APhA, (PhP) Pharmaceutical Press, London, hal. 697–699.
- Allen, L.V. dan Ansel, H.C., 2014, *Pharmaceutical Dosage Form and Drug Delivery Systems*, Tenth. ed., Wolter Kluwer Health, Philadelphia.
- Anggraini, D., Malik, M., dan Susiladewi, M., 2013, Optimasi Krim Sarang Burung Walet Putih (*Aerodramus fuciphagus*) Tipe M/A dengan Variasi Emulgator Sebagai Pencerah Kulit Menggunakan Simplex Lattice Design, *Fakultas Kedokteran, Universitas Tanjungpura Pontianak*, 1–9.
- Anwar, T.M. dan Soleha, T.U., 2016, Manfaat Daun Binahong (*Anredera cordifolia*) sebagai Terapi Acne Vulgaris, *Majority*, **5**: 179–183.
- Astuti, S.M., Sakinah, A.M.M., dan Risch, A., 2012, The Triterpenoid Saponin From Binahong [*Anredera cordifolia* (Ten.) Steenis] to Potential Using as Antidiabetic Activity in Animal Laboratory, *Proceeding of International Conference on Drug Development of Natural Resource*, 331–343.
- Aulton, M.E., 2002, *Pharmaceutics: The Science Dosage Form Design*, 2nd. ed., Churchill Livingstone, New York.
- Balouiri, M., Sadiki, M., dan Ibsouda, S.K., 2016, Methods for In Vitro Evaluating Antimicrobial Activity : A Review, *Elsevier B.V.*, **6**: 71–79.
- Batubara, I., Mitsunaga, T., dan Ohashi, H., 2009, Screening Antiacne Potency of Indonesian Medicinal Plants: Antibacterial, Lipase inhibition, and Antioxidant Activities, *Journal of Wood Science*, **55**: 230–235.
- Bojar, R.A. dan Holland, K.T., 2004, Acne and *Propionibacterium acnes*, *Clinics in Dermatology*, **22**: 375–379.
- Bolton, S. dan Bon, C., 2009, *Pharmaceutical Statistics Practical and Clinical Applications*, 5th. ed., Informa Healthcare, New York ; London.
- Buhse, L., Kolinski, R., Westenberger, B., Wokovich, A., Spencer, J., Chen, C.W., dkk., 2005, Topical Drug Classification, *International Journal of Pharmaceutics*, **295**: 101–112.
- Cable, C., 2009, Sodium Alginate, dalam: *Handbook of Pharmaceutical Excipients*, APhA, (PhP) Pharmaceutical Press, London, hal. 622–624.
- Chairunnisa, F., 2018, Uji Aktivitas Antibakteri Ekstrak Poh-pohan (*Pilea melastomoides* Wedd) terhadap Bakteri *Porphyromonas gingivalis*, *Skripsi*, Fakultas Farmasi Universitas Gadjah Mada, Yogyakarta.
- Chandra, M.V. dan Shamasundar, B.A., 2015, Texture Profile Analysis and Functional Properties of Gelatin from the Skin of Three Species of Fresh Water Fish, *International Journal of Food Properties*, **18**: 572–584.
- CLSI, 2009, *Performance Standards for Antimicrobial Disk Susceptibility Tests; Approved Standard*, 10th ed. Clinical and Laboratory Standards Institute, USA.
- Darsana, I.G.O., Besung, I.N.K., dan Mahatmi, H., 2012, Potensi Daun Binahong (*Anredera cordifolia* (Tenore) Steenis) dalam Menghambat Pertumbuhan Bakteri *Escherichia Coli* secara In Vitro, *Indonesia Medicus Veterinus*, **1**:337-351.
- Dawson, A.L. dan Dellavalle, R.P., 2013, Acne vulgaris, *BMJ*, **346**: f2634–f2634.

- deMan, J.M., Finley, J.W., Hurst, W.J., dan Lee, C.Y., 2018, *Principles of Food Chemistry*, Springer International Publishing, New York, NY.
- Draelos, Z.D. dan Thaman, L.A., 2006, *Cosmetic Formulation of Skin Care Products*, Taylor & Francis, New York ; London.
- Farrar, M.D. dan Ingham, E., 2004, Acne: Inflammation, *Clinics in Dermatology*, **22**: 380–384.
- Florence, A.T. dan Siepmann, J., 2009, *Modern Pharmaceutics*, 5th ed., Drugs and the Pharmaceutical Sciences, Informa Healthcare USA, New York ; London.
- Genatrika, E., Nurkhikmah, I., dan Hapsari, I., 2016, Formulation Of Black Cumin Oil (*Nigella sativa* L.) As Antiacne Cream Against Bacteria *Propionibacterium acnes*, *Pharmacy*, **13**: 192–201.
- Gennaro, A.R., 2005, *Remington: The Science and Practice of Pharmacy*, 21st. ed., Lippincott Williams & Wilkins, Philadelphia.
- Goskonda, S., 2009, Triethanolamine, dalam: *Handbook of Pharmaceutical Excipient*, APhA, (PhP) Pharmaceutical Press, London, hal. 754–755.
- Haley, S., 2009, Methylparaben, dalam: *Handbook of Pharmaceutical Excipients*, APhA, (PhP) Pharmaceutical Press, London, hal. 441–445.
- Handayani, E.T.P., 2019, Optimasi PEG 400 dan PEG 4000 dalam Formulasi Salep Ekstrak Etanol Daun Binahong (*Anredera cordifolia* (Ten) Steenis dan Uji Antibakterinya Terhadap *Propionibacterium acne*, *Skripsi*, Fakultas Farmasi Universitas Gadjah Mada, Yogyakarta.
- Kementrian Kesehatan RI, 2014, *Farmakope Indonesia*, V. ed., Departemen Kesehatan Republik Indonesia, Jakarta.
- Kemit, N., Widarta, I.W.R., dan Nocianitri, K.A., 2016, Pengaruh Jenis Pelarut dan Waktu Maserasi Terhadap Kandungan Senyawa Flavonoid dan Aktivitas Antioksidan Ekstrak Daun Alpukat (*Persea americana* Mill), *Jurnal Ilmu dan Teknologi Pangan*, Fakultas Teknologi Pertanian, Universitas Udayana, Bali, **5**: 12.
- Khunaifi, M., 2010, Uji Aktivitas Antibakteri Ekstrak Daun Binahong (*Anredera cordifolia* (Ten) Steenis Terhadap Bakteri *Staphylococcus aureus* dan *Pseudomonas aeruginosa*, *Skripsi*, Fakultas Sains dan Teknologi, Universitas Islam Negeri Maulana Malik Ibrahim Malang, Malang.
- Koirewoa, Y.A., Wiyono, W.I., dan Fatimawali, 2012, Isolasi dan Identifikasi Senyawa Flavonoid dalam Daun Beluntas (*Pluchea indica* L.), *Fakultas Farmasi, UNSRAT, Manado*, **1**: 6.
- Kumalasari, E. dan Sulistyani, N., 2011, Aktivitas Antifungi Ekstrak Batang Binahong (*Anredera cordifolia* (Tenore( Steen.) Terhadap *Candida albicans* serta Skrining Fitokimia, *Fakultas Farmasi, Universitas Ahmad Dahlan, Yogyakarta*, **1**: 51-62.
- Luliana, S., Sehro, dan Desnita, R., 2015, Pengaruh Penambahan TEA (Trietanolamine) Terhadap pH Basis Lanolin Sediaan Losio, *Fakultas Kedokteran, Universitas Tanjungpura Pontianak*, **3**: 1–6.
- Manoi, F., 2009, Binahong (*Anredera cordifolia*) Sebagai Obat, *Warta Penelitian dan Pengembangan Tanaman Industri*, **15**: 3–5.

- Mohammadi, M., Jelvehgari, dan Rashidi, 2007, Adhesive and Spreading Properties of Pharmaceutical Gel Composed of Cellulose Polymer, *Jundishapur Journal of Natural Pharmaceutical Product*, **2**: 14.
- Mollet, H. dan Grubenmann, A., 2001, *Formulation Technology: Emulsions, Suspensions, Solid Forms*. Wiley-VCH, Weinheim ; New York.
- Oprica, C., Emtestam, L., Lapins, J., Borglund, E., Nyberg, F., Stenlund, K., dkk., 2004, Antibiotic-resistant *Propionibacterium acnes* on The Skin of Patients with Moderate to Severe Acne in Stockholm, *Anaerobe*, **10**: 155–164.
- Pandit, A.P., Pol, V.V., dan Kulkarni, V.S., 2016, Xyloglucan Based In Situ Gel of Lidocaine HCl for the Treatment of Periodontosis, *Journal of Pharmaceutics*, **2016**: 1–9.
- Perry, A.L. dan Lambert, P.A., 2006, *Propionibacterium acnes*, *Letters in Applied Microbiology*, **42**: 185–188.
- Pratiwi, L., Fudholi, A., Martien, R., dan Pramono, S., 2018, Physical and Chemical Stability Test of SNEDDS (Self-nanoemulsifying Drug Delivery System) and Nanoemulsion Ethyl Acetate Fraction of *Garcinia mangostana* L. *Majalah Obat Tradisional*, **23**: 84.
- Prayoga, E., 2013, Perbandingan Efek Ekstrak Daun Sirih Hijau (*Piper betle* L.) dengan Metode Difusi Disk dan Sumuran Terhadap Pertumbuhan Bakteri *Staphylococcus aureus*, *Skripsi*, Fakultas Kedokteran dan Ilmu Kesehatan, Universitas Islam Negeri Syarif Hidayatullah, Jakarta.
- Reiger, M.M., 2000, *Harry's Cosmeticology*, 8th. ed., Chemical Publishing Co., Inc, United State of America.
- Rimporok, S., Kepel, B.J., dan Siagian, K.V., 2015, Uji Efektivitas Ekstrak Daun Binahong (*Anredera Cordifolia* Steenis) Terhadap Pertumbuhan *Streptococcus mutans* secara In Vitro, *Pharmacon Jurnal Ilmiah Farmasi*, **4**: 15–21.
- Robinson, C., Hartman, R.F., dan Rose, S.D., 2008, Emollient, Humectant, and Fluorescent  $\alpha,\beta$ -unsaturated thiol esters for Long-acting Skin Applications, *Bioorganic Chemistry*, **36**: 265–270.
- Rohman, A., 2014, *Statistika dan Kemometrika Dasar dalam Analisis Farmasi*, 1st. ed., Pustaka Pelajar, Yogyakarta.
- Selawa, W., Runtuwene, M.R.J., dan Citraningtyas, G., 2013, Kandungan Flavonoid dan Kapasitas Antioksidan Total Ekstrak Etanol Daun Binahong [*Anredera cordifolia* (Ten.) Steenis.]. *Fakultas Farmasi, UNSRAT, Manado*, **2**: 18–22.
- Sheng, J., 2009, Mineral Oil, dalam: *Handbook of Pharmaceutical Excipients*, APhA, (PhP) Pharmaceutical Press, London, hal. 445–447.
- Sukandar, E.Y., Fidrianny, I., dan Triani, R., 2014, Uji Aktivitas Antimikroba Ekstrak Etanol Buah Belimbing Wuluh (*Averrhoa Bilimbi* L.) terhadap *Propionibacterium acnes*, *Staphylococcus epidermidis*, MRSA dan MRCNS, *Acta Pharmaceutical Indonesia*, **XXXIX**: 51–56.
- Sulaiman, T.S. dan Kuswahyuning, R., 2008, *Teknologi Dan Formulasi Sediaan Semipadat*, Laboratorium Teknologi Farmasi, Fakultas Farmasi UGM, Yogyakarta.

- Sulistiyowati, Y. dan Siswati, A.S., 2011, Uji Potensi Antibakteri *Sodium Ascorbyl Phosphate* terhadap *Propionibacterium acnes* *In Vitro*, *Mutiara Medika*, **11**: 8–13.
- Suryana, S., Nuraeni, Y.Y.A., dan Rostinawati, T., 2017, Aktivitas Antibakteri Ekstrak Etanol dari Lima Tanaman Terhadap Bakteri *Staphylococcus epidermidis* dengan Metode Mikrodilusi M7 – A6CLSI. *Indonesian Journal of Pharmaceutical Science and Technology*, **4**: 1-9.
- Swastika, A., Mufrod, dan Purwanto, 2013, Antioxidant Activity Of Cream Dosage Form Of Tomato Astract (*Solanum lycopersicum* L.), *Traditional Medicine Journal*, **18**: 132–140.
- Tiwari, P., Kumar, B., Kaur, M., Kaur, G., dan Kaur, H., 2011, Phytochemical Screening and Extraction : A Review, *Internationale Pharmaceutica Scientia*, **1**: 98–106.
- Walters, K.A. dan Roberts, M.S. (Editor), 2008, *Dermatologic, Cosmeceutic, and Cosmetic Development: Therapeutic and Novel Approaches*, Informa Healthcare, New York.
- Weller, P., 2009, Propylene Glycol, dalam: *Handbook of Pharmaceutical Excipients*, APhA, (PhP) Pharmaceutical Press, London, hal. 592–594.
- Yani, T.N., Anwar, E., dan Saputri, F.C., 2017, Formulasi Emulgel yang Mengandung Ekstrak Etanol Daun Binahong (*Anredera cordifolia* (Ten.) Steenis) dan Uji Aktivitasnya terhadap *Propionibacterium acnes* secara *In Vitro*, *Jurnal Kefarmasian Indonesia*, **6**: 89–97.
- Yuliani, S.H., Fudholi, A., dan Pramono, S., 2012, Physical Properties of Wound Healing Gel Of Ethanolic Extract Of Binahong (*Anredera cordifolia* (Ten) Steenis) During Storage, *Indonesian J. Pharm*, **23**: 203–208.
- Yumas, M., 2016, Formulasi Sediaan Krim Wajah Berbahan Aktif Ekstrak Metanol Biji Kakao Non Fermentasi (*Theobroma cacao* L) Kombinasi Madu Lebah, *Jurnal Industri Hasil Perkebunan*, **11**: 76–87.
- Zhu, S., Heppenstall-Butler, M., Butler, M.F., Pudney, P.D.A., Ferdinando, D., dan Mutch, K.J., 2005, Acid Soap and Phase Behavior of Stearic Acid and Triethanolamine Stearate. *The Journal of Physical Chemistry B*, **109**: 11753–11761.