

DAFTAR PUSTAKA

- Acharya, B.N., Saraswat, D., Tiwari, M., Shrivastava, A.K., Ghorpade, R., Bapna, S., and Kaushik, M.P., 2010, Synthesis and Antimalarial Evaluation of 1, 3, 5-trisubstituted Pyrazolines, *Eur. J. Med. Chem.*, 45, 430–438.
- Ahmad, M.R., Sastry, G., Bano, N., and Anwar, S., 2011, Synthesis of Novel Chalcone Derivatives by Conventional and Microwave Irradiation Methods and Their Pharmacological Activities, *Arabian J. Chem.*, 9, 931-935.
- Aksoz, B.E. and Ertan, R., 2012, Spectral Properties of Chalcones II, *J. Pharm. Sci.*, 37, 205–216.
- Altun, A., Swesi, O.A.A. and Alhatab, B.S.S., 2016, Structural and Spectroscopic (UV-Vis, IR, raman and NMR) Characteristics of Anisaldehydes that are Flavoring Food Additives, A density Functional Study in Comparison with Experiments, *J. Mol. Struct.*, 1128, 590-605.
- Anonim, World Health Organization, World malaria report 2017, Geneva: WHO Press; 2017. [Online] Available from: http://www.who.int/malaria/publications/world_malariareport2017/report/en/ [Accessed on May 25th 2019].
- Anonim, 2016, Data and Information Center Ministry of Health Indonesia, Malaria in Indonesia, *InfoDATIN.*, 1-7.
- Arifani, P.S.R., 2015, Sintesis dan Uji Aktivitas Antibakteri Senyawa Turunan N-Formil-2-Pirazilona Tersubstitusi Gugus Hidroksi dari p-anisaldehyda, *Skripsi*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Baelmans, R., Deharo, E., Munoz, V., Sauvain, M., and Ginsburg, H., 2001, Experimental Conditions for Testing The Inhibitory Activity of Chloroquine on The Formation of β -Hematin, *Exp. Parasitol.*, 96, 243–248.
- Baragana, B., Hallyburton, I., and Lee, M.C.S., 2015, A novel Multi-stage Antimalarial Agent That Inhibits Protein Synthesis, *Nature.*, 522, 315-320.
- Basilico, N., Pagani, E., Monti, D., Olliaro, P., and Taramelli, D., 1998, A Microtitre-Based Method for Measuring The Haem Polymerization Inhibitory Activity (HPIA) of Antimalarial Drugs, *J. Antimicrob. Chemoter.*, 42, 55–60.
- Bhojar, A.D., Vankhade, G.N., and Rajput, P.R., 2011, Synthesis and Study of Chlorosubstituted 4-Aroyl Pyrazolines and Isoxazolines and Their Effects on Inorganic Ions in Blood Serum in Albino Rats, *Nus. Biosci.*, 3, 118–123.
- Cabrera, D.G., Manach, C.L., and Douelle, F., 2014, 2,4-Diaminothienopyrimidines as orally active antimalarial agents, *J. Med. Chem.*, 57, 1014-1022.

- Daskum, A.M., 2016, In Vitro Investigation into The Haemin Polymerization Inhibitory Activity of Chloroquine and Emetine Dihydrochloride Hydrate, *Int. J. Malar. Res. Rev.*, 4, 7–18.
- Dodd, E.L. and Bohle, D.S., 2014, Orienting The Heterocyclic Periphery: A Structural Model for Chloroquine's Antimalarial Activity, *Chem. Commun.*, 50, 13765–13768.
- Egan, T.J., Hunter, R., Kaschula, C.H., Marques, H.M., Mispion, A., and Walden, J., 2000, Structure-Function Relationships in Aminoquinolines: Effect of Amino and Chloro Groups on Quinoline-Hematin Complex Formation, Inhibition of β -Hematin Formation, and Antiplasmodial Activity, *J. Med. Chem.*, 43, 283–291.
- Fitriastuti, D., Mardjan, M.I.D., Jumina, and Mustofa, 2014, Synthesis and Heme Polymerization Inhibitory Activity (HPIA) Assay of Antiplasmodium of (1)-N-(3,4-dimethoxybenzyl)-1,10-phenanthroline bromide from Aniline, *Indones. J. Chem.*, 14(1), 1–6.
- Flannery, E.L., Chatterjee, A.K., and Winzeler, E.A., 2013, Antimalarial Drug Discovery - Approaches and Progress towards New Medicines, *Nat. Rev.*, 11, 849–862.
- Ghosh, R. and Das, A., 2014, Synthesis and Biological Activities of Chalcones and Their Heterocyclic Derivatives: A Review, *World J. Pharm. Pharm. Sci.*, 3, 578–595.
- Gupta, R., Gupta, N., and Jain., 2010, Improved Synthesis of Chalcones and Pyrazolines under Ultrasonic Irradiation, *Indian J. Chem.*, 49, 351–355.
- Harjianto, J., 2000, *Malaria, Epidemiologi, Patogenesis, Manifestasi Klinis dan Penanganan*, EGC, Penerbit Buku Kedokteran, Jakarta.
- Hutabarat, Y.F., 2014, Synthesis of N-Phenyl Pyrazoline Derivatives from Anise Seed Oil as Antimicrobial Candidates, *Undergraduate Thesis*, Chemistry Department FMIPA UGM, Yogyakarta.
- Huy, N.T., Uyen, D.T., Maeda, A., Thi, D., Trang, X., Oida, T., Harada, S., and Kamei, K., 2007, Simple Colorimetric Inhibition Assay of Heme Crystallization for High-Throughput Screening of Antimalarial Compounds, *Antimicrob. Agents Chemother.*, 51, 350–353.
- Insuasty, B., Montoya, A., Becerra, D., Quiroga, J., Abonia, R., Robledo, S., Velez, I.D., Upegui, Y., Noguera, M., and Cobo, J., 2013, Synthesis of Novel Analogs of 2-Pyrazoline Obtained from [(7-chloroquinolin-4-yl)amino]chalcones and Hydrazine as Potential Antitumor and Antimalarial Agents, *Eur. J. Med. Chem.*, 67, 252–262.
- Jarag, K., Pinjari, D.V., Pandit, A.B., and Shankarling, G.S., 2011, Synthesis of

Chalcone (3-(4-fluorophenyl)-1-(4-methoxyphenyl)prop-2-en-1-one): Advantage of Sonochemical Method Over Conventional Method, *Ultrason. Sonochem.*, 18, 617-623.

Jasril, Teruna, H.Y., Zamri, A., and Alfatos, D., 2012, Sintesis dan Uji Antibakteri Senyawa Bromo Kalkon Piridin, *Jurnal Natur Indonesia.*, 14(3), 172-175.

Ke, H., Sigala, P.A., Miura, K., Morrisey, J.M., Mather, M.W., Crowley, J.R., Henderson, J.P., Goldberg, D.E., Long, C.A., and Vaidya, A.N., 2014, The Heme Biosynthesis Pathway is Essential for *Plasmodium falciparum* Development in Mosquito Stage but Not in Blood, *J. Biol. Chem.*, 289, 34827–34837.

Kumar, S., Bawa, S., Drabu, S., Kumar, R., and Gupta, H., 2009, Biological Activities of Pyrazoline Derivatives - A Recent Development, *Recent Pat. Antiinfect. Drug Discov.*, 4, 154–163.

Kumar, R., Mohanakrishnan, D., Sharma, A., Kaushik, N.K., Kalia, K., Sinha, A.K., and Sahal, D., 2010, Reinvestigation of Structure-Activity Relationship of Methoxylated Chalcones as Antimalarials: Synthesis and Evaluation of 2,4,5-Trimethoxy Substituted Patterns as Lead Candidates Derived From Abundantly Available Natural β -Asarone, *Eur. J. Med. Chem.*, 4, 5292-5301.

Li, J.T., Yang, W.Z., Wang, S.X., Li, S.H. and Li, T.S., 2002, Improved Synthesis of Chalcones under Ultrasound Irradiation, *Ultrason. Sonochem.*, 9, 237-239.

Luche, J.L., 1998, *Synthetic Organic Sonochemistry*, Pleum Press, New York.

Manohar, S., Khan, S.I., and Rawat, D.S., 2010, Synthesis, Antimalarial Activity and Cytotoxicity of 4-aminoquinoline-triazine Conjugates, *Bioorg & Med. Chem. Lett.*, 20, 322-325.

Marella, A., Shaquiquzzaman, M., Verma, G., Faraz, M., and Alam, M.M., 2018, Three-Dimensional Quantitative Structure Activity Relationship Studies of Amino Pyrazolines and Their Schiff Base Derivatives, *J. Pharm. Res.*, 12, 346–350.

Marella, A., Shaquiquzzaman, M., Akhter, M., Verma, G., and Alam, M.M., 2014, Novel Pyrazole-Pyrazoline Hybrids Endowed With Thiomide as Antimalarial Agents: Their Synthesis and 3D-QSAR Studies, *J. Enzyme. Inhib. Med. Chem.*, 1475-6366.

Mishra, V.K., Mishra, M., Kashaw, V., and Kashaw, S.K., 2017, Synthesis of 1,3,5-trisubstitued Pyrazolines as Potential Antimalarial and Antimicrobial Agents, *Bioorg. Med. Chem. Lett.*, 25, 1949-1962.

Neto, A.G. and Lavarda, F.C., 2014, The Correlation Between Electronic Structure and Antimalarial Activity of Alkoxyated and Hydroxylated Chalcones, *Med. Chem. Res.*, 23, 580–586.

- Pandey, S., Agarwal, P., Srivastava, K., Rajakumar, S., Puri, Sunil, K., Verma, P., Saxena, J.K., Sharma, A., Lal, J., and Chauhan, P., 2013, Synthesis and Bioevaluation of Novel 4-aminoquinoline-tetrazole Derivates as Potent Antimalarial Agents, *Eur. J. Med. Chem.*, 66, 69-81.
- Parapini, S., Basilico, N., Pasini, E., Egan, T.J., Olliaro, P., Taramelli, D., and Monti, D., 2000, Standardization of The Physicochemical Parameters to Assess *In Vitro* The β -Hematin Inhibitory Activity of Antimalarial Drugs, *Exp. Parasitol.*, 256, 249–256.
- Pavia, D.L., Lampman, G.M., Kriz, G.S., and Vyvyan, J.R., 2009, *Introduction to Spectroscopy, 4th ed.* Brooks/Cole, United States.
- Pinasti, K.R., 2016, Sintesis N-Asetil Pirazolina Berbahan Dasar 2,4-dihidroksiasetofenon dan *p*-anisaldehida serta Sitotoksitasnya Terhadap Beberapa Sel Kanker, *Skripsi*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Powers, D.G., Casebier, D.S., Fokas, D., Ryan, W.J., Troth, J.R., and Coffen, D.L., 1998, Automated Parallel Synthesis of Chalcone-Based Screening Libraries, *Tetrahedron*, 54, 4085–4096.
- Putra, I.D., 2016, Synthesis of 1-Acetylpyrazoline Derivative from *p*-Anisaldehyde and 4-Hydroxyacetophenone and its Citotoxicity Assay Against Several Cancer Cells, *Undergraduate Thesis*, Chemistry Department FMIPA UGM, Yogyakarta.
- Risfaheri dan Ma'mun, 1998, Karakteristik Minyak Adas, *Warta Tumbuhan Obat Indonesia.*, 4(1), 14-15.
- Sakthinathan, S.P., Vanangamudi, G., and Thirunarayanan, G., 2012, Synthesis, Spectral Studies and Antimicrobial Activities of Some 2-Naphthylpyrazoline Derivatives, *Spectrochim. Acta Part A Mol. Biomol. Spectrosc.*, 95, 693–700.
- Selvakumar, S., Ravichandran, S., Saritha, B., and Bhargavi, T., 2016, Synthesis and Spectral Characterization of N-Phenyl-3-Phenyl-5-Substituted Phenyl Pyrazoline and 4-Phenyl-6-Substituted Phenyl-3-Phenyl-3,4-Dihydro Pyrimidin-2-one Analogue, *Am. J. PharmTech Res.*, 6(6), 353-364.
- Septiana, E., Umaroh, A., Gangga, E., and Simanjuntak, P., 2017, Aktivitas Penghambatan Polimerisasi Heme Ekstrak Daun Sembung (*Blumea balsamifera*) sebagai Antimalaria, *Bul. Littro*, 28, 29–36.
- Sharma, N., Mohanakrishnan, D., and Shard, A., 2012, Stilbene-Chalcone Hybrids: Design, Synthesis, and Evaluation as A New Class of Antimalarial Scaffolds that Trigger Cell Death Through Stage Specific Apoptosis, *J. Med. Chem.*, 55, 297–311.

- Sibley, C.H., 2015, Understanding Artemisinin Resistance, *Science.*, 347, 373–374.
- Sinha, S., Medhi, B., and Sehgal, R., 2013, Chalcones as an Emerging Lead Molecule for Antimalarial Therapy: A Review, *J. Mod. Med. Chem.*, 1, 64–77.
- Suryani, N., Matsjeh, S., and Swasono, R.T., 2019, Synthesis and Heme Polymerization Inhibitory Activity (HPIA) Assay of Chalcone, Flavone and Flavanone Derivatives, *Mater. Sci. Forum*, 948, 109–114.
- Suslick, K. and Price, G., 1999, Application of Ultrasound to Materials Chemistry, *Annu. Rev. Master. Sci.*, 29, 295-326.
- Syahri, J., Yuanita, E., Nurohmah, B.A., Armunanto, R., and Purwono, B., 2017, Chalcone Analogue as Potent Antimalarial Compounds Against *Plasmodium falciparum*: Synthesis, Biological Evaluation, and Docking Simulation Study, *Asian Pac. J. Trop. Biomed.*, 7, 675–679.
- Syam, S., Abdelwahab, S.I., Al-Mamary, M.A., and Mohan, S., 2012, Synthesis of Chalcones with Anticancer Activities, *Molecules*, 17(6), 6179-6195.
- Thirunarayanan, G., Gopalakrishnan, M., and Vanangamudi, G., 2007, IR and NMR Spectral Studies of 4-Bromo-1-Naphthyl Chalcones-Assessment of Substituent Effects, *Spectrochim. Acta Part A*, 67, 1106–1112.
- Thirunarayanan, G. and Sekar, K.G., 2013, Solvent-Free One-Pot Cyclization and Acetylation of Chalcones: Synthesis of Some 1-Acetyl Pyrazoles and Spectral Correlation of 1-(3-(3,4-dimethylphenyl)-5-(substituted phenyl)-4,5-dihydro-1H-pyrazole-1-yl) ethanone, *J. Saudi Chem. Soc.*, 20(6), 661-672.
- Tiwari, B., Pratapwar, A.S., Tapas, A.R., Butle, S.R. and Vatkar, B.S., 2011, Synthesis and Antimicrobial Activity of Some Chalcone Derivatives, *Int. L. Chem. Tec. Res.*, 2(1), 499-503.
- Wanare, G., Aher, R., and Kawathekar, N., 2010, Synthesis of Novel α -pyranochalcones And Pyrazoline Derivatives as *Plasmodium falciparum* Growth Inhibitors, *Bioorg. Med. Chem. Lett.*, 20, 4675–4678.
- Widyawaruyanti, A., Asrory, M., Ekasari, W., Setiawan, D., Radjaram, A., Tumewu, L., and Hafid, A.F., 2014, *In Vivo* Antimalarial Activity of Andrographis Paniculata Tablets, *Procedia Chem.*, 13, 101–104.
- Zhang, Y.K., Plattner, J.J., and Easom., 2017, Benzoxaborole Antimalarial Agents. Part 5. Lead Optimization of Novel Amide Pyrazinyloxy Benzoxaboroles and Identification of A Preclinical Candidate, *J. Med. Chem.*, 60, 5889-5908.
- Zhuang, C., Zhang, W., Sheng, C., Zhang, W., Xing, C., and Miao, Z., 2017, Chalcone: A privileged structure in medicinal chemistry, *Chem. Rev.*, 117, 7762-7810.