

DAFTAR PUSTAKA

- Alberti, M. (2008). Modeling the Urban Ecosystem: A Conceptual Framework. In J. M. Marzluff, E. Shulenberger, W. Endlicher, M. Alberi, G. Bradley, C. Ryan, ... C. ZumBrunnen (Eds.), *Urban Ecology: An International Perspective on the Interaction Between Humans and Nature* (pp. 623–646). New York: Springer US.
- Anderson, J. R., Hardy, E. E., & Roach, J. T. (1976). A Land Use and Land Cover Classification System for Use with Remote Sensor Data.
- As-syakur, A. R., Adnyana, I. W. S., Arthana, I. W., & Nuarsa, I. W. (2012). Enhanced built-UP and bareness index (EBBI) for mapping built-UP and bare land in an urban area. *Remote Sensing*, 4(10), 2957–2970.
- Boegh, E., Poulsen, R. N., Butts, M., Abrahamsen, P., Dellwik, E., Hansen, S., ... Soegaard, H. (2009). Remote sensing based evapotranspiration and runoff modeling of agricultural, forest and urban flux sites in Denmark: From field to macro-scale. *Journal of Hydrology*, 377(3–4), 300–316.
- Bowker, G. C., & Star, S. L. (1999). *Sorting Things Out : Classification and Its Consequences O-262-O2461-6-*. United States of America: Massachusetts Institute of Technology.
- Briner, S., Elkin, C., & Huber, R. (2013). Evaluating the relative impact of climate and economic changes on forest and agricultural ecosystem services in mountain regions. *Journal of Environmental Management*, 129, 414–422.
- Buyadi, S. N. A., Mohd, W. M. N. W., & Misni, A. (2013). Green Spaces Growth Impact on the Urban Microclimate. *Procedia - Social and Behavioral Sciences*, 105, 547–557.
- Campbell, J. ., & Wynne, R. . (2011). *Introduction to Remote Sensing (5th Ed)* (5th ed.). New York: The Guilford Press.
- Campbell J, B., & Wynne, R. H. (2011). *Introduction to Remote Sensing (5th Ed)*. New York: The Guilford Press.
- Caroline, A. H., & Hidayati, I. N. (2016). Pemanfaatan Citra Quickbird dan SIG untuk Pemetaan Tingkat Kenyamanan Permukiman di Kecamatan Semarang Barat dan Kecamatan Semarang Utara. *Majalah Geografi Indonesia*, 30(1), 1–8.
- Ceccato, P., Flasse, S., Tarantola, S., Jacquemoud, S., & Grégoire, J. M. (2001). Detecting vegetation leaf water content using reflectance in the optical domain. *Remote Sensing of Environment*, 77(1), 22–33.
- Chander, G., Markham, B. L., & Helder, D. L. (2009). Summary of current radiometric calibration coefficients for Landsat MSS, TM, ETM+, and EO-1 ALI sensors. *Remote Sensing of Environment*, 113(5), 893–903.
- Chen, L., Zhang, Z., Li, Z., Tang, J., Caldwell, P., & Zhang, W. (2011). Biophysical control of whole tree transpiration under an urban environment in Northern China. *Journal of Hydrology*, 402(3–4), 388–400.
- Chen, X. L., Zhao, H. M., Li, P. X., & Yin, Z. Y. (2006). Remote sensing image-based analysis of the relationship between urban heat island and land use/cover changes. *Remote Sensing of Environment*, 104(2), 133–146.
- Collier, M. J., Nedović-Budić, Z., Aerts, J., Connop, S., Foley, D., Foley, K., ... Verburg, P. (2013). Transitioning to resilience and sustainability in urban communities. *Cities*, 32, S21–S28.
- Dallasega, P., & Sarkis, J. (2018). Resources , Conservation & Recycling Understanding greening supply chains : Proximity analysis can help. *Resources, Conservation & Recycling*, 139(July), 76–77.
- Danoedoro, P. (2012). *Pengantar Pengolahan Citra Digital*. Yogyakarta: Andi Offset.
- Defra. (2013). Conversion Factors for Company Reporting: Methodology Paper for Emission

- Factors. *Defra*, (October), 59. <https://doi.org/v1.2.1> final
- Deilami, K., Kamruzzaman, M., & Liu, Y. (2018). Urban heat island effect: A systematic review of spatio-temporal factors, data, methods, and mitigation measures. *International Journal of Applied Earth Observation and Geoinformation*, 67(December 2017), 30–42.
- Deng, C., & Wu, C. (2012). Remote Sensing of Environment BCI : A biophysical composition index for remote sensing of urban environments. *Remote Sensing of Environment*, 127, 247–259.
- Deng, C., & Wu, C. (2013). Examining the impacts of urban biophysical compositions on surface urban heat island: A spectral unmixing and thermal mixing approach. *Remote Sensing of Environment*, 131, 262–274.
- Digital Globe. (2010). Radiometric Use of WorldView-2 Imagery Technical Note 1 WorldView-2 Instrument Description, (November), 1–17.
- DigitalGlobe. (2014). *Digital Globe 2014 annual report*.
- Doxiadis, C. . (1975). Action for human settlements. *JSTOR*, 40(241).
- ESA. (2015). Sentinel-2 User Handbook (pp. 1–64).
- Fabrigar, L. R., Wegener, D. T., Maccallum, R. C., & Strahan, E. J. (1999). Evaluating the Use of Exploratory Factor Analysis in Psychological Research. *Psychological Methods*, 4(3), 272–299.
- Feyisa, G. L., Meilby, H., Darrel Jenerette, G., & Pauliet, S. (2016). Locally optimized separability enhancement indices for urban land cover mapping: Exploring thermal environmental consequences of rapid urbanization in Addis Ababa, Ethiopia. *Remote Sensing of Environment*, 175, 14–31.
- Feyisa, G. L., Meilby, H., Fensholt, R., & Proud, S. R. (2014). Automated Water Extraction Index: A new technique for surface water mapping using Landsat imagery. *Remote Sensing of Environment*, 140, 23–35.
- Forster, B. (1983). An examination of some problems and solutions in monitoring urban areas from satellite platforms. *International Journal of Remote Sensing*, 139–151.
- Fotheringham, A. S., & Wong, D. W. S. (1991). The Modifiable Areal Unit Problem in Multivariate Statistical Analysis. *Environment and Planning A*, 23(7), 1025–1044.
- Gao, B. C. (1996). NDWI - A normalized difference water index for remote sensing of vegetation liquid water from space. *Remote Sensing of Environment*, 58(3), 257–266.
- Garg, A., Pal, Di., Singh, H., & Pandey, D. C. (2017). A comparative study of NDBI, NDISI and NDII for extraction of urban impervious surface of Dehradun [Uttarakhand, India] using Landsat 8 imagery. *2016 International Conference on Emerging Trends in Communication Technologies, ETCT 2016*, 8–12.
- Gavrilidis, A. A., Ciocănea, C. M., Niță, M. R., Onose, D. A., & Năstase, I. I. (2016). Urban Landscape Quality Index – Planning Tool for Evaluating Urban Landscapes and Improving the Quality of Life. *Procedia Environmental Sciences*, 32, 155–167.
- Guan, X., Huang, C., Liu, G., Meng, X., & Liu, Q. (2016). Mapping rice cropping systems in Vietnam using an NDVI-based time-series similarity measurement based on DTW distance. *Remote Sensing*, 8(1).
- Gudono. (2012). *Analisis Data Multivariat* (2nd ed.). Yogyakarta: BPFE.
- Gunawan, O., Armitage, R. P., & James, P. (2007). *An Urban Environmental Quality index for Salford , Greater Manchester : A disaggregated approach*. Salford.
- Gunderson, L. H., & Holling, C. S. (2004). *Panarchy: understanding transformations in human and natural systems*. (L. H. Gunderson & C. . Holling, Eds.), *Ecological Economics* (Vol. 49). Island Press.
- Guo, G., Wu, Z., Xiao, R., Chen, Y., Liu, X., & Zhang, X. (2015). Impacts of urban biophysical composition on land surface temperature in urban heat island clusters. *Landscape and Urban Planning*, 135, 1–10.

- Gupta, K., Kumar, P., Pathan, S. K., & Sharma, K. P. (2012). Urban Neighborhood Green Index - A measure of green spaces in urban areas. *Landscape and Urban Planning*, 105(3), 325–335.
- Ham, J., Chen, Y., Crawford, M. M., Member, S., Ghosh, J., & Member, S. (2005). Investigation of the Random Forest Framework for Classification of Hyperspectral Data, 43(3), 492–501.
- Hamedianfar, A., & Shafri, H. Z. M. (2015). Detailed intra-urban mapping through transferable OBIA rule sets using WorldView-2 very-high-resolution satellite images. *International Journal of Remote Sensing*, 36(13), 3380–3396.
- Healy, R. E. (2013). Integration of Factor Analysis and GIS in Spatial Modelling of the Dublin Surge Geochemical Data Set.
- Hidayati, I. N. (2010). Pemanfaatan Teori Bukti Dempster-Shaffer Untuk Optimalisasi Penggunaan Lahan Berdasarkan Data Spasial dan Citra Multisumber. *Embriyo*, 7(1), 53–66.
- Hidayati, I. N. (2013). Ekstraksi Data Indeks Vegetasi untuk Evaluasi Ruang Terbuka Hijau berdasarkan Citra ALOS di Kecamatan Ngaglik Kabupaten Sleman Yogyakarta. *Agroteknologi*, 3(2), 27–34.
- Hidayati, I. N., Insan, K., Rahmi, N., & Kristian, G. (2014). Analysis of Image Transformation and Land Use/Land Cover for Temperature Trends on Landsat Imagery. In *Thematic Cartography for the Society* (pp. 275–291).
- Hidayati, I. N., Suharyadi, & Danoedoro, P. (2017). Pemetaan Lahan Terbangun Perkotaan Menggunakan Pendekatan NDBI dan Segmentasi Semi-Automatik. In *Prosiding Seminar Nasional Geografi UMS 2017* (pp. 19–28).
- Hidayati, I. N., Suharyadi, R., & Danodoro, P. (2018). Development of normalized indices for extraction built-up area based on spectral characteristic of worldview-2 imagery. In *ACRS Proceedings: Remote Sensing Enabling Prosperity* (pp. 585–594). Retrieved from <https://acrs2018.mrsa.gov.my/39th-acrs-2018-proceeding/>
- Hidayati, I. N., Suharyadi, R., & Danoedoro, P. (2018a). Developing an Extraction Method of Urban Built-Up Area Based on Remote Sensing Imagery Transformation Index. *Forum Geografi*, 32(1).
- Hidayati, I. N., Suharyadi, R., & Danoedoro, P. (2018b). Exploring Spectral Index Band and Vegetation Indices for Estimating Vegetation Area. *Indonesian Journal of Geography*, 50(2).
- Hidayati, I. N., Suharyadi, R., & Danoedoro, P. (2018c). Kombinasi Indeks Citra untuk Analisis Lahan Terbangun dan Vegetasi Perkotaan. *Majalah Geografi Indonesia*, 32(1), 24–32.
- Hjørland, B., & Pedersen, K. N. (2005). A substantive theory of classification for information retrieval. *Journal of Documentation*, 26(2), 582–597.
- Horning. (2004). *Global Land Vegetation*. NASA Goddard Space Flight Center Earth Sciences Directorate Scientific and Education Endeavors (SEE). Retrieved from http://www.ccpo.odu.edu/SEES/veget/vg_class.htm. dikunjungi pada tanggal 12 Oktober 2017
- Howley, P., Scott, M., & Redmond, D. (2009). Sustainability versus liveability: An investigation of neighbourhood satisfaction. *Journal of Environmental Planning and Management*, 52(6), 847–864.
- Huete, A. R. (1988). A soil-adjusted vegetation index (SAVI). *Remote Sensing of Environment*, 25(3), 295–309.
- Ikatan Arsitek. (2014). *Indonesia Livable City Index 2014*. Jakarta.
- III, H. (2016). *Habitat 3 : New urban agenda*. Quito.
- Imhoff, M. L., Zhang, P., Wolfe, R. E., & Bounoua, L. (2010). Remote sensing of the urban

- heat island effect across biomes in the continental USA. *Remote Sensing of Environment*, 114(3), 504–513.
- Jacqueminet, C., Kermadi, S., Michel, K., Béal, D., Gagnage, M., Branger, F., ... Braud, I. (2013). Land cover mapping using aerial and VHR satellite images for distributed hydrological modelling of periurban catchments: Application to the Yzeron catchment (Lyon, France). *Journal of Hydrology*, 485, 68–83.
- Jawak, S. D., & Luis, A. J. (2013). A Comprehensive Evaluation of PAN-Sharpener Algorithms Coupled with Resampling Methods for Image Synthesis of Very High Resolution Remotely Sensed Satellite Data. *Advances in Remote Sensing*, 2013(December), 332–344.
- Jiao, L., Mao, L., & Liu, Y. (2015). Multi-order Landscape Expansion Index: Characterizing urban expansion dynamics. *Landscape and Urban Planning*, 137, 30–39.
- Jr, J. F. H. J., Black, W. C., Babin, B. J., & Anderson, R. E. (2014). *Multivariate Data Analysis* (Seventh). England: Pearson Education Limited.
- Kaiser, H. (1979). The varimax criterion for analytic rotation in factor analysis. *Psychometrika*, 23(1), 187–200.
- Kamp, I., Leidelmeijer, K., Marsman, G., & de Hollander, A. (2003). Urban environmental quality and human well-being. *Landscape and Urban Planning*, 65(1–2), 5–18.
- Kantzioura, A., Kosmopoulos, P., & Zoras, S. (2012). Urban surface temperature and microclimate measurements in Thessaloniki. *Energy and Buildings*, 44(1), 63–72.
- Kempen, E. van, Fischer, P., Janssen, N., Houthuijs, D., van Kamp, I., Stansfeld, S., & Cassee, F. (2012). Neurobehavioral effects of exposure to traffic-related air pollution and transportation noise in primary schoolchildren. *Environmental Research*, 115, 18–25.
- Kolcaba, K. (2003). *Comfort Theory and Practice: A Vision for Holistic Health*. New York: Springer Publishing Company.
- Kusminingrum, N., & G, G. (2008). Polusi Udara Akibat Aktivitas Kendaraan Bermotor di Jalan Perkotaan Pulau Jawa dan Bali. *Pusat Litbang Jalan Dan Jembatan*, 13. Retrieved from <http://pu.go.id/uploads/services/infopublik20130926120104.pdf>
- Liang, B., & Weng, Q. (2011). Assessing Urban Environmental Quality Change of Indianapolis, United States, by the Remote Sensing and GIS Integration. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, 4(1), 43–55.
- Lingkungan, K., Dan, H., & Indonesia, R. (n.d.). Indonesia.
- Lizarazo, I. (2014). Accuracy assessment of object-based image classification: another STEP. *International Journal of Remote Sensing*, 35(16), 6135–6156.
- Lo, C. P., & Faber, B. J. (1997). Integration of landsat thematic mapper and census data for quality of life assessment. *Remote Sensing of Environment*, 62(2), 143–157.
- Lowe, M., Whitzman, C., Badland, H., Davern, M., Aye, L., Hes, D., ... Giles-Corti, B. (2015). Planning Healthy, Liveable and Sustainable Cities: How Can Indicators Inform Policy? *Urban Policy and Research*, 33(2), 131–144.
- Lu, D., & Weng, Q. (2006a). Spectral mixture analysis of ASTER images for examining the relationship between urban thermal features and biophysical descriptors in Indianapolis, Indiana, USA. *Remote Sensing of Environment*, 104(2), 157–167.
- Lu, D., & Weng, Q. (2006b). Use of impervious surface in urban land-use classification. *Remote Sensing of Environment*, 102(1–2), 146–160.
- Mackey, C. W., Lee, X., & Smith, R. B. (2012). Remotely sensing the cooling effects of city scale efforts to reduce urban heat island. *Building and Environment*, 49(1), 348–358.
- Mallick, J., Rahman, A., & Singh, C. K. (2013). Modeling urban heat islands in heterogeneous land surface and its correlation with impervious surface area by using night-time ASTER satellite data in highly urbanizing city, Delhi-India. *Advances in Space Research*, 52(4), 639–655.

- McFeeters, S. K. (1996). The use of the Normalized Difference Water Index (NDWI) in the delineation of open water features. *International Journal of Remote Sensing*, 17(7), 1425–1432.
- Menteri Lingkungan Hidup. Indeks standar Pencemar Udara (1997). Indonesia.
- Menteri Hukum dan Hak Asasi Manusia. Undang-undang Republik Indonesia No.31 Tahun 2009 tentang Meteorologi, Klimatologi, dan Geofisika (2009). Indonesia.
- Menteri Kesehatan. Keputusan Menteri Kesehatan Nomor 261/MENKES/SK/II/1998 Tentang : Persyaratan Kesehatan Lingkungan Kerja (1998).
- Menteri Kesehatan. Pedoman Penyehatan Udara Dalam Ruang Rumah (2011).
- Menteri Negara Lingkungan Hidup. Baku Tingkat Kebisingan, Menteri Negara Lingkungan Hidup Republik Indonesia 557–565 (1996). <https://doi.org/10.1016/j.jmngm.2005.11.005>
- Midgley, J., & Livermore, M. (1998). Poverty: A persistent global reality. *Journal of Social Policy*, 28(3), 543–575.
- Mirzaei, P. A., & Haghigat, F. (2010). Approaches to study Urban Heat Island - Abilities and limitations. *Building and Environment*, 45(10), 2192–2201.
- Mitraka, Z., Chrysoulakis, N., Kamarianakis, Y., Partsinevelos, P., & Tsouchlaraki, A. (2012). Improving the estimation of urban surface emissivity based on sub-pixel classification of high resolution satellite imagery. *Remote Sensing of Environment*, 117, 125–134.
- Monks, F. ., Koers., A. M. ., & Haditono, S. . (2006). *Psikologi Perkembangan Pengantar dalam berbagai bagiannya*. Yogyakarta: Gadjah Mada University Press.
- Moreira, R. C., & Galvão, L. S. (2010). Variation in spectral shape of urban materials. *Remote Sensing Letters*, 1(No.3), 149–158.
- Morisson. (2012). *Metode Penelitian Survey*. Jakarta: Kencana Prenada Media Group.
- Morton, T. A., & Yuan, F. (2009). Analysis of population dynamics using satellite remote sensing and US census data. *Geocarto International*, 24(2), 143–163.
- Mubareka, S., Koomen, E., Estreguil, C., & Lavallo, C. (2011). Development of a composite index of urban compactness for land use modelling applications. *Landscape and Urban Planning*, 103(3–4), 303–317.
- Nanni, L., Lumini, A., & Brahmam, S. (2010). Local binary patterns variants as texture descriptors for medical image analysis. *Artificial Intelligence in Medicine*, 49(2), 117–125.
- Narayana Reddy, S., & Manikiam, B. (2017). Land Surface Temperature Retrieval from LANDSAT data using Emissivity Estimation. *International Journal of Applied Engineering Research ISSN*, 12(20), 973–4562.
- Nasarudin, N. E. M., & Shafri, H. Z. M. (2011). Development and utilization of urban spectral library for remote sensing of urban environment. *Journal of Urban and Environmental Engineering*, 5(1), 44–56.
- Nichol, J., & Wong, M. S. (2005). Modeling urban environmental quality in a tropical city. *Landscape and Urban Planning*, 73(1), 49–58.
- Openshaw, S. (1989). Modifiable Areal Unit Problem. *Concepts and Techniques in Modern Geography*, 38, 169–174.
- Openshaw, S., & Taylor, P. J. (1979). A million or so correlation coefficients: three experiments on the modifiable areal unit problem. *Statistical Applications in the Spatial Sciences*.
- Pacione, M. (2003). Quality-Of-Life Research in Urban Geography. *Urban Geography*, 24(4), 314–339.
- Pandey, R. U., Garg, Y. K., & Bharat, A. (2010). A Framework for Evaluating Residential Built Environment Performance for Livability. *Institute of Town Planners, India Journal* 7, 7(December), 12–20.
- Parker, D. C., Hessel, A., & Davis, S. C. (2008). Complexity, land-use modeling, and the human

- dimension: Fundamental challenges for mapping unknown outcome spaces. *Geoforum*, 39(2), 789–804.
- Pemerintah Republik Indonesia. Peraturan Pemerintah Republik Indonesia Nomor 66 Tahun 2014 Tentang Kesehatan Lingkungan (2014).
- Pereira, R. H. M., Nadalin, V., Monasterio, L., & Albuquerque, P. H. M. (2013). Urban Centrality: A Simple Index. *Geographical Analysis*, 45(1), 77–89.
- Pettorelli, N., Vik, J. O., Mysterud, A., Gaillard, J., Tucker, C. J., Stenseth, N. C., & Lyon, C. B. (2005). Using the satellite-derived NDVI to assess ecological responses to environmental change. *Trends in Ecology and Evolution*, 20(9), 503–510.
- Pichierri, M., Bonafoni, S., & Biondi, R. (2012). Satellite air temperature estimation for monitoring the canopy layer heat island of Milan. *Remote Sensing of Environment*, 127, 130–138.
- Poupkou, A., Nastos, P., Melas, D., & Zerefos, C. (2011). Climatology of discomfort index and air quality index in a large urban mediterranean agglomeration. *Water, Air, and Soil Pollution*, 222(1–4), 163–183.
- Pradesh, U. (2013). Biophysical linkage with simulation modelling for sustainable land use and agricultural productivity : a case study in western. *Procedia Environmental Sciences*, 18, 818–828.
- Projo Danodeoro. (2012). *Pengantar Penginderaan Jauh Digital*. Yogyakarta: Andi Offset.
- Qiu, D., & Zhang, J. (2011). Urban residential land suitability index system and its comprehensive evaluation - A case study of Wenzhou. *Procedia Engineering*, 21, 439–445.
- Rahardjo, N. (1989). Penggunaan Foto Udara untuk Mengetahui Kualitas Lingkungan Permukiman di Kotamadya Magelang dalam Hubungannya dengan Kondisi Sosial Ekonomi Penghuni. *Tesis*. Universitas Gadjah Mada, Yogyakarta.
- Rajeshwari, A., & Mani, N. D. (2014). Estimation of Land Surface Temperature of Dindigul District Using Landsat 8 Data. *International Journal of Research in Engineering and Technology*, 03(05), 122–126.
- Reid, J. S., Hyer, E. J., Johnson, R. S., Holben, B. N., Yokelson, R. J., Zhang, J., ... Liew, S. C. (2013). Observing and understanding the Southeast Asian aerosol system by remote sensing: An initial review and analysis for the Seven Southeast Asian Studies (7SEAS) program. *Atmospheric Research*, 122, 403–468.
- Richards, J. (2013). *Remote Sensing Digital Image Analysis*. Heidelberg, New York: Springer.
- Roberts, D. A., Quattrochi, D. A., Hulley, G. C., Hook, S. J., & Green, R. O. (2012). Synergies between VSWIR and TIR data for the urban environment: An evaluation of the potential for the Hyperspectral Infrared Imager (HyspIRI) Decadal Survey mission. *Remote Sensing of Environment*, 117(2012), 83–101.
- Rodarmel, Craig, and J. S. (2002). Principal component analysis for hyperspectral image classification. *Surveying and Land Information Science*, 62(2), 115.
- Ruth, M., & Coelho, D. (2007). Understanding and managing the complexity of urban systems under climate change. *Climate Policy*, 7(4), 317–336.
- Ruth, M., & Franklin, R. S. (2014). Livability for all? Conceptual limits and practical implications. *Applied Geography*, 49, 18–23.
- Saaty, T. L. (2008). Decision making with the analytic hierarchy process. *International Journal of Services Sciences*, 1(1), 83–98.
- Salsbury, T. I., & Alcalá, C. F. (2017). A method for setpoint alarming using a normalized index. *Control Engineering Practice*, 60(May 2016), 1–6.
- Salvati, L., Sateriano, A., & Bajocco, S. (2013). To grow or to sprawl? Land Cover Relationships in a Mediterranean City Region and implications for land use management. *Cities*, 30(1), 113–121.

- Sato, N. (2012). Spatial imagery of novel places based on visual scene transformation. *Cognitive Systems Research*, 14(1), 26–36.
- Senanayake, I. P., Welivitiya, W. D. D. P., & Nadeeka, P. M. (2013). Urban green spaces analysis for development planning in Colombo, Sri Lanka, utilizing THEOS satellite imagery - A remote sensing and GIS approach. *Urban Forestry and Urban Greening*, 12(3), 307–314.
- Shrestha, R., & Wynne, R. H. (2012). Estimating biophysical parameters of individual trees in an urban environment using small footprint discrete-return imaging Lidar. *Remote Sensing*, 4(2), 484–508.
- Sinha, P., Verma, N. K., & Ayele, E. (2016). Urban Built-up Area Extraction and Change Detection of Adama Municipal Area using Time-Series Landsat Images. *International Journal of Advanced Remote Sensing and GIS*, 5(8), 1886–1895.
- Smallbone, L. T., Luck, G. W., & Wassens, S. (2011). Anuran species in urban landscapes: Relationships with biophysical, built environment and socio-economic factors. *Landscape and Urban Planning*, 101(1), 43–51.
- Soltani, F., Afzal, P., & Asghari, O. (2014). Delineation of alteration zones based on Sequential Gaussian Simulation and concentration-volume fractal modeling in the hypogene zone of Sungun copper deposit, NW Iran. *Journal of Geochemical Exploration*, 140, 64–76.
- Song, Y., & Wu, C. (2016). Examining the impact of urban biophysical composition and neighboring environment on surface urban heat island effect. *Advances in Space Research*, 57(1), 96–109.
- Souza, L. C. L. de, & Giunta, M. B. (2011). Urban indices as environmental noise indicators. *Computers, Environment and Urban Systems*, 35(5), 421–430.
- Stathopoulou, M., Cartalis, C., & Chrysoulakis, N. (2006). Using midday surface temperature to estimate cooling degree-days from NOAA-AVHRR thermal infrared data: An application for Athens, Greece. *Solar Energy*, 80(4), 414–422.
- Stefanov, W. L., & Netzband, M. (2005). Assessment of ASTER land cover and MODIS NDVI data at multiple scales for ecological characterization of an arid urban center. *Remote Sensing of Environment*, 99(1–2), 31–43.
- Subroto, T. Y. W. (2017). *Sinergi Arsitektur dan Kearifan Budaya untuk Masa Depan Peradaban Nusantara*. Yogyakarta.
- Suharyadi. (2011). Interpretasi Hibrida Citra Satelit Resolusi Spasial Menengah untuk Kajian Densifikasi Bangunan Daerah Perkotaan di Daerah Perkotaan Yogyakarta. *Disertasi*. Fakultas Geografi. Universitas Gadjah Mada
- Suharyadi, Hidayati, I. N., & Cahyono, A. (2010). *Bahan Ajar Penginderaan Jauh untuk Studi Perkotaan*. Yogyakarta.
- Sultana, S. R., Ali, A., Ahmad, A., Mubeen, M., Zia-Ul-Haq, M., Ahmad, S., ... Jaafar, H. Z. E. (2014). Normalized difference vegetation index as a tool for wheat yield estimation: A case study from Faisalabad, Pakistan. *Scientific World Journal*, 2014.
- Susanti, E., & Hidayati, I. N. (2015). Aplikasi Penginderaan Jauh untuk Analisis Pengaruh Ruang Terbuka Hijau Terhadap Iklim Mikro di Kawasan Perkotaan Klaten. *Majalah Geografi Indonesia*, 29(2), 132–138.
- Tan, M. (2016). Use of an inside buffer method to extract the extent of urban areas from DMSP/OLS nighttime light data in North China. *GIScience and Remote Sensing*, 53(4), 444–458.
- Tang, J., & Tang, J. (2013). Linking spatial pattern and biophysical parameters of urban vegetation by multitemporal landsat imagery. *IEEE Geoscience and Remote Sensing Letters*, 10(5), 1263–1267.
- Tatou, R. D., Kabeyene, V. K., & Mboudou, G. E. (2017). Multivariate Statistical Analysis for the Assessment of Hydrogeochemistry of Groundwater in Upper Kambo Watershed (

- Douala-Cameroon). *Journal of Geoscience and Environment Protection*, 5, 252–264.
- Thatcher, M., & Hurley, P. (2010). A customisable downscaling approach for local-scale meteorological and air pollution forecasting: Performance evaluation for a year of urban meteorological forecasts. *Environmental Modelling and Software*, 25(1), 82–92.
- Treitz, P., & Rogan, J. (2004). Remote sensing for mapping and monitoring land-cover and land-use change-an introduction. *Progress in Planning*, 61(4), 269–279.
- Tuson, M., Yap, M., Kok, M. R., Murray, K., Turlach, B., & Whyatt, D. (2019). Incorporating geography into a new generalized theoretical and statistical framework addressing the modifiable areal unit problem. *International Journal of Health Geographics*, 1–15.
- USGS. (2015). *Landsat 8 (L8) data users handbook* (Vol. 8). US.
- Veenhoven, R. (2004). Discussion Paper No . 2004 / 07 Subjective Measures of Well-being Ruut Veenhoven. *Wider Research Paper*, 7(June).
- Viera, A. J., & Garrett, J. M. (2005). Understanding Interobserver Agreement : The Kappa Statistic. *Family Medicine*, 37(5), 360–363.
- Walker, J. J., Beurs, K. M. De, Wynne, R. H., & Gao, F. (2012). Remote Sensing of Environment Evaluation of Landsat and MODIS data fusion products for analysis of dryland forest phenology. *Remote Sensing of Environment*, 117, 381–393.
- Wang, D., Gong, J., & Zhang, L. (2009). Study on interactions between urban extension and urban metro construction in Tianjin built-up area. *Proceedings - International Conference on Management and Service Science, MASS 2009*, 9, 2006–2009.
- Wang, S., Ma, H., & Zhao, Y. (2014). Exploring the relationship between urbanization and the eco-environment - A case study of Beijing-Tianjin-Hebei region. *Ecological Indicators*, 45, 171–183.
- Wang, W., Cheng, H., & Zhang, L. (2012). Poverty assessment using DMSP/OLS night-time light satellite imagery at a provincial scale in China. *Advances in Space Research*, 49(8), 1253–1264.
- Warrens, M. J. (2014). New Interpretations of Cohen ' s Kappa. *Journal of Mathematics*, 2014.
- Weber, C., & Hirsch, J. (1992). Some urban measurements from SPOT data: urban life quality indices. *International Journal of Remote Sensing*, 3251–3261.
- Wei, Y., & Zhang, Z. (2012). Assessing the fragmentation of construction land in urban areas: An index method and case study in Shunde, China. *Land Use Policy*, 29(2), 417–428.
- Weng, Q. (2009). Thermal infrared remote sensing for urban climate and environmental studies: Methods, applications, and trends. *ISPRS Journal of Photogrammetry and Remote Sensing*, 64(4), 335–344.
- Weng, Q. (2012). Remote sensing of impervious surfaces in the urban areas: Requirements, methods, and trends. *Remote Sensing of Environment*, 117, 34–49.
- Weng, Q., Liang, B., & Lu, D. (2007). The Spatial Variability of Urban Land Surface Temperature. In *Urban Remote Sensing Joint Event*. IEEE.
- Weng, Q., & Lu, D. (2008). A sub-pixel analysis of urbanization effect on land surface temperature and its interplay with impervious surface and vegetation coverage in Indianapolis , United States. *International Journal of Applied Earth Observation and Geoinformation*, 10(2008), 68–83.
- Weng, Q., Lu, D., & Schubring, J. (2004). Estimation of land surface temperature-vegetation abundance relationship for urban heat island studies. *Remote Sensing of Environment*, 89(4), 467–483.
- Weng, Q., Quattrochi, D. A., & Carlson, T. N. (2012). Remote sensing of urban environments: Special issue. *Remote Sensing of Environment*, 117, 1–2.
- Wheeler, S. (2001). Livable Communities: Creating Safe and Livable Neighborhoods, Towns, and Regions in California. *Institute of Urban and Regional Development UC Berkeley*, 70.

- Wilbanks, T. J. (2015). Putting “Place” in a multiscale context: Perspectives from the sustainability sciences. *Environmental Science and Policy*, 53, 70–79.
- Wu, Q., Li, H., Wang, R., Paulussen, J., He, Y., Wang, M., ... Wang, Z. (2006). Monitoring and predicting land use change in Beijing using remote sensing and GIS. *Landscape and Urban Planning*, 78(4), 322–333.
- Wulder, M. (1998). Optical remote-sensing techniques for the assessment of forest inventory and biophysical parameters. *Progress in Physical Geography*, 22(4), 449–476.
- Xian, G., & Crane, M. (2006). An analysis of urban thermal characteristics and associated land cover in Tampa Bay and Las Vegas using Landsat satellite data. *Remote Sensing of Environment*, 104(2), 147–156.
- Xie, Q., Wu, Y., Zhou, Z., & Wang, Z. (2018). Remote sensing study of the impact of vegetation on thermal environment in different contexts. *IOP Conference Series: Earth and Environmental Science*, 121(2).
- Xu, H. (2006). Modification of normalised difference water index (NDWI) to enhance open water features in remotely sensed imagery. *International Journal of Remote Sensing*, 27(14), 3025–3033.
- Xu, H. (2010). Analysis of Impervious Surface and its Impact on Urban Heat Environment using the Normalized Difference Impervious Surface Index (NDISI). *Photogrammetric Engineering & Remote Sensing*, 76(5), 557–565. <https://doi.org/10.14358/PERS.76.5.557>
- Xu, H., Wang, X., & Xiao, G. (2000). A Remote Sensing and Gis Integrated Study On Urbanization With Its Impact On Arable Lands : Fuqing City , Fujian Province, China. *Land Degradation and Development*, 11(2000), 301–314.
- Xu, L. Y., Xie, X. D., & Li, S. (2013). Correlation analysis of the urban heat island effect and the spatial and temporal distribution of atmospheric particulates using TM images in Beijing. *Environmental Pollution*, 178, 102–114.
- Xu, W., Wooster, M. J., & Grimmond, C. S. B. (2008). Modelling of urban sensible heat flux at multiple spatial scales: A demonstration using airborne hyperspectral imagery of Shanghai and a temperature-emissivity separation approach. *Remote Sensing of Environment*, 112(9), 3493–3510.
- Yang, J., Zhao, L., McBride, J., & Gong, P. (2009). Can you see green? Assessing the visibility of urban forests in cities. *Landscape and Urban Planning*, 91(2), 97–104.
- Yang, X., & Liu, Z. (2005). Use of satellite-derived landscape imperviousness index to characterize urban spatial growth. *Computers, Environment and Urban Systems*, 29(5 SPEC. ISS.), 524–540.
- Yuan, F., & Bauer, M. E. (2007). Comparison of impervious surface area and normalized difference vegetation index as indicators of surface urban heat island effects in Landsat imagery. *Remote Sensing of Environment*, 106(3), 375–386.
- Yunus, H. S. (2004). *Perubahan Penggunaan Lahan di Daerah Pinggiran Kota: Kasus di Pinggiran Kota Yogyakarta*. Yogyakarta : Universitas Gadjah Mada.
- Zha, Y., Gao, J., & Ni, S. (2003). Use of normalized difference built-up index in automatically mapping urban areas from TM imagery. *International Journal of Remote Sensing*, 24(3), 583–594.
- Zhang, X. X., Wu, P. F., & Chen, B. (2010). Relationship between vegetation greenness and urban heat island effect in Beijing City of China. *Procedia Environmental Sciences*, 2, 1438–1450.