

DAFTAR PUSTAKA

- Agullo, E., Rodriguez, M.S., Ramos, V. and Albertengo, L., 2003, Present and future role of chitin and chitosan in food, *J. Macromol. Biosci*, 3(10): 521530
- Ahmed, M.K., M.P McLeod., Nezivar, J. and Giuliani, A.W., 2010, Fourier Transform Infrared and Near-Infrared spectroscopic methods for the detection of toxic DEG contaminant in glycerin based cough syrup, *J. Food*, 10.3233/SPE-0482
- Alhosseini, S.N., Moztafzadeh, F. Mozafari, M., Asgari, S., Dodel, M., Samadikuchaksaraei, A., Kargozar, S. and Jalali, N., 2012, Synthesis and characterization of electrospun polyvinyl alcohol nanofibrous scaffolds modified by blending with chitosan for neural tissue engineering, *Int. J. Nanomed.*, 4(7): 25-34
- Bardosono, S., 2014, Bahaya dibalik Kemasan Plastik, <http://nasional.kompas.com/read/2008/12/12/11412071/bahaya.di.balik.kemasan.plastik>, 23 Mei, diakses 10 Oktober 2016
- Binda, M., 2011, Organic Electronics : Principles, devices and applications, Milano, November 15-18
- Bonilla, J., Fortunati, E., Atares, L., Chiralt, A. and Kenny, J.M., 2013, Physical, Structural and antimicrobial properties of poly vinyl alcohol-chitosan biodegradable films, *Food Hydro*, 35 : 463-470
- Bourtoom, T and M.S Chinnan. 2008, Preparation and Properties of Rice StrarchChitosan Blend Biodegradable Film, *J. Food Science and Technology*, 41:1633-1641
- Campbell, N.A., Reece, J.B. and Mitchell, M.G., 2002, *Biology*, Jakarta : Erlangga. pp: 97-105
- Chen, R.H and H.D Hwa. 1996, Effect of molecular weight of chitosan with the same degree of deacetylation on the thermal, mechanical, and permeability properties of ther prepared membrae, *J. Carbohydr. Polym*, 29 : 353 – 358
- Cheung, M.K., Wan, K.P.Y. and Yu, P.H., 2002, Miscibility and Morphology of Chiral semicrystalline poly –(R)-(3-hydroxylbutyrate)/chitosan and poly-(R)(3-hydroxybuttyrate-co-3-hidroxyvalerate)/chitosan blends studied with DSC, 1H T1 and T1r CRAMPS , *J. Appl. Polym. Sci*, 86 : 1253 – 1258
- Dutta, P.K., Tripathi, S., Mehrota G.K. and Dutta, J., 2009, Perspectives for chitosan based antimicrobial film in food applications, *J. Food Chem*, 114:1173-1182
- Doi, M., 1995, *Introduction to Polymer Physics*, Departement of Applied Physics Nagoya University, Japan

- Gohil, J.M., Bhattacharya, A. and Ray, P., 2006, Studies On The Crosslinking of Poly (Vinyl Alcohol), *J. Polym. Res*, 13:161
- Gyliene, O., Razmute, I., Tarozaitė, R. And Nivinskiene, O., 2003, Chemical Composition and Softening Properties of Chitosan Produced from Fly larva Shells, *Chemija (Vilnius)*, T.14 Nr, 3:121-127
- Hajji, S., Chaker, A., Jridi, M., Maalej, H., Jellouli, K., Boufi, S. and Nasri, M., 2016, Structural analysis, and antioxidant and antibacterial properties of chitosanpoly(vinyl alcohol) biodegradable film, *J. Environ. Sci. Pollut. Res*, 23:15310-15320
- Hebra, A.J., 2010, *The Physics of Metrology*. Springer-verlag/wien : New York. 93-94
- Hernandez-Munoz, P., Almenar, E., Ocio, M.J. and Gavara, R., 2005, Effect of Calcium Dips and Chitosan Coatings on Postharvest Life of Strawberries (*Fragaria ananassa*), *Postharvest Biology and Technology*, 39:247-253
- Hernandez-Munoz, P., Almenar, E., Valle, V.D., Velez, D. and Gavara, R., 2008, Effect of chitosan coating combined with postharvest calcium treatment on strawberry (*Fragaria-ananassa*) quality during refrigerated storage, *J. Food Chem*, 110:428-435
- Hosford, W.W., 1993, "Metal Forming, Mechanics & Metallurgy", second edition, printice-hill, inc., New Jersey
- Huacai, G., Wan, P., and Dengke, L., 2006, Graft Copolymerization of Chitosan with Acrylic Acid under Microwave Irradiation and its Water Absorbency, *J.Carbohydr. Polym.*, 66 : 372
- Huang, J., Chen, Q., Qiu, M. and Li, S., 2012, Chitosan-based Edible Coatings for Quality Preservation of Postharvest Whiteleg Shrimp (*Litopenaeus vannamei*), *J. Food Sci.* 77
- Jahan, F and Mathad, R.D., 2016, Mechanical studies on chitosan/PVA blend with calcium chloride as ionic crosslinker, *J.Advance Sci. Eng. Tech*, 4(4) : 31–34
- Jayakumar, R., Prabahara, M., Nair, S.V., Tokura, S., Tamura, H. and Selvamurungan, N., 2010, Novel carboxymethyl derivatives of chitin and chitosan materials and their biomedical application, *Prog. Mater Sc*, 55:5100-5108
- Jiang, Y., Li, Y., Chai, Z., Leng, X., 2010, Study of the physical properties of whey protein isolate and gelatin and gelatin composite films, *J. Agric Food Chem*. 58:5100-5109
- Khan, T.A., Peh, K.K. dan Chang, H.S., 2001, Reporting Degree of Deacetylation Values of Chitosan; The Influence of Analytical Methods, *J. Pharm. Sci.* Vol 5 (3) : 205-212

- Kržan, A., 2012, Biodegradable Polymer and Plastic, Innovative Value Chain Development for Sustainable Plastic in Central Europe PLASTiCE, Mei 2012 Chitosan/PVA blend in 2% Aqueous Acetic Acid Solution at 30°C, *J. Carbohydr. Polym.*, 82:251 – 255
- Mahdavinia, G.R., Purjavadi, A., Hosseinzadeh, H. dan Zohuriaan, M.J., 2004, Modified chitosan 4. Superabsorbent Hydrogels from poly (acrylic acid-coacrylamide) grafted Chitosan with Salt and PH Responsiveness Properties, *J.Eur. Polym.*, 40(7) : 1399 – 1407
- Matsumura, S., Tomizawa, N., Toki, A., Nishikawa, K. dan Toshima, K., 1999, Novelpoly (vinyl alcohol)-degrading enzyme and the degradation mechanism, *J. Macromolecules*, 32(23), 7753-7761
- Nath, D. C. D., Bandyopadhyay, S., Bouhton, P., Yu, A., Blackburn, D., White, C., 2010, High-strength biodegradable poly(vinyl alcohol)/fly ash composite film, *J. Appl. Polym. Sci.* 117(1):114-121
- Nurmiah, M., 2002, Penelitian Sifat Berbagai Bahan Kemasan Plastik dan Kertas serta Pengaruhnya Terhadap Bahan yang Dikemas, Universitas Sumatera Utara.
- Paranhos, C.M., Soares, B.G., Oliveira, R.N., and Pessan, L.A., 2007, Poly (vinyl alcohol) / Clay-based Nanocomposite Hydrogels :Swelling Behavior and Characterization, *J. Macromol.*, doi : 10.1002/mame.200700004, 620-626
- Pavlat, A.E., Gossett, C., Camirand, W. and Robertson, G.H., 1999, Ionomeric films of alginic acid. *J. Food Sci.* 64: 61-63
- Prabowo, H. Y., 2015, Sampah Surabaya 2.000 Ton Tiap Hari, Hanya 500 Ton Diolah, <http://surabaya.tribunnews.com/2015/05/11/sampah-surabaya-2000-ton-tiap-hari-hanya-500-ton-diolah> 11 Mei, diakses 2 November 2016
- Pratiwi, T.D., 2015, Ekstraksi dan Karakterisasi refined iota carrageenan dari rumput laut merah (*Eucheuma denticulatum*) untuk membuat edible film dengan variasi konsentrasi kalsium klorida dan plastisizer, Skripsi : Universitas Sebelas Maret.
- Purnawan, C., Aprilita, N.H. and Sugiharto, E., 2008, *naskah publikasi* : Kitosan dari cangkang udang dan aplikasi kitosan sebagai bahan antibakteri pada kain katun, Yogyakarta : Universitas Gadjah Mada
- Qiu, X., Chen, S., Liu, G. and Yang, Q., 2014, Quality enhancement in the Japanese sea bass (*Lateolabrax japonicas*) fillets stored at 4°C by chitosan coating incorporated with citric acid or licorice extract, *J. Food Chem.*, 162:156-160
- Rahmawati, I.S., Hastuti, E.D. and Darmanti S., 2011, Pengaruh Perlakuan Konsentrasi Kalsium Klorida (CaCl₂) dan Lama Penyimpanan terhadap Kadar Asam Askorbat Buah Tomat (*Lycopersicon esculentum* Mill.), *Buletin Anatomi dan Fisiologi*, 19(1) : Maret 2011

- Ramezani, Z., Zarei, M. and Raminnajed, N., 2015, Comparing the effectiveness of chitosan and nanochitosan coating on the quality of refrigerated silver carp fillets, *J. Food control*, 51:43-48
- Ren, D.C., In, P. and Qin, L., 2012, Effect of mixture of plasticizer on properties of PVA films, *J. mat. Eng.*, 6: 87 – 90
- Rhim, J.W., Gennadios A., Weller, C.L., Cezeirat, C. and Hanna, M.A., 1998, Soy protein-dialdehyde strach film, *Lebensm Wiss Tech.*, 32:129–133
- Rhim, J.W. and Weller, C.L., 2000, Properties of Formaldehyde Adsorbed Soy Protein Isolate Films. *Food Sci. Biotechnol.* 9: 228-233
- Rhim, J.W., 2004, Physical and Mechanical properties of Water Resistant Sodium Alginate Films, *Lebensm. Wiss. Technol.*, 37: 323-330
- Rhim, J.W., dan Lee J.H., 2004, Effect of CaCl₂ Treatment on Mechanical and Moisture Barrier Properties of Sodium Alginate and Soy Protein-based Films, *J. Food Sci. Biotechnol.*, 13(6) : 728 – 732
- Samatha, 2014, Kota San Fransisco Larang Air Kemasan, <http://nationalgeographic.co.id/berita/2014/03/kota-san-francisco-larangair-kemasan>, Maret, diakses 10 Oktober 2016
- Scalia, J., Benson, C.H. and Edil, T.B., 2013, Bentonite-polyacrylate nanocomposites containment of aggressive liquids, proceedings of the 5th International Young Geotechnical Engineers Conference – 5th iYGEC 2013, doi : 10.3233/978-161499-297-4-63
- Settle, F., 1997, *Handbook of Instrumental Techniques for Analytical Chemistry*, Prentice-Hall Inc., New Jersey
- Shakeel, A., Ahmad, M., and Ikram, S., 2014, Chitosan : A Natural Antimicrobial Agent-A Review, *J. Appl. Chem.*, 3(2), 493-503
- Sun, T., Xu, P.X., Liu, Q., Xue, J., and Xie, W.M., 2003, Graft Copolymerization of Methacrylic Acid onto Carboxymethyl Chitosan, *J.Eur. Polym. Sci.*, 39 : 189 – 192
- Surono, I., 2014, Kenali Bahaya Kemasan Plastik, <http://foodtech.binus.ac.id/2014/09/08/kenali-bahaya-kemasan-plastik>, 8 September, diakses 10 Oktober 2016
- Suyatma, N.E., Copinet, A., Tighzert, L. and Coma, V., 2004, Mechanical and Barrier Properties of Biodegradable Films made from Chitosan and Poly (Lactic Acid) blends , *J. Polym. Env.*, 12(1) : 1 - 6
- The Soap and Getergent Association (SDA), 1990, Glycerine : an Overview, New York

- Tripathi, S., Mehrota, G.K. and Dutta P.K., 2010, Preparation and physicochemical evaluation of chitosan/poly (vynil alcohol)/pectin ternary film for foodpackaging applications, *J.Carbohydr. Polim.*, 79:711-716
- Wahyuni, T., 2015, Jenis Sampah dan Lama Proses Penghancurannya, <http://m.cnnindonesia.com/gaya-hidup/20150314083106-255-39061/jenissampah-dan-lama-proses-penghancurannya/#>, 14 Maret 2015, diakses 27 Desember 2016
- Wang, Y., Liu, L., Zhou, J., Ruan, X., Lin, J. and Fu, L., 2014, effect of chitosan nanoparticle coating on the quality changes of postharvest whiteleg shrimp *Litopenaeus vannamei* during storage at 4°C, *J.Food BioprocessTech.*, 8:907915
- Wang, Z., and Pan, Z., 2015, Preparation of hierarchical structured nano-sized/porous poly(lacticacid) composite fibrous membranes for air filtration, *J.Applied Surface Science* 356 (2015) 1168-1179
- Wirawan, S.K., Prasetya, A. and Ernie, 2012, Pengaruh plasticizer pada karakteristik edible film dari pektin, *J. Reaktor*, 14(1) : 61 – 67
- Xu, G., Zhang, S., Zhang, Q., Gong, L., Dai, H. dan Lin, Y., 2016, Magnetic functionalized electrospun nanofibers for magneticallycontrolled ultrasensitive label-free electrochemiluminescent immunedetection of aflatoxin B1, *J.Sensor and Actuator B22* (2016) 707-713
- Yalpani, M., and Hall, L.D., 1984, Some Chemical and Analytical Aspect of Polysaccharide Modification : Formation of Branched-Chain, Soluble Chitosan Derivatives, *J.Macromol.*, 17 (13) : 272 – 281
- Yamada K., Chen T., Kumar G., Vesnovsky O., Timmie L.D. and Payne G.F., 2000, Chitosan based Water-Resistant Adhesive : Analogy to Mussel Glue, *J. Biomacromol.*, 2000,1(2): 252 – 258
- You, J.P., Ying, B.C., Hong, H.L. and Hong, Z.Y., 2014, Properties of Poly(vynil alcohol) Plasticized by Glycerin, *J. Forest Product and Industries*, 3(3) 23254513
- Yu, Q., Song, Y., Shi, X., Xu,C. and Bin, Y., 2011, Preparation and properties of chitosan derivative /poly (vynil alcohol) blend film crosslinked with glutaraldehyde, *J. Carbohydr. Polim.*, 84:465-470



UNIVERSITAS
GADJAH MADA

**KARAKTERISTIK SWELLING LAPISAN TIPIS PVA/KITOSAN BERAT MOLEKUL RENDAH PADA
BERBAGAI KONDISI LARUTAN**

NAFIQA KUSUMA PUTRI, Ari Dwi Nugraheni, S.Si., M.Si.

Universitas Gadjah Mada, 2019 | Diunduh dari <http://etd.repository.ugm.ac.id/>