

DAFTAR PUSTAKA

- Acora, R., Irigoyen, J.J., Draz, M.S. 2001. Photosynthetic characteristic and protective mechanism against oxidative stress during chilling and subsequent recovery in two maize varieties differing in chilling sensitivity. *Plant Science* 161: 719-726
- Afza, H. 2016. Peran konservasi dan karakterisasi plasma nutfah padi beras merah dalam pemuliaan tanaman. *Jurnal Litbang Pertanian* 35(3): 143-153
- Agarwal, M. K. and Zhu, J-K., 2005. *Integration of abiotic stress signaling pathways*. In M. Jenks and M. Hasegawa (Eds). *Plant abiotic stress*. Blackwell Publisher. pp. 215-237
- Ahmad, P. 2014. *Oxidative damage to plants: antioxidant networks and signaling*. Elsevier Science, Academic Press, Amsterdam, p 672. ISBN 9780128004609.
- Alscher, R.G., Erturk, N., Heath, L.S. 2002. Role of superoxide dismutases (SODs) in controlling oxidative stress in plants. *J Exp Bot* 53:1331–1341
- Andoko, A. 2002. *Budidaya Padi Secara Organik*. Penebar Swadaya. Jakarta. pp 1-20.
- Apel, K., and Hirt, H. 2004. Reactive oxygen species metabolism, oxidative stress, and signal transduction. *Plant Biol* 55:373-399.
- Arora, A., Sairam, R. K., Srivastava, G. C. 2002. Oxidative stress and antioxidative system in plants. *Curr. Sci.* 82: 1221-1235.
- Asada, K. 1992. Ascorbate peroxidase - A hydrogen peroxide-scavenging enzyme in plants. *Physiol Plantarum*. 85:235-241.
- Asada, K. 1999. The water-water cycle in chloroplast: scavenging of active oxygen and dissipation of excess photons. *A. Rev Plant Physiol. Plant Mol, Biol* 50:601-639.
- Asamarai, A. M., Addis, P. B., Epley, R. J., and Krick, T. P. 1996. Wild rice hull antioxidants. *J. Agric. Food Chem.* 44:126–130.
- Badan Penelitian dan Pengembangan Departemen Pertanian. 2009. Morfologi dan Fisiologi Tanaman Padi. [25 Februari 2019]. www.Litbag.deptan.go.id/special/padi/bbpadi_2009_itkp_11.pdf.

- Badan Pusat Statistik (BPS). 2018. *Berita Resmi Statistik : Luas Panen dan Produksi Padi di Indonesia 2018*. Badan Pusat Statistik. p. 1-12
- Bates, L. S. 1973. Rapid Determination of Free Proline for Water-Stress Studies. *Plant Soil*. 39:205-207.
- Bergmeyer, N. 1970. *Methoden der enzymatischen Analyse, vol. 1*. Akademie Verlag, Berlin, 636–647.
- Berkowitz, G. A. 1998. Water and Salt Stress. In: Raghavendra AS (ed). *Photosynthesis: A Comprehensive Treatise*. Cambridge : Cambridge University Pr. p. 226-237.
- Bhattacharjee, S. 2005. Reactive oxygen species and oxidative burst: Roles in stress, senescence and signal transduction in plants *Current Scienc. Current Science*. 89 (7).
- Bhattacharjee, S. 2010. *Sites of generation and physicochemical basis of formation of reactive oxygen species in plant cell*. In: GUPTA, S.D. *Reactive oxygen species and antioxidants in higher plants*. Enfield: Science Publishers. p.1-30.
- Bimpong, I. K., Serraj, R., Chim, J. H., Mendoza, E. M. T., Hernandez, J., Mendioro, M. S. 2011. Determination of genetic variability for physiological traits related to drought tolerance in African rice (*Oryza glaberrima*). *Journal of Plant Breeding and Crop Science*. 3(4): 60-67
- Bindi, M., Bellesi, S., Orlandini, S., Fibbi, F., Moriondo, M., Sinclair, T. R. 2005. Influence of water deficit stress on leaf area development and transpiration of Sangiovese grapevines grown in pots. *American Journal of Enology and Viticulture* 56: 68-72
- Birben, E., Sahiner, U. M., Sackesen, C., Erzurum, S., Kalayci, O. 2011. Oxidative stress and antioxidant defense. *World Allergy Organ J*. 5(1): 9-19.
- Bindi, M., Bellesi, S., Orlandini, S., Fibbi, F., Moriondo, M. Sinclair, T.R. 2005. Influence of water deficit stress on leaf area development and transpiration of Sangiovese grapevines grown in pots. *American Journal of Enology and Viticulture* 56: 68-72.

- Bosch, M., and Alegre, L. 2002. The function of tocopherols and tocotrienols in plant. *Crit. Rev. Plant. Sci.* 21: 31-57.
- Bouman, B. A. M., Lampayan, R. M., and Toung, T. P. 2007. *Water management in Irrigated Rice: Coping with Water Scarcity*. Los Banos, Philippines: International Rice Research Institute.
- Bray, E. A., Bailey-Serres, J., Weretilnyk, E. 2000. Responses to abiotic stresses. In: Gruissem W, Buchannan B, Jones R. *Biochemistry and Molecular Biology of Plants*. Maryland, USA: American Society of Plant Physiologists: 1158–1249.
- Cabuslay, G. S., Ito, O., Alejal, A. A. 2002. Physiological evaluation of responses of rice (*Oryza sativa* L.) to water deficit. *Plant Sci*, 163(4): 815–827.
- Centritto, M., Lauteri, M., Monteverdi, M. C., Serraj, R. 2009. Leaf gas exchange, carbon isotope discrimination, and grain yield in contrasting rice genotypes subjected to water deficits during the reproductive stage. *J Exp Bot*, 60(8): 2325–2339.
- Chaudhary, R.C. 2003. Specialty rices of the world: Effect of WTO and IPR on its production trend and marketing. *J. Food Agric. Environ.* 1(2): 34–41.
- Cha-um, S., Yooyongwech, S., Supaibulwatana, K. 2010. Water deficit stress in the reproductive stage of four indica rice (*Oryza sativa* L.) genotypes. *Pak J Bot*, 42(5): 3387–3398.
- Chen, Q., Ling, W. H., Ma, J., and Mei, J. 2000. Effects of black and red rice on the formation of aortic plaques and blood lipids in rabbits. *J. Hyg. Res.* 29:170–172.
- Chung, H. S. and Woo, W. S. 2001. A quinolone alkaloid with antioxidant activity from the aleurone layer of anthocyanin-pigmented rice. *J. Nat. Prod.* 64:1579–1580.
- Dai, H. P., Zhang, P. P., Lu, C., Jia, G. L., Song, H., Ren, X. M., *et al.* 2011. Leaf senescence and reactive oxygen species metabolism of broomcorn millet (*Panicum miliaceum* L.) under drought condition. *Aust. J. Crop Sci.* 5, 1655–1660.
- De Datta, S. K. 1981. *Principles and practices of rice production*. New York: John Willey and Sons. p. 618

- De Guzman. 2012. Specific patterns of genetic diversity among aromatic rice varieties in Myanmar. Khin Myo Myint et al. *Rice Journal* 5(20): 1–13.
- De Pinto, M. C., Locato, V., Sgobba, A., Romero-Puertas, M. D. C., Gadaleta, C., Delledonne, M., de Gara, L. 2013. S-nitrosylation of ascorbate peroxidase is part of programmed cell death signaling in tobacco Bright Yellow-2 cells. *Plant Physiol.* 163. 1766–1775.
- del Río, L. A. and Corpas F. J., Sandalio, L. M., Palma, J. M., Gomez, J. B., and Baroso, M. 2002. Reactive oxygen species, antioxidative system and nitric oxide in peroxisomes. *J Exp Bot.* 53: 1255-1272.
- Faize M, Burgos L, Faize L. 2011. Involvement of cytosolic ascorbate peroxidase and Cu/Zn-superoxide dismutase for improved tolerance against drought. *Journal of Experimental Botany* 62: 2599–2613
- Farooq, M. A., Saqib, F. A., and Akhtar, J. 2015. Silicon-mediated oxidative tolerance and genetic variability in rice (*Oryza sativa* L.) grown combined stress of salinity and boron toxicity. *Turk J Agric For* 39:1-12
- Finocchiaro, F., Ferrari, B., and Gianinetti, A. 2010. A study of biodiversity of flavonoid content in the rice caryopsis evidencing simultaneous accumulation of anthocyanins and proanthocyanidins in a black-grained genotype. *J. Cereal Sci.* 51:28–34.
- Foyer, C. H. and Noctor, G. 2003 Redox regulation in photosynthetic organism signaling, acclimation, and practical implications, *Anti & Redox Signal* 4: 861-889
- Foyer, C. H. and Noctor, G. 2005. Redox homeostasis and antioxidant signaling: A metabolic interface between stress perception and physiological responses. *Plant Cell.* 17:1866-1875.
- Fridovich, I. 1995. Superoxide and superoxide dismutase. *Ann. Rev. Biochem.* 64:97-112
- Fridovich, I. 1997. Superoxide anion radical ($O_2^{\bullet-}$), superoxide dismutases, and related matters. *J. Biol. Chem.* 272: 18515–18517. <https://doi.org/10.1074/jbc.272.30.18515>

- Gana, A. S. 2011. Screening and resistance of traditional and improved cultivars of rice to drought stress at Badeggi, Niger State, Nigeria. *Agric Biol J North Am*, 2(6): 1027–1031.
- Gholipoor, M., Sinclair, T. R., Prasad, P. V. V. 2012. Genotypic variation within sorghum for transpiration response to drying soil. *Plant Soil*. 357: 35-40.
- Gill, S. S., and Tuteja, N. 2010. Reactive oxygen species and antioxidant machinery in abiotic stress tolerance in crop plants. *Plant Physiol. Biochem*. 48, 909–930. doi: 10.1016/j.plaphy.2010.08.016
- Goffman, F. D. and Bergman, C. J. 2004. Rice kernel phenolic content and its relationship with antiradical efficiency. *J. Sci. Food Agric*. 84:1235–1240.
- Grist, D. H. 1965. Rice. Fourth Edition. London : Longman Group Limited. p.548
- Guo, Z., Ou, W., Lu, S., Zhong, Q. 2006. Differential response antioxidative system to chilling and drought in for rice cultivars differeing in sensivity. *Plant Physiol Biochem*. 43: 828-836.
- Ha, P. P. T. 2014. Physiological responses of rice seedlings under drought stress. *J Sci Devel*. 12(5): 635-640.
- Hale, M.G., and Orcutt, D. M. 1987. *The Physiology of Plants under Stress*. New York : John Wiley and Sons. p. 604
- Halliwel, I. B. 2006. Reactive species and antioxidants. Redox biology is a fundamental theme of aerobic life. *Plant physiology*, 141(2), 312-22.
- Hamim. 2004. Underlying drought stress effects on plants: inhibition of photosynthesis. *Hayati*. 11:164-169
- Hanum. 2008. *Teknik Budidaya Tanaman Padi*. Direktorat Pembinaan Sekolah Menengah Kejuruan. Departemen Pendidikan Nasional. p. 330
- He. H., Serraj, R., Yang, Q. 2009. Changes in OsXTH gene expression, ABA content, and peduncle elongation in rice subjected to drought at the reproductive phases of upland rice cultivars. *Sci. Agric*. 68: 24-30.
- Hu, C., Zawistowski, J., Ling, W., Kitts, D. D. 2003. Black rice (*Oryza sativa* L. indica) pigmented fraction suppresses both reactive oxygen species and nitric oxide in chemical and biological model systems. *J. Agric. Food Chem*. 51:5271–5277

- Ichikawa, H., Ichiyanagi, T., Xu, B., Yoshii, Y., Nakajima, M., Konishi, T. 2001. Antioxidant activity of anthocyanin extract from purple black rice. *J. Med. Food* 4:211–218.
- Jaleel, C. A., Manivannan, P., Wahid, A., Farooq, M., Somasundaram, R., and Panneerselvam, R. 2009. Drought stress in plants: a review on morphological characteristics and pigments composition. *Int. J. Agric. Biol.* 11:100-105.
- Ji, K. X., Wang, Y. Y., Sun, W. N., Lou, Q. J., Mei, H. W., Shen, S. H., Chen, H. 2012. Drought-responsive mechanisms in rice genotypes with contrasting drought tolerance during reproductive stage. *J PlantPhysiol*, 169(4): 336–344.
- Kennedy, G., Burlingame, B., Nguyen, N. 2002. Nutrient impact assessment of rice in major rice-consuming countries. *International Rice Commission Newsletter*. 51. 33-42.
- Kumbhar, S. D., Kulwal, P. L., Patil, J. V., Sarawate, C. D., Gaikwad, A. P., Jadhav, A. S. 2015. Genetic diversity and population structure in landraces and improved rice varieties from India. *Rice Sci*, 22(3): 99–107
- Kumar, A., Basu, S., Ramegowda, V., Pereira, A. 2017. *Mechanisms of drought tolerance in rice. Achieving sustainable cultivation of rice*. Vol. 1. University of Arkansas. p.131-163 10.19103/AS.2106.0003.08.
- Kumar, S., Dwivedi, S. K., Singh, S. S., Bhatt, B. P., Mehta, P., Elanchezhian, R., Singh, V. P., Singh, O. N. 2014. Morphophysiological traits associated with reproductive stage drought tolerance of rice (*Oryza sativa* L.) genotypes under rain-fed condition of eastern Indo-Gangetic Plain. *Ind J Plant Physiol*, 19(2): 87–93.
- Lafitte, R. 2003. *Managing water for controlled drought in breeding plots*. In K.S. Fischer R, S Lafitte, G Fukai, Atlin and B Hardy. *Breeding Rice for Drought-Prone Environments*. International Rice Research Institute. Los Banos. p.23-26.
- Lee, H. J., Oh, S. K., Choi, H. C., and Kim, S. U. 1988. Identification of anthocyanins from pigmented rice seed. *Agric. Chem. Bio. Technol.* 41: 257–262

- Lee, S. C., Kim, J. H., Jeong, S. M., Kim, D. R., Ha, J. U., Nam, K. C., and Ahn, D. U. 2003. Effect of far infrared radiation on the antioxidant activity of rice hulls. *J. Agric. Food Chem.* 51:4400–4403.
- Li, C., Bai, T., Maa, F., Hana, M. 2008. Hypoxia tolerance and adaptation of anaerobic respiration to hypoxia stress in two *Malus* species. *Sci Hortic* 124:274–279
- Ling, W. H., Cheng, Q. X., Ma, J., and Wang, T. 2001. Red or black rice decrease atherosclerotic plaque and increase antioxidant status in rabbits. *J. Nutr.* 131:1421–1426.
- Ma, J., Chen, W. X., and Ling, W. H. 2000. The health efficacy of red rice and black rice. *J. Food Sci.* 21:139–140.
- Maisura, Chozin, M. A., Lubis, I., Junaedinand, A., Ehara, H. 2014. Some physiological character responses of rice under drought conditions in a paddy system. *J Int Soc Southeast Asian Agric Sci*, 20(1): 104–114.
- Manurung, S.D., dan Ismunadji, M. 1988. *Morfologi dan Fisiologi Padi*. Bogor. Pusat Penelitian dan Pengembangan Tanaman Pangan. p. 55-102.
- Marklund, S., and Marklund, G. 1974. Involvement of the superoxide anion radical in the autoxidation of pyrogallol and convenient assay for superoxide dismuase. *Eur J Biochem.* 47 (3): 469-474.
- Matsumoto, H., Nakamura, Y., Tachibanaki, S., Kawamura, S., and Hirayama, M. 2003. Stimulatory effect of cyanidin 3-glycosides on the regeneration of rhodopsin. *J. Agric. Food Chem.* 51:3560–3563.
- Menezes-Benavente, L., Kernodle, S.P., Margis-Pinheiro, M., Scandalios, J.G. 2004) Salt-induced antioxidant metabolism defenses in maize (*Zea mays* L.) seedlings. *Redox Rep* 9:29–36.
- Min, B., Chen, M. H., and Green, B. W. 2009. Antioxidant activities of purple rice bran extract and its effect on the quality of low-NaCl, phosphate free patties made from channel catfish (*Ictalurus punctatus*) belly flap meat. *J. Food Sci.* 74:268–277.
- Miller G., Schlauch K., Tam R., Cortes D., Torres M. A., Shulaev V., et al. 2009. The plant NADPH oxidase RBOHD mediates rapid systemic signaling in

- response to diverse stimuli. *Sci. Signal.* 2:ra45 10.1126/scisignal.2000448.
- Mittler, R., Vanderauwera, S., Gollery, M., Van Breusegem, F. 2004. The reactive oxygen gene network in plants. *Trends Plant Sci* 9: 490–498
- Miller, G., Schlauch, K., Tam, R., Cortes, D., Torres, M.A., Shulaev, V., Dangl, J.L., Mittler, R. 2009. The plant NADPH oxidase RBOHD mediates rapid systemic signaling in response to diverse stimuli. *Sci Signal.* 2(84):ra45.
- Mittler R., Vanderauwera S., Suzuki N., Miller G., Tognetti V.B., Vandepoele K., Gollery M., Shulaev V., Van Breusegem F. 2011. ROS signaling: The new wave? *Trends Plant Sci.* 16: 300–309
- Miyazawa, M., Oshima, T., Koshio, K., Itsuzaki, Y., and Anzai, J. 2003. Tyrosinase inhibitor from black rice bran. *J. Agric. Food Chem.* 51:6953–6956.
- Moldenhauer, K., C. E. Wilson, Jr., Counce, P., and Handrake, J. 2013. Rice Growth and Development. Arkansas Rice Production Handbook. University of Arkansas. p. 9-20
- Møller, I. M., Jensen, P. E., Hansson, A. 2007. Oxidative modifications to cellular components in plants. *Annu Rev Plant Biol* 58:459-81.
- Morgan, J. M. 1984. Osmoregulation and Water Stress in Higher Plants. *Ann. Rev. Plant Physiol.* 35:299-319
- Mulyani, A., dan Hidayat, A. 2009. Peningkatan kapasitas produksi tanaman pangan pada lahan kering. *Jurnal Sumberdaya Lahan.* 3(2): 73-84.
- Munn-Bosch, S., and Alegre, L. 2002. The function of tocopherols in plants. *Crit. Rev. Plant Sci.* 21(1), 31–57.
- Munné-Bosch, S., and Alegre, L. 2003. Drought-induced changes in the redox state of alpha-tocopherol, ascorbate, and the diterpene carnosic acid in chloroplasts of Labiatae species differing in carnosic acid contents. *Plant Physiol.* 131(4):1816-25.
- Nakano, Y., and Asada, K. 1981. Hydrogen Peroxide is Scavenged by Ascorbate-specific Peroxidase in Spinach Chloroplasts. *Plant and Cell Physiology.* 22(5) : 867–880. <https://doi.org/10.1093/oxfordjournals.pcp.a076232>

- Nakornriab, M., Sriseadka, T., and Wongpornchai, S. 2008. Quantification of carotenoid and flavonoid components in brans of some Thai black rice cultivars using supercritical fluid extraction and high-performance liquid chromatography-mass spectrometry. *J. Food lipid* 15:488–503.
- Nam, S. H., Choi, S. P., Kang, M. Y., Koh, H. J., Kozukue, N., and Friedman, M. 2006. Antioxidative activities of bran extracts from twenty one pigmented rice cultivars. *Food Chem.* 94:613–620.
- Norsalis, E. 2011. Padi gogo dan sawah. *Jurnal Online Agroekoteknologi* 1(2).
- Taiz, L., Zeiger, E. 2002. *Plant Physiology 3rd Ed.* Massachusetts : Sinauer Associates Inc. Publisher. p. 690
- Tananuwong, K., Tewaruth, W. 2010. Extraction and application of antioxidants from black glutinous rice. *LWT-Food Sci Technol* 43:471-481
- Teixeira, F. K., Menezes-Benavente, L., Galvão, V. C., Margis, R., Margis-Pinheiro, M. 2006. Rice ascorbate peroxidase gene family encodes functionally diverse isoforms localized in different subcellular compartments. *Planta* 224(2):300-314
- Teixeira, F. K., Menezes-Benavente, L., Margis, R., Margis-Pinheiro, M. Analysis of the molecular evolutionary history of the ascorbate peroxidase gene family: inferences from the rice genome. *J Mol Evol.* 59(6):761-770
- Thitipramote, N., Pradmeeteekul, P., Pintathong, P., Nimkamnerd, J., Thitilerdecha, N. 2016. Bioactive compounds and antioxidant activities of red (Brown Red Jasmine) and black (Kam Leum Pua) native pigmented rice. *International Food Research Journal* 23(1): 410-414
- Tian, S., Nakamura, K., and Kayahara, H. 2004. Analysis of phenolic compounds in white rice, brown rice, and germinated brown rice. *J. Agric. Food Chem.* 52:4808–4813.
- Tjitrosoepomo, G. 2005. *Taksonomi Tumbuhan Obat-obatan.* Gadjah Mada University Press. Yogyakarta.
- Pandey, V., and Shukla, A. 2015. Acclimation and tolerance strategies of rice under drought stress. *Rice Sci.* 22 147–161. 10.1016/j.rsci.2015.04.001
- Parrado, J., Miramontes, E., Jover, M., M´arquez, J. C., Angeles-Mejias, M., Collantes-De, T. L., Absi, E., and Bautista, J. 2003. Prevention of brain

- protein and lipid oxidation elicited by water-soluble oryzanol enzymatic extract derived from rice bran. *Eur. J. Nutr.* 42:307–314.
- Pelczar, M. J. dan Chan, E. C. S., 2005, “Dasar-dasar Mikrobiologi 1”, Alih bahasa: Hadioetomo, R. S., Imas, T., Tjitrosomo, S.S. dan Angka, S. L. Universitas Indonesia Press, Jakarta.
- Poedjiadi. 1994. *Dasar-dasar Biokimiawi*. Jakarta : Universitas Indonesia Press. 390-394.
- Pham, J., and Desikan, R. 2009. *ROS Signalling in Stomata In: Reactive Oxygen Species in Plant Signaling*. Puppo A, del Rio L, Eds. Springer-Verlag pp.55-71.
- Pritchard, S. D., Ju, Z., Saten, E.V., Qiu, J., Weaver, D. B., Prior, S. A., Roger, H. 2000. The influence of elevated CO₂ on the activities of antioxidative enzymes in two soybean genotypes. *Aust J Plant Physiol* 27:1061-1068.
- Reddy A. R., Chaitanya K.V., Vivekanandan, M. 2004. Drought-induced responses of photosynthesis and antioxidant metabolism in higher plants. *J. Plant Physiol.*, 161: 1189-1202
- Rhodes, C. J. 2011. Can free radicals be good for you?. *Sci Prog.* 94(4): 451-462.
- Rosa, S. B., Caverzan, A., Teixeira, F. K., Lazzarotto, F., Silveira, J. A. G., Ferreira-Silva, S. L., Abreu-Netto, J., Margis, R., Margis-pinheiro, M. 2010, Cytosolic APX knockdown indicates an abigious redox responses in rice. *Phytochem.* 71:548-558.
- Ryu, S. N., Park, S. Z., and Ho, C. T. 1998. High performance liquid chromatographic determination of anthocyanin pigments in some varieties of black rice. *J. Food Drug Anal.* 6:729–736.
- Saseendran, S. S., Ahuja, L. R., Ma, L., Boote, K. J., Hoogenboom, G. 2008. Current water deficit stress simulations in selected agricultural system models. In: *Response of Crops to Limited Water: Understanding and Modeling Water Stress Effects on Plant Growth Processes.*, pp. 1–38.
- Scandalios, J. G. 2002. The rise of ROS. *Trends Biochem Sci.* 27:483–486
- Schiermeier, Q. 2008. Water: a long dry summer. *Nature*, 452: 270–273

- Sebastian, A. 2019. *Ekspresi Gen Kekeringan OsDREB1A dan OsNAC6 pada Padi Lokal Berpigmen di Indonesia*. Skripsi. Fakultas Biologi, Universitas Gadjah Mada. Yogyakarta. Halaman 34 – 38.
- Selote, D. S., Bharti, S., Khanna-Chopra, R. 2004. Drought acclimation reduces $O_2^{\cdot -}$ accumulation and lipid peroxidation in wheat seedlings. *Biochem Biophys Res Commun*. 314 (3): 724-729.
- Seki, M., Kamei, A., Yamaguchi-Shinozaki, K., Shinozaki, K. 2003. Molecular responses to drought, salinity and frost: Common and different paths for plant protection. *Curr Opin Biotechnol*, 14(2): 194–199.
- Shao, H. B. Chu, L. Y., Shao, M. A., Jaleel, C. A., and Mi, H. M. 2008 Higher plant antioxidants and redox signaling under environmental stresses. *Comp Rend Biol*, 331: 433-441.
- Shehab, G. G., Ahmed, O. K., El-Beltagi, H. S., 2010, Effects of various chemical agents for alleviation of drought stress in rice plants (*Oryza sativa* L.), *Not. Bot. Hort. Agrobot. Cluj* 38 (1): 139-148.
- Shigeoka, S., Ishikawa. T., Tamoi. M., Miyagawa. Y., Takeda, T., Yabuta, Y., Yoshimura, K. 2002. Regulation and function of ascorbate peroxidase isoenzymes. *Journal of Experimental Botany*. 53(372): 1305-1319.
- Silveira, J. A. G., Silv, S. L. F., Silva, E. N., Viegas, R. A. 2010. *Mecanismos biomoleculares envolvidos com a resistencia ao estresse salino em plantas*. In: Ghey HR, da Dias NS, de Lacerda CF (eds) *Manejo da salinidade na agricultura: Estudos basicos e aplicados 1st edn*. Expressa~o Grafica e Editora, Fortaleza, p. 161–180.
- Simmons, D. and Williams, R. 1997. Dietary practices among Europeans and different South Asian groups in coventry. *Br.J.Nutr.*78:5–14.
- Sinclair, T. R., and Ludlow, M. M. 1986. Influence of soil water supply on the plant water balance of four tropical grain legumes. *Australian Journal Plant Physiology* 13: 319-340.
- Singh, A., Sengar, K., Sengar, R. S. 2013. Gene regulation and biotechnology of drought tolerance in rice. *Int J Biotechnol Bioeng Res*,4(6): 547–552.
- Siregar, H. 1981. *Budidaya Tanaman Padi di Indonesia*. Bogor : Sastra Budaya. p. 24-28.

- Smirnoff, N. 2000. Ascorbate biosynthesis and function in photoprotection. *Crit Rev. Plant Sci.* 19: 267-290.
- Smirnoff, N. 2007. *Antioxidants and Reactive Oxygen Species in Plants*. Oxford: Blackwell Publishing. 10.1002/9780470988565.
- Sokoto, B. M., and Muhammad, A. 2014. Response of Rice Varieties to Water Stress in Sokoto, Sudan Savannah, Nigeria. *Journal of Biosciences and Medicines*. 02. 68-74. 10.4236/jbm.2014.21008.
- Swain, P., Anumalla, M., Prusty, S., Marndi, B. C., and Rao, G. J. N. 2014. Characterization of some Indian native land race rice accessions for drought tolerance at seedling stage. *Aust J Crop Sci.* 8(3): 324-331.
- Vegara, B. S. 1994. *A Farmer's Primer On Growing Rice, 2nd Ed.* The International Rice Institute. Los Banos Philiphine. p. 1-219
- Violita. 2007. *Komparasi Respon Fisiologis Tanaman Kedelai yang Mendapat Cekaman Kekeringan dan Perlakuan Herbisida Paraquat* (tesis). Bogor : Program pascasarjana. Institiut Pertanian Bogor.
- Wang, L., Xie, W., Chen, Y., Tang, W., Yang, J., Ye, R., Liu, L., Lin, Y., Xu, C., Xiao, J., Zhang, Q. 2005. A dynamic gene expression atlas covering the entire life cycle of rice. *Plant J.* 61(5): 752-66.
- Wang, Q., Han, P., Zhang, M., Xia, M., Zhu, H. L., Ma, J., Hou, M. J., Tang, Z., and Ling, W. H. 2007. Supplementation of black rice pigment fraction improves antioxidant and anti-inflammatory status in patients with coronary heart disease. *Asia Pac. J. Clin. Nutr.* 16:295–301.
- Wang, Y., Branicky, R., Noë, A., Heki, S. 2018. Superoxide dismutases: Dual roles in controlling ROS damage and regulating ROS signaling. *Journal of Cell Biology.* 217 (6): 1915-1923.
- Wopereis, M. C. S., Krop, V. M. J., Maligaya, A.R., Tuong, A.R. 1996. Drought stress responses of two lowland rice Kultivars to soil water status. *Field CropsRes* 46:21-39.
- Xu, F. and Wang, E. M. 1989. The effects of pigmented rice on hemoglobin regeneration in anemic rats. *Acta Nutr. Sin.* 11:120–125.
- Yang, P. M., Huang, Q. C., Qin, G. Y., Zhao, S. P., Zhou, J. G. 2014. Different drought-stress responses in photosynthesis and reactive oxygen

metabolism between autotetraploid and diploid rice. *Photosynthetica*, 52(2): 193–202.

Yoshida, S. 1981. *Fundamental of Rice Crop Science. International Rice Research Institute*. Los Banos, Philipine. p. 267

Yoshinaga, K. 1986. Liquor with pigments of red rice. *J. Brew. Soc. Jpn.* 81:337–342.

Zhu, F., Cai, Y. Z., Bao, J. S., and Corke, H. 2010. Effect of γ -irradiation on phenolic compounds in rice grain. *Food. Chem.* 120:74–77.