

## DAFTAR PUSTAKA

- Abdullah, A.H.D., dan S. Nasution. 2018. Effect of Heating Time to Density, Hardness, and Resistivity Against Fungus of Yellow Bamboo (*Bambusa Vulgaris* Var Schard. Vitata). *Proceeding in International Conference on Chemistry and Material Science*, Malang. IOP Conf. Series: Materials Science and Engineering 299. DOI:10.1088/1757-899X/299/1/012044.
- Akbar, A., dan H. Supomo. 2013. Studi penggunaan bambu sebagai material alternatif pengganti kayu untuk bahan pembuatan bangunan atas dengan metode *wooden ship planking system*. *Jurnal Teknik Pomits* 2(1):G90-G94.
- Amin, A.M.M., S.M. Sauid, M. Musa, K.H.K. Hamid. 2017. The effect of glycerol content on mechanical properties, surface morphology and water absorption of thermoplastic films from *Tacca leontopetaloides* starch. *Jurnal Teknologi (Science & Engineering)* 79(5-3):53-59. eISSN: 2180-3722.
- An, H.J. 2005. *Effects of Ozonation and Addition of Amino acids on Properties of Rice Starches*. Doktor Disertasi. Louisiana State University and Agricultural and Mechanical College, Louisiana.
- Anonim. 2015. *Artikel : Ekspor Bambu Indonesia Menempati Peringkat Tiga Dunia*. Diunduh dari [www.merdeka.com/uang/ekspor-bambu-indonesia-menempati-peringkat-tiga-dunia](http://www.merdeka.com/uang/ekspor-bambu-indonesia-menempati-peringkat-tiga-dunia) pada 8 Juni 2019 pukul 11.03 WIB.
- Aranda-García, F.J., R. González-Núñez, C.F. Jasso-Gastinel, dan E. Mendizábal. 2015. Water absorption and thermomechanical characterization of extruded starch/poly(lactic acid)/agave bagasse fiber bioplastic composites. *International Journal of Polymer Science*:1-7. DOI: 10.1155/2015/343294.
- Arhamsyah. 2009. Pengolahan bambu dan pemanfaatannya dalam usaha pengembangan industri kecil menengah dan kerajinan. *Jurnal Riset Industri Hasil Hutan* 1(2):30-35.
- Arsad E. 2014. Peningkatan daya tahan bambu dengan proses pengasapan untuk bahan baku kerajinan. *Jurnal Riset Industri Hasil Hutan*. 6 (2):31-35.
- Arsad E. 2015. Teknologi pengolahan dan manfaat bambu. *Jurnal Riset Industri Hasil Hutan*. 7 (1):45-52.
- Astari, L., K.W. Prasetyo, S.S. Kusumah. Subyakto. 2016. Bulk Density, Particle Distribution and Moisture Content of Particleboard from Corn Stalk. *Proceeding in The 6 International Symposium for Sustainable Humanosphere*, Bogor. P. 172-175.
- Ayrlmis, N. dan G. Nemli. 2017. Effect of Adhesive Type On the Quality Properties of Particleboard. *Proceeding in XIV International Congress Summer Session "Machines. Technologies. Materials"*, Vanna, Bulgaria. P. 519-520.

- Azadeh, A. dan K. Ghavami. 2018. The influence of heat on shrinkage and water absorption of *Dendrocalamus giganteus* bamboo as a functionally graded material. *Construction and Building Materials* 186:145–154.
- Badan Pusat Statistik (BPS). 2015. *Statistik Produksi Kehutanan 2015*. Badan Pusat Statistik Indonesia, Jakarta.
- Baharoglu, M., G. Nemli, B. Sari, S. Bardak, dan N. Ayrilmis. 2012. The influence of moisture content of raw material on the physical and mechanical properties, surface roughness, wettability, and formaldehyde emission of particleboard composite. *Composites: Part B* 43:2448–2451. DOI:10.1016/j.compositesb.2011.10.020.
- Bakhiet, S.E.A. dan E.A.I. Al-Mokhtar. 2015. Production of citric acid by *Aspergillus niger* using sugarcane molasses as substrate. *Jordan Journal of Biological Sciences* 8(3):211-215.
- Basiak, E., A. Lenart, dan F. Debeaufort. 2018. How glycerol and water contents affect the structural and functional properties of starch-based edible films. *Polymers* 10:412-429. DOI:10.3390/polym10040412.
- Baumann, M.G.D., dan A.H. Conner. 1994. Carbohydrate polymers as adhesives. dalam Pizzi, A., dan K.L. Mittal (ed.) *Handbook of Adhesive Technology*. Newyork: Marcel Dekker, Inc. Vol. 15.
- Beck, K., A. Cloutier, A. Salenikovich, dan R. Beaugard. 2009. Effect of strand geometry and wood species on strandboard mechanical properties. *Wood and Fiber Science* 41(3):267–278.
- Bergo, P.V.A., P.J.A. Sobral, dan J.M. Prison. 2010. Effect of glycerol on physical properties of cassava starch films. *Journal of Food Processing and Preservation* 34(s2):401-410. DOI: 10.1111/j.1745-4549.2008.00282.x.
- Bergo, P.V.A., R.A. Carvalho, P.J.A. Sobral, R.M.C. dos Santos, F.B.R. da Silva, J.M. Prison, J. Solorza-Feria, dan A.M.Q.B. Bittante. 2008. Physical properties of cassava starch as affected by the plasticizer concentration. *Packaging Technology and Science* 21(2):85-89. DOI: 10.1002/pts.781.
- Berovic, M. dan M. Legisa. 2007. Citric acid production. *Biotechnol. Ann. Revi.* 13:303–343.
- Bertaud, F., S. Tapin-Lingua, A. Pizzi, P. Navarrete, dan M. Petit-Conil. 2012. Development of green adhesives for fibreboard manufacturing, using tannins and lignin from pulp mill residue. *Cellulose Chem. Technol.* 46(7-8):449-455.
- Bertolini, A.C. 2010. *Starches: Characterization, Properties, and Applications*. CRC Press, Taylor & Francis Group. London.
- Bittante, A.M.B.Q., P.J.A. Sobral, R.A. Carvalho, J. Solorza-Feria, dan P.V.A. Bergo. 2008. Phase transitions of cassava starch dispersions prepared with glycerol solutions. *Journal of Thermal Analysis and Calorimetry* 93(2):599-604. DOI:10.1007/s10973-007-8950-6.

- Bonin, L., G. Cote, dan Ph. Moisy. 2008. Speciation of An(IV) (Pu, Np, and Th) in citrate media. *Radiochimica Acta* 96:145-152. DOI:10.1524/ract.2008.1476.
- Brown, H.P., A.J. Panshin, dan C.C. Forsaith. 1952. *Textbook of Wood Technology Vol. II*. McGrawHill Book Company Inc. New York.
- Chabrat, E., H. Abdillahi, A. Rovilly, dan L. Rigal. 2012. Influence of citric acid and water on thermoplastic wheatflour/poly(lactic acid) blends.I: Thermal, mechanical and morphological properties. *Industrial Crops and Products* 37(1): 238-246.
- Chen, C.M., dan J.T. Rice. 1973. Veneer and assembly condition effects on bond quality. *FPJ*. 23(10):46-49.
- Chen, Y., C. Zou, M. Mastalerz, S. Hu, C. Gasaway, X. Tao. 2015. Applications of micro-fourier transform infrared spectroscopy (ftir) in the geological sciences—a review. *International Journal of Molecular Science* 16:30223–30250. DOI:10.3390/ijms161226227.
- Ciriminna, R., F. Meneguzzo, R. Delisi, dan M. Pagliaro. 2017. Citric acid: emerging applications of key biotechnology industrial product. *Chemistry Central Journal* 11(22):1-9. DOI: 10.1186/s13065-017-0251-y.
- Coseranu, C., L.M. Brenci, O. Zeleniuc, dan A.N. Fotin. 2014. Effect of particle size and geometry on the performance of single-layer and three-layer particleboard made from sunflower seed husks. *BioResources* 10(1):1127-1136. DOI: 10.15376/biores.10.1.1127-1136.
- De Almeida, A.C., V.A. De Araujo, E.A.M. Morales, M. Gava, R.A.Munis, J.N. Garcia, J.C. Barbosa. 2017. Wood-bamboo particleboard: mechanical properties. *BioResources* 12(4):7784-7792.
- Domozych, D., I. Sorensen, dan Z.A. Popper. 2017. *Editorial: Charophytes: Evolutionary Ancestors of Plants and Emerging Models for Plant Research*. *Front Plant Sci.* 8:338. *Frontiers in Plant Science*. DOI: 10.3389/fpls.2017.00338.
- Dransfield, S., dan E.A. Widjaja (Eds.). 1995. *Bamboos: Plant Resources of South-East Asia No. 7*. Bogor.
- Emengo, F.N., S.E.R. Chukwu, dan J. Mozie. 2002. Tack and bonding strength of carbohydrate-based adhesive from different botanical sources. *International Journal of Adhesion and Adhesive* 22(2):93-100.
- Eskak, E., H. Paramadharma, dan I.R. Salma. 2012. Tekonologi ukir karawangan pada bambu betung (*Dendrocalamus asper*). *Dinamika Kerajinan dan Batik* 31:1-10.
- Essoua, G.G.E., P. Blanchet, V. Landry, dan R. Beauregard. 2016. Pine wood treated with a citric acid and glycerol mixture : biomaterial performance improved by a bio-byproduct. *BioResources* 11(2):3049-3072. DOI:10.15376/biores.11.2.3049-3072.
- Farahnaky, A., B. Saberi, dan M. Majzoobi. 2013. Effect of glycerol on physical and mechanical properties of wheat starch edible films. *Journal of Texture*

*Studies*:176-186. DOI: 10.1111/jxts.12007.

- Farrokhpayam, S.R., T. Valadbeygi, dan E. Sanei. 2016. Thin particleboard quality: effect of particle size on the properties of the panel. *Journal of the Indian Academy of Wood Science* 13(1):1-6. DOI: 10.1007/s13196-016-0163-9.
- Febrianto, F., A. Gumilang, S. Maulana, I. Busyra, dan A. Purwaningsih. 2014. Keawetan alami lima jenis bambu terhadap serangan rayap dan bubuk kayu kering. *Jurnal Ilmu Teknologi Kayu Tropis* 12 (2):146-156.
- Febrianto, F., D.R. Endriadilla, dan D.S. Nawawi. 2016. Sifat fisis dan mekanis papan partikel bambu petung dengan perlakuan perendaman asam asetat. *J. Ilmu Teknol. Kayu Tropis* 14(1):23-38.
- Febrianto, F., Sahroni, W. Hidayat, E.D. Bakar, G.J. Kwon, J.H. Kwon, S.I. Hong, dan N.H. Kim. 2012. Properties of oriented strand board made from Betung bamboo (*Dendrocalamus asper* (Schultes.f) Backer ex Heyne). *Wood Sci. Technol.* 46:53–62. DOI 10.1007/s00226-010-0385-8.
- Ferrandez-Gracia, C.E., J. Andreu-Rodriguez, M.T. Ferrandez-Gracia, M. Ferrandez-Villena, dan T. Gracia-Ortuno. 2012. Panels made from giant reed bonded with non-modified starches. *BioResources* 7(4):5904-5916.
- Fior Markets. 2018. *Global Particle Board Market Growth 2018-2023*. Diunduh dari <https://www.fiormarkets.com/report/global-particle-board-market-growth-2018-2023-358662.html> pada 02 Juni 2019 pukul 09.30 WIB.
- Food and Agriculture Organization (FAO). 2015. *Forest Product Statictic: 2014 Global Forest Products: Facts and Figures*. Forest Economic, Policy and product Division, FAO Forest Department, Rome, Italy.
- Food and Agriculture Organization (FAO). 2016a. *State of the World's Forests 2016. Forest and Agriculture: Land Use Challenges and Opportunities*. Electronic Publishing Policy and Support Branch, Communication Division, FAO. Rome.
- Food and Agriculture Organization (FAO). 2016b. *State of the World's Forests: Global Demand for Wood Product*. Science New York Society. New York.
- Frihart, C.R. 2005. *Wood Adhesion and Adhesives: Handbook of Wood Chemistry and Composites*. WI: USDA Forest Service, Forest Product Laboratory, Madison. P. 216-257.
- Garcia, P.G., M.V.E. Grossmann, dan F. Yamashita. 2011. Citric acid as multifunctional agent in blowing films of starch/pbat. *Quim. Nova* 34(9):1507-1510.
- Ghanbarzadeh, B., H. Almasi, dan A.A. Entezami. 2010. Improving the barrier and mechanical properties of corn starch-based edible films: effect of citric acid and carboxymethyl cellulose. *Industrial Crops and Products*. DOI: 10/1016.j.indcrop.2010.10.016.

- Glavas, L. 2011. *Starch and Protein Based Wood Adhesives*. Degree project in Polymer Technology 2nd level, 30 ECTS Nacka. Department of Fiber and Polymer Technology , KTH, Sweden.
- Gokulakumar, B. dan R. Narayanaswamy. 2008. Fourier transform-infrared spectra (ft-ir) analysis of root rot disease in sesame (*Sesamum indicum*). *Journal of Science & Technology* 4(1):97-118.
- Greenwood, C.T. dan D.N. Munro. 1979. Carbohydrates. In *Effects of Heat on Foodstuffs*, Priestley, R.J. (ed.). Applied Science Publ. Ltd., London.
- Gulera, S.D., D.D. Ghosbh, J. Pana, J.C. Matthaic, M.L. Zeildelc, J.F. Naglea, dan S. Tristam-Naglea. 2009. Effects of ether vs. ester linkage on lipid bilayer structure and water permeability. *Chem Phys Lipids*. 160(1):33–44. DOI:10.1016/j.chemphyslip.2009.04.003.
- Haligan, A.F. 1970. A review of thickness swelling in particleboard. *Wood science and technology* 4:301-312.
- Hasan, M.A.W., T. Islam, K.S. Rahman, S.B. Ratul, M.A. Islam, A. Sharmin, dan M.N. Islam. 2015. Hybrid particleboard from wood and non-wood species: physical and mechanical properties as a function of particle mixing ratio. *Advances in Research* 3(5): 502-511.
- Hashim, R., N. Saari, O. Sulaiman, T. Sugimoto, S. Hiziroglu, M. Sato, dan R. Tanaka. 2010. Effect of particle geometry on the properties of binderless particleboard manufactured from oil palm trunk. *Materials and Design* 31: 4251–4257.
- Haygreen J.G. dan J.L. Bowyer. 2007. *Hasil Hutan dan Ilmu Kayu: Suatu Pengantar (Terjemahan)*. Gajah Mada University Press, Yogyakarta.
- Hiziroglu, S., dan S. Suzuki. 2007. Evaluation of surface roughness of commercially manufactured particleboard and medium density fiberboard in japan. *Journal of Material Processing Technology* 184: 436-440.
- Huang. Y., R. Liu, F. Meng, Y. Yu, dan W. Yu. 2019. The influence of heat treatment on the static and dynamic sorptive behavior of moso bamboo (*Phyllostachys pubescens*). *Advances in Polymer Technology*:1-7. DOI: 10.1155/2019/4949786.
- Ikeno, S., K. Obunai, T. Fukuta, dan K. Ozaki. Decomposition of bamboo powder for eco-friendly material development by using superheated steams. *Advance in Materials* 4(5-1):1-6.
- Imam, S.H., M. Lijun, C. Liang, dan R.V. Greene. 1999. Wood adhesive from cross-linked poly(vinyl alcohol) and partially gelatinized starch: preparation and properties. *Starch* 51(6):225-229.
- Iswanto, A.H., Supriyanto, W. Fatriasari, dan A. Susilowati. 2018. Effect of particle treatment and adhesive type on physical, mechanical, and durability properties of particleboard made from sorghum bagasse. *IOP Conference Series: Earth and Environmental Science* 126:1-7.

- Jiugao, Y., W. Ning, dan M. Xiaofei. 2005. The effects of citric acid on the properties of thermoplastic starch plasticized by glycerol. *Starch* 57:494-504. DOI : 10/1002/star.200500423.
- Kabera, J., V. Ugirinshuti, dan P. Mukantirenganya. 2010. Use of nitrous acid mutant of *Aspergillus niger* for citric acid production from local cane molasses. *African Journal of Microbiology Research* 4(13):1446-1452.
- Kamthai, S. dan P. Puthson. 2005. The physical properties, fiber morphology and chemical compositions of sweet bamboo (*Dendrocalamus asper* Backer). *Kasetsart J. (Nat. Sci.)* 39:581-587.
- Kanse, N.G., M. Deepali, dan P. Kiran. 2017. A review on citric acid production and its applications. *International Journal of Current Advanced Research* 6(9):5880-5883. DOI: 10.24327.ijcar.2017.5883.0825.
- Kasmudjo. 2013. *Rotan dan Bambu*. Cakrawala Media. Yogyakarta.
- Korkut, D.S., S. Korkut, I. Bekar, M. Budakci, T. Dilik, dan N. Cakicier. 2008. The effects of heat treatment on the physical properties and surface roughness of turkish hazel (*Corylus colurna* L.) wood. *nt. J. Mol. Sci.* 9:1772-1783. DOI: 10.3390/ijms9091772.
- Koswara, S. 2006. *Teknologi Modifikasi Pati*. Ebook Pangan.
- Kusumah, S.S. A. Arinana, Y.S. Hadi, I. Guswenrivo, T. Yoshimura. K. Umemura, S. Tanaka, K. Kanayama. 2017. Utilization of sweet sorghum bagasse and citric acid for manufacturing of particleboard III : influence of adding sucrose on the properties of particleboard. *BioResources* 12(4):7498-7514.
- Kusumah, S.S. K. Umemura, I. Guswenrivo, T. Yoshimura, dan K. Kanayama. 2016b. Utilization of sweet sorghum bagasse and citric acid for manufacturing of particleboard II : effects of pressing temperature and time on particleboard properties. *J. Wood Sci.*: 1-13.
- Kusumah, S.S. K. Umemura, K. Yoshioka, H. Miyafuji, K. Kanayama. 2016a. Utilization of sweet sorghum bagasse and citric acid for manufacturing of particleboard I : effects of pre-drying treatment and citric acid content on the board properties. *Industrial Crops and Products* 84:34-42.
- Lafontaine, A., M. Sanselme, Y. Cartingny, P. Cardinael, dan G. Coquerel. 2013. Characterization of the transition between the monohydrate and the anhydrous citric acid. *Journal of Thermal Analysis and Calorimetry* 112(1):307-315. DOI: 10.1007/s10973-012-2798-0.
- Lee, C.H., T.H. Yang, Y.W. Cheng, dan C.J. Lee. 2018. Effects of thermal modification on the surface and chemical properties of moso bamboo. *Construction and Building Materials* 178:59-71.
- Li, K. 2002. Use of Marine Adhesive Protein as a Model to Develop Formaldehyde-free Wood Adhesive. *Proceeding in 6<sup>th</sup> Pacific Rim Bio-based Composites Symposium*, Oregon. P. 58-67.

- Liao, R., J. Xu, dan K. Umemura. 2016. Low density sugarcane bagasse particleboard bonded with citric acid and sucrose: effect of board density and additive content. *BioResources* 11(1):2174-2185.
- Lias, H., J. Kasim, N.A.N. Jobari, dan I.L.M. Mokhtar. 2014. Influence of board density and particle sizes on the homogenous particleboard properties from kemlempayan (*Neolamarckia cadamba*). *International Journal of Latest Research in Science and Technology* 3(6):173-176.
- Liese, W. dan K. Satish. 2003. *Bamboo Preservation Compendium*. Indian Bamboo Resource and Technology.
- Liese, W. dan M. Kohl. 2015. *Bamboo The Plant and its Uses*. Springer International, Publishing AG, Switzerland. DOI: 10.1007/978-3-319-14133-6.
- Liu, Z.Q., X.S. Yi, dan Y. Feng. 2001. Effects of glycerin and glycerol monostearate on performance of thermoplastic starch. *Journal of Materials Science* 36:1809-1815.
- Loiwatu, M. 2008. Sifat anatomi dan nilai turunan tiga jenis bambu (*Dendrocalamus asper*, *Schizostachyum brachycladum* dan *Schizostachyum lima*), di pulau seram (studi kasus di tiga kecamatan di pulau seram). *Jurnal Agroforestri* 3(2):88-94.
- Malanit, P. 2009. *The Suitability of Dendrocalamus asper Backer for Oriented Strand Lumber*. Faculty of Mathematics, Informatics and Natural Sciences. University of Hamburg, Hamburg.
- Maloney, T.M. 1977. *Modern Particleboard and Dry Process Fiberboard Manufacturing*. Miller Freeman Inc., San Fransisco.
- Maulana, N.A. 2011. *Pabrik Asam Sitrat dari Tepung Tapioka dengan Proses Fermentasi Pra Rencana Pabrik*. Universitas Pembangunan Nasional Veteran, Surabaya.
- McSweeny, J.D., R.M. Rowell, dan S.H. Min. 2006. Effect of citric acid modification of aspen wood on sorption of copper ion. *Journal of Natural Fibers* 3(1):43-58.
- Mohmod, A.L. dan W. Liese. 1995. *Utilization of Bamboo: Planting and Utilization of Bamboo in Penninsular Malaysia*. Research Pamphlet No.118. Forest Research Institut Malaysia, Kuala Lumpur.
- Morisco. 1999. *Rekayasa Bambu*. Fakultas Teknik, Universitas Gadjah Mada, Naviri Offset, Yogyakarta.
- Morrison, L.R. 2003. *Glycerol*. Pp 921-932. Encyclopedia of Chemical Technology Volume 11, Wiley, New York.
- Moubarik, A., A. Allal, A. Pizzi, P. Charrier, dan B. Charrier. 2009. Characterization of a formaldehyde-free cornstarch-tannin wood adhesive for interior plywood. *Eur. J. Wood Prod.* 68:427-433.
- Moubarik, A., A. Pizzi, A. Ahmed, F. Charrier, K. Abdelouahed, dan B. Charrier.

2010. Corn starch mimosa tannin–urea formaldehyde resins as adhesives in the particleboard production. *Starch/Stärke* 62(3–4):131–138.
- Muhamdi, I.R., dan L.A. Putri. 2013. Studi pembuatan papan partikel dari limbah pemanenan kayu akasia (*Acacia mangium* L.). *Bionatura* 15(1):14-19.
- Nadjib, N., M.M. Jasni, I.M. Sulastiningsih, S. Komaryati, S. Suprapti, Abdurrahman, dan E. Basri. 2015. *Seri Paket Iptek Informasi Sifat Dasar dan Kemungkinan Penggunaan 10 Jenis Bambu*. IPB Press, Bogor.
- Nafchi, A.M., M. Moradpour, M. Saeidi, dan Abd. Karim Alias. 2013. Thermoplastic starches : properties, challenges, and prospects. *Starch* 65:61-72. DOI:10.1002/star.200201.
- Nandiyanto, A.B.D., R. Oktiani, dan R. Ragadhita. 2019. How to read and interpret ftir spectroscopy of organic material. *Journal of Science & Technology* 4(1):97-118.
- Nashed, G., R.P.G. Rutgers, dan P.A. Sopade. 2003. The plasticization effect of glycerol and water on the gelatinization of wheat starch. *Starch/Stärke* 55(3-4):131-137. DOI: 10.1002/star.200390027.
- Nath, D.C., dan D.D. Mwchahary. 2012. Population increase and deforestation : a study in Kokrajhar district of Assam, India. *Int J Sci Res Publ.* 20(2):1–12.
- Nemli, G. 2003. Effects of some manufacturing factors on the properties of particleboard manufactured from alder (*Alnus glutinosa* subsp. Barbata). *Turk. J. Agric. For.* 27:99-104.
- Ningsih, E., dan R. Widyorini. 2015. *Pengaruh Suhu Kempa dan Komposisi Perekat Asam Sitrat-Pati terhadap Sifat Fisika Mekanika Papan Partikel Bambu Petung*. Skripsi (Tidak dipublikasikan). Fakultas Kehutanan, Universitas Gadjah Mada, Yogyakarta.
- Nordahlia, A.S., U.M.K. Anwar, dan H. Hamdan. 2015. Selected Properties of *Dendrocalamus asper* (Buluh Beton). *Proceeding in International Science and Nature Congres (ISNAC)*, Kuala Lumpur.
- Nurhazwani, O., M. Jawaid, M.T. Paridah, A.H. Juliana, dan S.A. Hamid. 2016. Hybrid particleboard made from bamboo (*Dendrocalamus asper*) veneer waste and rubberwood (*Hevea brasilienses*). *BioResources* 11(1):306-323.
- Orlando, F. 2001. *Citric Acid*, CAS No. :77-92-9. SIDS Initial Assessment Report for 11th SIAM. UNEP Publication, Switzerland.
- Pantze, A. 2006. Studies of ester formation on an cellulose matrix. *Division of Wood Science and Technology* 18:1402-1757.
- Penniston, K.L., S.Y. Nakada, R.P. Holmes, dan D.G. Assimos. 2008. Quantitative assessment of citric acid in lemon juice, limejuice, and commercially-available fruit juice products. *J. Endourol.* 22(3):567–570. DOI:10.1089/end.2007.0304.
- Prayitno, T. A. 2012. *Teknologi Perekatan Kayu*. Fakultas Kehutanan, Universitas Gadjah Mada, Yogyakarta.

- Purnamawati, D. 2006. *Kajian Pengaruh Suhu Konsentrasi Sukrosa dan Asam Sitrat terhadap Mutu Sabun Transparan*. Skripsi. Fakultas Teknologi Pertanian, Institut Pertanian Bogor, Bogor.
- Putro, D.S., Jumari, dan Murningsih. Keanekaragaman jenis dan pemanfaatan bambu di desa lopait kabupaten semarang jawah tengah. *Jurnal Biologi* 3(2):71-79.
- Qin, Y., W. Wang, H. Zhang, Y. Dai, H. Hou, dan H. Dong. 2019. Effects of citric acid on structures and properties of thermoplastic hydroxypropyl amyloamylomaizestarch films. *Materials* 12:1565-1577. DOI:10.3390/ma12091565.
- Quispe, C.A.G., C. J.R. Coronado, dan J.A. Carvalho. 2013. Glycerol: production, consumption, prices, characterization and new trends in combustion. *Renewable and Sustainable Energy Review* 27:475-493.
- Rachmah, S. dan A. Sjaifullah. 2012. *Sintesis dan Karakterisasi Kopolimer Pati Sagu (Sago Starch) dengan Agen Crosslink Asam Sitrat*. Skripsi. Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Jember, Jember.
- Ramcharan. 2013. Diunduh dari <http://www.ramcharan.org/pdf/May%202013%20-%20Application,Charateristics%20and%20Information%20of%20Glycerin.pdf> pada 14 Juni 2019 pukul 06.03 WIB.
- Ratajczak, I., M. Wozniak, P. Kwasniewska-Sip, K. Szentner, G. Cofta, dan B. Mazela. 2018. Chemical characterization of wood treated with a formulation based on propolis, caffeine and organosilanes. *European Journal of Wood and Wood Products* 76:775-781.
- Reddy, N. dan Y. Yang. 2009. Citric acid cross-linking of starch films. *Food Chem.* 118:702-710.
- Roffael, E. 1993. *Formaldehyde Release from Particleboard and Other Wood Based Panels*. Forest Research Institute Malaysia, Kuala Lumpur.
- Rossi, M. 2008. Glycerol Properties and Production. In *Future of Glycerol : New Usages for a Versatile Raw Material*. Diunduh dari <http://www.springer.com/978-0-85404-124-4> pada 22 Juni 2019 pukul 19.45 WIB.
- Rowell, R.M. 2005. *Handbook of Wood Chemistry and Wood Composites*. Taylor & Francis Group, New York.
- Rulliaty, S., N. Hadjib, Jasni, S. Suprapti, M. Muslich, S. Komarayati, G. Pari, E. Basri, I.M. Sulastiningsih, dan Abdurahman. 2012. *Sifat Dasar dan Kegunaan Bambu*. Laporan Hasil Penelitian. Pusat Penelitian dan Pengembangan Keteknikan Kehutanan dan Pengolahan Hasil Hutan, Bogor.
- Sakuno, T., dan K.S. Han. 2003. Manufacture and properties of board made from fresh mosochiku bamboo. *Proceeding in the International Conference on Forest Products*, Daejeon, Korea. P. 325-330.
- Salim, R., Z. Ashaari, H.W. Samsi, R. Wahab, dan R.H. Alamjuri. 2010. Effect of

- oil heat treatment on physical properties of semantan bamboo (*Gigantochloa scortechinii* Gamble). *Modern Applied Science* 4(2):107-113.
- Samayam, I., dan C. Shall. 2010. Saccharification of ionic liquid pre-treated biomass with commercial enzyme mixtures. *Bioresource Technology* 101:3561-3566.
- Santos, W.P., B.F. Carvalho, C.L.S. Avila, G.S.D. Junior, M.N. Pereira, R.F. Schwan. 2015. Glycerin as an additive for sugarcane silage. *Annals of Microbiology* 65(3):1547-1556. DOI: 10.1007/s13213-014-0993-x.
- Santoso, A., dan P. Sutigno. 2004. Pengaruh tepung gaplek dan dextrin sebagai extender perekat urea formaldehida terhadap keteguhan rekat kayu lapis kapur. *Jurnal Penelitian Hasil Hutan* 22(2):61-68.
- Santoso, M., Widyorini, R., Prayitno, T. A., and Sulisty, J. 2017. Bonding performance of maltodextrin and citric acid for particleboard made from nipa fronds. *J. Korean Wood Sci. Technol.* 45(4): 432-443. DOI: 10.5658/WOOD.2017.45.4.432.
- Sanyang, M L., S.M. Sapuan, M. Jawaid, M.R. Ishak, dan J. Sahari. 2015. Effect of plasticizer type and concentration on tensile, thermal and barrier properties of biodegradable film based on sugar palm (*Arenga pinnata*). *Starch. Polymers* 7: 1106-1124. DOI: 10.3390/polym7061106.
- Sari, B., N. Ayrilmis, G. Nemli, M. Baharoglu, E. Gumuskaya, dan S. Bardak. 2012. Effects of chemical composition of wood and resin type on properties of particleboard. *Lignocellulose* 1(3):174-184.
- Schorr, D., P. Blanchet, dan G.G.E. Essoua. 2018. Glycerol and citric acid treatment of lodgepole pine. *Journal of Wood Chemistry and Technology*:1-14. DOI:10.1080/02773813.2017.1388822.
- Seligra, P.G., C.M. Jaramillo, L. Fama, dan S. Goyanes. 2016. Biodegradable and non-retrogradable starch-glycerol eco-films based on with citric acid as crosslinking agent. *Carbohydrate Polymers* 138:66-74.
- Shahrim, N.A.A., N. Sarifuddin, H.H.M. Zaki, dan A.Z.A Azhar. 2018. The effect of glycerol addition to the mechanical properties of thermoplastic films based on jackfruit seed starch. *Malaysian Journal of Analytical Science* 22 (5):892-898. DOI: 10.1756/mjas-2018-2205-17.
- Shangguan, W., Y. Gong, R. Zhao, dan H. Ren. 2016. Effects of heat treatment on the properties of bamboo scrimber. *J. Wood Science* 62:383-391. DOI: 10.1007/s10086-016-1574-3.
- Shanks, R. dan I. Kong. 2012. Thermoplastic Starch. In *Thermoplastic Elastomers*, El-Sonbati, A. (Ed.). pp. 95-116.
- Shi, R., Z. Zhang, Q. Liu, Y. Han, L. Zhang, D. Chen, W. Tian. 2007. Characterization of citric acid/glycerol co-plasticized thermoplastic starch prepared by melt blending. *Carbohydrate Polymers* 69:748-755. DOI: 10.1016/carbpol.2007.02.010.

- Smith, L.R. 1976. *Preparation of High-Quality Gelatine Having Low Chromium Content from Chromed Waste Stock*. US Patent No. 4151161.
- Soccol, C.R., L.P.S. Vandenberghe, C. Rodrigues, dan A. Pandey. 2006. New perspectives for citric acid production and application. *Food Technol. Biotechnol.* 44(2) 141–149.
- Soebagio, B., Sriwododo, dan A.S. Adhika. 2009. *Uji Sifat Fisikokimia Pati Biji Durian (*Durio Zibethinus Murr*) Alami dan Modifikasi Secara Hidrolisis Asam*. Fakultas Farmasi, Universitas Padjajaran, Bandung.
- Sreekumar, P.A., N. Leblanc, dan J.M. Saiter. 2013. Effect of glycerol on the properties of 100% biodegradable thermoplastic based on wheat flour. *J. Polym. Environ.* 21:388-394.
- Stelmachowski, M. 2011. Utilization of glycerol, a by-product of the transesterification process of vegetable oils: a review. *Ecological Chemistry and Engineering's* 18:9–30.
- Stark, N.M., Z. Cai., dan C. Carll. 2010. *Wood-Based Composite Materials Panel Products, Glued Laminated Timber, Structural Composite Lumber and Wood-Nonwood Composites Materials in Wood Handbook: Wood as an Engineering Material Centennial Edition*. Forest Product Laboratory. Madison, Winsconsin.
- Stratford, M. 1999. Traditional Preservatives Organic Acids. In *Encyclopedia of Food Microbiology*, Robison, R.K., Batt, C.A., dan Patel, P.D. (ed.). Academic Press. Vol. 3.
- Subiyanto, B., W. Dwianto, T. Higashihara, T. Morooka, dan M. Norimoto. 2011. Permanent fixation of radially compressed bamboo in dry condition by heating and its mechanism. *J. Ilmu dan Teknologi Kayu Tropis* 9(1):9-18.
- Suherti, F. D. dan Nurhaida. 2014. *Sifat Fisik dan Mekanik Papan Partikel dari Kulit Durian (*Durio sp.*) dengan Konsentrasi Urea Formaldehid yang Berbeda*. Fakultas Kehutanan, Universitas Tanjungpura, Pontianak.
- Sulastiningsih, I.M., Novitasari, dan A. Turoso. 2006. Pengaruh kadar perekat terhadap sifat papan partikel bambu. *Jurnal Penelitian Hasil Hutan* 24(1):1-8.
- Sumarni, W., A.T. Prasetyo, dan E.F. Rahayu. 2017. Effect Glycerol on Physical Properties of Biofilms Gembili Starch (*Dioscorea esculenta*)-Chitosan. *Proceeding in 11<sup>th</sup> Joint Conference on Chemistry in conjunction with 4<sup>th</sup> Regional Biomaterial Scientific Meeting*. Proceeding of Chemistry Conferences Vol. 2. Purwokerto. P. 56-65.
- Swain, M.R., R.C. Ray, dan J.K. Patra. 2011. Microbial Production and Applications in Food and Pharmaceutical Industries. In *Citric Acid*. Vargas, D.A. (ed.). pp 1-22. Nova Science Publishers, Inc.

- Tan, H.W., A.R.A Aziz, dan M.K. Aruo. 2013. Glycerol production and its application as a raw material : a review. *Renewable and Sustainable Energy Reviews* 27:118-127.
- Terefe, R., D. Samuel, M. Sanbato, dan M. Daba. 2016. Adaptation and growth performance of different lowland bamboo species in Bako, West Shoa, Ethiopia. *Journal of Natural Sciences Research* 6(9):61-65.
- The Soap and Detergent Association (SDA). 1990. *Glycerin: an overview*. The Soap and Detergent Association Glycerine & Oleochemical Division, New York.
- Thoemen, H., M. Irle, dan M. Sernek. 2010. *Wood-Based Panels: an Introduction for Specialists*. Brunel University Press, London.
- Tisserat, B., G.W. Selling, J.A. Byars, dan A. Stuff. 2012. Instrumental physical analysis of microwaved glycerol citrate foams. *J. Polym Environ.* 20:291–298.
- Tondi, G., S. Wieland, T. Wimmer, T. Schnabel, dan A. Petutschnigg. 2011. Starch-sugar synergy in wood adhesion science: basic studies and particleboard production. *Eur. J. Wood Prod.* 70:271-278.
- Trischler, J., D. Sandberg, dan T. Thornqvist. 2014. Evaluating the competition of lignocellulose raw materials for their use in particleboard production, thermal energy recovery, and pulp- and papermaking. *BioResources* 9(4):6591-6613.
- Tsoumis, G. 1991. *Science and Technology of Wood (Structure, Properties, Utilization)*. Van Nostrand Reinhold Company, New York.
- Umemura, K., K. Kaiho, S. Kawai. 2009. Characterization of bagasse-rind particleboard bonded with chitosan. *Journal of Applied Polymer Science* 113(4). DOI:10.1002/app.29704.
- Umemura, K., O. Sugihara, dan S. Kawai. 2013. Investigation of a new natural adhesive composed of citric acid and sucrose for particleboard. *J. Wood Sci.* 59:203-208. DOI: 10.1007/s10086-014-1437-8.
- Umemura, K., O. Sugihara, dan S. Kawai. 2015. Investigation of a new natural adhesive composed of citric acid and sucrose for particleboard II: effects of board density and pressing temperature. *J. Wood Sci.* 61:40-44.
- Umemura, K., T. Ueda, S.S. Munawar, dan S. Kawai. 2012. Application of citric acid as natural adhesive for wood. *J. Appl. Polym. Sci.* 123:1991-1996. DOI: 10.1001/app.34708.
- USDA. 2013. *Technical Evaluation Report: Glycerin*. Diunduh dari [www.ams.usda.gov/sites/default/files/media/Glycerin%20Petition%20to%20remove%20TR%202013.pdf](http://www.ams.usda.gov/sites/default/files/media/Glycerin%20Petition%20to%20remove%20TR%202013.pdf) pada 14 Juni 2016 pukul 05.53 WIB.
- Uslinawaty, Z. 2018. Karakteristik struktur anatomi arah radial bambu betung (*Dendrocalamus asper*). *Ecogreen* 4(2):125-129.

- Vasanthabharathi, V., N. Sajitha, and S. Jayalakshmi. 2013. Citric acid production from uv mutated estuarine *Aspergillus niger*. *Advances in Biological Research* 7(3):89-94.
- Verhoef, R. 1957. *Tanaman bambu di Jawa*. Pengumuman Pendek Lembaga Penyelidikan Kehutanan 15. pp. 1–25. Bogor.
- Vick, C.B. 1999. Adhesive Bonding of Wood Materials. In *Wood Handbook: Wood as an Engineering Material* Chapter 9. pp. 1-14. Forest Product Laboratory, USDA Forest Service, Winconsin.
- Widjaja, E.A., Artiningsih, Irawati, Noerdjito, Amir, Pudjiastuti, dan Aswari. 1994. *Sepuluh Tahun Penelitian Bambu di Puslitbang Biologi*. Yayasan Bambu Lingkungan Lestari, Bogor.
- Widsten, P., N. Dooley, R. Parr, J. Capricho, dan I. Suckling. 2014. Citric acid crosslinking of paper products for improved high-humidity performance. *Carbohydrate Polymer* 101:998-1004.
- Widyorini, R., A.P. Yudha, dan T.A. Prayitno. 2011. Some of the properties of binderless particleboard manufactured from bamboo. *Wood Research Journal* 2(2):89-93.
- Widyorini, R., A.P. Yudha, R. Isnani, A. Awaluddin, T.A. Prayitno, A. Ngadianto, dan K. Umemura. 2014. Improving the psycho-mechanical properties of eco-friendly composite made from bamboo. *Advanced Materials Research* 896:562-565.
- Widyorini, R., J.Y. Xu, T. Watanabe, dan S. Kawai. 2005. Chemical changes in steam pressed kenaf core binderless particleboard. *Journal of Wood Science* 51(1):26-32.
- Widyorini, R., K. Umemura, A. Septiano, D.K. Soraya, G.K. Dewi, dan W.D. Nugroho. 2018. Manufacture and properties of citric acid-bonded composite board made from salacca frond: effects of maltodextrin addition, pressing temperature, and pressing method. *BioResources* 13(4):8662-8676. DOI: 10.15376/biores.14.4.8662-8676.
- Widyorini, R., K. Umemura, A.R. Kusumaningtyas, dan T.A. Prayitno. 2017. Effect of starch addition on properties of citric acid-bonded particleboard made from bamboo. *BioResources* 12(4): 8068-8077. DOI: 10.15376/biores.12.4.8068-8077.
- Widyorini, R., K. Umemura, R. Isnani, D.R. Putra, A. Awaludin, dan T.A. Prayitno. 2016a. Manufacture and properties of citric acid bonded particleboard made from bamboo materials. *Eur. J. Wood Prod.* 74:57-65. DOI: 10.1007/s00107-015-0967-0.
- Widyorini, R., P.A. Nugraha, M.Z.A. Rahman, dan T.A. Prayitno. 2016b. Bonding ability of a new adhesive composed of citric acid-sucrose for particleboard. *BioResources* 11(2):4526-4535. DOI: 10.15376/biores.11.2.4526-4535.

- Xiao, Y., B. Shan, R.Z. Yang, Z. Li, dan J. Chen. 2014. Glue laminated bamboo (GluBam) for structural applications. S. Aicher et al. (eds.). *Materials and Joints in Timber Structures*. RILEM Bookseries 9. DOI: 10.1007/978-94-007-7811-5\_54.
- Xu, Y., Y. Zhan, dan W. Wang. 2001. Study on Manufacturing Technology of MDF from Bamboo. *Proceeding in The Utilization of Agricultural and Forestry Residues*, Nanjing, China. P. 117–123.
- Xu, J., S. Sugawara, R. Widyorini, G. Han, dan S. Kawai. 2004. Manufacture and properties of low-density binderless particleboard from kenaf core. *J. Wood Sci.* 50:62–67.
- Yan, L., J. Cao, W. Gao, X. Zhou, dan G. Zhao. 2011. Interaction between glycerin and wood at various temperatures from stress relaxation approach. *Wood Sci. Technol.* 45:215-222.
- Yang, C.Q., X. Wang, dan I.S. Kang. 1997. Ester crosslinking of cotton fabric by polymeric carboxylic acids and citric acid. *Textile Research Journal* 67(5):334-342. DOI: 10.1177/004051759706700505.
- Yang, T.H., C.H. Lee, C.J. Lee, dan Y.W. Cheng. 2016. Effects of different thermal modification media on physical and mechanical properties of moso bamboo. *Construction and Building Materials* 119:251–259.
- Yemele, M.C.N., P. Blanchet, A. Cloutier, dan A. Koubaa. 2008. Effects of bark content and particle geometry on the physical and mechanical properties of particleboard made from black spruce and trembling aspen bark. *Forest Products Journal* 58(11):48-56.
- Youngquist, J. 1999. *Wood Handbook: Wood Based Composites and Panels Products*. Forest Product Laboratory, Amerika Serikat.
- Yunos, M.Z.B., W.A.W.A. Rahman. 2011. Effect of glycerol on performance rice straw/starch based polymer. *Journal of Applied Sciences* 11(13): 2456~2459. ISSN: 1812-5654.
- Zakaria, N.H., N. Muhammad, dan M.M.A.B. Abdullah. 2018. Effect of glycerol content on mechanical microstructure and physical properties of thermoplastic potato starch film. *AIP Conference Proceedings* 2030, 020230. DOI: 10.1063/1.5066871.
- Zhang, Y.M., Y.L. Yu, dan W.J. Yu. 2013. Effect of thermal treatment on the physical and mechanical properties of *phyllostachys pubescen* bamboo. *Eur. J. Wood Prod.* 71:61–67.
- Zhao, Z. dan K. Umemura. 2015. Investigation of a new natural particleboard adhesive composed of tannin and sucrose. 2. effect of pressing temperature and time on board properties, and characterization of adhesive. *BioResources* 10(2):2444-2460.
- Zhao, Z., K. Umemura, dan K. Kanayama. 2016. Effects of the addition of citric acid on tannin-sucrose adhesive and physical properties of the particleboard.

*BioResources* 11(1):1319-1333.

Zulaidah, A. 2012. Peningkatan nilai guna pati alami melalui proses modifikasi pati.

*Jurnal Dinamika Sains* 10(22):1-14.

Zuraida, A., Y. Yusliza, H. Anuar, dan R.M.K. Muhaimin. 2012. The effect of water and citric acid on sago starch bio-plastics. *International Food Research Journal* 19(2):715-719.