

DAFTAR PUSTAKA

- Abdel-Kader, A., A.A. Ammar, dan S.I. Saleh. 1991. Thermal behaviour of ammonium dihydrogen phosphate crystals in the temperature range 25-600°C. *Thermochimica Acta* 176: 293-304.
- Abdullah, U.H.B., dan A. Pizzi. 2013. Tannin-furfuryl alcohol wood panel adhesives without formaldehyde. *European Journal of Wood and Wood Products* 71:131–132.
- Adi, D.S., dan S.N. Marsoem. 2008. *Pengaruh Lama Pemasakan dan Konsentrasi Caustic Soda (NaOH) terhadap Rendemen dan Sifat Fisik Pulp Pelepah Salak Metode Kimia Mekanik Sederhana*. Skripsi (Tidak dipublikasikan). Fakultas Kehutanan, Universitas Gadjah Mada, Yogyakarta.
- Akyildiz, M. H., dan S. Ates. 2008. Effect of heat treatment on equilibrium moisture content (EMC) of some wood species in Turkey. *Research Journal of Agriculture and Biological Sciences* 4(6): 660-665.
- Annual IHS Chemical World Methanol Conference. 2015. Outlook for Formaldehyde and Impact on Methanol Demand. *Proceeding in Annual IHS Chemical World Methanol Conference*, Munich.
- Anonim. 2017a. “Wood Adhesives Market Analysis By Product (Urea Formaldehyde, Melamine Urea, Phenol-Formaldehyde, Isocyanate, Polyurethane, PVA, Soy-based), by Application (Flooring, Furniture, Doors & Windows), and Segment Forecasts, 2018 – 2025”. Diakses pada tanggal 20 Juni 2019. <https://www.grandviewresearch.com/industry-analysis/wood-adhesives-market>.
- Anonim. 2017b. “Ammonium Dihydrogen Phosphate”. Diakses pada tanggal 15 November 2018. https://www.chemicalbook.com/ChemicalProductProperty_EN_CB6131092.htm
- Anonim. 2017c. “Wood Adhesives Market Analysis, Size, Share, Growth, Trends and Forecast to 2021”. Diakses pada tanggal 5 Maret 2018. <http://cmfemarketresearchindustryreports.blogspot.co.id/2017/02/wood-adhesives-market-analysis.html>
- Anonim. 2017d. “Maltodextrins : Supporting Specialised Nutrition”. Diakses pada tanggal 10 Oktober 2018. www.starch.eu.
- Anonim. 2017e. “Maltodextrin”. Diakses pada tanggal 10 Oktober 2018. <https://www.guidechem.com/reference/dic-16032.html>.
- Anonim. 2017f. “5-Hydroxymethylfurfural”. Diakses pada tanggal 27 Juli 2019. http://chemicalbook.com/ChemicalProductProperty_US_CB6266813.aspx.
- Anonim. 2018a. “2017 Global Wood Panel Industry Report”. Diakses pada tanggal 5 Maret 2018. http://www.profresearch.com/index.php?route=product/product&product_id=214920.

- Anonim. 2018b. "Ammonium Dihydrogen Phosphate". Diakses pada tanggal 15 November 2018. https://en.wikipedia.org/wiki/Ammonium_dihydrogen_phosphate.
- Anonim. 2018c. "Ammonium Dihydrogen Phosphate". Diakses pada tanggal 15 November 2018. <https://www.americanelements.com/ammonium-dihydrogen-phosphate-7722-76-1>.
- Anonim. 2018d. "Does Viscosity Increase with the Size of the Molecule?". Diakses pada 15 Maret 2018. <https://sciencing.com/viscosity-increase-size-molecule-13388.html>.
- ASTM D 1037. 1999. Standard Test Methods for Evaluating Properties of Wood-Base Fiber and Particle Panel Materials. ASTM International, West Conshohocken, PA, USA.
- Atta-Obeng, E. 2011. *Characterization of Phenol Formaldehyde Adhesive and Adhesive-Wood Particle Composites Reinforced with Microcrystalline Cellulose*. Thesis. Auburn University. USA.
- Aung, M.M., Z. Yaakob, S. Kamarudin, dan L.C. Abdullah. 2014. Synthesis and characterization of Jatropha (*Jatropha curcas* L.) oil-based polyurethane wood adhesive. *Industrial Crops and Products* 60:177–185.
- Bacigalupe, A., Z. He, dan M.M. Escobar. 2017. Effects of Rheology and Viscosity of Bio-based Adhesives on Bonding Performance. In *Bio-based Wood Adhesives*, He, Z. (ed.). pp 293-309. CRC Press, Boca Raton.
- Bäckman, M., M. Gunnarsson, L. Kollberg, M. Müller, dan S. Tallvod. 2016. Production of Monoammonium Phosphate at Yara AB. *Technical Report*. Lund University. Swedia.
- Beall, F.C. 1989. Acousto-ultrasonic monitoring of glueline curing part II: gel and cure time. *Wood and Fiber Science* 21(3):231-238
- Bertaud, F., S.T. Lingua, A. Pizzi, P. Navarrete, dan M. P. Conil. 2012. Development of green adhesives for fiberboard manufacturing, using tannins and lignin from pulp mill residues. *Cellulose Chemical Technology* 46(7-8):449-455.
- Beta, I.A., H. Jovic, E. Geidel, H. Böhlig, dan B. Hunger. 2001. Inelastic neutron scattering and infrared spectroscopic study of furan adsorption on alkali-metal cation-exchanged faujasites. *Spectrochimica Acta A* 57:1393-403.
- Billes, F., H. Böhlig, M. Ackermann, dan M. Kudra. 2004. A vibrational spectroscopic study on furan and its hydrated derivatives. *Journal of Molecular Structure* 672: 1-16.
- Blanchard, P.H., dan F.R. Katz. 1995. *Starch Hydrolysates in Food Polysaccharides and Their Application*. Marcel Dekker Inc. New York.
- Bodig, J. 1962. Wettability related to gluabilities of five Philippine mahoganies. *Forest Product Journal* 12:265-270.
- Bowyer, J.L., R. Shmulsky, dan J.G. Haygreen. 2003. *Forest Products and Wood Science : an Introduction*. Iowa State Press. USA.
- BPPT. 2000. *Budidaya Pertanian Salak (Salacca edulis)*. Badan Pengkaji dan Penerapan Teknologi Kementerian Riset dan Teknologi RI. Jakarta.

- BPS. 2018. *Statistik Tanaman Buah-buahan dan Sayuran Tahunan Indonesia Tahun 2017*. Badan Pusat Statistik Indonesia. Jakarta.
- Bryant, B. S. 1968. Studies in wood adhesion-interaction of wood surface and adhesive variables. *Forest Product Journal* 18(6):57-62.
- Bueche, F., dan S. W. Harding. 1958. A new absolute molecular weight method for linear polymers. *Journal of Polymer Science* 32:177-186.
- Castro-Cabado, M., F.J. Parra-Ruiz, A.I. Casado, dan J.S. Román. 2016a. Thermal crosslinking of maltodextrin and citric acid. Methodology to control the polycondensation reaction under processing conditions. *Polymer and Polymer Composites* 24(8):643-654.
- Castro-Cabado, M., A.L. Casado, dan J.S. Roman. 2016b. Bio-based thermosets : effect of structure of polycarboxylic acids on the thermal crosslinking of maltodextrins. *European Polymer Journal* 78:91-105.
- Cai, Z., Q. Qu, J. N. Lee, dan S. Hiziroglu. 2004. Influence of board density, mat construction, and chip type on performance of particleboard made from eastern red cedar. *Forest Products Journal* 54(12):226-232.
- Cencer, M., Y. Liu., A. Winter, M. Murley, H. Meng, dan B.P. Lee. 2014. Effect of pH on the rate of curing and bioadhesive properties of dopamine functionalized poly(ethylene glycol) hydrogels. *Biomacromolecules* 15:2861-2869.
- Chen, C.M. 1972. Measuring the wetting of wood surfaces by adhesives. *Mokuzai Gakkashai* 18(9): 451-456.
- Circle, S.J., E.W. Meyer, dan R.W. Whitney. 1964. Rheology of soy protein dispersions. Effect of heat and other factors on gelation. *Ibid* 41:157-172.
- Clare, A.B., R.A. Franich, T.D. Lomax, A.G. McDonald, dan R. Meder. 2002. Preparation, characterization, and performance of cross-linkable maltodextrin based lignocellulosic adhesives. *Journal of Adhesion Science and Technology* 16(3):317-329.
- Cossement, M.R. dan J-M. P. Henrion. 2005. Dextrin Binder Composition for Heat Resistant Non-Wovens. U.S. Patent 2005/0215153 A1.
- Darmanto, S., H.S.B. Rochardjo, Jamasri, dan R. Widyorini. 2017. Effects of Alkali and Steaming on Mechanical Properties of Snake Fruit (*Salacca*) Fiber. *Proceeding in International Conference on Engineering, Science and Nanotechnology 2016 (ICESNANO 2016)*, Kristiawan, B. (ed.), Surakarta, Indonesia. pp. 030060. 1-6.
- Darmanto, S., H.S.B. Rochardjo, Jamasri, dan R. Widyorini. 2018. Effect of Sonication Treatment on Fibrilating Snake Fruit (*Sallaca*) Frond Fiber. *Proceeding in the 3rd International Conference on Industrial, Mechanical, Electrical, and Chemical Engineering*, Nur, D., A.T. Wijayanta, dan A.W. Budiman (eds.), Surakarta, Indonesia. Pp. 030064. 1-6.
- Desai, S.D., J.V. Patel, dan V.K. Sinha. 2003. Polyurethane adhesive system from biomaterial-based polyol for bondingwood. *International Journal of Adhesion & Adhesives* 23:393-399.
- Delmonte, J. 1947. *The Technology of Adhesives*. Reinhold Publishing Inc. New York.

- Dokic P., J. Jakovljevic, dan L.J. Dokic-Baucal. 1998. Molecular characteristics of maltodextrins and rheological behaviour of diluted and concentrated solutions. *Colloid and Surface A* 141:435–440.
- Edwin, H.J., dan T.H. Cumming. 1967. Thermoplastic adhesive of polypropylene, cellulose ester, polyvinyl acetate, sucrose acetate isobutyrate, and polyalkylene glycol. US. Patent 3.338.778.
- Esmaili, N., M.J. Zohuriaan-Mehr, S. Mohajeri, K. Kabiri, dan H. Bouhendi. 2017. Hydroxymethyl furfural-modified urea–formaldehyde resin: synthesis and properties. *European Journal of Wood and Wood Product* 75:71–80.
- Esteves, B. M., dan H.M. Pereira. 2009. Wood modification by heat treatment: a review. *BioResources* 4(1):370-404.
- FAO. 1966. *Plywood and Other Wood Based Panels*. Food and Agriculture Organization, Rome.
- FAO. 2015. *2014 Global Forest Products Facts and Figures. Forest Product Statistics*. Food and Agriculture Organization of United Nations. Roma.
- FAO. 2017. “Global Wood Production Growth Accelerates”. Diakses pada tanggal 25 September 2018. <http://www.fao.org/news/story/en/item/1073713/icode>.
- Fengel, D., dan G. Wegener. 1984. *Wood: Chemistry, Ultrastructure, Reaction*. Walter de Gruyter, Berlin.
- Fisher, R. 1918. The correlation between relatives on the supposition of Mendelian inheritance. *Royal Society of Edinburgh* 52:399-433.
- Forest Product Laboratory. 1968. Thermal insulation from wood for building: Effects of moisture and its control. *Research Paper FPL* 86:1-48.
- Freeman, H. A. 1959. Relation between physical and chemical properties of wood and adhesion. *Forest Product Journal* 9:451-458.
- Furuta, N., H. Akitsu, dan N. Takaya. 2004. Influence of aging period of veneer from drying on adhesive properties for softwood plywood. *Journal of Hokkaido Forest Products Research Institute* 18(4):23-29.
- Gadhawe, R.V., P.A. Mahanwar, dan P.T. Gadekar. 2017. Factor affecting gel time/process-ability of urea formaldehyde resin based wood adhesives. *Journal of Polymer Chemistry* 7:33-42.
- Galat, A. 1980. Study of the raman scattering and infrared absorption spectra of branched polysaccharides. *Acta Biochimica Polonica* 27:135-142.
- Gargouri, M., C. Chtara, P. Sharrock, A. Nzihou, dan H. El-Feki. 2012. Experimental study of the purification of an industrial fertilizer (mono-ammonium phosphate) to larger scale using an experimental design. *International Journal of Materials Engineering* 2(4):32-37.
- Gill, P.S., S.R. Sauerbrunn, dan M. Reading. 1993. Modulated differential scanning calorimetry. *Journal of Thermal Analysis* 40:931-939.
- Gordin, S.D., A.M. Eslami, dan H.L. Price. 2004. Gel Time and Temperature for Two Thermosetting Resins. *Proceeding in 2004 American Society for Engineering Education Annual Conference & Exposition, USA*. pp. 9.635.1-9.

- Han, R., L. Liu, H. Shin, R.R. Chen, G. Du, dan J. Chen. 2013. Site-saturation engineering of lysine 47 in cyclodextrin glycosyltransferase from *Paenibacillus macerans* to enhance substrate specificity towards maltodextrin for enzymatic synthesis of 2-O-D-glucopyranosyl-L-ascorbic acid (AA-2G). *Applied Microbiology Biotechnology* 97: 5851–5860.
- Hashim, A.B. 1995. *Diagnostik Cantasan bagi Tanaman Salak*. Pusat Pengembangan Pertanian Jerangau. Dungun.
- Hashim, R., N. Saari, O. Sulaiman, T. Sugimoto, S. Hiziroglu, M. Sato, dan R. Tanaka. 2010. Effect of particle geometry on the properties of binderless particleboard manufactured from oil palm trunk. *Materials & Design* 31(9):4251–4257.
- Haupt, R.A., dan T. Jr. Sellers. 1994. Phenolic resin-wood interaction. *Forest Products Journal* 44(2):69-75.
- Haygreen, J.G., dan J.L. Bowyer. 2007. *Hasil Hutan dan Ilmu Kayu Suatu Pengantar Terjemahan*. Gadjah Mada University Press. Yogyakarta.
- Hidayatulloh, S., D. Ariawan, E. Surojo, dan J. Triyono. 2017. Pengaruh Waktu Perlakuan Alkali Terhadap Kekuatan Mekanik Komposit rHDPE Serat Pelepah Salak. *Prosiding pada Seminar Nasional Sains dan Teknologi ke-8 Tahun 2017*, Rochmadi, Jamasri, dan R.E. Indrajit. (eds), Semarang. hal. 12-17.
- Hitchcock, R.R., dan E.R. Mehnert. 2015. Adhesive. U.S. Patent No. 9,150,761 B2.
- Hiziroglu, S., dan O. Suchsland. 1993. Linear expansion and surface stability of particleboard. *Forest Products Journal* 43(4):31–4.
- Hirizoglu, S., dan S.V. Suzuki. 2007. Evaluation of surface roughness of commercially manufactured particleboard and medium density fiberboard in Japan. *Journal of Material Process Technology* 184:436-440.
- Hong, W., M. Meng, J. Xie, D. Gao, M. Xian, S. Wen, S. Huang, dan C. Kang. 2018. Properties and thermal analysis study of modified polyvinyl acetate (PVA) adhesive. *Journal of Adhesion Science and Technology* 32(19):2180-2194.
- Hse, C.Y. 1972. Wettability of southern pine veneer by phenol formaldehyde wood adhesives. *Forest Product Journal* 22(1):51-56.
- Imam, S.H., L. Mao, L. Chen, dan R.V. Greene. 1999. Wood adhesive from crosslinked poly(vinyl alcohol) and partially gelatinized starch: preparation and properties. *Starch* 51(6):225-229.
- International Starch Institute. 2012. “Global Starch”. Diakses pada tanggal 13 Mei 2019. <http://www.starch.dk/isi/stat/rawmaterial.asp>.
- JIS A 5908. 2003. *JIS for Particleboard*. Japanese Industrial Standard. Tokyo.
- Jufri, M., A. Anwar, dan J. Djajadisastra. 2004. Pembuatan noisome berbasis maltodekstrin DE 5-10 dari pati singkong. *Majalah Ilmu Kefarmasian* 1(1):34-46.
- Kaliky, R., S. Widodo, dan N. Hidayat. 2006. Persepsi petani terhadap pemanfaatan pelepah daun salak untuk industry pulp dan konservasi lingkungan pertanaman Salak Pondoh di Kabupaten Sleman. *Naskah Temu Teknis Nasional Tenaga Fungsional Pertanian 2006*. Pusat Penelitian dan Pengembangan Peternakan. Yogyakarta.

- Kasanah, S. 2004. *Pengaruh Kerapatan Papan dan Jumlah Perekat Urea Formaldehida terhadap Sifat Papan Partikel Pelepah Salak*. Skripsi (Tidak Dipublikasikan). Fakultas Kehutanan, Universitas Gadjah Mada. Yogyakarta.
- Kementerian Pertanian. 2018. *Laporan Kinerja Direktorat Jendral Holtikultura Tahun Anggaran 2017*. Direktorat Jendral Holtikultura Kementerian Pertanian. Jakarta.
- Kennedy, H. M. 1989. Adhesives from Renewable Resources. *Proceeding in ACS Symposium Series 385, American Chemical Society*, Hemingway, R. W., A. H. Conner, dan S. J. Branham. (eds), Washington DC. pp. 326–336.
- Kenyon, M.M. dan R.J. Anderson. 1988. Maltodextrins and Low-Dextrose-Equivalence Corn Syrup Solids: Production and Technology for the Flavor Industry. *Proceeding in ACS Symposium Series 370, American Chemical Society*. pp. 7-11.
- Khan, M.A., S.M. Ashraf, dan V.P. Malhotra. 2004. Development and characterization of a wood adhesive using bagasse lignin. *International Journal of Adhesion & Adhesives* 24:485–493.
- Kholil, A., A. Abtokhi, dan A. Basid. 2017. *Analisis Fisis Briket arang dari Sampah Berbahan Alami Kulit Buah dan Pelepah Salak*. Skripsi. Fakultas Sains dan Teknologi, Universitas Islam Negeri Maulana Malik Ibrahim, Malang.
- Kim, J-W. K. Carlborn, L.M. Matuana, dan P.A. Heiden. 2006. Thermoplastic modification of urea–formaldehyde wood adhesives to improve moisture resistance. *Journal of Applied Polymer Science* 101(6):4222–4229.
- Kim, S. 2009. Environment-friendly adhesives for surface bonding of wood-based flooring using natural tannin to reduce formaldehyde and TVOC emission. *Bioresource Technology* 100(2):744–748.
- Kong, X., G. Liu, dan J.M. Curtis. 2011. Characterization of canola oil based polyurethane wood adhesives. *International Journal of Adhesion & Adhesives* 31:559–564.
- Kollmann, F.F.P., E.W. Kuenzi, dan A.J. Stamm. 1975. *Principles of Wood Science and Technology II: Wood Based Materials*. Springer-Verlag, Berlin/Heidelberg.
- Kumer R, V. Choudhary, S. Mishra, I. K. Varma, dan B. Mattiason. 2002. Adhesives and Plastics Based upon Soy Protein Adhesives. *Industrial Crops and Products* 16:155-172.
- Kunaver, M., M. Medved, N. Čuk, E. Jasiukaitytė, I. Poljanšek, dan T. Strnad. 2010. Application of liquefied wood as a new particle board adhesive system. *Bioresource Technology* 101:1361–1368.
- Kusumah, S.S., K. Umemura, K. Yoshioka, H. Miyafuji, dan K. Kanayama. 2016. Utilization of sweet sorghum bagasse and citric acid for manufacturing of particleboard I: effects of pre-drying treatment and citric acid content on the board properties. *Industrial Crops and Products* 84:34-42.
- Lei, H., A. Pizzi, P. Navarrete, S. Rigolet, A. Redl, dan A. Wagner. 2010. Gluten protein adhesives for wood panels. *Journal of Adhesion Science and Technology* 24:1583-1596

- Lighter, G.E. 2003. Hydroxymethylfurfural Derived from Cellulose Contained in Lignocellulose Solids. U.S. Patent 6,518,440 B2.
- Liu, H., C. Li, dan X.S. Sun. 2017. Soy-oil-based waterborne polyurethane improved wet strength of soy protein adhesives on wood. *International Journal of Adhesion and Adhesives* 73:66–74.
- Liu, X., Y. Wang, L. Yu, Z. Tong, L. Chen, H. Liu, dan X. Li. 2013. Thermal degradation and stability of starch under different processing conditions. *Starch - Stärke*, 65(1-2):48–60.
- Lim, T.K. 2012. *Edible medicinal and non-medicinal plants volume 1, fruits*. Springer, New York.
- Lykidis, C., A. Grigoriou, dan I. Barboutis. 2014. Utilisation of wood biomass residues from fruit tree branches, evergreen hardwood shrubs and Greek fir wood as raw materials for particleboard production. Part A. Mechanical properties. *Wood Material Science & Engineering* 9(4):202–208.
- Maloney, T. M. 1977. *Modern Particleboard & Dry-Process Fiberboard Manufacturing*. Miller-Freeman Publications. USA.
- Marchal, L. M., H.H. Beeftink, dan J. Tramper. 1999. Toward a rational design of commercial maltodextrin. *Food Science Technology* 10:345-355.
- Marra, A.A. 1992. *Technology of Wood Bonding, Principle in Practice*. Van Nostrand Reinhold. New York.
- Marrs, W.M., dan D.J. Steele. 1975. An instrument for the measurement of gelation time (by viscosity measurement). *Journal of Physics E: Scientific Instruments*, 8(4):270–272.
- Martin-Martinez, J.M., J.C. Fernández-García, dan A.C. Orgilés-Barceló. 1991. Adhesion properties and stability of polyurethane adhesive to synthetic rubber joints. *International Journal of Adhesion and Adhesives* 11(3): 192-196.
- Melo, F. C. de, R. F. de Souza, P. L. A. Coutinho, dan M. O. de Souza. 2014. Synthesis of 5-hydroxymethylfurfural from dehydration of fructose and glucose using ionic liquids. *Journal of the Brazilian Chemical Society* 25(12):2378-2384.
- Mollan, M.J. dan M. Çelik. 1996. *Maltodextrin*. Academic Press, Inc. New Jersey.
- Mollan, M.J. 1993. *Characterization of A Roller Compacted Maltodextrin for Direct Compression*. PhD Thesis. Rutgers, The State University of New Jersey, USA.
- Moubarik, A., A. Allal, A. Pizzi, P. Charrier, dan B. Charrier. 2009. Characterization of A formaldehyde-free cornstarch-tannin wood adhesive for interior plywood. *European Journal Wood & Product* 68:427–433.
- Moubarik, A., A. Pizzi, A. Allal, F. Charrier, A. Khoukh, dan B. Charrier. 2013. Polenta cornstarch-mimosa tannin-urea formaldehyde adhesives for interior grade particleboard. *Journal of Materials and Environmental Science* 4(4):496-501.
- Nemli, G., I. Ozturk, dan I. Aydin. 2005. Some of the parameters influencing surface roughness of particleboard. *Building and Environment* 40:1337–1340.
- Norstrom, E., L. Fogelstrom, P. Nordqvist, F. Khabbaz, dan E. Malmstrom. 2014. Gum dispersions as environmentally friendly wood adhesives. *Industrial Crops and Products* 52:736–744.

- Okuda, N., dan M. Sato. 2004. Manufacture and mechanical of binderless boards from kenaf core. *Journal of Wood Science* 52:422-428.
- Okuda, N., K. Hori, dan M. Sato. 2006. Chemical changes of kenaf core binderless boards during hot pressing (I): influence of the pressing temperature condition. *Journal of Wood Science* 52(3):244-248.
- Oliveira, R.P.S., A.C.R. Florence, R.C. Silva, P.Perego, A. Converti, L.A. Gioielli, dan M.N. Oliveira. 2009. Effect of different prebiotics on the fermentation kinetics, probiotic survival and fatty acids profiles in nonfat symbiotic fermented milk. *International Journal of Food Microbiology* 128:467-472.
- Ormondroyd, G.A. 2015. Adhesives for Wood Composites. In *Wood Composites*, Ansell, M.P. (ed.). hal. 47-66. Woodhead Publishing, Cambridge.
- Otálora, M.C., J.G. Carriazo, L. Iturriaga, dan M.A. Nazareno. 2015. Microencapsulation of betalains obtained from cactus fruit (*Opuntia ficus-indica*) by spray drying using cactus cladode mucilage and maltodextrin as encapsulating agents. *Food Chemistry* 187:174-181.
- Ping, L., N. Brosse, L. Chruscziel, P. Navarrete, dan A. Pizzi. 2011. Extraction of condensed tannins from grape pomace for use as wood adhesives. *Industrial Crops and Products* 33:253-257.
- Pizzi, A., dan F.A. Cameron. 1981. Decrease of pressing temperature and adhesive content by metallic ion catalysis in tannin-bonded particleboard. *Holz als Roh- und Werkstoff* 39:463-467.
- Pizzi, A., dan K.L. Mittal. 2003. *Handbook of Adhesive Technology 2nd ed, Revised and Expanded*. Marcel Dekker, Inc. Newyork.
- Pizzi, A., dan K.L. Mittal. 2010. *Wood Adhesives*. CRC Press. Boston.
- Poblete, H.W., dan A.S. Pinto. 1993. Advances on the effect of the catalyst in the curing of urea formaldehyde in Tapa boards. *Forest v.*, 14: 55-61.
- Prasetyo, B.D, R. Widyorini, dan T.A. Prayitno. 2016. Pengaruh Penggunaan Bahan Baku Pelepah Salak dan Jumlah Perekat Asam Sitrat terhadap Sifat Fisika dan Mekanika Papan Partikel. *Prosiding pada Seminar Nasional XVIII Masyarakat Peneliti Kayu Indonesia*, Hermiati, E., W. Dwianto, W. Fatriasari, D.H.Y. Yanto, S.H. Anita, Y.D. Kurniawan, A. Zulfitri, L. Astari, D. Zulfiana, D.A. Pramasari, Y. Nurhamiyah, M. Oktaviani, dan A. Sumarno. (eds.), Bandung. hal. 97-103.
- Prasetyo, B.D, R. Widyorini, dan T.A. Prayitno. 2017. Mutu papan partikel pelepah salak tiga lapis berperekat asam sitrat. *Jurnal Ilmu dan Teknologi Kayu Tropis* 15(2):185-192.
- Prayitno, T.A. 1994. *Perekatan Kayu*. Bagian Penerbitan Fakultas Kehutanan UGM. Yogyakarta.
- Prayitno, T.A. 2012. *Teknologi Perekatan Kayu KTT-3011*. Fakultas Kehutanan, Universitas Gadjah Mada. Yogyakarta.
- Purnomo, H. 2010. *Budidaya Salak Pondoh*. Penerbit Aneka Ilmu. Semarang.
- Qi, G., N. Li., D. Wang, dan X.S. Sun. 2016. Development of High-Strength Soy Protein Adhesives Modified with Sodium Montmorillonite Clay. *Journal of The American Oil Chemists Society* 93(11):1509-1517.

- Rachtanapun, P., dan P. Heiden. 2003. Thermoplastic polymers as modifiers for ureaformaldehyde (UF) wood adhesives. I. Procedures for the preparation and characterization of thermoplastic modified UF suspensions. *Journal of Applied Polymer Science* 87(6):890–897.
- Raemy, A., dan T.F. Schweizer. 1983. Thermal behaviour of carbohydrates studied by heat flow calorimetry. *Journal of Thermal Analysis* 28:95-108.
- Rajisha, K. R., B. Deepa, L.A. Pothan, dan S. Thomas. 2011. Thermomechanical and spectroscopic characterization of natural fibre composites. In *Interface Engineering of Natural Fibre Composites for Maximum Performance*, Zafeiropoulos, N. (ed.). pp 241–274. Woodhead Publishing Limited, United Kingdom.
- Ratnayake, W.S dan D.S. Jackson. 2009. Starch gelatinization. In *Advances in Food and Nutrition Research Vol. 55*, Taylor, S.L. (ed.). pp 221-260. Elsevier. USA.
- Rowe, R.C., P.J. Sheskey, dan E. Q. Marian. 2009. *Handbook of Pharmaceutical Excipients (6th ed.)*. Parmaceutical Press. USA.
- Rowell, R.M. 2005. *Handbook of Wood Chemistry and Wood Composites*. CRC Press. USA.
- Rudnik, E., G. Matuschek, N. Milanov, dan A. Kettrup. 2006. Thermal stability and degradation of starch derivatives. *Journal of Thermal Analysis and Calorimetry*, 85(2):267–270.
- Ruhendi, S., F. Febrianto, dan N. Sahriawati. 2000. Likuida kayu untuk perekat kayu lapis eksterior. *Jurnal Ilmu Pertanian Indonesia* 9(1):1-11.
- Sakata, I., M. Morita, N. Tsuruta, dan K. Morita. 1993. Activation of wood surface by corona treatment to improve adhesive bonding. *Journal of Applied Polymer Science* 49:1251-1258.
- Santoso A. 2001. *Uji Coba Pembuatan Perekat Tanin : Laporan Hasil Penelitian*. Puslitbang Teknologi Hasil Hutan. Bogor.
- Santoso, A., A. Firmanti, dan R.A. Karno. 1998. Pengaruh penambahan ekstender dalam perekat fenol formaldehida terhadap keteguhan rekat kayu lapis Tusam. *Buletin Penelitian Hasil Hutan* 15(5):337-347.
- Santoso, H.B. 1990. *Salak Pondoh*. Penerbit Kanisius. Yogyakarta.
- Santoso, M., R. Widyorini, T.A. Prayitno, dan J. Sulistyono. 2017. Bonding performance of maltodextrin and citric acid for particleboard made from nipa fronds. *Journal of the Korean Wood Science and Technology* 45(4):432-443.
- Scheikl, M., dan M. Dunky. 1998. Measurement of dynamic contact angles on wood for the determination of its surface tension and the penetration of liquids into the wood surface. *Holzforschung* 52:89– 94.
- Sedayu, B.B., T. N. Widiyanto, J. Basmal, dan B. S. B. Utomo. 2008. Pemanfaatan limbah padat pengolahan rumput laut *Gracilaria sp.* untuk pembuatan papan partikel. *Jurnal Pascapanen dan Bioteknologi Kelautan dan Perikanan* 3(1):1-10.
- Sekino, N., M. Inoue, M. Irle, dan T. Adcock. 1999. The mechanism behind the improved dimensional stability of particleboards made from steam-pretreatment particles. *Holzforschung* 53:435–440.

- Sekkal, M., V. Dincq, P. Legrand, dan J.P. Huvenne. 1995. Investigation of the glycosidic linkages in several oligosaccharides using FT-IR and FT Raman spectroscopies. *Journal of Molecular Structure* 349:349–352.
- Septiano, A., dan R. Widyorini. 2017. *Pengaruh Komposisi Perekat Asam Sitrat-Maltodekstrin dan Suhu Pengempaan terhadap Sifat Papan Partikel dari Pelepah Salak (Salacca sp)*. Skripsi (Tidak dipublikasikan). Fakultas Kehutanan UGM, Yogyakarta.
- Shallenberger, R.S., dan G.G. Birch. 1975. *Sugar Chemistry*. The Avi Publishing Company, Westport, Connecticut.
- Sharmin, E., dan F. Zafar. 2012. Polyurethane : An Introduction. In *Polyurethane*, Zafar, F. dan E. Sharmin (eds.). pp 3-16. InTech, Croatia.
- Shi, R., Z. Zhang, Q. Liu, Y. Han, L. Zhang, D. Chen, dan W. Tian. 2007. Characterization of citric acid/glycerol co-plasticized thermoplastic starch prepared by melt blending. *Carbohydrate Polymers* 69:748–755.
- Sherman, H. C. 1962. *Chemistry of Food and Nutrition 8th Ed*. The Macmillan company. New York.
- Shuler, M.L. dan F. Kargi. 2002. *Bioprocess Engineering Basic Concepts*. Prentice Hall Inc 2nd ed. USA. hal. 378-379.
- Siimer, K., T. Kaljuvee, dan P. Christjanson. 2003. Thermal behaviour of urea-formaldehyde resins during curing. *Journal of Thermal Analysis and Calorimetry* 72:607–617.
- Sjöström, E. 1995. *Kimia Kayu : Dasar-dasar dan Penggunaan* (2nd ed.) (Hardjono Sastrohamidjojo & Soenardi Prawirohatmodjo, Penerjemah). Gajah Mada University Press. Yogyakarta.
- SNI 03-3527. 1994. *Mutu dan Ukuran Kayu Bangunan*. Badan Standardisasi Nasional. Bogor, Indonesia.
- SNI 03-2105. 2006. *Standar Nasional Indonesia Papan Partikel*. Badan Standardisasi Nasional. Bogor, Indonesia.
- Sritham, E., dan S. Gunasekaran. 2017. FTIR spectroscopic evaluation of sucrose-maltodextrin-sodium citrate bioglass, *Food Hydrocolloid*. 70:371-382.
- Stofko, J. 1980. Bonding of Solid Lignocellulosic Material. U.S. Patent 4,183,997.
- Storz, E. dan K-J. Steffens. 2004. Feasibility study for determination of the dextrose equivalent (DE) of starch hydrolysis products with nearinfrared spectroscopy (NIRS). *Starch/Stärke* 56:58–62.
- Sucipto, T. 2009. *Determinasi Kualitas Perekat*. Karya Tulis. Fakultas Kehutanan, Universitas Sumatera Utara. Medan.
- Sunarjono, H. 2005. *Berkebun 21 Jenis Tanaman Buah*. Penebar Swadaya. Jakarta.
- Sun, H., dan Z. Zhao. 2018. Influence of acid on the curing process of tannin-sucrose adhesives. *BioResources* 13(4):7683-7697.
- Sutrisno, E. Darmawati, dan W.L.S. Siregar. 2008. Pemanfaatan Pelepah Salak untuk Kemasan Transportasi Buah Salak (*Salacca edulis*). *Prosiding pada Seminar Nasional Teknik Pertanian 2008*, Rahardjo, B., M. Mawardi, S. Herodian, L. Sutiarsa, dan S. Rochdiyanto. (eds), Yogyakarta. hal. 1-12.

- Suzuki, S., H. Shintani, S.Y. Park, K. Saito, N. Laemsak, M. Okuma, dan K. Iiyama. 1998. Preparation of binderless boards from steam exploded pulps of oil palm (*Elaeis guneensis* Jaxq) fronds and structural characteristics of lignin and wall polysaccharides in steam exploded pulps to be discussed for self-bindings. *Holzforschung* 52(4):417–426.
- Taghiyari, H.R., H. Rangavar, dan O.F. Bibalan. 2011. Effect of nano-silver on reduction of hot-pressing time and improvement in physical and mechanical properties of particleboard. *BioResources* 6(4):4067-4075.
- Tjitrosoepomo, G. 2004. *Taksonomi Tumbuhan Spermatophyta*. Gadjah Mada University Press. Yogyakarta.
- Tondi, G., S. Wieland, T. Wimmer, T. Schnabel, dan A. Petutschnigg. 2012. Starch-sugar synergy in wood adhesion science: basic studies and particleboard production. *European Journal of Wood and Wood Products* 70:271–278.
- Tolinski, M. 2015. Global resin trends 2015: an expert roundtable. *Plastics Engineering* 71(1):6-13.
- Tshabalala, M.A., J.D. McSweeney, dan R.M. Rowell. 2012. Heat treatment of wet wood fiber: a study of the effect of reaction conditions on the formation of furfurals. *Wood Material Science and Engineering* 7(4):202–208.
- Tsoumis, G. 1991. *Science and Technology of Wood Structure, Properties, Utilization*. Van Nostrand Reinhold. New York.
- Umemura, K., A. Inoue, dan S. Kawai. 2003. Development of new natural polymer-based wood adhesives I: dry bond strength and water resistance of konjac glucomannan, chitosan, and their composites. *Journal of Wood Science* 49:221–226.
- Umemura, K., A. Mihara, dan S. Kawai. 2010. Development of new natural polymer-based wood adhesives III: effects of glucose addition on properties of chitosan. *Journal of Wood Science* 56:387–394.
- Umemura, K., K. Kaiho, dan S. Kawai. 2009. Characterization of bagasse-rind particleboard bonded with chitosan. *Journal of Applied Polymer Science* 113(4):2103-2108.
- Umemura, K., O. Sugihara, dan S. Kawai. 2013. Investigation of a new natural adhesive composed of citric acid and sucrose for particleboard. *Journal of Wood Science* 59(3):203–208.
- Umemura, K., S. Hayashi, S. Tanaka, dan K. Kanayama. 2017. Changes in physical and chemical properties of sucrose by the addition of ammonium dihydrogen phosphate. *Journal of the Japan Adhesives Research Society* 53(4):112-117.
- Umemura, K., T. Ueda, dan S. Kawai. 2012. Effect of moulding temperature on the physical properties of wood-based moulding bonded with citric acid. *Forest Products Journal* 62(1):63-68.
- Umemura, K., T. Ueda, S. S. Munawar, dan S. Kawai. 2011. Application of citric acid as natural adhesive for wood. *Journal of Applied Polymer Science* 123(4):1991-1996.

- Van Putten, R., J.C. Van Der Waal, E. De Jong, C.B. Rasrendra, H.J. Heeres, dan J.G. Vries. 2013. Hydroxymethylfurfural, a versatile platform chemical made from renewable resources. *Chemical Reviews* 113(3):1499–1597.
- Velásquez-Cock, J., P.Gañán, C.Gómez H., P.Posada, C.Castro, A.Dufresne, dan R.Zuluaga. 2018. Improved redispersibility of cellulose nanofibrils in water using maltodextrin as a green, easily removable and non-toxic additive. *Food Hydrocolloids* 79:30-39.
- Vilcoq, L., P.C. Castilho, F. Carvalheiro, dan L.C. Duarte. 2014. Hydrolysis of oligosaccharides over solid acid catalysts: a review. *ChemSusChem* 7(4):1010-1019.
- Wahyuningsih, E. 1987. *Pengaruh Campuran Sagu dan Tangkil Biji Karet sebagai Ekstender Perekat Urea Formaldehida terhadap Keteguhan Rekat Kayu Lapis Meranti Merah*. Skripsi (Tidak dipublikasikan). Jurusan Teknologi Hasil Hutan, Fakultas Kehutanan IPB. Bogor.
- Wang, D., dan X. S. Sun. 2002. Low density particleboard from wheat straw and corn pith. *Industrial Crops and Products* 15(1):43–50.
- Wang, Y.-J., dan L. Wang. 2000. Effects of modification sequence on structures and properties of hydroxypropylated and crosslinked waxy maize starch. *Starch/Staerke* 52:406–412.
- Wang, Z., Z. Gu, Y. Hong, L. Cheng, dan Z. Li. 2011. Bonding strength and water resistance of starch-based wood adhesive improved by silica nanoparticles. *Carbohydrate Polymers* 86:72-76.
- Wang, Z., Z. Li, Z. Gu, Y. Hong, dan L. Cheng. 2012. Preparation, characterization and properties of starch-based wood adhesive. *Carbohydrate Polymers* 88:699–706.
- Widyawati, A dan T. Rahayu. 2016. *Kualitas Kertas Seni Berbahan Baku Pelepah Tanaman Salak dengan Perlakuan Konsentrasi NaOH dan Konsentrasi Lem PVAc*. Skripsi. Fakultas Keguruan dan Ilmu Pendidikan, Universitas Muhammadiyah Surakarta, Surakarta.
- Widyorini, R., E.Sembiring, dan K. Umemura. 2018c. Effect of Citric Acid-Starch Composition Ratio and Pressing Temperature on Properties of Particleboard from Salacca (*Salacca sp.*) Frond. *Proceeding in The 9th International Symposium of Indonesian Wood Research Society (IWoRS)*, Bali, Indonesia.
- Widyorini, R dan T.A. Prayitno. 2009. *KTT Teknologi Biokomposit*. Jurusan Teknologi Hasil Hutan, Fakultas Kehutanan, Universitas Gadjah Mada. Yogyakarta.
- Widyorini, R., A. P. Yudha, R. Isnani, A. Awaluddin, T. A. Prayitno, A. Ngadianto, dan K. Umemura. 2014. Improving the Physico-Mechanical Properties of Eco-friendly Composite Made from Bamboo. *Proceeding in Advanced Materials Research Symposium*, Triyana, K., Khairurrijal, R. Suryana, H. Susanto and Sutikno. (eds), Yogyakarta. pp. 562-565.
- Widyorini, R., K. Umemura, A. Septiano, D.K. Soraya, G.K. Dewi, dan W.D. Nugroho. 2018a. Manufacture and properties of citric acid-bonded composite

- board made from *Salacca frond*: effect of maltodextrin addition, pressing temperature, and pressing method. *BioResources* 13(4):8662-8676.
- Widyorini, R., G.K. Dewi, W.D. Nugroho, T.A. Prayitno, A.S. Jati, dan N. Tejolaksono. 2018b. Properties of citric acid-bonded composite board from elephant dung fibers. *Journal of Korean Wood Science and Technology* 46(2):132-142.
- Widyorini, R., K. Umemura, A.R. Kusumaningtyas, dan T.A. Prayitno. 2017. Effect of starch addition on properties of citric acid-bonded particleboard made from bamboo. *BioResources* 12(4):8068-8077.
- Widyorini, R., K. Umemura, R. Isnain, D. R. Putra, A. Awaludin, dan T. A. Prayitno. 2016a. Manufacture and properties of citric acid-bonded particleboard made from bamboo materials. *European Journal of Wood and Wood Products* 74(1):57-65.
- Widyorini, R., K. Umemura, D.K. Soraya, G.K. Dewi, dan W.D. Nugroho. 2019. Effect of citric acid content and extractives treatment on the manufacturing process and properties of citric acid-bonded *Salacca frond* particleboard. *BioResources* 14(2):4171-4180.
- Widyorini, R., P.A. Nugraha, M.Z.A. Rahman, dan T.A. Prayitno. 2016b. Bonding ability of a new adhesive composed of citric acid-sucrose for particleboard. *BioResources* 11(2):4526-4535.
- Willy, D. 2012. "Pemanfaatan Dahan Salak (*Salacca edulis*) untuk Komponen Interior dan Kerajinan". Diakses pada tanggal 4 November 2018 <https://apikayu.wordpress.com/2012/05/24/pemanfaatan-dahan-salak>.
- Xing, C., S. Y. Zhang, dan J. Deng. 2004. Effect of wood acidity and catalyst on UF resin gel time. *Holzforchung* 58:408-412.
- Xing, C., S. Y. Zhang, J. Deng, dan S. Wang. 2007. Urea-formaldehyde-resin gel time as affected by the pH value, solid content, and catalyst. *Journal of Applied Polymer Science* 103:1566-1569.
- Yan, H., Z. Cao, dan W. Guo. 1996. Study on bonding mechanism of dry-process binderless fiberboards part I. Chemical changes and effects in binderless fiberboard manufacture. *For Ind* 10(4):3-11.
- Ye, P., J. An, G. Zhang, L. Wang, P. Wang, dan Y. Xie. 2018. Preparation of particleboard using dialdehyde starch and corn stalk. *BioResources* 13(4):8930-8942.
- Yemele, M. C. N., A. Kouba, A. Cloutier, P. Soulounganga, dan M. Wolcott. 2010. Effect of bark fiber content and size on mechanical properties of bark/HDPE composites. *Composites: Part A* 41:131-137.
- Zhang, D., A. Zhang, dan L. Xue. 2015. A review of preparation of binderless fiberboards and its self-bonding mechanism. *Wood Science and Technology* 49(4):661-679.
- Zhang, Y., L. Ding, J. Gu, H. Tan, dan L. Zhu. 2015. Preparation and properties of a starch-based wood adhesive with high bonding strength and water resistance. *Carbohydrate Polymers* 115:32-37.

- Zhao, Z., dan K. Umemura. 2015. Investigation on new natural particleboard adhesive composed of tannin and sucrose. 2. Effect of pressing temperature and time on board properties and characterization of adhesive. *BioResources* 10(2):2444-2460.
- Zhao, Z., K. Umemura, dan K. Kanayama. 2016. Effect of the addition of citric acid on tannin-sucrose adhesive and physical properties of particleboard. *BioResources* 11(1):1319-1333.
- Zhao, M., J. Jing, Y. Zhu, X. Yang, X. Wang, dan Z. Wang. 2016. Preparation and performance of lignin-phenol-formaldehyde adhesives. *International Journal of Adhesion & Adhesives* 64:163-167.
- Zhao, Z., dan K. Umemura. 2014. Investigation of a new natural particleboard adhesive composed of tannin and sucrose. *Journal of Wood Science* 60(4):269-277.
- Zhao, Z., S. Hayashi, W. Xu, Z. Wu, S. Tanaka, S. Sun, M. Zhang, K. Kanayama, dan K. Umemura. 2018. A novel eco-friendly wood adhesive composed by sucrose and ammonium dihydrogen phosphate. *Polymers* 10(11). DOI: 10.3390/polym10111251.
- Zumdahl, S.S. 2005. *Chemical Principles (5th ed.)*. Houghton Mifflin Company, Boston, USA.