

DAFTAR PUSTAKA

- Adjonu, R., Doran, G., torley, P., and Agboola, S. (2013). Screening of whey protein isolate hydrolysates for their dual functionality: Influence of heat pre-treatment and enzyme specificity. *Food Chemistry* 136: 1435-1443.
- Agustina, B. (2015). Sifat Fungsional dan Anti Nutri Tempe Berbahan Baku Kedelai (*Glycine max* L. *Merill*) dan Koro Kratok (*Phaseolus lunatus* L.) Putih. *Skripsi*. Fakultas Teknologi Pertanian. Universitas Jember.
- Akillioglu, H. G. and Karakaya, S. (2009). Effects of heat treatment and *in vitro* digestion on the Angiotensin converting enzyme inhibitory activity of some legume species. *European Food Research and Technology* 229: 915–921.
- Akimov, M., and Bezuglov, V. (2012). Methods of Protein Digestive Stability Assay – State of the Art. *New Advances in the Basic and Clinical Gastroenterology*, 211-234, DOI: 10.5772/33286.
- Alashi, A. M., Blanchard, C. L., Mailer, R. J., Agboola, S. O., Mawson, A. J., He, R., Malomo, S. A., Girgih, A. T., and Aluko, R. E. (2014). Blood pressure lowering effects of Australian canola protein hydrolysates in spontaneously hypertensive rats. *Food Research International* 55: 281–287.
- Aluko, R. E. (2015). Antihypertensive peptides from food proteins. *Annual Review of Food Science and Technology* 6: 235–262.
- Aluko, R. E., Girgih, A. T., He, R., Malomo, S., Li, H., Offengenden, M., and Wu, J. (2015). Structural and functional characterization of yellow field pea seed (*Pisum sativum* L.) protein-derived antihypertensive peptides. *Food Research International* 77:10-16.
- Amenta, F., Buccioni, M., Ben, D. D., Lambertucci, C., navia, A. M., Ngnintedem, M. A. N., ricciutelli, m., Spinaci, A. Volpini, R., Marucci, G. (2018). Ex-vivo absorption study of lysine R-lipoate salt, a new pharmaceutical form of R-ALA. *European Journal of Pharmaceutical Sciences* 118: 200-207.
- Ancona, D. B., Tintore, S. G., dan Guerrero, L. C. (2004). Wet-fractionation of *Phaseolus lunatus* seeds: partial characterization of starch and protein. *Journal of the Science of Food and Agriculture* 84: 1193–1201.
- Ancona, D. B., Espinoza, T. S., Ruiz, J. R., Campos, M. S., and Guerrero, L. C. (2014). Enzymatic hydrolysis of hard-to-cook bean (*Phaseolus vulgaris* L.) protein concentrates and its effects on biological and functional properties. *International Journal of Food Science and Technology* 49: 2–8.

- Annisa, E. D. N. (2018). Karakteristik Kimia, Fungsional, dan Sensoris Tempe Koro Pedang Putih (*Canavalia ensiformis* L.) Goreng dan Rebus. *Skripsi*. Fakultas Teknologi Pertanian. UGM.
- Anonim (2015). SNI-3144:2015 *Tempe kedelai*. Badan Standardisasi Nasional: Jakarta.
- AOAC. (2005). Official Methods of Analysis of the Association of Official Analytical Chemists, 14th edn. Washington DC.
- Artari, R., and Putri, P. H. (2017). Keragaan Lima Aksesori Kacang Koro (*Phaseolus lunatus* L.) pada Dua Kondisi Pemupukan. *Prosiding Seminar Hasil Penelitian Tanaman Aneka Kacang dan Umbi*: 658-665.
- Astuti, M., Melial, A., Dalais, F. S., and Wahlqvist, M. L. (2000). Tempe, a nutritious and healthy food from Indonesia. *Asia Pasific Journal of Clinical Nutrition* 9(4): 322–325.
- Bax, M. L., Buffiere C., Hafnaoui, N., Gaudichon, C., Auzeloux, I. S., Dardevet, D., Lhoutellier, V. S., and Remond, D. (2013). Effects of Meat Cooking, and of Ingested Amount, on Protein Digestion Speed and Entry of Residual Proteins into the Colon: A Study in Minipigs. *PLoS ONE* 8(4): 1-7.
- Bernstein, K. E., Ong, F. S., Blackwell, W. L. B., Shah, K. H., Giani, J. F., Villalobos, R. A. G., Shen, X. Z., and Fuchs, S. (2013). A Modern Understanding of the Traditional and Nontraditional Biological Functions of Angiotensin-Converting Enzyme. *Pharmacology Reviews* 65: 1-46.
- Bhutia, Y. D., and Ganapathy, V. (2018). Protein Digestion and Absorption. *Physiology of the Gastrointestinal Tract*. <https://doi.org/10.1016/B978-0-12-809954-4.00047-5>
- Boutrou, R., Gaudichon, C., Dupont, D., Jardin, J., Airinei, G., Marsset-Baglieri, A., and Leonil, J. (2013). Sequential release of milk protein-derived bioactive peptides in the jejunum in healthy humans. *The American Journal of Clinical Nutrition* 97: 1314–1323.
- Campbell, J., Berry, J., and Liang, Y. (2018). Shackelford's Surgery of the Alimentary Tract: Chapter 71 – Anatomy and Physiology of the Small Intestine. <https://doi.org/10.1016/B978-0-323-40232-3.00071-6>
- Campos, M. R. S., Guerrero, L. A. C., dan Ancona, D. A. B. (2011). Purification of angiotensin I-converting enzyme inhibitory peptides from a cowpea (*Vigna unguiculata*) enzymatic hydrolysate. *Process Biochemistry* 46: 864–872.
- Capriotti, A. L., Caruso, G., Cavaliere, C., Samperi, R., Ventura, S., Chiozzi, R. Z., and Lagana, A. (2015). Identification of potential bioactive peptides

generated by simulated gastrointestinal digestion of soybean seeds and soy milk proteins. *Journal of Food Composition and Analysis* 44: 205–213.

- Chun, H., Sasaki, M., Fujiyama, Y., and Bamba, T. (1996). Effect of Peptide Chain Length on Absorption and Intact Transport of Hydrolyzed Soybean Peptide in Rat Intestinal Everted Sac. *Journal of Clinical Biochemistry and Nutrition* 21: 131-140.
- Church, Frank C., Harold E Swaisgood, D. H. P. and G. L. C. (1983). Spectrophotometric Assay Using o-Phthaldialdehyde for Determination of Proteolysis in Milk and Isolated Milk Proteins z, (66). [https://doi.org/10.3168/jds.S0022-0302\(83\)81926-2](https://doi.org/10.3168/jds.S0022-0302(83)81926-2)
- Cushman, D. W., and Ondetti, M. A. (1999). Design of angiotensin converting enzyme inhibitors. *Nature Medicine* 5 (10): 1110-1112.
- Cushman, D.W, and Cheung, H.S. (1971). Spectrophotometric Assay and Properties of the Angiotensin Converting Enzymes from Rabbit Lung. *Biochemical Pharmacology* 20: 1637–48.
- Daliri, E.B.M., Lee, B.H., Kim, J. H., and Oh, D. H. (2018). Novel angiotensin I-converting enzyme inhibitory peptides from soybean protein isolates fermented by *Pediococcus pentosaceus* SDL1409. *LWT - Food Science and Technology* 93:88–93.
- Davis, P. J., and Williams, S. C. (1998). Protein Modification by Thermal Processing. *Allergy* 53: 102-105.
- Duan, X., Wu, F., Li, M., Yang, N., Wu, C., Jin, Y., Yang, J., Jin, Z. and Xu, X. (2014). Naturally Occurring Angiotensin I-Converting Enzyme Inhibitory Peptide from a Fertilized Egg and Its Inhibitory Mechanism. *Journal Agricultural and Food Chemistry* 62, 5500–5506.
- Edge, I. A, and Akinyele, I. O. (1989). Effect of Cooking on the Antinutritional Factors of Lima Bean (*Phaseolus lunatus*). *Food Chemistry* 35: 81-87.
- Farinde, E. O, Olanipekun, O. T., and Olasupo, R. B. (2018). Nutritional Composition and Antinutrients Content of Raw and Processed Lima Bean (*Phaseolus lunatus*). *Annals. Food Science and Technology* 19(2): 250-264
- Foltz, M., Meynen, E. E., Bianco, V., van Platerink, C., Koning, T. M. M. G., and Kloek, J. (2007). Angiotensin converting enzyme inhibitory peptides from a lactotripeptide enriched milk beverage are absorbed intact into the circulation. *The Journal of Nutrition* 137, 953–958.
- Fujita, H., Yokoyama, K., and Yoshikawa, M. (2000). Classification and Antihypertensive Activity of Angiotensin I-Converting Enzyme Inhibitory

Peptides Derived from Food Proteins. *Journal of Food Science* 4 (65): 564-569.

- Garcia, M. C., Puchalska, P., Esteve, C., dan Marina, M. L. (2013). Vegetable foods: A cheap source of proteins and peptides with antihypertensive, antioxidant, and other less occurrence bioactivities. *Talanta* 106: 328–349.
- Gibbs, B. F., Zougman, A., Masse, R., dan Mulligan, C. (2004). Production and characterization of bioactive peptides from soy hydrolysate and soy-fermented food. *Food Research International* 37: 123–131.
- Gilbert, E. R., Wong, E. A., and Webb, K. E. (2008). Peptide absorption and utilization: Implications for animal nutrition and health. *Journal of Animal Science* 86: 2135-2155.
- Gu, Y., and Wu, J. (2013). LC–MS/MS coupled with QSAR modeling in characterising of angiotensin I-converting enzyme inhibitory peptides from soybean proteins. *Food Chemistry* 141: 2682–2690.
- Guerrero, L. C., Magaña, M. D., Ayala, A. M., Ortiz, G. D., and Ancona, D. B. (2012). Lima Bean (*Phaseolus lunatus*) Protein Hydrolysates with ACE-I Inhibitory Activity. *Food and Nutrition Sciences* 3: 511-521.
- Guerrero, L. C., Scilingo, A. A., Tintore, S. G., Davila, G., and Anon, M. C. (2007). Physicochemical and structural characterization of Lima Bean (*Phaseolus lunatus*) globulins. *LWT* 40: 1537-1544.
- Handayani, M. T. (2019). Pengaruh Waktu Fermentasi pada Produksi Peptida Bioaktif Penghambat ACE (*Angiotensin Converting Enzyme*) dari Tempe Koro Kratok (*Phaseolus lunatus*) dengan Inokulum *Rhizopus oligosporus*. *Tesis*. Fakultas Teknologi Pertanian, UGM.
- He, R., Malomo, S. A., Girgih A. T, Ju, X., and Aluko, R. E. (2013). Glycinyln-Histidinyln-Serine (GHS), a Novel Rapeseed Protein-Derived Peptide Has Blood Pressure-Lowering Effect in Spontaneously Hypertensive Rats. *Journal Agricultural and Food Chemistry* 61: 8396–8402.
- Hong, F., Ming, L., Yi, S., Zhanxia, L., Yongquan, W., and Chi, L. (2008). The antihypertensive effect of peptides: A novel alternative to drugs?. *Peptides* 29: 1062-1071.
- Jakubczyk, A. and Baraniak, B. (2014). Angiotensin I Converting Enzyme Inhibitory Peptides Obtained after *In Vitro* Hydrolysis of Pea (*Pisum sativum* var. Bajka) Globulins. *BioMed Research International* 2014: 1-8.
- Jakubczyk, A., Karas, M., Baraniak, B., and Pietrzak, M. (2013). The impact of fermentation and in vitro digestion on formation angiotensin converting

enzyme (ACE) inhibitory peptides from pea proteins. *Food Chemistry* 141: 3774 - 3780.

Jayalaxmi, B., Vijayalaksmi, Ravindra, U., Revenna, M.L., and Chandru, R. (2016). Effect of different processing methods on proximate, mineral and antinutrient content of lima bean (*Phaseolus lunatus*) seeds. *Agricultural Research Communication Centre* 39 (4): 543-549.

Kuba M, Tanaka K, Tawata S, Takeda Y, and Yasuda, M. (2003). Angiotensin I-converting enzyme inhibitory peptides isolated from tofuyo fermented soybean food. *Biosci Biotechnol Biochem* 67:1278–83.

Ledesma, B. H., Contreras, M. D., and Recio, I. (2011). Antihypertensive peptides: Production, bioavailability and incorporation into foods. *Advances in Colloid and Interface Science* 165: 23–35.

Lee, S. Y., and Hur, S. J. (2017). Antihypertensive peptides from animal products, marine organisms, and plants. *Food Chemistry* 228: 506-517.

Lehninger, A.L., Cox, M., and Nelson, D. R. (2008). *Lehninger principles of biochemistry*. W.H. Freeman, San Francisco.

Li, H. and Aluko, R. E. (2010). Identification and Inhibitory Properties of Multifunctional Peptides from Pea Protein Hydrolysate. *Journal Agricultural and Food Chemistry* 58: 11471–11476.

Li, Y., Zhao, J., Liu, X., Xia, X., Wang, Y., & Zhou, J. (2017). Transport of a novel angiotensin-I-converting enzyme inhibitory peptide Ala-His-Leu-Leu across human intestinal epithelial Caco-2 cells. *Journal of Medicinal Food* 20: 243–250.

Lin, H. C., Alashi, A. M., Aluko, R. E., Pan, B. S., and Chang, Y. W. (2017). Antihypertensive Properties of Tilapia (*Oreochromis spp.*) Frame and Skin Enzymatic Protein Hydrolysates. *Food & Nutrition Research* 61: 1-11.

Liu, M., Du, M., Zhang, Y., Xu, W., Wang, C., Wang, K., and Zhang, L. (2013). Purification and Identification of an ACE Inhibitory Peptide from Walnut Protein. *Journal Agricultural and Food Chemistry* 61: 4097–4100.

Lo, W. M. Y. and Chan, E. C. Y. L. (2005). Angiotensin I Converting Enzyme Inhibitory Peptides from In Vitro Pepsin–Pancreatin Digestion of Soy Protein. *Journal Agricultural and Food Chemistry* 53: 3369–3376.

Lopez, C. C., Serio, A., Paparella, A., Martuscelli, A., Corsetti, A., Tofalo, R., and Suzzi, G. (2014). Impact of Microbial Cultures on Proteolysis and Release of Bioactive Peptides in Fermented Milk. *Food Microbiology* 42: 117-121.

- Lowry, O. H., Rosebrough, N. J., Farr, A. L., and Randall, R. J. (1951). Protein Measurement with The Folin Phenol Reagent. *Journal of Biological Chemistry* 93: 265-275.
- Luo, Q., Boom, R. M., and Janssen, A. E. M. (2015). Digestion of protein and protein gels in simulated gastric environment. *LWT - Food Science and Technology* 63(1): 161–168.
- Magana, M. D., Campos, M. S., Ortiz, G. D., Ancona, D. B. dan Guerrero, L. C. (2015). ACE-I inhibitory properties of hydrolysates from germinated and ungerminated *Phaseolus lunatus* proteins. *Food Science and Technology* 35(1): 167-174.
- Matthews, D. M., Crampton, R. F., and Lis, M. T. (1971), Sites of maximal intestinal absorptive capacity for amino acids and peptides: evidence for an independent peptide uptake system or system. *Journal of Clinical Pathology* 24: 882-883.
- Matthews, D. M., Path, FRC, and Adibi, S. A. (1976). Peptide Absorption. *Gastroenterology* 71: 151-161.
- Mendez, B. G., Flores, M. E. J., Guerrero, L. C., and Ancona, D. B. (2014). Comparison of physicochemical properties, antioxidant and metal-chelating activities of protein hydrolysates from *Phaseolus lunatus* and hard-to-cook *Phaseolus vulgaris*. *International Journal of Food Science and Technology*: 1-10.
- Mendis, S., Puska, P., and Norrving, B. (2011), Global atlas on cardiovascular disease prevention and control. WHO.
- Miguel, M., Davalos, A., Manso, M. A., Pena, G., Lasuncion, M. A., and Lopez, F. R. (2008). Transepithelial transport across Caco-2 cell monolayers of antihypertensive egg-derived peptides. PepT1-mediated flux of Tyr-Pro-Ile. *Molecular Nutrition & Food Research* 52: 1507–1513.
- Minekus, M., M. Alminger, P. Alvito, S. Ballance, T. Bohn, C. Bourlieu, F. Carrière, et al. (2014). A Standardised Static *in Vitro* Digestion Method Suitable for Food – an International Consensus. *Food Function* 5 (6): 1113–24. <https://doi.org/10.1039/C3FO60702J>.
- Mohtar, W.A.I.W., Hamid, A.A., Abd-Aziz, S., Muhamad, S.K.S., and Saari, N. (2014). Preparation of bioactive peptides with high angiotensin converting enzyme inhibitory activity from winged bean (*Psophocarpus tetragonolobus* (L.) DC.) seed. *Journal of Food Science and Technology* 51(12):3658–3668.

- Mundi, S. and Aluko, R. E. (2015). Inhibitory Properties of Kidney Bean Protein Hydrolysate and its Membrane Fractions Against Renin, Angiotensin Converting Enzyme, and Free Radicals. *Austin Journal of Nutrition and Food Sciences* 2 (1): 1-12.
- Natesh, R., Schwager, S. L. U., Sturrock, E. D., and Acharya, K. R. (2003). Crystal structure of the human angiotensin-converting enzyme–lisinopril complex. *Nature* 42: 551-554.
- Norton, T., and Sun, D. (2008). Recent Advances in The Use of High Pressure as An Effective Processing Technique in The Food Industry. *Food Bioprocess Technology* 1: 2 – 34.
- Pihlanto, L. A., Koskinen, P., Piilola, K., Tupasela, T., and Korhonen, H. (2000). Angiotensin I-converting enzyme inhibitory properties of whey protein digest: Concentration and characterisation of active peptides. *Journal of Dairy Research* 67(1): 53–64.
- Rachmawati, A. T. (2018). Pengaruh Pemanngangan dan Pengukusan terhadap Karakterisasi Kimia, Fungsional, dan Sensoris Tempe Koro Pedang Putih (*Canavalia ensiformis* L.). *Skripsi*. Fakultas Teknologi Pertanian, UGM.
- Rho, S. J., Lee, J. S., Chung, Y. I., Kim, Y. W., and Lee, H. G. (2009). Purification and identification of an angiotensin I-converting enzyme inhibitory peptide from fermented soybean extract. *Process Biochemistry* 44: 490–493.
- Roth, G. A., Johnson, C., Abajobir, A., Abera, S. F., and Abyu, G. (2017). Global, Regional, and National Burden of Cardiovascular Diseases for 10 Causes, 1990 to 2015. *Journal of The American College of Cardiology* 1(70): 1-25.
- Rui, X., Boye, J. I., Simpson, B. K., and Prasher, S. O. (2012). Angiotensin I-converting enzyme inhibitory properties of *Phaseolus vulgaris* bean hydrolysates: Effects of different thermal and enzymatic digestion treatments. *Food Research International* 49: 739-746.
- Ruiz, J. R., Ortiz, G. D., Guerrero, L. C., and Ancona, D. B. (2011). Angiotensin I-Converting Enzyme Inhibitor and Antioxidant Peptide Fractions from Hard-to-cook Bean Enzymatic Hydrolysates. *Journal of Food Biochemistry* ISSN 1745-4514: 1-10.
- Sanjukta, S. and Rai, A. K. (2016). Production of bioactive peptides during soybean fermentation and their potential health benefits. *Trends in Food Science & Technology* 5: 1-10.
- Silk, D. B. A., Grimble, G. K., and Rees, R. G. (1985). Protein Digestion and Amino Acid and Peptide Absorption. *Proceedings of the Nutrition* 44: 63-72.

- Singh, B. P., Vij, S., and Hati, S. (2014). Functional significance of bioactive peptides derived from soybean. *Peptides* 54: 171-179.
- Sundari, D., Almasyhuri, and Lamid, A. (2015). Pengaruh proses Pemasakan terhadap Komposisi Zat Gizi Bahan Pangan Sumber Protein. *Media Litbankes* 25(4): 235-242.
- Sweeney, P. J., and Walker, J. M. (1993). *Proteolytic enzymes for peptide production*. In M. M. Burrell (Ed.), *Enzymes of molecular biology*. Totowa, New Jersey: Humana Press.
- Tamam, B., Syah, D., Suhartono, M. T., Kusuma, W. A., Tachibana, S., and Lioe, H. N. (2019). Proteomic study of bioactive peptides from tempe. *Journal of Bioscience and Bioengineering*.<https://doi.org/10.1016/j.jbiosc.2019.01.019>
- Tanaka, M., Hong, S. M., Akiyama, S., Hu, Q., and Matsui, T. (2015). Visualized absorption of anti-atherosclerotic dipeptide, Trp-His, in Sprague–Dawley rats by LC-MS and MALDI-MS imaging analyses. *Molecular Nutrition & Food Research* 59: 1541-1549.
- Tang, C. (2008). Thermal denaturation and gelation of vicilin-rich protein isolates from three *Phaseolus* legumes: A comparative study. *LWT* 41: 1380-1388.
- Tu, M., Wang, C., Chen, C., Zhang, R., Liu, H., Lu, W., Jiang, L., and Du, M. (2018). Identification of a novel ACE-inhibitory peptide from casein and evaluation of the inhibitory mechanisms. *Food Chemistry* 256: 98–104.
- Uco, J. T., Guerrero, L. C., Ayala, A. M., Ortíz, G. D., and Ancona, D. B. (2009). Angiotensin-I converting enzyme inhibitory and antioxidant activities of protein hydrolysates from *Phaseolus lunatus* and *Phaseolus vulgaris* seeds. *LWT - Food Science and Technology* 42: 1597-1604.
- Udenigwe, C. C. and Mohan, A. (2014). Mechanisms of food protein-derived antihypertensive peptides other than ACE inhibition. *Journal of Functional Food* 8C: 45-52.
- Udenigwe, C. C., Adebivi, A. P., Doyen, A., Li, H., Bazinet, L. and Aluko, R. E. (2012). Low molecular weight flaxseed protein-derived arginine-containing peptides reduced blood pressure of spontaneously hypertensive rats faster than amino acid form of arginine and native flaxseed protein. *Food Chemistry* 132: 468–475.
- Vital, D. A. L., Mojica, L., Mejía, E. G., Mendoza, S., and Pina, G. L. (2015). Biological potential of protein hydrolysates and peptides from common bean (*Phaseolus vulgaris* L.): A review. *Food Research International* 76: 39–50.

- Volk, N. and Lacy, B. (2017). Anatomy and Physiology of the Small Bowel. *Gastrointest Endoscopy Clin N Am* 27: 1-13.
- Wang, N., Hatcher, D. W., Tyler, R. T., Toews, R., and Gawalko, E. J. (2010). Effect of cooking on the composition of beans (*Phaseolus vulgaris* L.) and chickpeas (*Cicer arietinum* L.). *Food Research International* 43: 589-594.
- Wang, Y., Li, F., Chen, M., Li, Z., Liu, W., and Wang, C. (2015). Angiotensin I-Converting Enzyme Inhibitory Activities of Chinese Traditional Soy-Fermented Douchi and Soypaste: Effects of Processing and Stimulated Gastrointestinal Digestion. *International Journal of Food Properties* 18:934-944.
- Ward, P. D., Tippin, T. K., and Thakker, D. R. (2000). Enhancing paracellular permeability by modulating epithelial tight junctions. *Pharmaceutical Science & Technology Today* 3: 346–358.
- Widaningrum, Sukasih, E., and Purwani, E. Y. (2015). Introductory Study on Processing of Fermented Jack Bean. *Jurnal Penelitian Pascapanen Pertanian* 12(3): 129-136.
- Xu, Q., Hong, H., Wu, J., and Yan, X. (2019). Bioavailability of bioactive peptides derived from food proteins across the intestinal epithelial membrane: A review. *Trends in Food Science & Technology* 86: 399-411.
- Zhang, J. H., Tatsumi, E., Ding, C. H., and Li, L. T. (2006). Angiotensin I-converting enzyme inhibitory peptides in douchi, a Chinese traditional fermented soybean product. *Food Chemistry* 98:551-557.