

DAFTAR PUSTAKA

- Abidin, H. Z. (1999). *Penentuan Posisi dengan GPS dan Aplikasinya*. Jakarta: Pradnya Paramita.
- Asih, T. M., Helmi, M., Sasmito, B., Studi, (2009). Data Satelit Terra Aster-Gdem Di Daerah Tangkapan Hujan.
- Baltsavias, E. P. (1999a). Airborne Laser Scanning : Basic Relations and Formulas. *ISPRS Journal of Fotogrammetry and Remote Sensing*, p. 199–214.
- Baltsavias, E. P. (1999b). Airborne Laser Scanning : Existing Systems and Firms and Other Resources. *ISPRS Journal of Photogrammetry & Remote Sensing*, p.164– 198
- Bednjanec, M. (2011). *Calibration of ALS Intensity Data*. Royal Institute of Technology (KTH).
- Boyd, D. S., & Hill, R. A. (2007). Validation of Airborne Lidar Intensity Values from A Forested Landscape Using Hymap Data : Preliminary Analysis. *IAPRS, XXXVI*, 71–76.
- Brennan, R., & Webster, T. L. (2006). Object-oriented Land Cover Classification of Lidar-derived Surfaces. *Canadian Journal of Remote Sensing*, 32(2), 162–172.
- Briese, C. (2010). Extraction of digital terrain models. In G. Vosselman, and H. Maas (Eds.), *Airborne and Terrestrial Laser Scanning*. Dunbeath: *Whittles Publishing*. pp. 147-150
- Brzank, A., & Heipke, C. (2005). Classification of lidar data into water and land points in coastal areas. *ISPRS Archives – Volume XXXVI Part 3, 2006 Symposium of ISPRS Commission III Photogrammetric Computer Vision PCV '06*, 1–6.
- Charaniya, A. P., Manduchi, R., & Lodha, S. K. (2004). Supervised Parametric Classification of Aerial LiDAR Data. In CVPRW'04, *Proceedings of the IEEE 2004 Conference on Computer Vision and Pattern Recognition Workshop, Vol. 3*, pp. 1–8.
- Deshpande, S. S. (2017). Semi-automated Methods to Create a Hydro-flattened DEM using Single Photon and Linear Mode LiDAR Points. [disertasi]. Ohio : Ohio State university.
- Deshpande, S. S., & Yilmaz, A. (2017). A semi-automated method to create a lidar-based hydro-flattened DEM. *International Journal of Remote Sensing*, 38(5), 1365–1387. <https://doi.org/10.1080/01431161.2017.1280632>
- El-Ashmawy, N., Shaker, A., & Yan, W. Y. (2011). Pixel VS Object-Based Image Classification Techniques for Lidar Intensity Data. *International Archive of*

the Photogrammetry, Remote Sensing and Spatial Information Sciences, XXXVIII-5/, 43–48.

Gao, J. (2009). *Digital Analysis of Remotely Sensed*. The McGraw Hill.

Gutierrez, J. G., Seco, L. G., & Santos, J. C. R. (2009). Decision Trees on LiDAR to Classify Land Uses and Covers. *IAPRS*, XXXVIII(Part 3/W8), 323–328.

Haiyan Guan, Jonathan Li, Yongtao Yu, Liang Zhong & Zheng Ji (2014) DEM generation from lidar data in wooded mountain areas by cross-section-plane analysis, *International Journal of Remote Sensing*, 35:3, 927-948, DOI: 10.1080/01431161.2013.873833

Haala, N., & Brenner, C. (1999). Extraction of Buildings and Trees in Urban Environments. *ISPRS Journal of Photogrammetry & Remote Sensing*, Vol. 54, p.130–137.

Hetherington, D. (2010). Topographic Laser Ranging and Scanning: Principles and Processing. *International Journal of Remote Sensing* (Vol. 31). <https://doi.org/10.1080/01431160903112612>

Höfle, B., & Rutzinger, M. (2011). Topographic airborne LiDAR in geomorphology: A technological perspective. *Zeitschrift Für Geomorphologie, Supplementary Issues*, 55(2), 1–29. <https://doi.org/10.1127/0372-8854/2011/0055S2-0043>

Jaboyedoff, M., Oppikofer, T., Abella, A., Derron, M., Loye, A., Metzger, R., & Pedrazzini, A. (2012). Use of LIDAR in Landslide Investigations : A Review. *Natural Hazard*, p.5–28. <http://doi.org/10.1007/s11069-010-9634-2>

Jiang, J., Ming Y., Zhang, Z., Zhang, J. (2005). Point-based 3D Surface Representation from Lidar Point clouds. *The 4th ISPRS Workshop on Dynamic and Multi-dimensional GIS. September 6-8, 2005, Wales, UK*, 1-4

Kodors, S., & Kangro, I. (2016). Simple Method of LiDAR Point Density Defenition for Automatic Building Recognition. *Engineering for Rural Development*, 415– 424

Korzeniowska, K., (2012). Modelling of water surface topography on the Digital Elevation Models using LiDAR data, 1–3. *Proceedings of the AGILE'2012 International Conference on Geographic Information Science, Avignon, April, 24-27, 2012*.

Liadsky, J. (2007). Recent advancements in commercial lidar mapping and imaging systems. Informally published manuscript, Optech Incorporate, *Available from NPS Lidar Workshop*.

Liu, J.-K. R., L. S. Deshpande, X. Niu, and T.-Y. Shih. (2009). “Estimation of Blufflines Using Topographic Lidar Data and Orthoimages.” *Photogrammetric Engineering & Remote Sensing* 75 (1): 69–79.

- Liu, X., Zhang, Z., Peterson, J., and Chandra, S. (2007). LiDAR-derived high quality ground control information and DEM for image orthorectification. *GeoInformatica*, 11(1), 37-53.
- Liu, X. (2008). Airborne LiDAR for DTM generation: *Some critical issues*. *Progress in Physical Geography*, 32(1), 31-49
- Mantis. (2010). History of lidar. Retrieved from <http://xipar.info/historylidar.html> (di akses 21 November 2018)
- Meng, X., Currit, N., and Zhao, K. (2010). Ground filtering algorithms for airborne LiDAR data: *A review of critical issues*. *Remote Sensing*, (2), 833-860.
- Maune, D. F., & Nayegandhi, A. (2017). Digital Elevation Model Technologies and Applications: The DEM Users Manual, 3 rd Edition.
- Nugraha, Daniel Adi. (2003). Pemetaan Model Permukaan Digital dari Sumber Citra ASTER Secara Otomatis. Tugas Akhir. Yogyakarta : Jurusan Teknik Geodesi Fakultas Teknik Universitas Gadjah Mada.
- Petzold, B., Reiss, P., and Stossel, W. (1999). Laser scanning-surveying and mapping agencies are using a new technique for the derivation of digital terrain models. *ISPRS Journal of Photogrammetry & Remote Sensing*, 54, 95–104.
- Renslow., (2012), Manual of Airborne Topographic Lidar. Bethesda, Maryland: American society for Photogrammetry and remote sensing.
- Song, J., Han, S., Yu, K., & Kim, Y. (2002a). Assessing the Possibility of Land Cover Classification Using Lidar Intensity Data. International Archive of Fotogrammetry and Remote Sensing and Spatial Information Sciences, (Commission III, PCV02).
- Sumbayak, Lena Yuniarita (2017). Evaluasi Potensi Citra Intensitas Data LiDAR untuk Klasifikasi Penutup Lahan Menggunakan Metode Expert System Classification [tesis]. Yogyakarta : Unversitas Gadjah Mada.
- Szporak-wasilewska, S., & Micha, R. (2018). Developing an algorithm for enhancement of a digital terrain model for a densely vegetated floodplain wetland, 10(3). <https://doi.org/10.1117/1.JRS.10.036013>
- Toscano, G., U. Gopalam, and V. Devarajan. (2013). “Auto Hydro Break Line Generation Using Lidar Elevation and Intensity Data.” *In Proceedings, ASPRS Conference. Louisville, Kentucky: American Society of Photogrammetry and Remote Sensing*.
- Wehr, A., & Lohr, U. (1999). Airborne Laser Scanning - An Introduction and Overview. *ISPRS Journal of Photogrammetry & Remote Sensing*, p.68–82.
- Wang, C., & Glenn, N. F. (2009). Integrating LiDAR Intensity and Elevation Data for Terrain Characterization in a Forested Area. *IEE Geoscience and Remote Sensing Letters*, Vol. 6(No. 3), 463–466.

Wang, C., Tseng, Y., & Chu, H. (2014). Airborne Dual-Wavelength LiDAR Data for Classifying Land Cover. *Remote Sensing*, (6.1), p. 700–715. <http://doi.org/10.3390/rs6010700>