

DAFTAR PUSTAKA

- Abuaku, B., Tan. H., Li, X., Chen, M., Huang, X. (2010). *Treatment default and death among tuberculosis patients in Hunan, China. Scand J Infect Dis*;42(4):281-287
- Adamu, A. L., Gadanya, M. A., Abubakar, I. S., Jibo, A. M., Bello, M. M., Gajida, U. (2017). *High mortality among tuberculosis patients on treatment in Nigeria: a retrospective cohort study. BMC Infect Dis*;17(1):170.
- Ahmad, R. A., Mahendradhata, Y., Utarini, A., Devlas, S. J. (2011). *Diagnostic delay amongst tuberculosis patients in Jogjakarta Province, Indonesia is related to the quality of services in DOTS facilities. Tropical Medicine & International Health.*;16(4):412-23.
- Ajagbe, O. B., Kabair, Z. and Connor, T. O. (2014). *Survival Analysis of Adult Tuberculosis Disease. PLOS one*, 9(11), pp. 1–10.
- Atif, M., Azhar, S., Sulaiman, S., Shafie, A.A., Ali, Irfhan., Asif, Muhammad., (2014). *Treatment outcome of new smear positive pulmonary tuberculosis patients in Penang, Malaysia, BMC Infectious Disease*, 14(1), pp. 1–8.
- Baker, M. A., Harries, A.D., Jeon, C. Y., Hart, J.E., Kapur, A., Lonnroth, K., et al.(2011). *The impact of diabetes on tuberculosis treatment outcomes: A systematic review. BMC Med*;9:81.
- Basu S, Stuckler D, Gonsalves G, Lurie M. (2009).The production of consumption: addressing the impact of mineral mining on tuberculosis in southern Africa. *Glob Health.*;5(1):11.
- Beza, M.G., Wubie, M.T., Teferi, M.D., Getahun, Y.S., Bogale, S.M. and Tefera, S.B. (2013). *A Five Years Tuberculosis Treatment Outcome at Kolla Diba Health Center, Dembia District, Northwest Ethiopia. A Retrospective Cross-Sectional Analysis. Infectious Diseases & Therapy*, **1**, 101.
- Birlie A, Tesfaw G, Dejene T, Woldemichael K (2015) Time to Death and Associated Factors among Tuberculosis Patients in Dangila Woreda, Northwest Ethiopia. *PLoS ONE* 10(12): e0144244.
- Cardoso, M. A., Brasil, P.E., Schmaltz, C.A.S., Santanna, F.M., Rolla, C. M. (2017). *Tuberculosis Treatment Outcomes and Factors Associated with Each of Them in a Cohort Followed Up between 2010 and 2014. Hindawi*.
- Chin, J., & Kandun, N. (2000) *Manual pemberantasan penyakit menular* (20th ed.,pp. 631-633). Jakarta: indomedika

- Choi, H. *et al.* (2014). *Predictors of pulmonary tuberculosis treatment outcomes in South Korea : a prospective cohort study , 2005-2012' , BMC Infectious Disease*, 14(1), pp. 1–12.
- Churchyard, G., *et al.* (2012). Community-wide Isoniazid Preventive Therapy Does Not Improve TB Control among Gold Miners: The Thibela TB Study, South Africa. 19th Conference on Retroviruses and Opportunistic Infections, Seattle, abstract 150aLB.
- Date, J. and Okita, K. (2005). *Gender and literacy: factors related to diagnostic delay and unsuccessful treatment of tuberculosis in the mountainous area of Yemen. The International Journal of Tuberculosis and Lung Disease Table*, 9 (April 2004), pp. 680–685.
- Dizaji, M. K., Kazemnejad, A. and Tabarsi, P. (2018). *Risk Factors Associated with Survival of Pulmonary Tuberculosis*. 47(7), pp. 980–987.
- Douglas, N. M., Anstey, N.M., Buffet, P. A., Poespoprodj, J.R., Yeo, T.W., *et al.* (2012) The anaemia of Plasmodium vivax malaria. *Malar J* 11: 135.
- Gadallah, M. A. *et al.* (2016). *Prognostic factors of treatment among patients with multidrug-resistant tuberculosis in Egypt. Journal of the Formosan Medical Association*. Elsevier Ltd, 115(11), pp. 997–1003.
- Gadoev, J. *et al.* (2015). *Factors Associated with Unfavorable Treatment Outcomes in New and Previously Treated TB Patients in Uzbekistan : A Five Year Countrywide Study*. pp. 1–17. doi: 10.1371/journal.pone.0128907.
- Getahun, B., Ameni, G., Medhin, G. and Biadgilign, S. (2013). *Treatment Outcome of Tuberculosis Patients under Directly Observed Treatment in Addis Ababa, Ethiopia. The Brazilian Journal of Infectious Disease*, 17, 521-528.
- Gebrezgabiher, G. *et al.* (2016) *'Treatment Outcome of Tuberculosis Patients under Directly Observed Treatment Short Course and Factors Affecting Outcome in Southern Ethiopia : A Five-Year Retrospective Study'*, pp. 1–10.
- Granich, R., & Mermim, J. (1999). *HIV Health & Your Community: A Guide for Action. USA: Hesperian Foundation;*
- Hailemeskel, S., Mohammed, O. Ahmed, M. (2017). *Retrospective assessment of the status and determinants of tuberculosis treatment outcome among patients treated in government hospitals in North Shoa Administrative*

Zone, Amhara Regional State, Ethiopia. *Research and Reports in Tropical Medicine* 2017;8 65–71

Hill, P.C., Jackson, D., Donkor, S.A., *et al.*, (2006). *Risk factors for pulmonary tuberculosis: a clinic-based case control study in The Gambia*. *BMC Public Health*;6:156 10.1186/1471-2458-6-156.

Karo, B. *et al.* (2015). *Tuberculosis treatment outcome in the European Union and European Economic Area : an analysis of surveillance data from 2002 2011*. pp. 1–10.

Kapata, N., Chanda, P., Ngosa, W., Metitiri, M., Klinkenberg, E., Kalisvaart, N., *et al.* (2016) The Prevalence of Tuberculosis in Zambia: Results from the First National TB Prevalence Survey, 2013– 2014. *PLoS ONE* 11(1): e0146392.

Kementerian Kesehatan RI. (2013). *Petunjuk Teknik Manajemen Terpadu Pengendalian Tuberkulosis Resistan Obat*. Jakarta: Direktorat Jenderal Pengendalian Penyakit dan Penyehatan Lingkungan.

Kementerian Kesehatan RI. (2014). *Pedoman Nasional Pengendalian Tuberkulosis*. Jakarta: Direktorat Jenderal Pengendalian Penyakit dan Penyehatan Lingkungan.

Kemenkes RI. (2015). *Tuberkulosis Temukan Obati Sampai Sembuh*. Infodatin. Retrieved from <http://www.depkes.go.id/download.php?file=download/pusdatin/infodatin/infodatintb.pdf>

Kemenkes RI dan Kementerian Ketenagakerjaan (2015). *Panduan Pengendalian Tuberkulosis di Tempat Kerja*. Jakarta.

Kenangalem, E., Waramori, G., Pontororing, G.J., Sandjaja, T.E., *et al.* (2013) *Tuberculosis Outcomes in Papua, Indonesia: The Relationship with Different Body Mass Index Characteristics between Papuan and Non-Papuan Ethnic Groups*. *PLoS ONE* 8(9): e76077.

Khan, M. A., Walley, J. D., Witter, S. N., Shah, S. K., Javeed, S., (2005). *Tuberculosis patient adherence to direct observation: results of a social study in Pakistan*. *Health Policy Plan*; 20: 354– 365.

Kleinbaum, David, G., Klein, M. (2012). *Survival Analysis A Self-Learning Text*. (W. Gail, M; Krickeberg, K; Samet, J, M; Tsiatis, A; Wong, Ed.) *Journal of Chemical Information and Modeling (Third, Vol. 53)*. New York: (Springer Science and Business Media.

- Kleinschmidt, I., & Churchyard, G. (2017). *Variation in incidences of tuberculosis in subgroups of South African gold miners. (March 1997), pp. 636–641.*
- Kothari (2004). *Research Methodology Methods and Techniques (Second Revised Edition)*. Second. New Delhi: New Age International (P) Ltd., Publishers.
- Malese, A., and Zeleke, B. (2018). *Factors associated with poor treatment outcome of tuberculosis in Debre Tabor, Northwest Ethiopia; BMC Res Notes (2018) 11:25* <https://doi.org/10.1186/s13104-018-3129-8>
- Masini, E.O., Mansour, O., Speer, C.E., Addona, V., Hanson, C.L., Sitienei, J.K., et al. (2016). *Using Survival Analysis to Identify Risk Factors for Treatment Interruption among New and Retreatment Tuberculosis Patients in Kenya*. PLoS ONE 11(10): e0164172.
- Milanov, V., et al. (2015). *Factors associated with treatment success and death in cases with multidrug-resistant tuberculosis in Bulgaria, 2009 – 2010. International Journal of Mycobacteriology*. 2014 Asian African Society for Mycobacteriology. Production and hosting by Elsevier Ltd. All rights reserved., 4(2), pp. 131–137.
- Mkopi, A., Range, N., Lwilla, F., Egwage, S., Schulze, A., Geubbels, E., Leth, F.V., (2012). *Adherence to Tuberculosis Therapy among Patient Receiving Home-Based Directly Observed Treatment; Evidence from the United Republic Tanzania*. Plos One 2012; 7 (12):1-7.
- Miller, T. L., Wilson, F. A., Pang, J. W., Beavers, S., Hoger, S., Sharnprapai, S., Pagaoa, M., Katz, D. J., Weis, S. E. (2015). *Mortality hazard and survival after tuberculosis treatment. American journal of public health, 105(5), 930-7.*
- Moosazadeh, M., Bahrapour, A., Nasehi, M., & Khanjani, N. (2014). *Survival and Predictors of Death after Successful Treatment among Smear Positive Tuberculosis: A Cohort Study. International journal of preventive medicine, 5(8), 1005-12.*
- Mulenga, E.M., Miller, H.B., Sinkala, T., Hysong, T.A., Burgess, J. L. (2005). *Silicosis and tuberculosis in Zambian miners. Int J Occup Environ Health 2005; 11(3): 259-62.*
- Mugomeri, Bisrat, S. B., Charles, M., & Clemence, T. (2018). *Trends in diagnostic techniques and factors associated with tuberculosis treatment outcomes in Lesotho, 2010–2015, Southern African Journal of*

Infectious Diseases, 33:1, 18-23.

Murray, J., Davies, T., Rees, D. (2011). *Occupational lung disease in the south African mining industry: research and policy implementation*. *J Public Health Policy*; 32: S65-79

Muture, B.N., Keraka, M.N., Kimuu, P.K., Kabiru, E.W., Ombeka, V.O., Oguya, F. (2011). *Factors associated with default from treatment among tuberculosis patients in Nairobi province, Kenya: a case control study*. *BMC Public Health*; 11(1):1.

Naidoo, P., Dick, J., Cooper., D. (2009). *Exploring tuberculosis patients adherence to treatment regimens and prevention programs at a public health site*. *Qual Health Res*; 19: 55–70

PT. Freeport Indonesia (2017). Annual Report, Community Affair.

Pontororing, G.J., Kenangalem, E., Lolong, D.B., et al. (2010). *The burden and treatment of HIV in tuberculosis patients in Papua Province, Indonesia: a prospective observational study*. *BMC Infect Dis*;10: 362.

Rintiswati, N., Mahendradhata, Y., Suharna, et al. (2009). *Journeys to tuberculosis treatment: a qualitative study of patients, families and communities in Jogjakarta, Indonesia*. *BMC Public Health* 2009, 9:158.

Rodrigo, T., Casals, M., Caminero, J.A., Garcia, J.M., Jimenez-Fuentes, M.A., Medina, J.F., et al. (2016). *Factors Associated with Fatality during the Intensive Phase of Anti-Tuberculosis Treatment*. *PLoS ONE* 11(8): e0159925.

Ruru, Y., et al., (2018). *Factors associated with non-adherence during tuberculosis treatment among patients treated with DOTS strategy in Jayapura, Papua Province, Indonesia*. *Global Health Action*.

Shargie, E.B., dan Lindtjorn, B. (2015). *DOTS improves treatment outcomes and service coverage for tuberculosis in South Ethiopia: a retrospective trend analysis*. *BMC Public Health*;5:62.

Seid, A., and Metaferia, Y. (2018) *Factors associated with treatment delay among newly diagnosed tuberculosis patients in Dessie city and surroundings, Northern Central Ethiopia: a cross-sectional study*. *BMC Public Health*.

Senbeta, A., Weldegerima, G., Romha, G. (2014). *Survival analysis and associated risk factors of tuberculosis in-hospital patients' death in Hawassa city and at Yirgalem town health centers*. *World J Med Sci*;11:382–8.

- Shaweno, D., Worku, A. (2012). *Tuberculosis Treatment Survival of HIV Positive TB Patients on Directly Observed Treatment Short-course in Southern Ethiopia: A Retrospective Cohort Study*. *BMC Research Notes*; 5.
- Slama, K., Tachfaouti, N., Obtel, M., & Nejjari, C. (2013). *Factors Associated with Treatment Default by Tuberculosis Patients in Fez, Morocco*.
- Solar, O., Irwin, A.(2010). *A conceptual framework for action on the social determinants of health. Social Determinants of Health Discussion Paper 2 (Policy and Practice)*. Geneva: WHO.
- Sonnenberg, P. *et al.* (2000). *Risk factors for pulmonary disease due to culture-positive M. tuberculosis or nontuberculous mycobacteria in South African gold miners*. *European Respiratory Journal*, pp. 291–296.
- Stuckler, D. *et al.* (2011). *Mining and Risk of Tuberculosis in Sub-Saharan Africa*, 101(3), pp. 524–530. doi: 10.2105/AJPH.2009.175646.
- Stuckler, D., Steele, S., Luried, M., Bas, S. (2013). *Introduction: dying for gold: the effects of mineral mining on HIV, tuberculosis, silicosis and occupational diseases in Southern Africa*. *Int J Health Serv*; 43(9): 639-49.
- Takarinda, K. C. *et al.* (2012). *Treatment outcomes of adult patients with recurrent tuberculosis in relation to HIV status in Zimbabwe: a retrospective record review*. *BMC Public Health*. BioMed Central Ltd, 12(1), p. 124.
- Vasantha, M., Gopi, P. G., Subramani, R. (2008). *Survival of Tuberculosis Patient treated under DOTS in a rural tuberculosis unit south india*. *The India Journal of Tuberculosis*, vol 55 no 2 pp 64–69.
- Xu, L. *et al.* (2010). *Socio-economic factors affecting the success of tuberculosis treatment in six counties of Shandong Province , China*. *The International Journal of Tuberculosis and Lung Disease*, 14(44), pp. 440–446.
- XuQian, D. T., Nguyen, J. Lyu., Andreas, E. A., Xiaohong, B., & Edward, A. G. (2018). *Risk factors for extrapulmonary dissemination of tuberculosis and associated mortality during treatment for extrapulmonary tuberculosis*, *Emerging Microbes & Infections*, 7:1, 1-14.
- Yufeng, W. *et al.* (2018). *Treatment outcomes and factors affecting unsuccessful outcome among new pulmonary smear positive and negative tuberculosis patients in Anqing China: a retrospective study*. *BMC Infectious Diseases*, pp. 1–12.
- Webb, P., and Bain, C. (2011). *Essential Epidemiology An Introduction for*

Students and Health Professionals (2nd ed.). New York: Cambridge University Press.

World Health Organization. *Use of high burden country lists for TB by WHO in the post-2015 era*. Geneva, Swizerland: WHO; 2015.

WHO. Tuberculosis. 2017 [cited 2018 19 September]; Available from: <http://www.who.int/mediacentre/factsheets/fs104/en/>.

WHO, Global Tuberculosis Control: A short update to the 2009 report. 2009, World Health Organization: Switzerland.

WHO. Indonesia TB Situation Update 2016. 2017 [cited 2018 19 September]; Availablefrom: <http://www.searo.who.int/indonesia/topics/tb/IndonesiaTBSituation2016/en/>.

Wijaya, I. 2015, 'CONTINUING MEDICAL EDUCATION Tuberkulosis Paru pada Penderita Diabetes Melitus', vol. 42, no. 6, pp. 412–417.

Zafar, U. N., Huque, R., Husain, A., Akter, S., Akter, H., Newell, J.N., (2012). *Tuberculosis in the workplace: developing partnerships with the garment industries in Bangladesh*. *The International Journal of Tuberculosis and Lung Disease*; 16(12):1637±42. doi: 10.5588/ijtld.12.0378 PMID: 23131262