

DAFTAR PUSTAKA

1. Boden SD, Davis DO, Dina TS, Patronas NJ WS. Abnormal magnetic-resonance scans of the lumbar spine in asymptomatic subjects. A prospective investigation. . *J Bone Jt Surg Am.* 1990;72:403–408.
2. Burke JG, Watson RW, McCormack D, Dowling FE, Walsh MG FJ. Intervertebral discs which cause low back pain secrete high levels of proinflammatory mediators. *J Bone Jt Surg Br* 2002;84196- 201. 2002;84:196-20.
3. Neidlinger-Wilke C, Wurtz K, Urban JP et al. Regulation of gene expression in intervertebral disc cells by low and high hydrostatic pressure. *Eur Spine J.* 2006;15 Suppl 3.
4. Schroeder M, Viezens L, Schaefer C et al. Chemokine profile of disc degeneration with acute or chronic pain. *J Neurosurg Spine.* 2013;18:496-503.
5. Lee S, Moon CS, Sul D et al. Comparison of growth factor and cytokine expression in patients with de- generated disc disease and herniated nucleus pulpo- sus. *Clin Biochem.* 2009;42:1504-11.
6. Devlin V. *Spine Secret.* United States of America; 2012.
7. EWGM. B. Involvement of chemokines in pain. *Eur J Pharmacol.*

2001;429:115–9.

8. Arnoldi CC, Brodsky AE, Cauchoix J et al. Lumbar spinal stenosis and nerve root entrapment syndromes. Definition and classification. *Clin Orthop Relat Res.* 1976;((115):4-5.).
9. Ishimoto Y, Yoshimura N, Muraki S et al. Associations between radiographic lumbar spinal stenosis and clinical symptoms in the general population: the Osteoarthritis Cartilage. *Wakayama Spine Study.* 2013;21:783-8.
10. Choi Y-S. Pathophysiology of Degenerative Disc Disease. *Asian Spine J.* 2009;3(1):39. doi:10.4184/asj.2009.3.1.39
11. García-Cosamalón J, del Valle ME, Calavia MG et al. Intervertebral disc, sensory nerves and neurotrophins: who is who in discogenic pain? 2010;217:1–15. *J Anat.* 2010;217:1–15.
12. Little, J. S. and Khalsa, P. S. “Material Properties of the Human Lumbar Facet Joint Capsule,.” *J Biomech Eng.* 2005;127(1), pp.
13. Sawa, A. G. and Crawford, N. R. “The Use of Surface Strain Data and a Neural Networks Solution Method to Determine Lumbar Facet Joint Loads During in Vitro Spine Testing,.” *J Biomech.* 2008;41(12), pp.
14. Wang SZ, Rui YF, Lu J WC. Cell and molecular biology of intervertebral disc degeneration: current understanding and implications for potential therapeutic

- strategies. *Cell Prolif.* 2014;47(5):381–.
15. Seki S, Kawaguchi Y, Chiba K et al: A functional SNP in CILP, encoding cartilage intermediate layer protein, is associated with susceptibility to lumbar disc disease. *Nat Genet.* 2005;37: 607-61.
 16. Peng B, Hao J, Hou S et al: Possible pathogenesis of painful intervertebral disc degeneration. *Spine (Phila Pa 1976).* 2006;31: 560-56.
 17. Boos N, Weissbach S, Rohrbach H et al. Classification of age-related changes in lumbar intervertebral discs: 2002 Volvo Award in basic science. *Spine (Phila Pa 1976).* 2002;27: 2631-2.
 18. Roberts S, Evans EH, Kleitas D, Jaffray DC ES. Senescence in human intervertebral discs. *Eur Spine J.* 2006;15 Suppl 3.
 19. Urban JP RS. Degeneration of the intervertebral disc. *Arthritis Res Ther.* 2003;5(3):120–1.
 20. Kirkaldy-Willis WH, Wedge JH et al. Lumbar spinal nerve lateral entrapment. *Clin Orthop Relat Res.* 1982;(169):171-.
 21. Pelletier, J. P., Martel-Pelletier, J., and Abramson SB. “Osteoarthritis, an Inflammatory Disease: Potential Implication for this Selection of New Therapeutic Targets,.” *Arthritis Rheum.* 2001;44, p. 12.
 22. Grönblad M, Virri J, Tolonen J, Seitsalo S, Kääpä E, Kankare J, Myllynen P

- KE (1994). A controlled immunohistochemical study of inflammatory cells in disc herniation tissue. *Spine (Phila Pa 1976)*. 1994;19: 2744-2.
23. Ohtori S, Inoue G, Eguchi Y, Orita S, Takaso M, Ochiai N, Kishida S, Kuniyoshi K, Aoki Y, Nakamura J, Ishikawa T, Arai G, Miyagi M, Kamoda H, Suzuki M, Sakuma Y, Oikawa Y, Kubota G, Inage K, Sainoh T, Toyone T, Yamauchi K, Kotani T, Akazawa T, Minami S TK (2012a). Tumor necrosis factor- α -immunoreactive cells in nucleus pulposus in adolescent patients with lumbar disc herniation. *Spine (Phila Pa 1976)*. 2012;38: 459-46.
24. Le Maitre CL, Freemont AJ HJ. The role of interleukin-1 in the pathogenesis of human intervertebral disc degeneration. *Arthritis Res Ther* 7. 2005;R732-R745.
25. Nograles KE, Tian S, Cardinale I CS and KJ. Integrative responses to IL-17 and TNF- α in human keratinocytes account for key inflammatory pathogenic circuits in psoriasis. *J Invest Dermatol* 131. 2011;677-687, 2.
26. IM RM and S. Role of cytokines in intervertebral disc degeneration: Pain and disc content. *Nat Rev Rheumatol*. 2014;10: 44-56.
27. Le Maitre CL, Pockert A, Buttle DJ FA and HJ. Matrix synthesis and degradation in human inter- vertebral disc degeneration. *Biochem Soc Trans* 35. 2007;652-655, 2.

28. Moe KT, Khairunnisa K, Yin NO, Chin-Dusting J WP and WM. Tumor necrosis factor- α -induced nuclear factor-kappaB activation in human cardiomyocytes is mediated by NADPH oxidase. *J Physiol Biochem* 70. 2014;769-779.
29. David G, Ciurea A V, Iencean SM, Mohan A. Angiogenesis in the degeneration of the lumbar intervertebral disc. 2010;3(2).
30. Le Maitre CL, Freemont AJ, Hoyland JA. The role of interleukin-1 in the pathogenesis of human intervertebral disc degeneration. *Arthritis Res Ther*. 2005;7(4):R732-R745. doi:10.1186/ar1732
31. Luoma K, Riihimäki H, Luukkonen R, Raininko R, Viikari-Juntura E LA. Low back pain in relation to lumbar disc degeneration. *Spine (Phila Pa 1976)*. 2000;25(4):487-.
32. Solovieva S, Kouhia S, Leino-Arjas P, Ala-Kokko L, Luoma K, Raininko R, Saarela J RH. Interleukin 1 polymorphisms and intervertebral disc degeneration. *Epidemiology*. 2004;15(5):626-.
33. Kalb S, Martirosyan NL, Kalani MY, Broc GG TN. Genetics of the degenerated intervertebral disc. *World Neurosurg PubMed* 22120330. 2012;77(3-4):49.
34. Amundsen T, Weber H, Nordal HJ, Magnaes B, Abdelnoor M LF. Lumbar

- spinal stenosis: conservative or surgical management? A prospective 10- year study. *Spine (Phila Pa 1976)*. 2000;25:1424-35.
35. Kim HJ, Chun HJ, Han CD et al. The risk assessment of a fall in patients with lumbar spinal stenosis. *Spine (Phila Pa 1976)*. 2011;36:E588-92.
 36. Vianin M. Psychometric properties and clinical usefulness of the Oswestry Disability Index. *J Chiropr Med*. 2008;7(4):161-163.
doi:10.1016/j.jcm.2008.07.001
 37. Fairbank J. Why are there different versions of the Oswestry Disability Index? *J Neurosurg Spine*. 2014;20(January):83-86.
 38. Takahashi H, Suguro T, Okazima Y, Motegi M, Okada Y KT. Inflammatory cytokines in the herniated disc of the lumbar spine. *Spine (Phila Pa 1976)*. 1996;21:218–224.
 39. Oda H, Matsuzaki H, Tokuhashi Y, Wakabayashi K, Uematsu Y IM. Degeneration of intervertebral discs due to smoking: Experimental assessment in a rat-smoking model. *J Orthop Sci*. 2004;9:135–141.
 40. Bachmeier BE, Nerlich AG, Weiler C, Paesold G, Jochum M BN. Analysis of tissue distribution of TNF- α , TNF- α -receptors, and the activating TNF- α -converting enzyme suggests activation of the TNF- α system in the aging intervertebral disc. *Ann N Y Acad Sci*. 2007;1096:44–54.

41. Andrade P, Visser-Vandewalle V, Philippens M, Daemen MA, Steinbusch HWM, Buurman WA HG. Tumor necrosis factor- α levels correlate with postoperative pain severity in lumbar disc hernia patients: Opposite clinical effects between tumor necrosis factor receptor 1 and 2. *Pain*. 2011;152:2645–2.
42. Purmessur D, Walter BA, Roughley PJ, Laudier DM HA and IJ. A role for TNF α in intervertebral disc degeneration: A non-recoverable catabolic shift. *Biochem Biophys Res Commun*. 2013;433: 151-1.
43. Pelletier JP, Martel-Pelletier J AS. Osteoarthritis, an inflammatory disease: potential implication for this selection of new therapeutic targets. *Arthritis Rheum*. 2001;44:1237–47.
44. Zou F, Jiang J, Lu F, Ma X, Xia X WL and WH. Efficacy of intradiscal hepatocyte growth factor injection for the treatment of intervertebral disc degeneration. *Mol Med Rep*. 2013;8: 118-122.
45. MaD, LiangY, WangD, LiuZ, ZhangW, MaT, ZhangL LCZ. Trend of the incidence of lumbar disc herniation: Decreasing with aging in the elderly. *Clin Interv Aging*. 2013;8: 1047-10.
46. Igarashi A, Kikuchi S, Konno S OK. Inflammatory cytokines released from the facet joint tissue in degenerative lumbar spinal disorders. *Spine*. *Spine* 2004. 2004;29:2091–5.

47. Takeyachi Y, Konno S, Otani K, Yamauchi K, Takahashi I, Suzukamo Y et al. Correlation of low back pain with functional status, general health perception, social participation, subjective happiness, and patient satisfaction. *Spine (Phila Pa 1976)*. 2003;28:1461–6.