

## DAFTAR PUSTAKA

- Alsubaie, N. M. (2012) *The Potential of Using Worldview-2 Imagery for Shallow Water Depth Mapping*. UNIVERSITY OF CALGARY.
- Ambarwulan, W., Widiatmaka, - dan Budhiman, S. (2014) “Deriving Inherent Optical Properties From Meris Imagery and in Situ Measurement Using Quasi-Analytical Algorithm,” *International Journal of Remote Sensing and Earth Sciences (IJReSES)*, 10(1), hal. 1–8. doi: 10.30536/j.ijreses.2013.v10.a1835.
- Ariyasu, E., Kakuta, S. dan Takeda, T. (2016) “Bathymetry mapping using hyperspectral data: A case study of Yamada Bay, Northeast Japan,” *International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives*, 41(July), hal. 61–64. doi: 10.5194/isprsarchives-XLI-B7-61-2016.
- Arya, A., Winarso, G. dan Santoso, A. I. (2016) “Ekstraksi Kedalaman Laut Menggunakan Data Spot-7 Di Teluk Belangbelang Mamuju (Accuracy Assesment of Satellite Derived Bathymetry using Lyzenga Method and it’s Modification using SPOT-7 Data at the Belangbelang Bay Waters Mamuju),” *Jurnal Ilmiah Geomatika*, 22(1), hal. 9–19. doi: 10.24895/JIG.2016.22-1.423.
- Arya, A., Winarso, G. dan Santoso, I. (2017) “Ekstraksi Kedalaman Laut Menggunakan Data Spot-7 Di Teluk Belangbelang Mamuju,” *Jurnal Ilmiah Geomatika*, 22(1), hal. 09. doi: 10.24895/JIG.2016.22-1.423.
- Asuero, A. G., Sayago, A. dan Gonz, A. G. (2006) *The Correlation Coefficient : An Overview*. The University of Seville. doi: 10.1080/10408340500526766.
- Benny, A. H. dan Dawson, G. J. (1983) “Satellite Imagery as an Aid to Bathymetric Charting in the Red Sea,” *Cartographic Journal, The*, 20(1), hal. 12.
- Bernstein, L. S., Adler-golden, S. M., Gregor, B. dan Adler-golden, S. M. (2012) “Quick atmospheric correction code : algorithm description and recent upgrades and recent upgrades,” *Optical Engineering*, 51(11). doi: 10.1117/1.OE.51.11.111719.
- Campbell, J. B. dan Wynne, R. H. (2011) *Introduction to Remote Sensing*. 5 ed. New York: The Guilford Press.
- Devlin, M. J., Barry, J., Mills, D. K., Gowen, R. J., Foden, J., Sivyver, D., Greenwood, N., Pearce, D. dan Tett, P. (2009) “Estuarine , Coastal and Shelf Science Estimating the diffuse attenuation coefficient from optically active constituents in UK marine waters,” *Estuarine, Coastal and Shelf Science*, 82, hal. 73–83. doi: 10.1016/j.ecss.2008.12.015.
- Doelling, D., Langley, N. dan States, U. (2018) *Vicarious Calibration and Validation, Comprehensive Remote Sensing*. Elsevier. doi: 10.1016/B978-0-12-409548-9.10329-X.
- Düzgün, H. S. dan Demirel, N. (2011) *Remote Sensing of the Mine Environment*. New York: CRS Press.
- Fuller, W. A. (1987) *Measurement Error Models*. United States of America: John Wiley & Son.
- Gao, J. (2009) “Bathymetric mapping by means of remote sensing: Methods, accuracy and limitations,” *Progress in Physical Geography*, 33(1), hal. 103–116.
- Gege, P. dan Pinnel, N. (2011) “Sources of Variance of Downwelling Irradiance in Water,” *Applied Optics*.

- Ghilani, C. D. (2010) *Adjustment Computations Spatial Data Analysis*. 5 ed. New Jersey: John Wiley & Sons.
- Globe, D. (2014) *DigitalGlobe Atmospheric Compensation*. Tersedia pada: <https://explore.digitalglobe.com/AComp.html> (Diakses: 18 Januari 2019).
- Globe, D. (2015) *WorldView-3*. Tersedia pada: <http://worldview3.digitalglobe.com/> (Diakses: 1 Agustus 2018).
- Gordon, H. R. dan Brown, O. B. (1973) "Irradiance Reflectivity of a Flat Ocean as a Function of Its Optical Properties," *Applied Optics*, 12(7), hal. 1549. doi: 10.1364/AO.12.001549.
- Green, E. P., Mumby, P. J., Edwards, A. J. dan Clark, C. D. (2000) *Remote Sensing Handbook for Tropical Coastal Management*. Diedit oleh A. J. Edwards. Paris: UNESCO. doi: 10.1109/6.367967.
- Guo, Y. dan Zeng, F. (2012) "ATMOSPHERIC CORRECTION COMPARISON OF SPOT-5 IMAGE," *ISPRS - International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, XXXIX-B7(September), hal. 7–11.
- Gupta, P., Levy, R. C., Mattoo, S., Remer, L. A. dan Munchak, L. A. (2016) "A surface reflectance scheme for retrieving aerosol optical depth over urban surfaces in MODIS Dark Target retrieval algorithm," *Atmospheric Measurement Techniques*, 9(7), hal. 3293–3308. doi: 10.5194/amt-9-3293-2016.
- Han, L. dan Jordan, K. J. (2005) "Estimating and mapping chlorophyll- a concentration in Pensacola Bay , Florida using Landsat ETM + data," *International Journal of Remote Sensing*, 26(23), hal. 5245–5254. doi: 10.1080/01431160500219182.
- Hernandez, W. dan Armstrong, R. (2016) "Deriving Bathymetry from Multispectral Remote Sensing Data," *Journal of Marine Science and Engineering*, 4(1), hal. 8. doi: 10.3390/jmse4010008.
- Hu, C. dan Tang, P. (2011) "Converting DN value to reflectance directly by relative radiometric normalization," *Proceedings - 4th International Congress on Image and Signal Processing, CISP 2011*. IEEE, 3, hal. 1614–1618. doi: 10.1109/CISP.2011.6100483.
- IHO (2005) "Manual On Hydrography." Monaco: International Hydrographic Organization.
- Jaud, T., Dragon, A.-C., Garcia, J. V. dan Guinet, C. (2012) "Relationship between Chlorophyll a Concentration , Light Attenuation and Relationship between Chlorophyll a Concentration , Light Attenuation and Diving Depth of the Southern Elephant Seal *Mirounga leonina*," *PLOS ONE*, (February 2014). doi: 10.1371/journal.pone.0047444.
- Jawak, S. D., Vadlamani, S. S. dan Luis, A. J. (2015) "A Synoptic Review on Deriving Bathymetry Information Using Remote Sensing Technologies: Models, Methods and Comparisons," *Advances in Remote Sensing*, 4(June), hal. 147–162. doi: 10.1016/j.talanta.2017.01.029.
- Jerlov, N. G. (1976) *Marine Optics*. Copenhagen: Elsevier Inc.
- Ji, W., Civco, D. L. dan Kennard, W. C. (1992) "Satellite remote bathymetry - a new mechanism for modeling," *Photogrammetric Engineering and Remote Sensing*, 58, hal. 545–549 ST–Satellite remote bathymetry–a new.
- Khorram, S., Wiele, C. F. van der, Koch, F. H., Nelson, S. A. C. dan Potts, M. D. (2016) *Principles of Applied Remote Sensing*. 1 ed. New York: Springer.

- Kowalczyk, P., Stedmon, C. A. dan Markager, S. (2006) "Modeling absorption by CDOM in the Baltic Sea from season, salinity and chlorophyll," *Marine Chemistry*, 101, hal. 1–11. doi: 10.1016/j.marchem.2005.12.005.
- Lafon, V., Froidefond, J. M., Lahet, F. dan Castaing, P. (2002) "SPOT shallow water bathymetry of a moderately turbid tidal inlet based on field measurements," *Remote Sensing of Environment*, 81(1), hal. 136–148. doi: 10.1093/aje/kwx046.
- Lavender, S. J. (1996) *Remote Sensing Of Suspended Sediment*. University of Plymouth.
- Lee, Z., Carder, K. L. dan Arnone, R. A. (2002) "Deriving inherent optical properties from water color a multiband quasi-analytical algorithm for optically deep waters.pdf," *Applied Optics*, 41(27), hal. 23–30.
- Lee, Z., Carder, K. L., Chen, R. F. dan Peacock, T. G. (2001) "Properties of the water column and bottom derived from Airborne Visible Infrared Imaging Spectrometer (AVIRIS) data," *Journal of Geophysical Research: Oceans*, 106(C6), hal. 11639–11651. doi: 10.1029/2000JC000554.
- Lee, Z., Carder, K. L., Mobley, C. D., Steward, R. G. dan Patch, J. S. (1999) "Hyperspectral remote sensing for shallow waters: 2 Deriving bottom depths and water properties by optimization," *Applied Optics*, 38(18), hal. 3831. doi: 10.1364/AO.38.003831.
- Lee, Z., Du, K. dan Arnone, R. (2005) "A model for the diffuse attenuation coefficient of downwelling irradiance," *Journal of Geophysical Research*, 110, hal. 1–10. doi: 10.1029/2004JC002275.
- Lee, Z. P., Casey, B., Parsons, R., Goode, W., Weidemann, A. dan Arnone, R. (2005) "Bathymetry of shallow coastal regions derived from space-borne hyperspectral sensor," *Proceedings of MTS/IEEE OCEANS, 2005*, 2005, hal. 1–11. doi: 10.1109/OCEANS.2005.1640084.
- Lenoble, J., Remer, L. dan Tanre, D. (2013) *Aerosol Remote Sensing*. Chichester, UK: Springer.
- Lyzenga, D. R. (1978) "Passive remote sensing techniques for mapping water depth and bottom features," *Applied Optics*, 17(3), hal. 379.
- Lyzenga, D. R., Malinas, N. P. dan Tanis, F. J. (2006) "Multispectral bathymetry using a simple physically based algorithm," *IEEE Transactions on Geoscience and Remote Sensing*, 44(8), hal. 2251–2259. doi: 10.1109/TGRS.2006.872909.
- Manessa, M. D. M., Kanno, A., Sagawa, T., Sekine, M. dan Nurdin, N. (2017) "Simulation-based investigation of the generality of Lyzenga's multispectral bathymetry formula in Case-1 coral reef water," *Estuarine, Coastal and Shelf Science*. Elsevier Ltd. doi: 10.1016/j.ecss.2017.10.014.
- Martin, J., Eugenio, F., Marcello, J., Medina, A., Bermejo, J. A. dan Arbelo, M. (2012) "Atmospheric correction models for high resolution WorldView-2 multispectral imagery: a case study in Canary Islands, Spain." doi: 10.1117/12.974564.
- Martin, S. (2014) *An Introduction To Ocean Remote Sensing*. 2 ed. United Kingdom: Cambridge University Press.
- Mather, P. M. (2004) *Computer Processing of Remotely-Sensed Images: An Introduction*. 3 ed. England: John Wiley & Son.
- McKinna, L. I. W., Fearn, P. R. C., Weeks, S. J., Werdell, P. J., Reichstetter, M., Franz, B. A., Shea, D. M. dan Feldman, G. C. (2015) "A semianalytical ocean color inversion algorithm with explicit water column depth and substrate

- reflectance parameterization,” *Journal of Geophysical Research: Oceans*, hal. 1741–1770. doi: 10.1002/2014JC010224.
- Meliani, F., Siregar, V. P., Hendriarti, N. dan Parwati, E. (2018) “Pengukuran Koefisien Atenuasi Dan Hubungannya Dengan Kualitas Air Di Perairan Kelurahan Pulau Panggang,” *Jurnal Teknologi Perikanan dan Kelautan*, 9(1), hal. 73–81.
- Mobley, C. D. (1994) “Optical Properties of Water,” *Light and waters: Radiative Transfer in Natural Waters*, hal. 60–144. doi: <https://doi.org/10.1016/B978-012370626-3.00069-7>.
- Morel, A. dan Prieur, L. (1977) “Analysis of variations in ocean color,” *Limnology and Oceanography*, 22(4), hal. 709–722. doi: 10.4319/lo.1977.22.4.0709.
- Pacifici, F. (2016a) *An automatic atmospheric compensation algorithm for very high spatial resolution imagery .. and its comparison to FLAASH and QUAC*.
- Pacifici, F. (2016b) “Validation of the DigitalGlobe surface reflectance product,” *International Geoscience and Remote Sensing Symposium (IGARSS)*, 2016–November, hal. 1973–1975. doi: 10.1109/IGARSS.2016.7729508.
- Pamart, A., Guillon, O., Faraci, S., Gattet, E., Genevois, M., Vallet, J. M. dan De Luca, L. (2017) “Multispectral Photogrammetric Data Acquisition and Processing For wall Paintings Studies,” *ISPRS - International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, XLII-2/W3(March), hal. 559–566.
- Parwati, E., Kartasasmita, M., Soewardi, K., Kusumastanto, T. dan Nurjaya, I. W. (2014) “The relationship between total suspended solid ( TSS ) and coral reef growth ( case study of Derawan Island , Berau Regency , East Kalimantan ),” *International Journal of Remote Sensing and Earth Sciences*, (April). doi: 10.30536/j.ijreses.2013.v10.a1849.
- Penta, B., Lee, Z., Kudela, R. M., Palacios, S. L., Deric, J., Jolliff, J. K. dan Shulman, I. G. (2008) “An underwater light attenuation scheme for marine ecosystem models,” 16(21), hal. 88–98. doi: 10.1029/2004JC002780.
- Philpot, W. D. (1989) “Bathymetric mapping with passive multispectral imagery,” *Applied Optics*, 28(8), hal. 1569.
- Prasetyo, B. A., Siregar, V. P., Agus, S. B. dan Asriningrum, W. (2017) “In-Situ Measurement Of Diffuse Attenuation Coefficient And Its Relationship With Water Constituent And Depth Estimation Of Shallow Waters By Remote Sensing Technique,” *International Journal of Remote Sensing and Earth Sciences (IJReSES)*, 14(1), hal. 47–60.
- Purkis, S. J. (2018) “Remote Sensing Coral Reefs,” *Reference Module in Earth Systems and Environmental Sciences*. 3 ed. Elsevier Inc., hal. 1–8. doi: 10.1016/B978-0-12-409548-9.10813-9.
- Roesler, C. S. dan Boss, E. S. (2008) “In situ measurement of the Inherent Optical Properties (IOPs) and potential for Harmful Algal Bloom (HAB) detection and coastal ecosystem observations,” *Real-time Coastal Observing Systems for Marine Ecosystem Dynamics and Harmful Algal Blooms: Theory, Instrumentation and Modelling*, hal. 153–206.
- Saulquin, B., Hamdi, A., Gohin, F., Populus, J., Mangin, A. dan Fanton, O. (2013) “Estimation of the diffuse attenuation coefficient KdPAR using MERIS and application to seabed habitat mapping,” *Remote Sensing of Environment*.

- Elsevier Inc., 128, hal. 224–233. doi: 10.1016/j.rse.2012.10.002.
- Sheng, L., Bai, J., Zhou, G. W., Zhao, Y. dan Li, Y. C. (2015) “Research on bathymetry estimation by worldview-2 based with the semi-analytical model,” *International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives*, 40(7W3), hal. 1305–1309. doi: 10.5194/isprsarchives-XL-7-W3-1305-2015.
- Simon, A. dan Shanmugam, P. (2013) “A new model for the vertical spectral diffuse attenuation coefficient of downwelling irradiance in turbid coastal waters: validation with in situ measurements,” *Optical Society of America*, 21(24), hal. 543–545. doi: 10.1364/OE.21.030082.
- Smith, M. J. (2015) *A comparison of DG AComp, FLAASH and QUAC atmospheric compensation algorithms using WorldView-2 imagery*. University of Colorado.
- Spitzer, D. dan Dirks, R. W. (1987) “Bottom influence on the reflectance of the sea,” *International Journal of Remote Sensing*, 8(3), hal. 279–290. doi: 10.1080/01431168708948642.
- Stumpf, R. P., Holderied, K. dan Sinclair, M. (2003) “Determination of water depth with high-resolution satellite imagery over variable bottom types,” *Limnology and Oceanography*, 48, hal. 547–556.
- Suryopuspito, D. H. (2017) *Evaluasi Ketelitian Penentuan Kedalaman Perairan Dangkal Menggunakan Citra Satelit Pleiades*. Universitas Gadjah Mada.
- UKHO (2015) *Satellite Derived Bathymetry*. IHO, 11th CSPCWG - 1st NCWG Meeting, Rostock, Germany.
- Vermote, E. F., Tanre, D., Deuze, J. L., Herman, M. dan Morcrette, J.-J. (1997) “Second Simulation of the Satellite Signal in the Solar Spectrum, 6s: An Overview,” *IEEE Geoscience and Remote Sensing Letters*, 35(3), hal. 675–686.
- Wettle, M. dan Brando, V. E. (2006) “SAMBUCA Semi-Analytical Model for Bathymetry, Un-mixing, and Concentration Assessment,” *CSIRO Land and Water Science Report*, (July). doi: <https://doi.org/10.4225/08/5866a187b7a3c>.