



DAFTAR PUSTAKA

- Arikan, M., Hooper, A. J., & Hanssen, R. F. (2009). Radar Time Series Analysis Over West Anatolia. *Fringe 2009*, 1–6.
- Béjar-Pizarro, M., Guardiola-Albert, C., García-Cárdenas, R. P., Herrera, G., Barra, A., Molina, A. L., ... García-García, R. P. (2016). Interpolation of GPS and geological data using InSAR deformation maps: Method and application to land subsidence in the alto guadalentin aquifer (SE Spain). *Remote Sensing*, 8(11). <https://doi.org/10.3390/rs8110965>
- BMKG. (2018). *Ulasan Guncangan Tanah Akibat Gempabumi utara Donggala, Sulawesi Tengah*. (September).
- Chan, Y. ., & Koo, V. . (2008). AN INTRODUCTION TO SYNTHETIC APERTURE RADAR (SAR). *Progress In Electromagnetics Research*, 2, 27–60. <https://doi.org/10.1037/008772>
- Chaussard, E., Amelung, F., Abidin, H., & Hong, S. H. (2013). Sinking cities in Indonesia: ALOS PALSAR detects rapid subsidence due to groundwater and gas extraction. *Remote Sensing of Environment*, 128, 150–161. <https://doi.org/10.1016/j.rse.2012.10.015>
- Chen, X., Sun, Q., & Hu, J. (2018). Generation of Complete SAR Geometric Distortion Maps Based on DEM and Neighbor Gradient Algorithm. *Applied Sciences*, 8(11), 2206. <https://doi.org/10.3390/app8112206>
- Chen, Y., Remy, D., Froger, J. L., Peltier, A., Villeneuve, N., Darrozes, J., ... Bonvalot, S. (2017). Long-term ground displacement observations using InSAR and GNSS at Piton de la Fournaise volcano between 2009 and 2014. *Remote Sensing of Environment*, 194(March 1998), 230–247. <https://doi.org/10.1016/j.rse.2017.03.038>
- Denker, H. (2005). Evaluation of SRTM3 and GTOPO30 Terrain Data in Germany. *Gravity, Geoid and Space Missions*, 218–223. https://doi.org/10.1007/3-540-26932-0_38
- Ding, X., Li, Z., Zhu, J., Feng, G., & Long, J. (2008). Atmospheric Effects on InSAR Measurements and Their Mitigation. *Sensors*, 8(9), 5426–5448. <https://doi.org/10.3390/s8095426>
- Dowding, S., & Division, N. P. (2004). *Void Fill of Srtm Elevation Data - Principles , Processes and Performance Srtm Data Finishing and Dted ® Products*.
- Dowman, I. (1992). The geometry of SAR images for geocoding and stereo applications. *International Journal of Remote Sensing*, 13(9), 1609–1617. <https://doi.org/10.1080/01431169208904215>
- ESA. (2012). *SENTINEL 1* (K. Fletcher, Ed.). Leiden: ESA Communications, ESTEC, PO Box 299, 2200 AG Noordwijk, The Netherlands.



- Falorni, G., Teles, V., Vivoni, E. R., Bras, R. L., & Amaratunga, K. S. (2005). Analysis and characterization of the vertical accuracy of digital elevation models from the Shuttle Radar Topography Mission. *Journal of Geophysical Research: Earth Surface*, 110(2), 1–20. <https://doi.org/10.1029/2003JF000113>
- Farr, T. G., Rosen, P. A., Caro, E., Crippen, R., Duren, R., Hensley, S., ... Alsdorf, D. (2007). The Shuttle Radar Topography Mission. *Reviews of Geophysics*, 45(2), RG2004. <https://doi.org/10.1029/2005RG000183>
- Febriyanti, R. F., & Anjasmara, I. M. (2017). Analisis Deformasi Permukaan Gunung Raung Menggunakan Teknologi Differential Interferometry Synthetic Aperture Radar (DInSAR) Berdasarkan Erupsi 28 Juni 2015. Vol 6 No.(2), 130. Retrieved from <http://repository.its.ac.id/43028/>
- Feigl, K. L. (1998). *Radar Interferometry and Its Application to Changes in the Earth's Surface* (pp. 441–500). pp. 441–500.
- Ferretti, A., Monti-Guarnieri, A., Prati, C., Rocca, F., & Massonet, D. (2007). InSAR Principles - Guidelines for SAR Interferometry Processing and Interpretation. In *ESA Training Manual* (Vol. 19).
- Ferretti, A., Prati, C., & Rocca, F. (2001). Permanent Scatterers in SAR Interferometry. *IEEE Transactions on Geoscience and Remote Sensing*, 39(1), 8–20. <https://doi.org/10.1109/36.898661>
- Foumelis, M., Delgado Blasco, J. M., Desnos, Y.-L., Engdahl, M., Fernandez, D., Veci, L., ... Wong, C. (2018). Esa Snap - Stamps Integrated Processing for Sentinel-1 Persistent Scatterer Interferometry. (July), 1364–1367. <https://doi.org/10.1109/igarss.2018.8519545>
- Foumelis, M., Manuel, J., Blasco, D., Desnos, Y., Engdahl, M., Fernández, D., ... Wong, C. (2018). ESA SNAP – StaMPS Integrated Processing for Sentinel-1 Persistent Scatterer Interferometry. *ESA SNAP – STAMPS INTEGRATED PROCESSING FOR SENTINEL-1 PERSISTENT SCATTERER INTERFEROMETRY*. (July). <https://doi.org/10.13140/RG.2.2.25803.90405>
- Gorokhovich, Y., & Voustianiouk, A. (2006). Accuracy assessment of the processed SRTM-based elevation data by CGIAR using field data from USA and Thailand and its relation to the terrain characteristics. *Remote Sensing of Environment*, 104(4), 409–415. <https://doi.org/10.1016/j.rse.2006.05.012>
- Haddad, O., Abdelfattah, R., & Ajili, H. (2012). Extracting radar shadow from SAR images. *International Geoscience and Remote Sensing Symposium (IGARSS)*, (July), 2101–2104. <https://doi.org/10.1109/IGARSS.2012.6350740>
- Hanssen, R. F. (2001). *Stochastic model for radar interferometry. Radar Interferometry. Data Interpretation and Error Analysis* (2nd ed.). Delft: Kluwer Academic Publishers.
- Hasegawa, H., Yamazaki, F., Sekimoto, I., & Matsuoka, M. (2000). Determination of Building Damage Due To Earthquakes Using Aerial Television Images. *Proc. 12th World Conference on Earthquake Engineering, Auckland, New Zealand*.



- Hidayati, N., Sativa, O., Wallansha, R., Sakti, A. P., Pramono, S., Permana, D., ... Mataram, K. (2018). Ulasan Guncangan Tanah Akibat Gempa Bumi Lombok Timur. Retrieved from <https://cdn.bmkg.go.id>
- Hooper, A. J. (2006). *Persistent scatter radar interferometry for crustal deformation studies and modeling of volcanic deformation*. Stanford University.
- Hooper, A., Segall, P., & Zebker, H. (2007). Persistent scatterer interferometric synthetic aperture radar for crustal deformation analysis, with application to Volcán Alcedo, Galápagos. *Journal of Geophysical Research: Solid Earth*, 112(7). <https://doi.org/10.1029/2006JB004763>
- Hooper, Andrew, Zebker, H., Segall, P., & Kampes, B. (2004a). A new method for measuring deformation on volcanoes and other natural terrains using InSAR persistent scatterers. *Geophysical Research Letters*, 31(23), 1–5. <https://doi.org/10.1029/2004GL021737>
- Hooper, Andrew, Zebker, H., Segall, P., & Kampes, B. (2004b). A new method for measuring deformation on volcanoes and other natural terrains using InSAR persistent scatterers. *Geophysical Research Letters*, 31(23). <https://doi.org/10.1029/2004GL021737>
- Lehner, B., & Döll, P. (2004). Development and validation of a global database of lakes, reservoirs and wetlands. *Journal of Hydrology*, 296(1–4), 1–22. <https://doi.org/10.1016/j.jhydrol.2004.03.028>
- Liu, W., & Yamazaki, F. (2013). Building height detection from high-resolution TerraSAR-X imagery and GIS data. *Joint Urban Remote Sensing Event 2013, JURSE 2013*, 33–36. <https://doi.org/10.1109/JURSE#.2013.6550659>
- Lu, C.-H., Ni, C.-F., Chang, C.-P., Yen, J.-Y., & Chuang, R. (2018). Coherence Difference Analysis of Sentinel-1 SAR Interferogram to Identify Earthquake-Induced Disasters in Urban Areas. *Remote Sensing*, 10(8), 1318. <https://doi.org/10.3390/rs10081318>
- Lu, Z., & Dzurisin, D. (2014). InSAR Imaging of Aleutian Volcanoes. In *Springer Praxis Books, Geophysical Sciences*. <https://doi.org/10.1007/978-3-642-00348-6>
- Massonnet, D., Rossi, M., Carmona, C., Adragna, F., Peltzer, G., Feigl, K., & Rabaute, T. (1993). The displacement field of the Landers earthquake mapped by radar interferometry. *Nature*, 364, 138. Retrieved from <http://dx.doi.org/10.1038/364138a0>
- Matsuoka, M., & Yamazaki, F. (2004). Building damage detection using satellite SAR intensity images for the 2003 Algeria and Iran earthquakes. *IEEE International IEEE International IEEE International Geoscience and Remote Sensing Symposium, 2004. IGARSS '04. Proceedings. 2004*, 2(C), 1099–1102. <https://doi.org/10.1109/IGARSS.2004.1368604>
- Matsuoka, Masashi, & Yamazaki, F. (2006). Use of SAR Imagery for Monitoring Areas Damaged Due to The 2006 Mid Java , Indonesia Earthquake. *Distribution*,



2–6.

Mielonen, T. (2010). *Evaluation and application of passive and active optical remote sensing methods for the measurement of atmospheric aerosol properties*. University of Eastern Finland.

MIELONEN, T. (n.d.). *EVALUATION AND APPLICATION OF PASSIVE AND ACTIVE OPTICAL REMOTE SENSING METHODS FOR THE MEASUREMENT OF ATMOSPHERIC AEROSOL PROPERTIES*.

Mohamed Ettarid, A. A. M. & R. A. (2005). The Steps To Generation of the Digital True Orthophotos. *FIG Working Week 2005 and GSDI-8*, 105–108.

Moreira, A., Prats-iraola, P., Younis, M., Krieger, G., Hajnsek, I., & Papathanassiou, K. P. (2013). *SAR-Tutorial-March-2013*. (march).

Muzambiq, S., Syafriadi, Wijaksana, B. S., & Rosaidi, U. (2017). Characteristic of Sinabung Volcano Deformation of 2011-2012 Estimated Based on GPS data. *AUSTRALIAN JOURNAL OF BASIC AND APPLIED SCIENCES*, 11(June), 59–71.

Natsuaki, R., Nagai, H., Tomii, N., & Tadono, T. (2018). Sensitivity and limitation in damage detection for individual buildings using InSAR coherence-A case study in 2016 Kumamoto earthquakes. *Remote Sensing*, 10(2). <https://doi.org/10.3390/rs10020245>

Pejabat Pengelola Informasi dan Dokumentasi Provinsi Nusa Tenggara Barat. (2018). *UPDATE HARIAN GEMPA LOMBOK SUMBAWA PROP NTB 2018 UPDATE GEMPABUMI NTB 2018*. (September). Retrieved from <https://ppid.ntbprov.go.id/detail-dip-841.html>

Prasetyo, Y., & Subiyanto, S. (2014). STUDI PENURUNAN MUKA TANAH (LAND SUBSIDENCE) MENGGUNAKAN METODE PERMANENT SCATTERER INTERFEROMETRIC SYNTHETIC APERTURE RADAR (PS-INSAR) DI KAWASAN KOTA CIMAHI - JAWA BARAT. *Teknik*, 35(2), 78–85. <https://doi.org/10.14710/teknik.v35i2.7184>

Rees, W. G. (2000). Technical note: Simple masks for shadowing and highlighting in SAR images. *International Journal of Remote Sensing*, 21(11), 2145–2152. <https://doi.org/10.1080/01431160050029477>

Richards, J. A., & Jia, X. (2006). Remote sensing digital image analysis: An introduction. In *Remote Sensing Digital Image Analysis: An Introduction* (4th ed., Vol. 44). <https://doi.org/10.1007/3-540-29711-1>

Rosen, P. A., Hensley, S., Zebker, H. A., Webb, F. H., & Fielding, E. J. (1996). Surface deformation and coherence measurements of Kilauea Volcano, Hawaii, from SIR-C radar interferometry. *Journal of Geophysical Research: Planets*, 101(E10), 23109–23125. <https://doi.org/10.1029/96JE01459>

Samsonov, S. V, Feng, W., Peltier, A., & Geirsson, H. (2017). Multidimensional Small Baseline Subset (MSBAS) for volcano monitoring in two dimensions:



- Opportunities and challenges. Case study Piton de la Fournaise volcano. *Journal of Volcanology and Geothermal Research*.
<https://doi.org/10.1016/j.mce.2007.05.018>
- Samsonov, S. V, Trishchenko, A. P., Tiampo, K., González, P. J., Zhang, Y., & Fernández, J. (2014). Removal of systematic seasonal atmospheric signal from interferometric synthetic aperture radar ground deformation time series. *Geophysical Research Letters*, 41(17), 6123–6130.
<https://doi.org/10.1002/2014GL061307>
- Santoro, M., Werner, C., Cartus, O., & Sensing, G. R. (2015). Sentinel-1 Tops Insar Coherence. *'Fringe 2015 Workshop', Frascati, Italy, 2015(1)*, 4–7.
- Sousa, J. J., Hooper, A. J., Hanssen, R. F., Bastos, L. C., & Ruiz, A. M. (2011). Persistent Scatterer InSAR: A comparison of methodologies based on a model of temporal deformation vs. spatial correlation selection criteria. *Remote Sensing of Environment*, 115(10), 2652–2663.
<https://doi.org/10.1016/j.rse.2011.05.021>
- Tim Pusat Studi Gempa Nasional. (2018). *Kajian rangkaian gempa Lombok, Provinsi Nusa Tenggara Barat, 29 Juli 2018 (M6.4), 5 Agustus 2018 (M7.0), 19 Agustus 2018 (M6.9)* (Cetakan pe). Cileunyi Wetan, Bandung: Pusat Penelitian dan Pengembangan Perumahan dan Permukiman, Badan Penelitian dan Pengembangan, Kementerian Pekerjaan Umum dan Perumahan Rakyat.
- Yamazaki, F, Liu, W., & Kojima, S. (2018). *Use of Airborne Sar Imagery To Extract Earthquake Damage in Urban Areas*.
- Yamazaki, Fumio, Iwasaki, Y., Liu, W., Nonaka, T., & Sasagawa, T. (2013). Detection of damage to building side-walls in the 2011 Tohoku , Japan earthquake using high-resolution TerraSAR-X images. *The International Society for Optical Engineering*, 8892(March 2014), 1–9.
<https://doi.org/10.1117/12.2029465>
- Yamazaki, Fumio, Kouchi, K., Matsuoka, M., & Kohiyama, M. (2004). Damage Detection From High-Resolution Satellite Images for the 2003 Boumerdes , Algeria Earthquake. *13th World Conference on Earthquake Engineering*, (2595), 1–13.
- Yamazaki, Fumio, Liu, W., & Moya, L. (2017). Extraction of Building Damage due to 2016 Kumamoto Earthquake from PALSAR-2 Data. *Safety, Reliability, Risk, Resilience and Sustainability of Structures and Infrastructure*, (August), 1471–1479.
- Yang, L., Meng, X., & Zhang, X. (2011). SRTM DEM and its application advances. *International Journal of Remote Sensing*, 32(14), 3875–3896.
<https://doi.org/10.1080/01431161003786016>
- Yudi, A., Santoso, E., Kaluku, A., Dawwam, F., Sakti, A. P., Pramono, S., ... Pendahuluan, I. (2018). *ULASAN GUNCANGAN TANAH AKIBAT GEMPA BUMI LOMBOK TIMUR*. Retrieved from <https://cdn.bmkg.go.id/>



Zebker, H.A., & Villasenor, J. (1992). Decorrelation in interferometric radar echoes. *IEEE Transactions on Geoscience and Remote Sensing*, 30(5), 950–959. <https://doi.org/10.1109/36.175330>

Zebker, Howard A., & Goldstein, R. M. (1986). Topographic mapping from interferometric synthetic aperture radar observations. *Journal of Geophysical Research*, 91(B5), 4993. <https://doi.org/10.1029/JB091iB05p04993>