

## DAFTAR PUSTAKA

- Abidi, S.S.A., dan Murtaza, Q. (2013). Synthesis and characterization of nanohydroxyapatite powder using wet chemical precipitation reaction. *UPB Science Bulletin* **75**(3):3-12.
- Alam, M.A., Al-Jenoobi, F.I., dan Al-Mohizea, A.M. (2012). Everted gut sac model as a tool in pharmaceutical research limitations and applications. *Journal of Pharmacy and Pharmacology* **64**:326-336.
- Allen, L.H. (1982). Calcium bioavailability and absorption: A review. *The American Journal of Clinical Nutrition* **35**:783-808.
- Anggraeni, N. (2019). Bioavailabilitas nanopartikel kalsium tulang ikan nila (*Oreochromis niloticus*) dengan variasi konsentrasi pelarut basa dan lama waktu ekstraksi. Program Pasca Sarjana. Fakultas Teknologi Pertanian. Universitas Gadjah Mada. Yogyakarta. Tesis.
- Anggraeni, N., Darmanto. Y.S., dan Riyadi, P.H. (2016). Pemanfaatan nanokalsium tulang ikan nila (*Oreochromis niloticus*) pada beras analog dari berbagai macam ubi jalar (*Ipomoea batatas* L.). *Jurnal Aplikasi Teknologi Pangan* **5**(4):114-122.
- Anonim. (2013). Angka kecukupan gizi yang dianjurkan bagi bangsa Indonesia. Peraturan Menteri Kesehatan Republik Indonesia Nomor 75 Tahun 2013. <http://gizi.depkes.go.id/>. [12 April 2019]
- Anonim. (2015). Fisheries and aquaculture statistics (2015). Food and Agriculture Organization of the United Nations. <http://www.fao.org/>. [26 Desember 2017].
- Anonim. (2016). The state of world fisheries and aquaculture 2016. Rome; Food and Agriculture Organization of the United Nations. <http://www.fao.org/>. [18 Desember 2017].
- AOAC. (1990). *Officials methods of analysis of AOAC International, Agricultural Chemicals, Contaminants, Drug*, 16<sup>th</sup> edn. Washington D.C.
- Benjakul, S., dan Karnjanajanapratum, S. (2018). Characteristics and nutritional value of whole wheat cracker fortified with tuna bone bio-calcium powder. *Food Chemistry* **259**:181-187.
- Benjakul, S., Mad-Ali, S., Senphan, T., dan Sookchoo, P. (2017). Biocalcium powder from precooked skipjack tuna bone: Production and its characteristics. *Journal of Food Biochemistry* **e12412**:1-8.

- Boutinguiza, M., Pou, J., Comesana, R., Lusquinos, F., de Carlos, A., dan Leon, B. (2012). Biological hydroxyapatite obtained from fish bones. *Materials Science and Engineering C* **32**:478-486.
- Brody, T. (1994). *Nutritional biochemistry*. Academic Press, San Diego, New York.
- Bronner, F. (1998). Calcium absorption-a paradigm for mineral absorption. *The Journal of Nutrition* **128**:917-920.
- Brun, L.R., Lupo, M., Delorenzi, D.A., Di Lorento, V. E., dan Rigalli, Alfredo. (2013). Chicken eggshell as suitable calcium source at home. *International Journal of Food Science and Nutrition*. **64**(6):740-743.
- Cashman, K.D. (2002). Calcium intake, calcium bioavailability and bone health. *British Journal of Nutrition* **87**(2):S169-S177.
- Dewi, T.S. (2018). Ketersediaan hayati kalsium dan mikropartikel kalsium tulang lele pada intestinal tikus secara in situ. *Departemen Perikanan. Fakultas Pertanian. Universitas Gadjah Mada. Skripsi*.
- Domrongpakkaphan, V., dan Khemkhao, M. (2017). Calcium chloride produce from eggshell for vegetable washing. *The Journal of Applied Science* **16**(2):1-7.
- Ekman, M., Reizenstein, P., Teigen, S.W., dan Ronneberg, R. (1991). Comparative absorption of calcium from carbonate tablets, lactogluconate/carbonate effervescent tablet, and chloride solution. *Bone* **12**:93-97.
- Erfanian, A., Mirhosseini, H., Manap, M.Y.A., Rasti, B., dan Bejo, M.H. (2014). Influence of nano-size reduction on absorption and bioavailability of calcium from fortified milk powder in rats. *Food Research International* **66**(1):1-11.
- Erfanian, A., Mirhosseini, H., Rasti, B., Bejo, M.H., Mustafa, S.B., dan Manap, M.Y.A. (2015). Absorption and bioavailability of nano-size reduced calcium citrate fortified milk powder in ovariectomized and ovariectomized-osteoporosis rats. *Journal of Agricultural and Food Chemistry* **63**(24):5795-5804.
- Erfanian, A., Rasti, B., dan Manap Y. (2017). Comparing the calcium bioavailability from two types of nano-sized enriched milk using in-vivo assay. *Food Chemistry* **214**:606-613.
- Fairweather-Tait, S., dan Hurrell, R.F. (1996). Bioavailability of minerals and trace elements. *Nutrition Research Reviews* **9**:295-324.

- Garnjanagoonchorn, W., dan Changpuak, A. (2007). Preparation and partial characterization of eggshell calcium chloride. *International Journal of Food Properties* **10**:497-503.
- Gharibzahedi, S.M.T., dan Jafari, S.M. (2017). The importance of minerals in human nutrition: Bioavailability, food fortification, processing effects and nanoencapsulation. *Trends in Food Science & Technology* **62**:119-132.
- Glimcher, M.J. (2006). Bone: nature of the calcium phosphate crystals and cellular, structural, and physical chemical mechanisms in their formation. *Reviews in Mineralogy & Geochemistry* **64**:223-282.
- Halimah. S.N., Suryani, R.A., Wijayanti, S.W., Pangestu, R.A., Deni G.D., dan Romadhon. (2016). Fortification seaweed noodles [*Eucheima cottonii* (Weber-van Bosse, 1913)] with nano-calcium from bone catfish [*Clarias batrachus* (Linnaeus, 1758)]. *Aquatic Procedia* **7**:221-225.
- Halipah, S. (2016). Pembuatan nanokalsium dengan metode presipitasi dari limbah cangkang kerang hijau (*Perna sp.*) dan aplikasinya sebagai sediaan antihipersensitivitas dentin. *Institut Pertanian Bogor. Skripsi*.
- Hamada, M., Nagai, T., Kai, N., Tanoue, Y., dan Mae, H. (1995). Inorganic constituents of bone of fish. *Fisheries Science* **61**:517-520.
- Handayani, L., dan Syahputra, F. (2017). Isolasi dan karakterisasi nanokalsium dari cangkang tiram (*Crassostrea gigas*). *Jurnal Pengolahan Hasil Perikanan Indonesia* **20**(3): 515-523.
- Heaney, R.P. (2001). Bioavailability of nutrients and other bioactive components from dietary supplements. *The Journal of Nutrition* **131**:1344S-1348S.
- Hemung, B.O. (2013). Properties of tilapia bone powder and its calcium bioavailability based on transglutaminase assay. *International Journal of Bioscience, Biochemistry and Bioinformatics* **3**(4):306-309.
- Huang, S., Chen, J.C., Hsu C.W., dan Chang W.H. (2009). Effects of nano calcium carbonate and nano calcium citrate on toxicity in icr mice and on bone mineral density in an ovariectomized mice model. *Nanotechnology* **20**(37):1-7.
- Iwansyah, A.C., Herminiati, A., dan Setiyoningrum, F. (2008). Pengaruh Penambahan Tepung Tulang Ikan sebagai Sumber Kalsium terhadap Mutu Kimia Kerupuk Ikan. *Prosiding Universitas Lampung*.
- Jafari, S.M., dan McClements, D.J. (2017). Nanotechnology approaches for increasing nutrient bioavailability. *Advances in Food and Nutrition Research* **81**:1-30.

- Jamarun, N.I., Putri, E., dan Alif, A. (2007). Pengaruh ukuran partikel bahan baku kapur terhadap karakterisasi PCC melalui metoda karbonisasi. *Jurnal Matematika dan Ilmu Pengetahuan Alam (Jumpa)* **14**(1).
- Johnson, R.B., Nicklasom, P.M., dan Barnett, H.J. (2003). Macro- and micronutrient composition of fish bone derived from alaskan fish meal processing exploring possible uses for fish bone meal. *Advances in Seafood Byproduct* 201-218.
- Kim, S.K., dan Mendis E. (2006). Bioactive compounds from marine processing byproducts – A review. *Food Research International* **39**:383-393.
- Le Ferrec, E., Chesne, C., Artusson, P., Brayden, D., Fabre, G., Gires, P., Guillou, F., Rousset, M., Rubas, W., dan Scario, M.L. (2001). In vitro models of the intestinal barrier. *Alternatives to Laboratory Animals* **29**:649-668.
- Lekahena, V., Faridah, D.N., Syarief, R., dan Peranginangin, R. (2014). Karakterisasi fisikokimia nanokalsium hasil ekstraksi tulang ikan nila menggunakan larutan basa dan asam. *Jurnal Teknologi dan Industri Pangan* **25**(1):57-64.
- Luu, P.H., dan Nguyen, M.H. (2009). Recovery and utilization of calcium from fish bones byproducts as a rich calcium source. *Tap Chí Khoa Hoc Và Công Nghe* **47**: 91-103.
- Malde, M.K., Graff, I.E., Siljander-Rasi, H., Venäläinen, E., Julshamn, K., Pedersen, J.I., dan Valaja, J. (2010). Fish bones - a highly available calcium source for growing pigs. *Journal of Animal Physiology and Animal Nutrition* **94**(5):1–11.
- Monshi, A., Foroughi, M.R., Monshi, M.R. (2012). Modified scherrer equation to estimate more accurately nano-crystallite size using XRD. *World Journal of Nano Science and Engineering* **2**:154-160.
- Murniyati., Dewi, F.R. (2013). Ekstraksi nano kalsium dari tepung cangkang simping (*Placuna placenta*) sebagai upaya pemanfaatan hasil samping produk perikanan. *Prosiding Forum Inovasi Teknologi Akuakultur* 484-487.
- McCarthy, J.T. dan Kumar, R. (2004). Divalent cation metabolism : calcium. Dalam : Schrier, R. W. (ed.) *Atlas diseases of the kidney*, hal 5.1-5.14. University of Colorado School of Medicine. Denver. Colorado.
- McClements, D.J. (2015). Nanoscale nutrient delivery systems for food applications: Improving bioactive dispersibility, stability, and bioavailability. *Journal of Food Science* **80**(7):N1602-N1611.

- Mohanraj, V.J., dan Chen, Y. (2006). Nanoparticles – A Review. *Tropical Journal of Pharmaceutical Research* **5**(1):561-573.
- Nordin, B.E.C. (1997). Calcium in health and disease. *Food Nutrition and Agriculture* **20**:13-26.
- Peng, Z., Hou, H., Zhang, K., dan Li, B. (2017). Effect of calcium-binding peptide from Pacific cod (*Gadus macrocephalus*) bone on calcium bioavailability in rats. *Food Chemistry* **221**:373-378.
- Piccirillo, C., Silva, M.F., Pullar, R.C., da Cruz, I.B., Jorge, R., Pintado, M.M.E., dan Castro, P.M.L. (2013). Extraction and characterisation of apatite- and tricalcium phosphate-based materials from cod fish bones. *Material Science and Engineering C* **33**:103-110.
- Power, M.L., Heaney, R.P., Kalkwarf, H.J., Pitkin, R.M., Tepke, J.T., Tsang, R.C., dan Schulkin, J. (1999). The role of calcium in health and disease. *American Journal of Obstetrics & Gynecology* **181**(6):1560-1569.
- Prinaldi, W.V., Suptijah, P., dan Uju. (2018). Karakteristik sifat fisikokimia nano-kalsium ekstrak tulang ikan tuna sirip kuning (*Thunnus albacares*). *Jurnal Pengolahan Hasil Perikanan Indonesia* **21**(3):385-395.
- Ramachandraiah, K., Choi, M.J., Hong, G.P. (2018). Micro- and nano-scaled materials for strategy-based applications in innovative livestock products: A review. *Trends in Food Science & Technology* **71**:25-35.
- Rini, Istifa. (2010). *Recovery dan karakterisasi kalsium dari limbah demineralisasi kulit udang jerbung (*Penaeus merguensis* deMan)*. Departemen Teknologi Hasil Perairan. Fakultas Perikanan dan Ilmu Kelautan. Institut Pertanian Bogor. Skripsi.
- Sa'adah, U., (2013). Daya terima dan komposisi proksimat tepung tulang ikan lele yang mengalami proses perendaman dalam larutan jeruk nipis. [receptivity and proximate composition bone catfish powder has soaking process in citrus solution]. *Medical Science Journal, Muhammadiyah Surakarta University*, 1–11.
- Sada, M. (1984). Fish calcium. *Infofish Marketing Digest* **3**:29-30.
- Saksono, N., Bismo, S., Krisanti, E., Manaf, A., dan Widaningrum, R. (2006). Pengaruh medan magnet terhadap proses presipitasi CaCO<sub>3</sub> dalam air sadah. *Jurnal Makara Teknologi* **10** (2): 96-101.
- Santoso, J., Satako, G., Yumiko, Y.S., dan Takeshi, S. (2006). Mineral content of Indonesian seaweed solubility affected by basic cooking. *Journal of Food Science and Technology* **12**(1): 59-66.

- Schleiffer, R., Galluser, M., Rohr, O., dan Raul, F. (1993). Development of a technique for in situ studies of calcium absorption in the intestine of rats. *Biomed & Pharmacother* **47**:19-23.
- Shahnazari, M., Martin, B.R., Legette, L.L., Lachcik, P.J., Welch, J., dan Weaver, C.M. (2009). Diet calcium level but not calcium supplement particle size affects bone density and mechanical properties in ovariectomized rats. *The Journal of Nutrition* **139**(7):1308–1314.
- Sittikulwitit, S., Sirichakwal, P.P., Puwastien, P., Chavasit, V., dan Sungpuag, P. (2004). In vitro bioavailability of calcium from chicken bone extract powder and its fortified products. *Journal of Food Composition and Analysis* **17**:321–329.
- Suptijah, P., Jacob, A.M., dan Deviyanti, N. (2012). Karakterisasi dan bioavailabilitas nanokalsium cangkang udang vannamei (*Litopenaeus vannamei*). *Jurnal Akuatika* **3**(1):63-73.
- Swarbrick, J. (1970). Current concepts in the pharmaceutical sciences: Biopharmaceutics. Philadelphia, Chapter 6.
- Talib, A., Suprayitno, E., Aulani'am., dan Hardoko. (2014). Physico-chemical properties of Madidihang (*Thunnus albacares* Bonnaterre) fish bone flour in Ternate, North Moluccas. *International Journal of Biosciences* **4**(10):22-30.
- Techochatchawal, K., Therdthai, N., dan Khotavivattana, S. (2009). Development of calcium supplement from the bone of Nile tilapia (*tilapia nilotica*). *Asian Journal of Food and Agro-Industry* **2**(4):539-546.
- Terzioglu, P., Ogut, H., dan Kalemantas, A. (2018). Natural calcium phosphates from fish bones and their potential biomedical applications. *Material Science & Engineering C* **91**:899-911.
- Theobald, H.E. (2005). Dietary calcium and health. *British Nutrition Foundation: Nutrition Bulletin* **30**:237-277.
- Theresa, A., dan Nicklas, DrPH.L.N. (2003). Calcium intake trends and health consequences from childhood through adulthood. *Journal of the American College of Nutrition* **22**(5):340-356.
- Toppe, J., Albrektsen, S., Hope, B., dan Aksnes, A. (2007). Chemical composition, mineral content and amino acid and lipid profiles in bones from various fish species. *Comparative Biochemistry and Physiology Part B* **146**:395-401.

- Trilaksani, W., Salamah, E., dan Nabil, M. (2006). Pemanfaatan limbah tulang ikan tuna (*Thunnus sp.*) sebagai sumber kalsium dengan metode hidrolisis protein. *Buletin Teknologi Hasil Perikanan IX*(2):34-45
- Vavrusova, M., dan Skibsted, L.H. (2014). Calcium nutrition: Bioavailability and fortification. *LWT – Food Science and Technology 59*:1198-1204.
- Vignesh, R., dan Srinivasan, M. (2012). Nutritional quality of processed head and bone flours of Tilapia (*Oreochromis mossambicus*, Peters 1852) from Parangipettai estuary, South East Coast of India. *Asian Pacific Journal of Tropical Biomedicine S368-S372*.
- Wang, H., dan Jiang, P.H. (2013). Calcium bioavailability of calcium L-threonate in healthy Chinese subjects measured with stable isotopes ( $^{44}\text{Ca}$  and  $^{42}\text{Ca}$ ). *European Journal of Clinical Pharmacology 69*:1121-1126.
- Wariyah, C. (2009). Fortifikasi kalsium pada beras, kinetika penyerapan dan bioavailabilitasnya. *Program Pasca Sarjana. Fakultas Teknologi Pertanian. Universitas Gadjah Mada. Yogyakarta. Disertasi*.
- Wijayanti, I., Rianingsih, L., dan Amalia, U. (2018). Karakteristik fisikokimia mikrokalsium dari tulang nila (*Oreochromis niloticus*) dengan perendaman belimbing wuluh. *Jurnal Pengolahan Hasil Perikanan Indonesia. 21*(2): 336-344.
- Yang, M.H., Yuan, S.S., Huang, Y.F., Lin, P.C., Lu, C.Y., Chung, T.W., dan Tyan, Y.C. (2014). A proteomic view to characterize the effect of chitosan nanoparticle to hepatic cells: is chitosan nanoparticle an enhancer of PI3K/AKT1/mTOR pathway?. *BioMed Research International 789591*:1-9.
- Yin, T., Du, H., Zhang, J., dan Xiong, S. (2016). Preparation and characterization of ultrafine fishbone powder. *Journal of Aquatic Food Product Technology. 1-28*.
- Yin, T., Park, J.W., dan Xiong, S. (2015). Physicochemical properties of nano fish bone prepared by wet media milling. *LWT – Food Science and Technology 64*:367-373.