

BIBLIOGRAPHY

- Ab Halim, M. R. (2012) 'Validation of GC-MS method for standardization of Curcuma xanthorrhiza extracts using biochemical markers, Ar-curcumene and xanthorrhizol', *International Journal of Pharmacy and Pharmaceutical Sciences*, 4, pp. 606–610.
- Abas, F. *et al.* (2005) 'A labdane diterpene glucoside from the rhizomes of Curcuma mangga', *Journal of Natural Products*, 68(7), pp. 1090–1093. doi: 10.1021/np0500171.
- Abdi, H. (2001) 'Partial Least Square Regression', in Salkind, N. (ed.) *Encyclopedia of Measurement and Statistics*. California: Sage.
- Achanta, A. S., Kowalski, J. G. and Rhodes, C. T. (1995) 'Artificial neural networks: Implications for pharmaceutical sciences', *Drug Development and Industrial Pharmacy*, 21(1), pp. 119–155. doi: 10.3109/03639049509048099.
- Achantal, A. S. and Kowalski, J. G. (1995) 'Artificial neural networks: Implications for pharmaceutical sciences', *Drug Development and Industrial Pharmacy*, 21(1), pp. 119–155.
- Agatonovic-Kustrin, S. and Beresford, R. (2000) 'Basic concepts of artificial neural network (ANN) modeling and its application in pharmaceutical research', *Journal of Pharmaceutical and Biomedical Analysis*, 22(5), pp. 717–727. doi: 10.1016/S0731-7085(99)00272-1.
- Al-kaf, H. A. G., Chia, K. S. and Alduais, N. A. M. (2018) 'A comparison between single layer and multilayer artificial neural networks in predicting diesel fuel properties using near infrared spectrum', *Petroleum Science and Technology*. Taylor & Francis, 36(6), pp. 411–418. doi: 10.1080/10916466.2018.1425717.
- Alamprese, C. *et al.* (2013) 'Detection of minced beef adulteration with turkey meat by UV-vis, NIR and MIR spectroscopy', *LWT - Food Science and Technology*. Elsevier Ltd, 53(1), pp. 225–232. doi: 10.1016/j.lwt.2013.01.027.
- Alan Sheeja, D. B. and Nair, M. S. (2012) 'Phytochemical constituents of Curcuma amada', *Biochemical Systematics and Ecology*. Elsevier Ltd, 44, pp. 264–266. doi: 10.1016/j.bse.2012.06.008.
- Alladio, E. *et al.* (2018) 'Development and validation of a Partial Least Squares-Discriminant Analysis (PLS-DA) model based on the determination of ethyl glucuronide (EtG) and fatty acid ethyl esters (FAEEs) in hair for the diagnosis of chronic alcohol abuse', *Forensic Science International*. Elsevier Ireland Ltd, 282, pp. 221–230. doi: 10.1016/j.forsciint.2017.11.010.
- Di Anibal, C. V. *et al.* (2009) 'Determining the adulteration of spices with Sudan I-II-III-IV dyes by UV-visible spectroscopy and multivariate classification techniques', *Talanta*, 79(3), pp. 887–892. doi: 10.1016/j.talanta.2009.05.023.
- Aouidi, F. *et al.* (2012) 'Discrimination of five Tunisian cultivars by Mid

- InfraRed spectroscopy combined with chemometric analyses of olive *Olea europaea* leaves', *Food Chemistry*. Elsevier Ltd, 131(1), pp. 360–366. doi: 10.1016/j.foodchem.2011.08.041.
- Ball, D. W. (2001) *The Basics of Spectroscopy*. Washington: SPIE Press.
- Ballabio, D. and Consonni, V. (2013) 'Classification tools in chemistry. Part 1: linear models. PLS-DA', *Analytical Methods*, 5(16), p. 3790. doi: 10.1039/c3ay40582f.
- Barker, M. and Rayens, W. (2003) 'Partial least squares for discrimination', *Journal of Chemometrics*, 17(3), pp. 166–173. doi: 10.1002/cem.785.
- Bastien, P., Vinzi, V. E. and Tenenhaus, M. (2005) 'PLS generalised linear regression', *Computational Statistics & Data Analysis*, 48, pp. 17–46. doi: 10.1016/j.csda.2004.02.005.
- Bhuiyan, M. N. I., Chowdhury, J. U. and Begum, J. (2008) 'Volatile constituents of essential oils isolated from leaf and rhizome of *Zingiber cassumunar* Roxb.', *Bangladesh Journal of Pharmacology*, 3(2). doi: 10.3329/bjp.v3i2.844.
- Bordoloi, A. K., Sperkova, J. and Leclercq, P. T. (1999) 'Essential Oils of *Zingiber cassumunar* Roxb. From Northeast India', *Journal of Essential Oil Research*, 11(4), pp. 441–445. doi: 10.1080/10412905.1999.9701179.
- Boukhatem, B. *et al.* (2012) 'Predicting concrete properties using Neural Networks (NN) with Principal Component Analysis (PCA) technique', *Computers and Concrete*, 10(6), pp. 557–573. doi: 10.12989/cac.2012.10.6.557.
- Bourquin, J. *et al.* (1997) 'Basic concepts of artificial neural networks (ANN) modeling in the application to pharmaceutical development', *Pharmaceutical Development and Technology*, 2(2), pp. 95–109. doi: 10.3109/10837459709022615.
- Bunaciu, A. A., Aboul-Enein, H. Y. and Fleschin, S. (2011) 'Recent applications of fourier transform infrared spectrophotometry in herbal medicine analysis', *Applied Spectroscopy Reviews*, 46(4), pp. 251–260. doi: 10.1080/05704928.2011.565532.
- Carvalho, N. B. *et al.* (2013) 'Artificial neural networks (ANN): prediction of sensory measurements from instrumental data', *Food Science and Technology (Campinas)*, 33(4), pp. 722–729. doi: 10.1590/s0101-20612013000400018.
- Cebi, N., Yilmaz, M. T. and Sagdic, O. (2017) 'A rapid ATR-FTIR spectroscopic method for detection of sibutramine adulteration in tea and coffee based on hierarchical cluster and principal component analyses', *Food Chemistry*, 229, pp. 517–526. doi: 10.1016/j.foodchem.2017.02.072.
- Chong, I. G. and Jun, C. H. (2005) 'Performance of some variable selection methods when multicollinearity is present', *Chemometrics and Intelligent Laboratory Systems*, 78(1), pp. 103–112. doi: 10.1016/j.chemolab.2004.12.011.

Damayanti, D. *et al.* (2012) 'Analisis Keragaman Genetik Temulawak (*Curcuma xanthorrhiza* Roxb.) Menggunakan Penanda Amplified Fragment Length Polymorphism (AFLP)', *Jurnal Sains dan Teknologi Indonesia*, 14(3), pp. 174–181.

Dhakai, S. *et al.* (2016) 'Evaluation of Turmeric Powder Adulterated with Metanil Yellow Using FT-Raman and FT-IR Spectroscopy', *Foods*, 5(4), p. 36. doi: 10.3390/foods5020036.

Diniz, P. *et al.* (2015) 'Using UV-Vis spectroscopy for simultaneous geographical and varietal classification of tea infusions simulating a home-made tea cup', *FOOD CHEMISTRY*. Elsevier Ltd, 103, pp. 79–83. doi: 10.1016/j.foodchem.2015.07.022.

Donipati, P. and Sreeramulu, S. H. (2015) 'In Vitro Bio Evaluation and Correlation of Antioxidant Activity of Different Extracts of *Curcuma amada*', 3(November), pp. 373–377.

Farrés, M. *et al.* (2015) 'Comparison of the variable importance in projection (VIP) and of the selectivity ratio (SR) methods for variable selection and interpretation', *Journal of Chemometrics*, 29, pp. 528–536. doi: 10.1002/cem.2736.

Frank, I. E. and Friedman, J. H. (2013) 'View of Some Chemometrics Regression Tools', *Technometrics*, 35(2), pp. 109–135.

van Galen, E. and Kroes, B. (2014) 'Assessment report on *Curcuma xanthorrhiza* Roxb. (*C. xanthorrhiza* D. Dietrich), rhizoma', *European Medicines Agency*, 44(January), pp. 8–21.

Gholap, A. S. and Bandyopadhyay, C. (1984) 'Characterization of mango-like aroma in *Curcuma amada* roxb', *Journal of Agricultural and Food Chemistry*, 32(1), pp. 57–59. doi: 10.1021/jf00121a015.

Griffiths, P. R. and de Haseth, J. A. (2007) *Fourier Transform Infrared Spectrometry*. second edi. New Jersey: John Wiley & Sons, Inc.

Harvey, D. (2000) *Modern Analytical Chemistry*. New York: McGraw Hill.

Hashimoto, A. and Kameoka, T. (2008) 'Applications of infrared spectroscopy to biochemical, food, and agricultural processes', *Applied Spectroscopy Reviews*, 43(5), pp. 416–451. doi: 10.1080/05704920802108131.

Helland, I. (2006) 'Partial Least Squares Regression', pp. 1–7.

Hollas, J. M. (2004) *Modern Spectroscopy*. Fourth Edi. West Sussex: John Wiley & Sons, Ltd.

Imai, A. and Abe, N. (2016) 'Bangle (*Zingiber purpureum*) Improves Spatial Learning, Reduces Deficits in Memory, and Promotes Neurogenesis in the Dentate Gyrus of Senescence-Accelerated Mouse P8', *J Med Food*, 00(0), pp. 1–7. doi: 10.1089/jmf.2015.3562.

Isrul, M. *et al.* (2017) 'New Compound Anti Mycobacterium tuberculosis from Methanolic Fraction of Bangle Rhizome (Zingibe cassumunar) New Compound Anti Mycobacterium tuberculosis from Methanolic Fraction of Bangle Rhizome (Zingiber cassumunar Roxb .)', *International Journal of PharmTech Research*, 10(1), pp. 57–61.

Jantan, I. *et al.* (2012) ' Correlation between Chemical Composition of Curcuma domestica and Curcuma xanthorrhiza and Their Antioxidant Effect on Human Low-Density Lipoprotein Oxidation ', *Evidence-Based Complementary and Alternative Medicine*, 2012(Ldl), pp. 1–10. doi: 10.1155/2012/438356.

Kamazeri, T. S. A. T. *et al.* (2012) 'Antimicrobial activity and essential oils of Curcuma aeruginosa, Curcuma mangga, and Zingiber cassumunar from Malaysia', *Asian Pacific Journal of Tropical Medicine*, 5(3), pp. 202–209. doi: [https://doi.org/10.1016/S1995-7645\(12\)60025-X](https://doi.org/10.1016/S1995-7645(12)60025-X).

Kar, A. (2005) *Pharmaceutical Drug Analysis*. 2nd edn. New Delhi: New Age International (P) Ltd.

Kealey, D. and Haines, P. J. (2002) *Instant Notes Analytical Chemistry*. Edited by B. D. Hames. Oxford: BIOS Scientific Publishers Ltd.

Kumaravelu, C. and Gopal, A. (2015) 'Detection and Quantification of Adulteration in Honey through Near Infrared Spectroscopy', *International Journal of Food Properties*. Taylor & Francis, 18(9), pp. 1930–1935. doi: 10.1080/10942912.2014.919320.

Larkin, P. J. (2011) *IR and Raman Spectroscopy - Principles and Spectral Interpretation*. Amsterdam: Elsevier. doi: 10.1016/b978-0-12-386984-5.10001-1.

Lavine, B. K. (1994) 'Multivariate pattern recognition', *Trends in Analytical Chemistry*. Edited by R. G. Brereton. Amsterdam: Elsevier, 13(8), pp. 340–341. doi: 10.1016/0165-9936(94)87009-8.

Leong-Škorničková, J., Šída, O. and Marhold, K. (2010) 'Back to types! Towards stability of names in Indian Curcuma L. (Zingiberaceae)', *Taxon*, pp. 269–282.

Liu, F. and Yang, M. (2005) 'Verification and Validation of Artificial Neural Network Models', in Zhang, S. and Jarvis, R. (eds) *Australasian Joint Conference on Artificial Intelligence*. Heidelberg: Springer-Verlag, pp. 1041–1046.

Liu, Y. and Nair, M. G. (2012) 'Curcuma longa and Curcuma mangga leaves exhibit functional food property', *Food Chemistry*, 135(2), pp. 634–640. doi: <https://doi.org/10.1016/j.foodchem.2012.04.129>.

Livingstone, D. J. (ed.) (2008) *Artificial Neural Networks: Methods and Applications*. Sandown: Humana Press.

Lumakso, F. A. *et al.* (2015) 'Detection and quantification of soybean and corn oils as adulterants in avocado oil using fourier transform mid infrared (FT-MIR) spectroscopy aided with multivariate calibration', *Jurnal Teknologi*, 77(1). doi:

10.11113/jt.v77.3640.

Mangunwardoyo, W., Deasywyaty and Usia, T. (2012) 'Antimicrobial and identification of active compound Curcuma xanthorrhiza Roxb', *International Journal of Basic & Applied Sciences - IJBAS-IJENS*, 12(1), pp. 69–78.

Müller, A. L. H. *et al.* (2011) 'Attenuated total reflectance with Fourier transform infrared spectroscopy (ATR/FTIR) and different PLS algorithms for simultaneous determination of clavulanic acid and amoxicillin in powder pharmaceutical formulation', *Journal of the Brazilian Chemical Society*, 22(10), pp. 1903–1912. doi: 10.1590/S0103-50532011001000011.

Naïve, M. A. K. (2017) 'Zingiberaceae of Kalatungan Mountain Range , Bukidnon , Philippines', 8(3), pp. 311–319.

Nguyen, D. V. and Rocke, D. M. (2002) 'Tumor classification by partial least squares using microarray gene expression data', *Bioinformatics*, 18(1), pp. 39–50. doi: 10.1093/bioinformatics/18.1.39.

Nilsson, J., De Jong, S. and Smilde, A. K. (1997) 'Multiway calibration in 3D QSAR', *Journal of Chemometrics*, 11, pp. 511–524.

Oon, S. F. *et al.* (2015) 'Xanthorrhizol: A review of its pharmacological activities and anticancer properties', *Cancer Cell International*. BioMed Central, 15(1), pp. 1–15. doi: 10.1186/s12935-015-0255-4.

Palacios-morillo, A. *et al.* (2013) 'Spectroscopy Differentiation of tea varieties using UV – Vis spectra and pattern recognition techniques', *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*. Elsevier B.V., 103, pp. 79–83. doi: 10.1016/j.saa.2012.10.052.

Palacios-Morillo, A. *et al.* (2013) 'Differentiation of tea varieties using UV-Vis spectra and pattern recognition techniques', *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy*. Elsevier B.V., 103, pp. 79–83. doi: 10.1016/j.saa.2012.10.052.

Palermo, G., Piraino, P. and Zucht, H. D. (2009) 'Performance of PLS regression coefficients in selecting variables for each response of a multivariate PLS for omics-type data', *Advances and Applications in Bioinformatics and Chemistry*, 2(1), pp. 57–70.

Paradkar, M. M., Sivakesava, S. and Irudayaraj, J. (2002) 'Discrimination and classification of adulterants in maple syrup with the use of infrared spectroscopic techniques', *J. Sci. Food Agric.*, 82, pp. 497–504. doi: 10.1002/jsfa.1067.

Paradkar, M. M., Sivakesava, S. and Irudayaraj, J. (2003) 'Discrimination and classification of adulterants in maple syrup with the use of infrared spectroscopic techniques', *Journal of the Science of Food and Agriculture*, 83(7), pp. 714–721. doi: 10.1002/jsfa.1332.

Paramapojn, S., Tip-pyang, S. and Gritsanapan, W. (2009) 'High-performance

Liquid Chromatographic Analysis of Selected Bioactive Components in Zingiber cassumunar Roxb.’, *International Journal of Biomedical and Pharmaceutical Sciences*, 3(1), pp. 34–38.

Pavia, D. L. *et al.* (2009) *Introduction to Spectroscopy*. Fourth edi. Brooks/Cole.

Penner, M. H. (2010) ‘Basic Principles of Spectroscopy’, in *Food Analysis*. Springer, p. 382. doi: 10.1007/978-1-4419-1478-1.

Perkins, W. D. (1987) ‘Fourier transform infrared spectroscopy’, *Journal of Chemical Education*, 64(11), p. A269. doi: 10.1021/ed064pa269.

Policegoudra, R. S. *et al.* (2007) ‘Isolation and characterization of antioxidant and antibacterial compound from mango ginger (*Curcuma amada* Roxb.) rhizome’, *Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences*, 852(1–2), pp. 40–48. doi: 10.1016/j.jchromb.2006.12.036.

Pujimulyani, D. *et al.* (2018) ‘Antidiabetic and antioxidant potential of *Curcuma mangga* Val extract and fractions’, *Asian J. Agri. & Biol.*, 6(2), pp. 162–168.

Pulido-Moran, M. *et al.* (2016) ‘Curcumin and health’, *Molecules*, 21(3), pp. 1–22. doi: 10.3390/molecules21030264.

Purwakusumah, E. D. *et al.* (2014) ‘Identifikasi dan Autentifikasi Jahe Merah Menggunakan Kombinasi Spektrosopi FTIR dan Kemometrik’, *Jurnal Agritech*, 34(01), pp. 82–87. doi: 10.22146/AGRITECH.9526.

Rafi, M. *et al.* (2011) ‘Differentiation of *Curcuma longa*, *Curcuma xanthorrhiza* and *Zingiber cassumunar* by TLC fingerprint analysis’, *Indo.J.Chem*, 11(1), pp. 71–74.

Rafi, M. *et al.* (2015) ‘Curcuminoid’s Content and Fingerprint Analysis for Authentication and Discrimination of *Curcuma xanthorrhiza* from *Curcuma longa* by High-Performance Liquid Chromatography-Diode Array Detector’, *Food Analytical Methods*, 8(9), pp. 2185–2193. doi: 10.1007/s12161-015-0110-1.

Rafi, M. *et al.* (2018) ‘UV-Vis spectroscopy and chemometrics as a tool for identification and discrimination of four *Curcuma* species’, *International Food Research Journal*, 25(2), pp. 643–648.

Rajkumari, S. and Sanatombi, K. (2018) ‘Nutritional value, phytochemical composition, and biological activities of edible *Curcuma* species: A review’, *International Journal of Food Properties*. Taylor & Francis, 20(00), pp. S2668–S2687. doi: 10.1080/10942912.2017.1387556.

Ramdani, E. D. *et al.* (2016) ‘A New Method of Xanthorrhizol Isolation from the Rhizome Extract of *Curcuma xanthorrhiza*’, *J. Biosci*, 4(9), pp. 732–737. doi: 10.21276/sajb.2016.4.9.7.

Risnawati, E., Ainurofiq, A. and Wartono, M. W. (2014) ‘Study of antibacterial activity and identification of the most active fraction from ethanol extraction of *Zingiber cassumunar* Roxb. rhizomes by vacuum liquid chromatography’, *Journal*

of Chemical and Pharmaceutical Research, 6(9), pp. 2–9.

Rohaeti, E. *et al.* (2015) ‘Fourier transform infrared spectroscopy combined with chemometrics for discrimination of *Curcuma longa*, *Curcuma xanthorrhiza* and *Zingiber cassumunar*’, *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy*. Elsevier B.V., 137, pp. 1244–1249. doi: 10.1016/j.saa.2014.08.139.

Rohman, A. *et al.* (2014) ‘Application of vibrational spectroscopy in combination with chemometrics techniques for authentication of herbal medicine’, *Applied Spectroscopy Reviews*, 49(8), pp. 603–613. doi: 10.1080/05704928.2014.882347.

Rohman, A., Lumakso, F. A. and Riyanto, S. (2016) ‘Use of partial least square-discriminant analysis combined with mid infrared spectroscopy for avocado oil authentication’, *Research Journal of Medicinal Plant*, 10(2). doi: 10.3923/rjmp.2016.175.180.

Rosipal, R. and Kraemer, N. (2006) ‘Overview and Recent Advances in Partial Least Squares’, *Subspace, Latent Structure and Feature Selection*, Saunders, C., *et al.* (eds.) (Heidelberg: Springer-Verlag, 2006), 3940, pp. 34–51. doi: 10.1007/11752790_2.

Rukayadi, Y. and Hwang, J. K. (2007) ‘In vitro antimycotic activity of xanthorrhizol isolated from *Curcuma xanthorrhiza* Roxb. against opportunistic filamentous fungi’, *Phytotherapy Research*, 21(5), pp. 434–438. doi: 10.1002/ptr.2092.

Sasikumar, B. *et al.* (2004) ‘PCR based detection of adulteration in the market samples of turmeric powder’, *Food Biotechnology*, 18(3), pp. 299–306. doi: 10.1081/FBT-200035022.

Singh, C. *et al.* (2015) ‘Ethnobotany, Phytochemistry and Pharmacology of *Zingiber cassumunar* Roxb. (Zingiberaceae)’, *Journal of Pharmacognosy and Phytochemistry*, 4(1), pp. 1–6.

Skornickova, J. and Sabu, M. (2005) ‘The Identity and Distribution of *Curcuma zanthorrhiza* Roxb. (Zingiberaceae)’, *The Gardens Bulletin Singapore*, 57, pp. 200–206.

Smith, B. C. (2011) *Fundamentals of Fourier Transform Infrared Spectroscopy*. 2nd edn. Boca Raton: Taylor & Francis Group, LLC.

Souto, U. *et al.* (2010) ‘UV – Vis spectrometric classification of coffees by SPA – LDA’, *Food Chemistry*. Elsevier Ltd, 119(1), pp. 368–371. doi: 10.1016/j.foodchem.2009.05.078.

De Souza, U. F., Quina, F. H. and Guardani, R. (2007) ‘Prediction of emulsion stability via a neural network-based mapping technique’, *Industrial and Engineering Chemistry Research*, 46(15), pp. 5100–5107. doi: 10.1021/ie070337a.

- Srivastava, A. K., Srivastava, S. K. and Shah, N. C. (2001) 'Constituents of the rhizome essential Oil of *Curcuma amada* Roxb. from India', *Journal of Essential Oil Research*, 13(1), pp. 63–64. doi: 10.1080/10412905.2001.9699608.
- Strong, F. C. (1979) 'How the Fourier transform infrared spectrophotometer works', *Journal of Chemical Education*, 56(10), p. 681. doi: 10.1021/ed056p681.
- Stuart, B. (2004) *Infrared Spectroscopy : Fundamentals and Applications, Analytical Techniques in the Sciences*. Edited by D. J. Ando. West Sussex: John Wiley & Sons, Ltd. doi: 10.1007/s13398-014-0173-7.2.
- Sun, D.-W. (2009) *Infrared Spectroscopy for Food Quality Analysis and Control*. Edited by D.-W. Sun. London: Elsevier.
- Suqin, S. *et al.* (2010) 'Application of mid-infrared spectroscopy in the quality control of traditional Chinese medicines', *Planta Medica*, 76(17), pp. 1987–1996.
- Takayama, K., Fujikawa, M. and Nagai, T. (1999) 'Artificial neural network as a novel method to optimize pharmaceutical formulations.', *Pharmaceutical research*, 16(1), pp. 1–6.
- Ukil, A. and Bernasconi, J. (2012) 'Neural network-based active learning in multivariate calibration', *IEEE Transactions on Systems, Man and Cybernetics*, 42(6), pp. 1763–1771. doi: 10.1109/TSMCC.2012.2220963.
- UniProt (2018) *Curcuma mangga*. Available at: <https://www.uniprot.org/taxonomy/379528>.
- Welsh, W. J. *et al.* (1996) 'Pharmaceutical fingerprinting: evaluation of neural networks and chemometric techniques for distinguishing among same-product manufacturers', *Analytical Chemistry*, 68(19), pp. 3473–3482. doi: 10.1021/ac951164e.
- Widyaningsih, W. (2011) 'Efek ekstrak etanol rimpang temu giring (*Curcuma heyneana* Val.) terhadap kadar trigliserida', *Pharmaciana*, 1(1). doi: 10.12928/pharmaciana.v1i1.516.
- Wijayanti, T. *et al.* (2019) 'Application of 1H-NMR spectra and multivariate analysis for the authentication of *Curcuma xanthorrhiza* from *Zingiber cassumunar*', *International Journal of Applied Pharmaceutics*, 11(4 SE-Original Article(s)). doi: 10.22159/ijap.2019v11i4.32417.
- Windarsih, A., Rohman, A. and Swasono, R. T. (2018) 'Application of H-NMR metabolite fingerprinting and chemometrics for the authentication of *Curcuma longa* adulterated with *Curcuma mangga*', *Journal of Applied Pharmaceutical Science*, 8(6), pp. 75–81. doi: 10.7324/JAPS.2018.8610.
- Woelansari, E. D., Puspitasari, A. and Rachmaniyah (2013) 'Effect of rimpang temu giring (*Curcuma Heyneana* Val. & V. Zijp.) and rimpang temu hitam (*Curcuma aeruginosa* Roxb.) boiled water on the mortality of *Fasciola hepatica* worm in vitro', *Folia Medica Indonesiana*, 49(1), p. 62.

Wold, S. *et al.* (1984) 'The Collinearity Problem in Linear Regression: The Partial Least Squares (PLS) Approach to Generalized Inverses', *Society for Industrial and Applied Mathematics*, 5(3), pp. 735–743.

Wold, S. and Sjostrom, M. (2001) 'PLS-regression : a basic tool of chemometrics', pp. 109–130.

Worsley, K. J. (1997) 'An Overview and Some New Developments in the Statistical Analysis of PET and fMRI Data', *Human Brain Mapping*, 258, pp. 254–258.

Zupan, J. and Gasteiger, J. (1999) 'Neural Networks in Chemistry and Drug Design', *Angewandte Chemie - International Edition*, 32, pp. 503–527. doi: 3-527-29779-0.