



## DAFTAR PUSTAKA

- Abend, R., Dan, O., Maoz, K., Raz, S., & Bar-haim, Y. (2014). Reliability , validity and sensitivity of a computerized visual analog scale measuring state anxiety. *Journal of Behavior Therapy and Experimental Psychiatry*, 45, 2011–2013.
- Alexander, K., Goldberg, J., & Korc-Grodzicki, B. (2016). Palliative care and symptom management in older patients with cancer. *Clinics in geriatric medicine*, 32(1), 45-62.
- American Cancer Society (ACS). (2008). *Information and resources*. Available at <http://www.cancer.org>. diakses 7 Oktober 2017.
- American Cancer Society (ACS). (2010). *Cancer Fact and Figures 2010*. Atlanta, GA: American Cancer Society.
- American Cancer Society (ACS). (2016). *anxiety-fear-depression*. Retrieved from <https://www.cancer.org/treatment/treatments-and-side-effects/emotional-side-effects/anxiety-fear-depression.html>. diakses 7 Oktober 2017.
- American Cancer Society (ACS). (2017). *The Global Cancer Burden \_ American Cancer Society*. Retrieved from <https://www.cancer.org/health-care-professionals/our-global-health-work/global-cancer-burden.html>. diakses 7 Oktober 2017.
- Andrews, S., & Dempsey, N. (2007). *Acupressure & Reflexology for Dummies*. Wiley Publishing Inc: Canada
- Ariyani. (2017). *Materi Ajar Pijat Refleksi Indonesia Sesuai Kurikulum Berbasis Kompetensi*. Kemendikbud RI, Kemkes RI, P-AP31
- Arizona Reflexology Association (AZRA). (2017). *AZRA, Tucson Reflexology, Phoenix Reflexology, Reflexology Association of America, RAA*. Retrieved from <http://www.reflexology-az.com/AZRAhome.html>. diakses 7 Oktober 2017.
- Bagheri-Nesami, M., Shorofi, S. A., Zargar, N., Sohrabi, M., Gholipour-Baradari, A., & Khalilian, A. (2014). The effects of foot reflexology massage on anxiety in patients following coronary artery bypass graft surgery: a randomized controlled trial. *Complementary therapies in clinical practice*, 20(1), 42-47
- Baqutayan, S. M. S. (2012). The effect of anxiety on breast cancer patients. *Indian journal of psychological medicine*, 34(2), 119.



Baradero, M., Dayrit, W., Siswandi, Y. (2008). *Seri Asuhan Keperawatan Pada Klien Kanker*. Jakarta: EGC

Barton, S., Karner, C., Salih, F., Baldwin, D. S., & Edwards, S. J. (2014). Clinical effectiveness of interventions for treatment-resistant anxiety in older people; a systematic review. *Health Technology Assessment*, 18(50), 1-60.

Boffetta, P., & Hashibe, M. (2006). Alcohol and cancer. *The Lancet Oncology*, 7, 149-156.

Bond, A. J., Shine, P., & Bruce, M. (1995). Validation of visual analogue scales in anxiety. *International Journal of Methods in Psychiatric Research*.

Bowling, A. C. (2007). *Complementary And Alternative Medicine and Multiple Sclerosis Second Edition*. New York: Demos Medical Publishing.

Boyes, A. W., Grgis, A., D'Este, C., & Zucca, A. C. (2011). Flourishing or floundering? Prevalence and correlates of anxiety and depression among a population-based sample of adult cancer survivors 6 months after diagnosis. *Journal of affective disorders*, 135(1), 184-192.

Brunner & Suddarths's, (2010). *Handbook For: Textbook of Medical-Surgical Nursing, Twelfth Edition*. Philadelphia;Wolter Kluwer Health

Cancer Care Ontario. (2016). *How to Manage Your Anxiety*. Cancer Care Ontario, 1. Retrieved from <http://www.cancercare.on.ca/common/pages/userfiles.aspx?fileId=357443>. diakses 7 Oktober 2017.

Cassileth BR, Deng GE, Gomez JE, Johnstone PAS, Kumar N and Vickers AJ. (2007). Complementary therapies and integrative oncology in lung cancer: ACCP evidence-based clinical practice guidelines (2<sup>nd</sup> edition). *CHEST*. 132:340-54

Catane, R., Schrijvers, D., Cherny, N., Kloke, M., & Tanneberger, S. (2006). *ESMO handbook of advanced cancer care*. CRC Press.

Chan, C. M. H., Ahmad, W., Azman, W., Md Yusof, M., Ho, G. F., & Krupat, E. (2015). Effects of depression and anxiety on mortality in a mixed cancer group: a longitudinal approach using standardised diagnostic interviews. *Psycho-Oncology*, 24(6), 718-725.

Dahlan, M, S., (2016). *Besar Sampel dalam Penelitian Kedokteran dan Kesehatan, Edisi 4*. Epidemiologi Indonesia: Jakarta



- Davey, H. M., Barratt, A. L., Butow, P. N., & Deeks, J. J. (2007). A one-item question with a Likert or Visual Analog Scale adequately measured current anxiety. *Journal of clinical epidemiology*, 60(4), 356-360.
- Diananda, R. (2007). Mengenal seluk beluk kanker. *Yogyakarta: Katahati*.
- Dibble, S. L., Luce, J., Cooper, B. A., Israel, J., Cohen, M., Nussey, B., & Rugo, H. (2007, July). Acupuncture for chemotherapy-induced nausea and vomiting: a randomized clinical trial. In *Oncology nursing forum* (Vol. 34, No. 4).
- Effendy, C., Vissers, K., Osse, B. H., Tejawiñata, S., Vernooij-Dassen, M., & Engels, Y. (2015a). Comparison of problems and unmet needs of patients with advanced cancer in a European country and an Asian country. *Pain Practice*, 15(5), 433-440.
- Effendy, C., Vissers, K., Tejawiñata, S., Vernooij- Dassen, M., & Engels, Y. (2015b). Dealing with symptoms and issues of hospitalized patients with cancer in Indonesia: the role of families, nurses, and physicians. *Pain practice*, 15(5), 441-446
- .Ernst, E., Posadzki, P., & Lee, M. S. (2011). Reflexology: an update of a systematic review of randomised clinical trials. *Maturitas*, 68(2), 116-120.
- Facco, E., Stellini, E., Bacci, C., Manani, G., Pavan, C., Cavallin, F., & Zanette, G. (2013). Validation of visual analogue scale for anxiety (VAS-A) in preanesthesia evaluation. *Minerva anestesiologica*, 79(12), 1389-1395.
- Facco, E., Zanette, G., Favero, L., Bacci, C., Sivolella, S., Cavallin, F., & Manani, G. (2011). Toward the validation of visual analogue scale for anxiety. *Anesthesia progress*, 58(1), 8-13.
- Fann, J. R., Thomas-Rich, A. M., Katon, W. J., Cowley, D., Pepping, M., McGregor, B. A., & Gralow, J. (2008). Major depression after breast cancer: a review of epidemiology and treatment. *General hospital psychiatry*, 30(2), 112-126.
- Fayazi, S., Babashahi, M., & Rezaei, M. (2011). The effect of inhalation aromatherapy on anxiety level of the patients in preoperative period. *Iranian journal of nursing and midwifery research*, 16(4), 278.
- Federation of Holistik Therapist (FHT). (2016). Reflexology and body massage are most popular complementary therapies survey finds \_ Federation of Holistic Therapists Directory Service. Retrieved from <https://www.fht.org.uk/news-item/reflexology-and-body-massage-are-most-popular-complementary-therapies-survey-finds>.diakses 7 Oktober 2017.



Gleneara E. Bates, MS, MSW., Jadmin L. Mostel, B., & Mary Hesdorffer, MS, N. (2017). Cancer-Related Anxiety. *JAMA Oncology*, 3(7).

GLOBOCAN. (2012). Estimated Cancer Incidence, Mortality, Prevalence and Disability-adjusted life years (DALYs) Worldwide in 2008. International Agency for Research on Cancer (IARC). *Cancer Base No. 11*

Hassan, M. R., Shah, S. A., Ghazi, H. F., Mohd Mujar, N. M., Samsuri, M. F., & Baharom, N. (2015). Anxiety and depression among breast cancer patients in an urban setting in Malaysia. *Asian Pac J Cancer Prev*, 16(9), 4031-5.

Haun, M., Mainous, R. O., & Looney, S. W. (2001). Effect of music on anxiety of women awaiting breast biopsy. *Behavioral Medicine*, 27(3), 127-132.

Hawker, G. A., Mian, S., Kendzerska, T., & French, M. (2011). Measures of adult pain: Visual analog scale for pain (vas pain), numeric rating scale for pain (nrs pain), mcgill pain questionnaire (mpq), short-form mcgill pain questionnaire (sf-mpq), chronic pain grade scale (cpgs), short form-36 bodily pain scale (sf-36 bps), and measure of intermittent and constant osteoarthritis pain (icoap). *Arthritis care & research*, 63(S11).

Hertanti, N. S., Setiyarini, S., & KRISTANTI, M. S. (2015). Pengaruh Self-Selected Individual Music Therapy (SeLIMuT) terhadap Tingkat Nyeri Pasien Kanker Paliatif di RSUP dr. Sardjito, Yogyakarta. *Indonesian Journal of Cancer*, 9(4), 159-165.

Jadoon, N. A., Munir, W., Shahzad, M. A., & Choudhry, Z. S. (2010). Assessment of depression and anxiety in adult cancer outpatients: a cross-sectional study. *BMC cancer*, 10(1), 594.

Kementrian Kesehatan Republik Indonesia (Kemenkes RI). (2012) Profil Kesehatan Indonesia. Jakarta. Diperoleh dari: [http://www.depkes.go.id/download/PROFIL\\_DATA\\_KESEHATAN\\_INDO\\_NESIA.pdf](http://www.depkes.go.id/download/PROFIL_DATA_KESEHATAN_INDO_NESIA.pdf). Diakses pada 21 Oktober 2017.

Kemendikbud. (2015). *Ilmu Pijat Pengobatan Refleksi Relaksasi*. Jakarta: Direktorat Pembinaan Kursus dan Pelatihan Direktorat Jenderal Pendidikan Anak Usia Dini, Nonformal dan Informal Kementerian Pendidikan dan Kebudayaan.

Kementerian Pendidikan dan Kebudayaan. (2017). *Program Kursus dan Pelatihan*. Direktorat Pembinaan Kursus Dan Pelatihan.

Kindler, C. H., Harms, C., Amsler, F., Ihde-Scholl, T., & Scheidegger, D. (2000). The visual analog scale allows effective measurement of preoperative anxiety



- and detection of patients' anesthetic concerns. *Anesthesia & Analgesia*, 90(3), 706-712.
- Kolva, E., Rosenfeld, B., Pessin, H., Breitbart, W., & Brescia, R. (2011). Anxiety in terminally ill cancer patients. *Journal of pain and symptom management*, 42(5), 691-701.
- Leblanc, M. F., Desjardins, S., & Desgagné, A. (2015). Sleep problems in anxious and depressive older adults. *Psychology research and behavior management*, 8, 161.
- Li, L., Liu, X., & Herr, K. (2007). Postoperative pain intensity assessment: a comparison of four scales in Chinese adults. *Pain Medicine*, 8(3), 223-234.
- Lindquist, R., Tracy, M. F., & Snyder, M. (Eds.). (2018). *Complementary & alternative therapies in nursing*. Springer Publishing Company.
- Mahmoudirad, G., GHAEDI, M. M., & Bahrami, H. (2014). Effect of foot reflexology on anxiety of patients undergoing coronary angiography. *Iran J Crit Care Nurs*. 6(4):235-242
- Magno, S., Cappai, E., Dentale, F., Carnevale, S., Belella, D., Scaldaferrri, A., ... & Masetti, R. (2017). Effects of plantar reflexology on sleep and quality of life in patients with breast cancer undergoing chemotherapy and hormonal therapies.
- Mazlum, S., Chaharsoughi, N. T., Banihashem, A., & Vashani, H. B. (2013). The effect of massage therapy on chemotherapy-induced nausea and vomiting in pediatric cancer. *Iranian journal of nursing and midwifery research*, 18(4), 280.
- McDonald, M., Hertz, R. P., & Lowenthal, S. P. (2008). The burden of cancer in Asia. *Pfizer Medical Division. Pfizer Incorporation, USA*.
- Nezu, A. M., & Nezu, C. M. (2007). *Psychological distress, depression, and anxiety*. In M. Feuerstein (Ed.), *Handbook of cancer survivorship* (pp. 323–338). New York, NY: Springer.
- Oliveira Miranda, D., Soares de Lima, T. A., Ribeiro Azevedo, L., Feres, O., Ribeiro da Rocha, J. J., & Pereira-da-Silva, G. (2014). Proinflammatory cytokines correlate with depression and anxiety in colorectal cancer patients. *BioMed research international*, 2014.
- Otte, J. L., Carpenter, J. S., Manchanda, S., Rand, K. L., Skaar, T. C., Weaver, M., ... & Landis, C. (2015). Systematic review of sleep disorders in cancer patients:



- can the prevalence of sleep disorders be ascertained?. *Cancer medicine*, 4(2), 183-200.
- Özdelikara, A., & Tan, M. (2017). The effect of reflexology on chemotherapy-induced nausea, vomiting, and fatigue in breast cancer patients. *Asia-Pacific journal of oncology nursing*, 4(3), 241.
- Pandey, M., Sarita, G. P., Devi, N., Thomas, B. C., Hussain, B. M., & Krishnan, R. (2006). Distress, anxiety, and depression in cancer patients undergoing chemotherapy. *World Journal of Surgical Oncology*, 4(1), 68.
- Posadzki, P., Watson, L. K., Alotaibi, A., & Ernst, E. (2013). Prevalence of use of complementary and alternative medicine (CAM) by patients/consumers in the UK: systematic review of surveys. *Clinical Medicine*, 13(2), 126-131.
- Quattrin, R., Zanini, A., Buchini, S., Turello, D., Annunziata, M. A., Vidotti, C., ... & Brusaferro, S. (2006). Use of reflexology foot massage to reduce anxiety in hospitalized cancer patients in chemotherapy treatment: methodology and outcomes. *Journal of Nursing Management*, 14(2), 96-105.
- Rao, M. R., Raghuram, N., Nagendra, H. R., Gopinath, K. S., Srinath, B. S., Diwakar, R. B., ... & Varambally, S. (2009). Anxiolytic effects of a yoga program in early breast cancer patients undergoing conventional treatment: a randomized controlled trial. *Complementary therapies in medicine*, 17(1), 1-8.
- Reflexology Association of Canada. (2017). *About Us – Reflexology Association of Canada*. Retrieved from <https://www.reflexology.org.au/RAoA/reflexology/methods-and-styles>. Diakses 10 Oktober 2017
- Rezky, R. A. (2015). Pengaruh Terapi Pijat Refleksi Kaki terhadap Tekanan Darah pada Penderita Hipertensi Primer. *Jurnal Online Mahasiswa (JOM) Bidang Ilmu Keperawatan*, 2(2), 1454-1462.
- Riskesdas. (2013). Riset Kesehatan Dasar. Jakarta: Badan Penelitian dan Pengembangan Kesehatan, Kementerian Kesehatan RI.
- Smeltzer, S.C., & Bare, B.G. (2008). *Brunner & Suddarth's: Texbook of medical surgical nursing*. Philadelphia: Lippincott
- Spencer, R., Nilsson, M., Wright, A., Pirl, W., & Prigerson, H. (2010). Anxiety disorders in advanced cancer patients. *Cancer*, 116(7), 1810-1819.
- Srivastava, V., Ansari, M. A., Shah, A. G., Meena, R. K., Sevach, P., & Singh, O. P. (2015). Study of anxiety and depression among breast cancer patients from North India. *Clinical Psychiatry*, 2(1).



- Stephenson, N. L., Weinrich, S. P., & Tavakolil, A. S. (2000, January). The effects of foot reflexology on anxiety and pain in patients with breast and lung cancer. In *Oncology Nursing Forum-Oncology Nursing Society* (Vol. 27, No. 1, pp. 67-76). [Pittsburgh, PA, etc.] Oncology Nursing Society..
- Tabatabaee, A., Tafreshi, M. Z., Rassouli, M., Aledavood, S. A., AlaviMajd, H., & Farahmand, S. K. (2016). Effect of therapeutic touch in patients with cancer: a literature review. *Medical Archives*, 70(2), 142.
- Tamiya, N., Araki, S., Ohi, G., Inagaki, K., Urano, N., Hirano, W., & Daltroy, L. H. (2002). Assessment of pain, depression, and anxiety by visual analogue scale in Japanese women with rheumatoid arthritis. *Scandinavian Journal of Caring Sciences*, 16(2), 137-141.
- Tel, H., Tel, H., & Doğan, S. (2011). Fatigue, anxiety and depression in cancer patients. *Neurology, psychiatry and brain research*, 17(2), 42-45.
- Timby, B. K., Smith, N. E., (2010). *Introductory Medical-Surgical Nursing, Edition 10*. Philadelphia: Wolter Kluwer
- Traeger, L., Greer, J. A., Fernandez-Robles, C., Temel, J. S., & Pirl, W. F. (2012). Evidence-based treatment of anxiety in patients with cancer. *Journal of Clinical Oncology*, 30(11), 1197-1205.
- Tovey, P., Chatwin, J., & Ahmad, S. (2005). Toward an understanding of decision making on complementary and alternative medicine use in poorer countries: the case of cancer care in Pakistan. *Integrative Cancer Therapies*, 4(3), 236-241.
- Trill, M. D. (2013). Anxiety and sleep disorders in cancer patients. *EJC Supplements*, 11(2), 216.
- Tursina, H. M., Setiyarini, S., Kristanti, M. S. (2012). *Pengaruh Self – selected individual music therapy (SeLIMut) terhadap Tingkat Kecemasan Pasien Kanker Paliatif di RSUP Dr Sardjito Yogyakarta*. Skripsi. Yogyakarta: Fakultas kedokteran Universitas Gadjah Mada.
- Unal, K. S., & Akpinar, R. B. (2016). The effect of foot reflexology and back massage on hemodialysis patients' fatigue and sleep quality. *Complementary therapies in clinical practice*, 24, 139-144.
- Varcarolis, E. M., Halter, M. J. (2010). *Foundations of Psychoterapi Mental Health Nursing: A Clinical Approach* 6th Edition. New York: Elsivier Inc.
- Videbeck, S. L. (2008). *Buku Ajar Keperawatan Jiwa*. Jakarta: Penerbit Buku Kedokteran EGC.



Washington, C. M. (Ed.). (2004). *Principles and practice of radiation therapy*.

Williams, V. S., Morlock, R. J., & Feltner, D. (2010). Psychometric evaluation of a visual analog scale for the assessment of anxiety. *Health and quality of life outcomes*, 8(1), 57.

Wilkinson, J. M., & Stevens, M. J. (2014). Use of complementary and alternative medical therapies (CAM) by patients attending a regional comprehensive cancer care centre. *Journal of Complementary and Integrative Medicine*, 11(2), 139-145.

Wilson, K. G., Chochinov, H. M., Skirk, M. G., Allard, P., Chary, S., Gagnon, P. R., ... & Fainsinger, R. L. (2007). Depression and anxiety disorders in palliative cancer care. *Journal of pain and symptom management*, 33(2), 118-129.

World Health Organization. (2017). *WHO\_Cancer*. Retrieved August 7, 2017, from <http://www.who.int/mediacentre/factsheets/fs297/en/>

Wyatt, G., Sikorskii, A., Rahbar, M. H., Victorson, D., & You, M. (2012, November). Health-related quality-of-life outcomes: a reflexology trial with patients with advanced-stage breast cancer. In *Oncology nursing forum* (Vol. 39, No. 6, p. 568). NIH Public Access.

Yang, J. H. (2005). The effects of foot reflexology on nausea, vomiting and fatigue of breast cancer patients undergoing chemotherapy. *Journal of Korean Academy of Nursing*, 35(1), 177-185.

Yennurajalingam, S., Tayjasanant, S., Balachandran, D., Padhye, N. S., Williams, J. L., Liu, D. D., ... & Bruera, E. (2016). Association between daytime activity, fatigue, sleep, anxiety, depression, and symptom burden in advanced cancer patients: A preliminary report. *Journal of palliative medicine*, 19(8), 849-856.

Yuwono, P., Khoiriyati, A., & Sari, N. K. (2016). Pengaruh Terapi Pijat Refleksi Kaki Terhadap Ankle Brachial Index (Abi) Pada Pasien Diabetes Melitus Tipe 2. *Motorik Jurnal Ilmu Kesehatan (Journal Of Health Science)*, 10(20).

Zabalegui, A., Sanchez, S., Sanchez, P. D., & Juando, C. (2005). Nursing and cancer support groups. *Journal of Advanced Nursing*, 51(4), 369-381.