

DAFTAR PUSTAKA

- [1] R. K. Pachauri and Y. K. Chauhan, “Hybrid PV/FC stand alone green power generation: A perspective for Indian rural telecommunication systems,” *Proc. 2014 Int. Conf. Issues Challenges Intell. Comput. Tech. ICICT 2014*, pp. 802–810, 2014.
- [2] M. J. Khan, A. K. Yadav, and L. Mathew, “Techno economic feasibility analysis of different combinations of PV-Wind-Diesel-Battery hybrid system for telecommunication applications in different cities of Punjab, India,” *Renew. Sustain. Energy Rev.*, vol. 76, no. December 2015, pp. 577–607, 2017.
- [3] W. Bin Quashem, “Application of PV-Battery-Fossil Fuel Hybrid System for Remote Telecom Operation in Bangladesh,” no. September, pp. 116–120, 2014.
- [4] “Kementerian Komunikasi dan Informatika.” [Online]. Available: https://kominfo.go.id/content/detail/13606/bakti-11-wilayah-indonesia-masih-blank-spot-seluler/0/sorotan_media. [Accessed: 14-Jul-2019].
- [5] H. Nazif and M. I. Hamid, “Pemodelan Dan Simulasi PV-Inverter Terintegrasi Ke Grid Dengan Kontrol Arus ‘Ramp Comparison Of Current Control,’” *J. Nas. Tek. Elektro*, vol. 4, no. 2, p. 129, 2015.
- [6] S. A. Shibly, M. N. Akand, K. M. A. Salam, and H. A. Rahman, “A model of a renewable electricity system for telecom base stations in rural Bangladesh,” pp. 1–5, 2014.
- [7] M. Belfqih, J. Gao, D. Xu, D. Han, Z. Liu, and E. Liang, “Joint study on renewable energy application in base transceiver stations,” *INTELEC, Int. Telecommun. Energy Conf.*, pp. 3–6, 2009.
- [8] M. H. Alsharif, J. Kim, and J. H. Kim, “Green and sustainable cellular base stations: An overview and future research directions,” *Energies*, vol. 10, no. 5, 2017.

- [9] C. D. Rodnguez-Gallegos *et al.*, “Placement and sizing optimization for PV-battery-diesel hybrid systems,” *IEEE Int. Conf. Sustain. Energy Technol. ICSET*, pp. 83–89, 2017.
- [10] H. Wicaksana, M. M. Muslim, S. F. Hutapea, A. Purwadi, and Y. Haroen, “Design, implementation and techno-economic analysis of hybrid PV-Diesel for Off-grid system in Sebiria Island,” *3rd IEEE Conf. Power Eng. Renew. Energy, ICPERE 2016*, pp. 39–44, 2017.
- [11] A. W. Putra, E. Kamandika, S. Rosyadi, A. Purwadi, and Y. Haroen, “Study and design of hybrid off-grid PV-generator power system for administration load and communal load at three regions in Indonesia,” *3rd IEEE Conf. Power Eng. Renew. Energy, ICPERE 2016*, pp. 57–62, 2017.
- [12] O. Saadeh, R. Rabady, and M. Bani Melhem, “New effective PV battery charging algorithms,” *Sol. Energy*, vol. 166, no. March, pp. 509–518, 2018.
- [13] Y. Yang, Q. Ye, L. J. Tung, M. Greenleaf, and H. Li, “Integrated Size and Energy Management Design of Battery Storage to Enhance Grid Integration of Large-Scale PV Power Plants,” *IEEE Trans. Ind. Electron.*, vol. 65, no. 1, pp. 394–402, 2018.
- [14] N. Narayan *et al.*, “Estimating battery lifetimes in Solar Home System design using a practical modelling methodology,” *Appl. Energy*, vol. 228, no. March, pp. 1629–1639, 2018.
- [15] O. B. Adewuyi, M. E. Lotfy, B. O. Akinloye, H. O. Rashid Howlader, T. Senjyu, and K. Narayanan, “Security-constrained optimal utility-scale solar PV investment planning for weak grids: Short reviews and techno-economic analysis,” *Appl. Energy*, vol. 245, no. April, pp. 16–30, 2019.
- [16] P. Kerja, I. Bagi, and S. Smk, “82 Jurnal Teknik Mesin, Tahun 20, No. 2, Oktober 2012,” no. 2, pp. 82–98, 2012.
- [17] F. Morea, G. Viciguerra, D. Cucchi, and C. Valencia, “Life cycle cost evaluation of off-grid PV-wind hybrid power systems,” *INTELEC, Int. Telecommun. Energy Conf.*, pp. 439–441, 2007.

- [18] P. S. T. Tbk, “Jenis Site Telekomunikasi eNodeB,” p. 6.
- [19] “Altobridge lite- site TM New Technologies & Emerging Models GSMA Green Power for Mobile Working Group Accra November 8 th 2012,” 2012.
- [20] Telkomsel, “Perancangan Pembangkit BTS Telkomsel,” pp. 60–90.
- [21] F. Yulinda, “Tenaga Surya Dan Tenaga Angin Sebagai Catu Daya Base Transceiver Station (Bts) 3G Skripsi,” 2009.
- [22] S. Manan, “Energi Matahari, Sumber Energi Alternatif yang Effisien, Handal dan Ramah Lingkungan di Indonesia,” *Gema Teknol.*, pp. 31–35, 2009.
- [23] S. Paudel, J. N. Shrestha, F. J. Neto, J. A. F. Ferreira, and M. Adhikari, “Optimization of hybrid PV / wind power system for remote telecom station Optimization of Hybrid PV / Wind Power System for Remote Telecom Station,” pp. 22–24, 2018.
- [24] T. P. Sahu and T. V. Dixit, “Modelling and analysis of perturb and observe and incremental conductance MPPT algorithm for PV array using Ćuk converter,” *2014 IEEE Students’ Conf. Electr. Electron. Comput. Sci. SCEECS 2014*, vol. 4, no. 2, pp. 213–224, 2014.
- [25] C. Qi and Z. Ming, “Photovoltaic Module Simulink Model for a Stand-alone PV System,” *Phys. Procedia*, vol. 24, pp. 94–100, 2012.
- [26] R. Ar, N. Gunawan, I. C. B, and M. Sc, “Analisa Performansi dan Monitoring Solar Photovoltaic System (SPS) Pada Pembangkit Listrik Tenaga Surya Di Tuban Jawa Timur,” *Tek. Pomits*, pp. 1–8, 2013.
- [27] Krismadinata, N. A. Rahim, H. W. Ping, and J. Selvaraj, “Photovoltaic Module Modeling using Simulink/Matlab,” *Procedia Environ. Sci.*, vol. 17, pp. 537–546, 2013.
- [28] “New effective PV battery charging algorithms.pdf.” .
- [29] G. M. Masters, *Renewable and Efficient Electric Power Systems*. 2004.

- [30] A. A. Elbaset, “Study , Design and Performance Analysis of Grid-Connected Photovoltaic Power Systems Study , Design and Performance Analysis of,” no. September 2015, 2015.
- [31] G. Dileep and S. S.N., “Selection of non-isolated DC-DC converters for solar photovoltaic system,” *Renew. Sustain. Energy Rev.*, vol. 76, no. August 2016, pp. 1230–1247, 2017.
- [32] M. Kaouane, A. Boukhelifa, and A. Cheriti, “Regulated output voltage double switch Buck-Boost converter for photovoltaic energy application,” *Int. J. Hydrogen Energy*, vol. 41, no. 45, pp. 20847–20857, 2016.
- [33] H. Fathabadi, “Novel high efficiency DC/DC boost converter for using in photovoltaic systems,” *Sol. Energy*, vol. 125, pp. 22–31, 2016.
- [34] A. H. Rifa’i, D. C. Riawan, and H. Suryoatmojo, “Desain dan Implementasi Konverter DC-DC Rasio Tinggi Berbasis Integrated Quadratic Boost Zeta untuk Aplikasi Photovoltaic,” *J. Tek. ITS*, vol. 5, no. 2, 2016.
- [35] H. S. Che, N. A. Rahim, A. Elkhateb, A. Amir, and A. Amir, “Comparative analysis of high voltage gain DC-DC converter topologies for photovoltaic systems,” *Renew. Energy*, vol. 136, pp. 1147–1163, 2018.
- [36] F. Grouz and L. Sbita, “A safe and easy methodology for design and sizing of a stand-alone hybrid PV-wind system,” *2014 Int. Conf. Electr. Sci. Technol. Maghreb, Cist. 2014*, 2014.
- [37] L. Fara and D. Craciunescu, “Output Analysis of Stand-alone PV Systems: Modeling, Simulation and Control,” *Energy Procedia*, vol. 112, no. October 2016, pp. 595–605, 2017.
- [38] P. Rao and B. B. Pimple, “System modelling and simulation of interconnected wind-PV standalone,” *2017 Innov. Power Adv. Comput. Technol. i-PACT 2017*, vol. 2017-Janua, pp. 1–6, 2018.
- [39] M. M. A. Rahman, A. T. Al Awami, and A. H. M. A. Rahim, “Hydro-PV-

- wind-battery-diesel based stand-alone hybrid power system,” *1st Int. Conf. Electr. Eng. Inf. Commun. Technol. ICEEICT 2014*, 2014.
- [40] T. Susanto, “STUDI EVALUASI KINERJA PLTH Surya-Genset PADA BTS(Base Transceiver Station) PT. Telkomsel DI KECAMATAN LEMBAH BAWANG KABUPATEN BENGKAYANG,” pp. 1–7.
- [41] A. R. Hisan, I. P. Handayani, and R. F. Iskandar, “Perancangan Dan Realisasi Sistem Manajemen Termal Baterai Lithium Ion Menggunakan Metode Pendinginan Semi-Pasif,” *e-Proceeding Eng.*, vol. 3, no. 3, pp. 4948–4955, 2016.
- [42] A. Mostafazadeh, T. K. Tasooji, M. Sahin, and O. Usta, “Voltage control of PV-FC-battery-wind turbine for stand-alone hybrid system based on fuzzy logic controller,” *2017 10th Int. Conf. Electr. Electron. Eng.*, pp. 170–174, 2017.
- [43] A. H. Budiman, P. Teknologi, K. Dan, K. Energi, B. Pengkajian, and D. A. N. Penerapan, “Pengembangan Energy Storage,” *Kaji. Roadmap Pengemb. Energy Storage untuk Smart Grid Syst.*, p. 46, 2013.
- [44] “Typical Back-up Generator Configuration.”
- [45] J. T. Elektro and U. M. Buana, “dari penempatannya ditempat di daerah – daerah dan kepulauan yang memang sangat membutuhkan jaringan atau,” pp. 61–79, 2015.
- [46] S. S. Korsavi, Z. S. Zomorodian, and M. Tahsildoost, “Energy and economic performance of rooftop PV panels in the hot and dry climate of Iran,” *J. Clean. Prod.*, vol. 174, pp. 1204–1214, 2018.
- [47] M. Shabani and J. Mahmoudimehr, “Techno-economic role of PV tracking technology in a hybrid PV-hydroelectric standalone power system,” *Appl. Energy*, vol. 212, no. November 2017, pp. 84–108, 2018.
- [48] C. Li, D. Zhou, and Y. Zheng, “Techno-economic comparative study of grid-connected PV power systems in five climate zones, China,” *Energy*,

vol. 165, pp. 1352–1369, 2018.

- [49] Q. Haramaini, A. Setiawan, A. Damar, C. Ali, and E. Adhi, “Economic analysis of PV distributed generation investment based on optimum capacity for power losses reducing,” *Energy Procedia*, vol. 156, no. September 2018, pp. 122–127, 2019.
- [50] D. P. Butar-butur, M. N. Amin, and T. Kasim, “Analisis Biaya Produksi Listrik per KWh Menggunakan Bahan Bakar Biogas Limbah Cair Kelapa Sawit (Aplikasi pada PLTBGS PKS Tandun),” *Singuda Ensikom*, vol. 3, no. 1, pp. 17–22, 2013.
- [51] A. E. Matahari, “ $sc = 1.367$,” pp. 8–42.
- [52] IEA International Energy Agency, “Laporan Khusus: Efisiensi Energi di Indonesia 2017,” *IEA Int. Energy Agency*, p. 37, 2017.
- [53] S. Hamdi, “Mengenal Lama Penyinaran Matahari Sebagai Salah Satu Parameter Klimatologi,” *Ber. Dirgant.*, vol. 15, no. 1, pp. 7–16, 2014.
- [54] N. Tenggara and B. Dalam, “Nusa tenggara barat dalam angka 2013,” 2013.
- [55] Bappeda Prov. NTB, *Nusa Tenggara Barat Dalam Data Nusa*. 2015.
- [56] Casindo, “Rencana Aksi Energi Terbarukan Provinsi Nusa Tenggara Barat Tahun 2010-2025,” 2011.
- [57] Bmkg, “PENGAMATAN DAN PENGELOLAAN DATA IKLIM DI LINGKUNGAN BADAN METEOROLOGI, KLIMATOLOGI, DAN GEOFISIKA,” in *Peraturan Kepala Badan Meteorologi, Klimatologi, dan Geofisika*, vol. NOMOR 4, 2016, p. 140.
- [58] “BMKG | AWS Rekayasa.” [Online]. Available: <http://202.90.199.132/aws-new/>. [Accessed: 28-Aug-2018].
- [59] C. Battery and M. Co, “S U S T A I N A B I L I T Y.”