

DAFTAR PUSTAKA

- Alipanahpour, E., Ghaedi, M., Reza, G., Asfaram, A., and Kumar, M., 2017, Highly efficient simultaneous biosorption of Hg^{2+} , Pb^{2+} and Cu^{2+} by Live yeast *Yarrowia lipolytica* 70562 following response surface methodology optimization : Kinetic and isotherm study, *J. Ind. Eng. Chem.*, 48, 162–172.
- Alkmim Filho, J.F., Germano, A., Dibai, W.L.S., Vargas, E.A., and Melo, M.M., 2014, Heavy metals investigation in bovine tissues in Brazil, *Food Sci. Technol.*, 34, 110–115.
- Alver, E. and Metin, A. ü, 2012, Anionic dye removal from aqueous solutions using modified zeolite: Adsorption kinetics and isotherm studies, *Chem. Eng. J.*, 200–202, 59–67.
- Asuquo, E., Martin, A., Nzerem, P., Siperstein, F., and Fan, X., 2017, Adsorption of Cd(II) and Pb(II) ions from aqueous solutions using mesoporous activated carbon adsorbent : Equilibrium, kinetics and characterisation studies, *Biochem. Pharmacol.*, 5, 679–698.
- Bai, J., Chao, Y., and Chen, Y., 2017, Immobilization of Cu by *Bacillus subtilis* DBM and the Role of Extracellular Polymeric Substances, *Water Air Soil Pollut*, 86.
- Bertagnolli, C., da Silva, M.G.C., and Guibal, E., 2014, Chromium biosorption using the residue of alginate extraction from *Sargassum filipendula*, *Chem. Eng. J.*, 237, 362–371.
- Black, R., Sartaj, M., Mohammadian, A., and Qiblawey, H.A.M., 2014, Biosorption of Pb and Cu using fixed and suspended bacteria, *Biochem. Pharmacol.*, 2, 1663–1671.
- Boukhalfa, N., Boutahala, M., Djebri, N., and Idris, A., 2019, Kinetics , thermodynamics , equilibrium isotherms , and reusability studies of cationic dye adsorption by magnetic alginate/oxidized multiwalled carbon nanotubes composites, *Int. J. Biol. Macromol*, 123, 539–548.
- Cheng, Z., Wei, M., Lianlian, G., Zhanxian, G., Ren, W., Xu, J., and Xin, G., 2014, Adsorption of nickel ions from seawater by modified chitosan, *Desalin. Water Treat.*, 52, 5663–5672.
- Clark, C., Saxey, D.W., Erickson, T.M., Seydoux-Guillaume, A.-M., Reddy, S.M., Fougereuse, D., Buick, I.S., Kirkland, C.L., and Rickard, W.D.A., 2018, Nanoscale distribution of Pb in monazite revealed by atom probe microscopy, *Chem. Geol.*, 479, 251–258.
- Córdoba, B.M., Jacinto, C.R., Alarcón, H., Mejía, I.M., López, R.C., Oliveira, D. De,

- Cavalheiro, E.T.G., Venâncio, T., Dávalos, J.Z., and Valderrama, A.C., 2018, Chemical modification of sodium alginate with thiosemicarbazide for the removal of Pb(II) and Cd(II) from aqueous solutions, *Int. J. Biol. Macromol.*, 120, 2259–2270.
- D.C Harris, 2015, Quantitative chemical analysis, 8th ed, Company, W.H.F. and ed, New York.
- Deze, E.G., Papageorgiou, S.K., Favvas, E.P., and Katsaros, F.K., 2012, Porous alginate aerogel beads for effective and rapid heavy metal sorption from aqueous solutions: Effect of porosity in Cu²⁺ and Cd²⁺ ion sorption, *Chem. Eng. J.*, 209, 537–546.
- Dong, H., Zhang, C., Xie, Y., Cheng, Y., Hou, K., Zeng, G., Deng, J., and Jiang, Z., 2017, Stabilization of nanoscale zero-valent iron (nZVI) with modified biochar for Cr(VI) removal from aqueous solution, *J. Hazard. Mater.*, 332, 79–86.
- Dubey, R., Bajpai, J., and Bajpai, A.K., 2016, Chitosan-alginate nanoparticles (CANPs) as potential nanosorbent for removal of Hg(II) ions, *Env. Nanotech*, 6, 32–44.
- Fan, C., Li, K., Li, J., Ying, D., Wang, Y., and Jia, J., 2017, Comparative and competitive adsorption of Pb(II) and Cu(II) using tetraethylenepentamine modified chitosan/CoFe₂O₄ particles, *J. Hazard. Mater.*, 326, 211–220.
- G Blanchard, M Maunaye, G.M., 1984, Removal of heavy metals from waters by means of natural zeolites, *Water Res.*, 18, 1501–1507.
- Goel, J., Kadirvelu, K., Rajagopal, C., and Kumar, V., 2005, Removal of lead(II) by adsorption using treated granular activated carbon : Batch and column studies, *J. Hazard. Mater.*, 125, 211–220.
- Hamed, M., Mehrorang, G., Arash, A., and Shaaker, H., 2016, Performance of CuS nanoparticle loaded on activated carbon in the adsorption of methylene blue and bromophenol blue dyes in binary aqueous solutions: using ultrasound power and optimization by central composite design, *J. Mol. Liq.*, 219, 667–676.
- Harish, R., Wang, J., Shu, L., and Veeriah, J., 2016, Removal of Pb (II) ions using polymer based graphene oxide magnetic nano-sorbent. (Special Issue: Challenges in environmental science and engineering.), *Process Saf. Environ. Prot.*, 104, 472–480.
- Hassan, A.F., Abdel-mohsen, A.M., and Elhadidy, H., 2014, Adsorption of arsenic by activated carbon, calcium alginate and their composite beads, *Int. J. Biol. Macromol.*, 68, 125–130.
- Hu, L., Li, Y., Zhang, X., Wang, Y., Cui, L., Wei, Q., Ma, H., Yan, L., and Du, B., 2016, Fabrication of magnetic water-soluble hyperbranched polyol functionalized graphene oxide for high-efficiency water remediation, *Sci. Rep.*,

6, 1–13.

- Hua, S., Ma, H., Li, X., Yang, H., and Wang, A., 2010, pH-sensitive sodium alginate/poly(vinyl alcohol) hydrogel beads prepared by combined Ca^{2+} crosslinking and freeze-thawing cycles for controlled release of diclofenac sodium, *Int. J. Biol. Macromol.*, 46, 517–523.
- Igberase, E. and Osifo, P., 2014, Equilibrium, kinetic, thermodynamic and desorption studies of cadmium and lead by polyaniline grafted cross-linked chitosan beads from aqueous solution, *J. Ind. Eng. Chem.*, 26, 6–13.
- Igbokwe, P.K., 2011, Preparation of Activated Carbon from Nipa Palm Nut: Influence of Preparation Conditions, *Res. J. Chem. Sci.*, 1, 53–58.
- Isabelle, B. and Serge, P., 2001, Molecular Basis of Ca^{2+} -Induced Gelation in Alginates and Pectins: The Egg-Box Model Revisited, *Biomacromolecules*, 2, 1089–1096.
- Jose, A. and Ray, J.G., 2018, Toxic heavy metals in human blood in relation to certain food and environmental samples in Kerala, South India, *Environ. Sci. Pollut. Res.*, 25, 7946–7953.
- Kannan, N., Veemaraj, T., and Nadu, T., 2009, Removal of Lead(II) Ions by Adsorption onto Bamboo Dust and Commercial Activated Carbons -A Comparative Study, 6, 247–256.
- Katsou, E., Malamis, S., and Loizidou, M., 2011, Performance of a membrane bioreactor used for the treatment of wastewater contaminated with heavy metals, *Bioresour. Technol.*, 102, 4325–4332.
- Kostenko, L.S., Tomashchuk, I.I., Kovalchuk, T. V, and Zaporozhets, O.A., 2019, Applied Clay Science Bentonites with grafted aminogroups: Synthesis , protolytic properties and assessing Cu(II), Cd(II) and Pb(II) adsorption capacity, *J. Hazard. Mater.*, 172, 49–56.
- Kumar, M., Das, A., Das, N., Goswami, R., and Singh, U.K., 2016, Co-occurrence perspective of arsenic and fluoride in the groundwater of Diphu, Assam, Northeastern India, *Chemosphere*, 150, 227–238.
- Kumar, M., Furumai, H., Kurisu, F., and Kasuga, I., 2013, Potential mobility of heavy metals through coupled application of sequential extraction and isotopic exchange: Comparison of leaching tests applied to soil and soakaway sediment, *Chemosphere*, 90, 796–804.
- Kyzas, G.Z. and Lazaridis, N.K., 2009, Reactive and basic dyes removal by sorption onto chitosan derivatives, *J. Colloid Interface Sci.*, 331, 32–39.
- Largitte, L., Gervelas, S., Tant, T., Dumesnil, P.C., Hightower, A., Yasami, R., Bercion, Y., and Lodewyckx, P., 2014, Removal of lead from aqueous solutions

by adsorption with surface precipitation, 689–700.

- Largitte, L. and Laminie, J., 2015, Modelling the lead concentration decay in the adsorption of lead onto a granular activated carbon, *Biochem. Pharmacol.*, 3, 474–481.
- Li, B., Yang, L., Wang, C., Zhang, Q., Liu, Q., Li, Y., and Xiao, R., 2017, Adsorption of Cd(II) from aqueous solutions by rape straw biochar derived from different modification processes, *Chemosphere*, 175, 332–340.
- Liu, L., Wan, Y., Xie, Y., Zhai, R., Zhang, B., and Liu, J., 2012, The removal of dye from aqueous solution using alginate-halloysite nanotube beads, *Chem. Eng. J.*, 187, 210–216.
- Machida, M., Aikawa, M., and Tatsumoto, H., 2005, Prediction of simultaneous adsorption of Cu(II) and Pb(II) onto activated carbon by conventional Langmuir type equations, 120, 271–275.
- Malkoc, E. and Nuhoglu, Y., 2005, Investigations of nickel(II) removal from aqueous solutions using tea factory waste, *J. Hazard. Mater.*, 127, 120–128.
- Moussout, H., Ahlafi, H., Aazza, M., and Maghat, H., 2018, Critical of linear and nonlinear equations of pseudo-first order and pseudo-second order kinetic models, *Karbala Int. J. Mod. Sci.*, 4, 244–254.
- Nalini, T., Basha, S.K., Mohamed, A.M., Kumari, V.S., and Kaviyarasu, K., 2019, Development and characterization of alginate/chitosan nanoparticulate system for hydrophobic drug encapsulation, *J. Drug Deliv. Sci. Technol.*, 52, 65–72.
- Nather, A., 2005, Bone Grafts And Bone Substitutes - Basic Science and Clinical Applications. World Scientific, 1st ed. World Scientific Publishing Co, Inc.
- Ngah, W.S.W. and Fatinathan, S., 2010, Adsorption characterization of Pb(II) and Cu(II) ions onto chitosan-tripolyphosphate beads: Kinetic, equilibrium and thermodynamic studies, *J. Environ. Manage.*, 91, 958–969.
- Ngah, W.S.W. and Fatinathan, S., 2008, Adsorption of Cu(II) ions in aqueous solution using chitosan beads, chitosan-GLA beads and chitosan-alginate beads, *Chem. Eng. J.*, 143, 62–72.
- Ngomsik, A.F., Bee, A., Siaugue, J.M., Talbot, D., Cabuil, V., and Cote, G., 2009, Co(II) removal by magnetic alginate beads containing Cyanex 272®, *J. Hazard. Mater.*, 166, 1043–1049.
- Odisitse, S. and Jackson, G.E., 2009, In vitro and in vivo studies of the dermally absorbed Cu(II) complexes of N₅O₂ donor ligands-Potential anti-inflammatory drugs, *Inorganica Chim. Acta*, 362, 125–135.
- Papageorgiou, S.K., Katsaros, F.K., Favvas, E.P., Romanos, G.E., Athanasekou, C.P., Beltsios, K.G., Tzialla, O.I., and Falaras, P., 2012, Alginate fibers as

- photocatalyst immobilizing agents applied in hybrid photocatalytic/ultrafiltration water treatment processes, *Water Res.*, 46, 1858–1872.
- Pawar, R.R., Bajaj, H.C., and Lee, S., 2016, Activated bentonite as a low-cost adsorbent for the removal of Cu(II) and Pb(II) from aqueous solutions : Batch and column studies, *J. Ind. Eng. Chem.*, 34, 213–223.
- Qing, X., Yutong, Z., and Shenggao, L., 2015, Assessment of heavy metal pollution and human health risk in urban soils of steel industrial city (Anshan), Liaoning, Northeast China, *Ecotoxicol. Environ. Saf.*, 120, 377–385.
- Qu, R., Sun, C., Ma, F., Zhang, Y., Ji, C., Xu, Q., Wang, C., and Chen, H., 2009, Removal and recovery of Hg(II) from aqueous solution using chitosan-coated cotton fibers, *J. Hazard. Mater.*, 167, 717–727.
- Rinaudo, M., 2006, Chitin and chitosan: Properties and applications, *Prog. Polym. Sci.*, 31, 603–632.
- Shim, J., Kumar, M., Goswami, R., Mazumder, P., Oh, B.T., and Shea, P.J., 2019, Removal of p-cresol and tylosin from water using a novel composite of alginate, recycled MnO₂ and activated carbon, *J. Hazard. Mater.*, 364, 419–428.
- Shim, J., Kumar, M., Mukherjee, S., and Goswami, R., 2019, Sustainable removal of pernicious arsenic and cadmium by a novel composite of MnO₂ impregnated alginate beads: A cost-effective approach for wastewater treatment, *J. Environ. Manage.*, 234, 8–20.
- Simate, G.S. and Ndlovu, S., 2015, The removal of heavy metals in a packed bed column using immobilized cassava peel waste biomass, *J. Ind. Eng. Chem.*, 21, 635–643.
- Swayampakula, K., Boddu, V.M., Nadavala, S.K., and Abburi, K., 2009, Competitive adsorption of Cu (II), Co (II) and Ni (II) from their binary and tertiary aqueous solutions using chitosan-coated perlite beads as biosorbent, *J. Hazard. Mater.*, 170, 680–689.
- Tan, Y., Chen, M., and Hao, Y., 2012, High efficient removal of Pb (II) by amino-functionalized Fe₃O₄ magnetic nano-particles, *Chem. Eng. J.*, 191, 104–111.
- Tran, H., Miller, T., and Stanton, J., 2016, Quantifying the effects of higher order coupling terms on fits using a second order Jahn-Teller Hamiltonian Henry, *J. Mol. Spectrosc.*, 343, 1–1.
- Tseng, R.L., Wu, F.C., and Juang, R.S., 2010, Characteristics and applications of the Lagergren's first-order equation for adsorption kinetics, *J. Taiwan Inst. Chem. Eng.*, 41, 661–669.
- Wasupalli, G.K. and Verma, D., 2018, Molecular interactions in self-assembled nano-structures of chitosan- sodium alginate based polyelectrolyte complexes, 114,

10–17.

- Wu, S., He, H., Inthapanya, X., Yang, C., Lu, L., Zeng, G., and Han, Z., 2017, Role of biochar on composting of organic wastes and remediation of contaminated soils—a review, *Environ. Sci. Pollut. Res.*, 24, 16560–16577.
- Y. S Ho, G.M., 1999, Pseudo-second order model for sorption processes, *Process Biochem.*, 34, 451–465.
- Yan, H., Yang, L., Yang, Z., Yang, H., Li, A., and Cheng, R., 2012, Preparation of chitosan/poly(acrylic acid) magnetic composite microspheres and applications in the removal of copper(II) ions from aqueous solutions, *J. Hazard. Mater.*, 229–230, 371–380.
- Yan, T., Sun, M., Liu, H., Wu, T., Liu, X., Yan, Q., Xu, W., and Du, B., 2015, Fabrication of hierarchical BiOI/Bi₂MoO₆ heterojunction for degradation of bisphenol A and dye under visible light irradiation, *J. Alloys Compd.*, 634, 223–231.
- Yang, Ralph, T., 2003, *Adsorbents: Fundamentals and Applications*, New Jersey.
- Zhang, H., Omer, A.M., Hu, Z., Yang, L., Ji, C., and Ouyang, X., 2019, Fabrication of magnetic bentonite/carboxymethyl chitosan/sodium alginate hydrogel beads for Cu(II) adsorption, *Int. J. Biol. Macromol.*, 135, 490–500.
- Zhang, X., Lin, X., He, Y., Chen, Y., Luo, X., and Shang, R., 2019, Study on adsorption of tetracycline by Cu-immobilized alginate adsorbent from water environment, *Int. J. Biol. Macromol.*, 124, 418–428.
- Zhao, F., Yu, B., Yue, Z., Wang, T., Wen, X., Liu, Z., and Zhao, C., 2007, Preparation of porous chitosan gel beads for copper(II) ion adsorption, *J. Hazard. Mater.*, 147, 67–73.
- Zhu, H., Liu, N., Feng, X., and Chen, J., 2012, Fabrication and characterization of silk fibroin/bioactive glass composite films, *Mater. Sci. Eng. C*, 32, 822–829.