

## DAFTAR PUSTAKA

- Adams, E. J., Grummer-Strawn, L., & Chavez, G. (2003). Food Insecurity Is Associated with Increased Risk of Obesity in California. *The Journal of Nutrition*, (August 2002), 1070–1074.
- Adriani, M., & Wirjatmadi, B. (2012). *Peranan Gizi dalam Siklus Kehidupan*. Jakarta: Kencana, Prenadamedia Group.
- Aloia, J. F., Vaswani, A., Mikhail, M., & Flaster, E. R. (1999). Body composition by dual-energy X-ray absorptiometry in black compared with white women. *Osteoporosis International*, 10(2), 114–119. <http://doi.org/10.1007/s001980050204>
- Anderson, B., Ann, P., Sarah, L., Christoper, F., & Gwendoline, I. (2011). *Fast Food Consumption and Obeisty Among Michigan Adults*. Retrieved from [www.cdc.gov/pcd/issues/10\\_0186.html](http://www.cdc.gov/pcd/issues/10_0186.html)
- Balitbangkes Kemenkes RI. (2007). *Riset Kesehatan Dasar (Riskesdas)*.
- Balitbangkes Kemenkes RI. (2013). *Riset Kesehatan Dasar (Riskesdas)*.
- Balitbangkes Kemenkes RI. (2018). *Riset Kesehatan Dasar (Riskesdas)*.
- Beksinska, M. E., Smit, J. A., Kleinschmidt, I., Milford, C., & Farley, T. M. M. (2010). Prospective study of weight change in new adolescent users of DMPA, NET-EN, COCs, nonusers and discontinuers of hormonal contraception. *Contraception*, 81(1), 30–34. <http://doi.org/10.1016/j.contraception.2009.07.007>
- Bray, G. ., & B, C. (2014). *Hand book of Obesity: Epidemiology, Etiology and Physiopathology* (3rd ed.). New York: CRC Press.
- Carpersen, C. J., Powell, K. E., & Christenson, G. M. (1985). Physical Activity, Exercise, and Physical Fitness: Definition and Distinctions for Health-Related Research. *Public Health Reports*, 100(2), 126–131. <http://doi.org/10.1093/nq/s9-IX.228.365-f>
- Castelo-Branco, C., Lumsden, M. A., Nappi, R. E., Davis, S. R., Shah, D., Villaseca, P., & Chedraui, P. (2012). Understanding weight gain at menopause. *Climacteric*, 15(5), 419–429. <http://doi.org/10.3109/13697137.2012.707385>
- Childress, J. (2014). Physical Activity Behaviour. In *Introduction to Health Promotion* (pp. 154–180).
- Church, T. S., Thomas, D. M., Tudor-Locke, C., Katzmarzyk, P. T., Earnest, C. P., Rodarte, R. Q., ... Bouchard, C. (2011). Trends over 5 decades in U.S. occupation-related physical activity and their associations with obesity. *PLoS ONE*, 6(5), 1–7. <http://doi.org/10.1371/journal.pone.0019657>
- Colbert, L. H., Matthews, C. E., Havighurst, T. C., Kim, K., & Schoeller, D. A. (2012). Comparative Validity of Physical Activity Measures in Older Adults. *National Institutes of Health*, 43(5), 867–876. <http://doi.org/10.1249/MSS.0b013e3181fc7162>.Comparative
- Cole, T. J., & Coward, W. A. (1992). Precision and accuracy of doubly labeled water and energy expenditure by multipoint and two-point. *The American*

*Physiological Society.*

- Colles, S. L., Dixon, J. B., & O'Brien, P. E. (2007). Night eating syndrome and nocturnal snacking: Association with obesity, binge eating and psychological distress. *International Journal of Obesity*, 31(11), 1722–1730. <http://doi.org/10.1038/sj.ijo.0803664>
- Crujeiras, A. B., Carreira, M. C., Cabia, B., Andrade, S., Amil, M., & Casanueva, F. F. (2015). Leptin resistance in obesity: An epigenetic landscape. *Life Sciences*, 140, 57–63. <http://doi.org/10.1016/j.lfs.2015.05.003>
- Deurenberg-Yap, M., Schmidt, G., Van Staveren, W. A., & Deurenberg, P. (2000). The paradox of low body mass index and high body fat percentage among Chinese, Malays and Indians in Singapore. *International Journal of Obesity*, 24(8), 1011–1017. <http://doi.org/10.1038/sj.ijo.0801353>
- Deurenberg, P., Deurenberg-Yap, M., & Guricci, S. (2002). Asians are different from Caucasians and from each other in their body mass index/body fat per cent relationship. *Obesity Reviews*, 3(3), 141–146. <http://doi.org/10.1046/j.1467-789X.2002.00065.x>
- De Zwaan, M., Müller, A., Allison, K. C., Brähler, E., & Hilbert, A. (2014). Prevalence and correlates of night eating in the german general population. *PLoS ONE*, 9(5), 2013–2015. <http://doi.org/10.1371/journal.pone.0097667>
- Drewnowski, A. (2012). The Economics of Food Choice Behavior : Why Poverty and Obesity Are Linked, 73, 95–112.
- Drewnowski, A., Rehm, C. D., & Solet, D. (2007). Disparities in obesity rates : Analysis by ZIP code area, 65, 2458–2463. <http://doi.org/10.1016/j.socscimed.2007.07.001>
- Dubnov, G., Brzezinski, A., & Berry, E. M. (2003). Weight control and the management of obesity after menopause: The role of physical activity. *Maturitas*, 44(2), 89–101. [http://doi.org/10.1016/S0378-5122\(02\)00328-6](http://doi.org/10.1016/S0378-5122(02)00328-6)
- Ellis, K. J. (2001). Selected Body Composition Methods Can Be Used in Field Studies, (April), 1589–1595.
- Escarce, J., Collins, R. L., Dubowitz, T., Ghosh-dastidar, M. B., & Steiner, E. (2013). Are Our Actions Aligned With Our Evidence? The Skinny on Changing the Landscape of Obesity, 21(3), 2012–2013. <http://doi.org/10.1002/oby.20294>
- Eston, R., M., Hawes, A., Martin, & Reilly, T. (2009). Human Body Composition. In *Kinanthropometry and Exercise Physiologi Laboratory Manual. Anthropometry* (3rd ed., pp. 3–53). Routledge. New York.
- Fernandes, H. M. (2018). Physical activity levels in Portuguese adolescents: A 10-year trend analysis (2006–2016). *Journal of Science and Medicine in Sport*, 21(2), 185–189. <http://doi.org/10.1016/J.JSAMS.2017.05.015>
- Frankenberg, E., & Thomas, D. (2000). The Indonesia Family Life Survey (IFLS): Study Design and Results from Waves 1 and 2. <http://doi.org/DRU-2238/1-NIA/NICHD>
- Gordon-Larsen, P., Adair, L. S., Nelson, M. C., & Popkin, B. M. (2004). Five-year obesity incidence in the transition period between adolescence and adulthood: the National Longitudinal Study of Adolescent Health. *The American Journal of Clinical Nutrition*, 80(3), 569–75. <http://doi.org/80/3/569> [pii]

- Guthrie, Joanne, P., & Morton, Joan, M. (2000). Food Sources of Added Sweeteners in the Diets of Americans. *Journal of the American Dietetic Association*. [http://doi.org/10.1016/S0002-8223\(00\)00018-3](http://doi.org/10.1016/S0002-8223(00)00018-3)
- Hamilton, M. T., Hamilton, D. G., & Zderic, T. W. (2007). Role of Low Energy Expenditure and Sitting in Obesity, Metabolic Syndrome, Type 2 Diabetes, and Cardiovascular Disease. *Engineer*, JULY(November), 2655–2667. <http://doi.org/10.2337/db07-0882.CVD>
- He, X. Z., & Baker, D. W. (2004). Changes in weight among a nationally representative cohort of adults aged 51 to 61, 1992 to 2000. *American Journal of Preventive Medicine*, 27(1), 8–15. <http://doi.org/10.1016/j.amepre.2004.03.016>
- Higginbotham, A. (2015). The Complexity of Obesity: Beyond Energy Balance. In E. Schlenker (Ed.), *Williams' Essentials Of Nutrition and Diet Therapy* (11 th, p. 344). China: Elsevier.
- Hill, J. O., & Wyatt, H. R. (2005). Role of physical activity in preventing and treating obesity. *Journal of Applied Physiology*, 99(2), 765–770. <http://doi.org/10.1152/jappphysiol.00137.2005>
- Hill, J. O., Wyatt, H. R., & Peters, J. C. (2012). Energy balance and obesity. *Circulation*, 126(1), 126–132. <http://doi.org/10.1161/CIRCULATIONAHA.111.087213>
- Hills, A. P., Andersen, L. B., & Byrne, N. M. (2011). Physical activity and obesity in children. *British Journal of Sports Medicine*, 45(11), 866–870. <http://doi.org/10.1136/bjsports-2011-090199>
- Hu, F. B. (2003). Sedentary lifestyle and risk of obesity anHu, F. B. (2003) 'Sedentary lifestyle and risk of obesity and type 2 diabetes', *Lipids*, 38(2), pp. 103–108.d type 2 diabetes. *Lipids*, 38(2), 103–108.
- JS, G. (1988). *Obesity and related diseases*. London: Churchill Livingstone.
- Lambrinouadaki, IreneSchenck-Gustafsson, K., Erel, C. T., Tremollieres, F., Rees, M., Vujovic, S., Gambacciani, M., ... Moen, M. H. (2010). EMAS position statement: Managing obese postmenopausal women. *Maturitas*, 66(3), 323–326. <http://doi.org/10.1016/j.maturitas.2010.03.025>
- Lim, J., & Park, H. S. (2016). Trends in the prevalence of underweight, obesity, abdominal obesity and their related lifestyle factors in Korean young adults, 1998-2012. *Obesity Research and Clinical Practice*. <http://doi.org/10.1016/j.orcp.2017.04.004>
- Littman, A. J., Kristal, A. R., & White, E. (2005). Effects of physical activity intensity, frequency, and activity type on 10-y weight change in middle-aged men and women. *International Journal of Obesity*, 29(5), 524–533. <http://doi.org/10.1038/sj.ijo.0802886>
- Lukaski, & Henry, C. (1987). Methods for the Assesment of Human Body Composition: Traditional and New. *Am J Clin Nutr*, 46, 537–56.
- Mannan, M., Doi, S. A., & Mamun, A. A. (2013). Association between weight gain during pregnancy and postpartum weight retention and obesity: A bias-adjusted meta-analysis. *Nutrition Reviews*, 71(6), 343–352. <http://doi.org/10.1111/nure.12034>
- Marques, A., & Gaspar de Matos, M. (2014). Adolescents' physical activity trends

- over the years: a three-cohort study based on the Health Behaviour in School-aged Children (HBSC) Portuguese survey. *BMJ Open*, 4(10), e006012. <http://doi.org/10.1136/bmjopen-2014-006012>
- Martínez-González, M. Á., Martínez, J. A., Hu, F. B., Gibney, M. J., & Kearney, J. (1999). Physical inactivity, sedentary lifestyle and obesity in the European Union. *International Journal of Obesity*, 23(11), 1192–1201. <http://doi.org/10.1007/s00429-018-1664-7>
- Morales, A., Gómez, A., Jiménez, B., Jiménez, F., León, G., Majano, A., ... Soto, C. (2015). Trastorno por atracón: prevalencia, factores asociados y relación con la obesidad en adultos jóvenes universitarios. *Revista Colombiana de Psiquiatria*, 44(3), 177–182. <http://doi.org/10.1016/j.rcp.2015.02.006>
- Mozaffarian, D., Hao, T., Rimm, E. B., Willett, W. C., & Hu, F. B. (2011). Changes in Diet and Lifestyle and Long-Term Weight Gain in Women and Men. *New England Journal of Medicine*, 364(25), 2392–2404. <http://doi.org/10.1056/NEJMoa1014296>
- National Heart, Lung, and B. I. (2011). Types of Physical Activity.
- Panotopoulos, G.Ruiz, J. C., Raison, J., Basdevant, A., & Guy-Grand, B. (2012). Weight gain at the time of menopause. *Human Reproduction*, 12(suppl 1), 126–133. [http://doi.org/10.1093/humrep/12.suppl\\_1.126](http://doi.org/10.1093/humrep/12.suppl_1.126)
- Petersen, L., Schnohr, P., & Sørensen, T. I. A. (2004). Longitudinal study of the long-term relation between physical activity and obesity in adults. *International Journal of Obesity*, 28(1), 105–112. <http://doi.org/10.1038/sj.ijo.0802548>
- Peterson, C. E. (2000). *Documentation for IFLS1-RR: Revised and Restructured 1993 Indonesian Family Life Survey Data, Wave I, RAND*. Retrieved from <http://www.rand.org/pubs/drafts/DRU1195z7>
- Pjetilainen, K. H., Kaprio, J., Borg, P., Plasqui, G., Yki-Jarvinen, H., Kujala, U. M., ... Rissanen, A. (2007). Physical inactivity and obesity: A vicious circle. *American Journal of Public Health*, 6(1), 23. <http://doi.org/10.1186/1743-7075-6-23>
- Rahman, M., & Berenson, A. B. (2010). Racial difference in lean mass distribution among reproductive-aged women. *Ethnicity and Disease*, 20(4), 346–352.
- Razak, F., Anand, S. S., Shannon, H., Vuksan, V., Davis, B., Jacobs, R., ... Yusuf, S. (2007). Defining obesity cut points in a multiethnic population. *Circulation*, 115(16), 2111–2118. <http://doi.org/10.1161/CIRCULATIONAHA.106.635011>
- Rooney, B. L., & Schauberger, C. W. (2002). Excess pregnancy weight gain and long-term obesity: one decade later. *Obstetrics and Gynecology*, 100(2), 245–52. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/12151145>
- Sarma, S., Zaric, G. S., Campbell, M. K., & Gilliland, J. (2014). The effect of physical activity on adult obesity: Evidence from the Canadian NPHS panel. *Economics and Human Biology*, 14(1), 1–21. <http://doi.org/10.1016/j.ehb.2014.03.002>
- Segal, K. R., Lacayanga, I., Dunaif, A., Gutin, B., & Pi-Sunyer, F. X. (1989). Impact of body fat mass and percent fat on metabolic rate and thermogenesis in men. *American Journal of Physiology*, 256(5), 573–579.

- Siswanto, Susila, & Suyanto. (2016). *Metodologi Penelitian Kesehatan dan Kedokteran* (1st ed.). Yogyakarta: Bursa Ilmu.
- Smith, D. E., Lewis, C. E., Jennifer, L., Burke, G. L., & Bild, D. E. (2011). Longitudinal Changes in Adiposity Associated With Pregnancy Study. *Behavioral Medicine*.
- Strauss, J., Beegle, K., Sikoki, B., Dwiyanto, A., Herawati, Y., & Witoelar, F. (2004). *The Third Wave of The Indonesia Family Life Survey (IFLS3): Overview and Field Report*. <http://doi.org/WR-144/1-NIA/NICHD>
- Strauss, J., Beegle, K., Sikoki, B., Dwiyanto, A., Herawati, Y., & Witoelar, F. (2009). *The Fourth Wave of the Indonesia Family Life Survey: Overview and Field Report, RAND Working Paper*. <http://doi.org/10.7249/WR1143.1>
- Strauss, J., Witoelar, F., & Sikoki, B. (2016). *The Fifth Wave of the Indonesia Family Life Survey: Overview and Field Report*.
- Sudargo, T., LM, H. F., Rosiyani, F., & Kusmayanti, N. A. (2014). *Pola Makan dan Obesitas*. Yogyakarta: Gadjah Mada University Press.
- Sugondo. (2006). Obesitas. In *Buku Ajar Ilmu Penyakit Dalam Jilid 3* (IV, p. 1922). Jakarta: FK UI.
- Supriasa, I. D. N. (2002). *Penilaian Status Gizi*. Jakarta: EGC.
- Swinburn, B. A., Sacks, G., Hall, K. D., McPherson, K., Finegood, D. T., Moodie, M. L., & Gortmaker, S. L. (2011). The global obesity pandemic: Shaped by global drivers and local environments. *The Lancet*, 378(9793), 804–814. [http://doi.org/10.1016/S0140-6736\(11\)60813-1](http://doi.org/10.1016/S0140-6736(11)60813-1)
- Sylvia, L. G. (2015). No A Practical Guide to Measuring Physical Activity. *NIH Public Access*, 114(2), 199–208. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3915355/pdf/nihms545498.pdf>
- Waspadji, Sarwono, et al. (2003). *Pengkajian Status Gizi, Studi Epidemiologi*. Jakarta: FK-UI.
- Whitney, E., & Rolfes, S. R. (2013). *Understanding Nutrition*. USA: Wadsworth Cengage Learning.
- Wignjosoebroto. (2008). *Ergonomi Studi Gerak dan Waktu*. Surabaya: Guna Widya.
- Woodward-Lopez, G., Kao, J., & Ritchie, L. (2011). To what extent have sweetened beverages contributed to the obesity epidemic? *Public Health Nutrition*, 14(3), 499–509. <http://doi.org/10.1017/S1368980010002375>
- World Health Organization. (2012). Global strategy on diet, physical activity and health: What is moderate intensity and vigorous-intensity physical activity?
- Zhang, X., Lans, I. Van Der, & Dagevos, H. (2011). Impacts of fast food and the food retail environment on overweight and obesity in China: a multilevel latent class cluster approach. <http://doi.org/10.1017/S1368980011002047>