



DAFTAR PUSTAKA

- Ademola, O.I., and Eloff, J.N. 2010. In vitro Anthelmintic Activity of Combretum molle against *Haemonchus contortus* Ova and Larvae. *Veterinary Parasitology*. 169. 198-203
- Ahmad,R.Z., dan Sani,Y. 2007. Pengaruh Pemberian *Duddingtonia flagrans* dan *Saccharomyces cerevisiae* Terhadap Morfopatologi Alat Reproduksi Cacing *Haemonchus contortus* pada Domba. *Seminar Nasional Teknologi Peternakan dan Veteriner*. Bogor.
- Ahmed, M.A.A. 2010. Gastrointestinal (Nematode) Infections in Small Ruminants: Epidemiology, Anthelmintic Efficacy and the Effect of Wattle Tanins. Tidak dipublikasikan.
- Akkari, H., M.A. Darghout, and H.B. Salem. 2008. Preliminary investigations of the antinematode activity of *Acacia cyanophylla* Lindl.: Excretion gastrointestinal nematode eggs in lambs browsing A. *Cyanophylla* with and without PEG or grazing native grass. *Journal of Small Ruminant Research*. 74(b):78-83.
- Alawa, C.B.I., A.M. Adamu, J.O. Gefu, O.J. Ajanusi, P.A. Abdu, N.P. Chiezy, J.N. Alawa, and D.D. Bowman. 2003. In vitro screening of two Nigerian medicinal plants (*Vernonia amygdalina* and *Annona senegalensis*) for anthelmintic activity. *Journal of Veterinary Parasitology*. 113:73-81.
- Alemu, Z., Y. Kechero, A. Kabede, and A. Muhammed. 2014. Comparison of the in vitro inhibitory effect of doses of tanin rich plant extract and ivermectin on egg hatchability, larvae development, and adult Mortality of *Haemonchus contortus*. *Acta Parasitology*. 59:513-519.
- Alnita, B.,Isti, W., Noviyanti. 2017. Ekstrak Air Rumput Keybar (*Biophytum petersianum* Klotzsh) Sebagai Penghambat Perkembangan Telur Cacing Gastrointestinal Ruminansia secara In Vitro. *Jurnal Sain Veteriner*. 35 (1).Juni 2017.
- Anbu, K.A., Joshi, P. 2008. Identification of a 55 kDa *Haemonchus contortus* Excretory/Secretory Glycoprotein as a Neutrophil Inhibitory Factor. *Parasite Immunology*. 30(1):23-30.
- Argentieri, P.M., D'Addabbe, T., Tava, A., Agostinelli, A., Jurzysta, M. and Ananto, P. 2008. Evaluation of Nematicidal Properties of Saponins from *Medicago sativa* spp. *European Journal of Plant Pathology*.120.189-197.



- Arunkumar, A. 2012. Immunoprotection sheep against *Haemonchus contortus* using its thiol-purified excretory/secretory proteins. *Veterinary Research Forum* 3 :239-244.
- Athanasiadou, S., Kyriazakis, I., Jackson, F., Coop, R.L. 2001. Direct anthelmintic effects of condensed tannins towards different gastrointestinal nematodes of sheep: in vitro and in vivo studies. *Veterinary Parasitology*. 99, 205–219.
- Bahuaud, D., Martinez-Ortiz de Montellano, C., Chauveau, S., Prevot, F., Torres-Acosta, F., Fouraste, I., dan Hoste, H. 2006. Effects of Four Tanniferous Plant Extracts on the in Vitro Exsheathment of Third-Stage Larvae of Parasitic Nematodes. *Parasitology*. 132:545-54.
- Balic, A., Bowles, V.M., dan Meeusen, E.N.T. 2002. Mechanisms of immunity to *Haemonchus contortus* infection in sheep. *Parasite Immunology*., 24:39–46.
- Barry, T.N. dan McNabb, W.C. 1999. The Implications of Condensed Tanins on the Nutritive Value of Temperate Forages Fed to Ruminants. *British Journal of Nutrition*. 81: 263-272.
- Beriajaya, T.B. Murdiati, Suhardono, and C.F. Pantouw. 1998. Pengaruh ekstak biji pinang (*Arecha catechu*) terhadap cacing *Haemonchus contortus* secara in vitro. Prosiding Seminar Hasil-Hasil Penelitian Veteriner. Balitvet Bogor:154-160
- Biswas, K., Chattopadhyay, I., Banerjee, R.K., Bandyopadhyay, U. 2002. Biological activities and medicinal properties of neem *Azadirachta indica*. *Current Science* 82, 1336–1345.
- Bogning, Z.C., Olounlade, P.A., Alowanou, G.G., Nguemfo, E.L., Dongmo, A.B., Azebaze, A.G.B., dan Hounzangbe-Adote, S. 2016. In Vitro Anthelmintic Activity of Bogning, Z.C., Olounlade, P.A., Alowanou, G.G., Nguemfo, E.L., Dongmo, A.B., Azebaze, A.G.B., dan Hounzangbe-Adote, S. 2016. In Vitro Anthelmintic Activity of Aqueous Extract of *Crassocephalum crepidioides* (Benth.) S. Moore on *Haemonchus contortus*. *Journal of Experimental and Integrative Medicine*. 6(1): 31-37.
- Borji, H.J., Razmi, G., Movassa ghi, A.R., Naghibi, A.G., and Maleki, M. 2010. A study on gastrointestinal helminthiasis of camel in Mashadd Abatoir. *Iranian Journal of Veterinary Research*. 11(2):174-179.



Bowman, D. 2009. *Georgis Parasitology for Veterinarians*. 9th ed. Saunders, an imprint of Elsevier Inc. Ithaca, New York:161.

Casey, S.J. 2014. *Haemonchus contortus* Infections in Alpacas and Sheep. Tidak dipublikasikan.

Chanwitheesuk, A., Teerawutgulrag, A., Rakhariyatam, N. 2004. Screening of Antioxidant Activity and Antioxidant Compounds of Some Edible Plants of Thailand. *Food Chemistry*.92.

Coles, G.C., Bauer, F.H.M., Borgsteede, S., Greets, S., Klei, T.R., Tay;or, M.A., Waller, P.J. 1992. World Association for the Advancement of Veterinary Parasitology (WAAVP) Methods for the detection of anthelmintic Resistance in Nematodes of Veterinary Importance. *Veterinary Parasitology*. 44. 35-44

C.T.C. Costa, C.M.L. Bevilaqua, A.L.F. Camurça-Vasconcelos, M.V. Maciel,S.M. Morais, C.M.S. Castro, R.R. Braga, L.M.B. Oliveira. 2008. In vitro ovicidal and larvicidal activity of Azadirachta Indica extracts on *Haemonchus contortus*. *Small Ruminant Research* 74 (2008) 284–287

Crab, A., Noppe, W., Pelicaen, C., Van Hoorelbeke, K., Deckmyn, H. 2002. The Parasitic hematophagous worm *Haemonchus contortus* inhibits human platelet aggregation and adhesion: partial purification of platelet inhibitor. *Thromb Haemost* 87:899-904

Daryatmo, J., Hartadi, H., Orskov, E.R., Adiwimarta, K., Nurcahyo, W. 2010. In vitro screening of various forages for anthelmintic activity on *Haemonchus contortus* eggs. *Advances in Animal Biosciences*. 1 : 113-113.

Degen, A.A., Makkar, H.P., Becker, K. dan Borowy, N. 1995. *Acacia Saligna* as a Fodder Tree for Desert Livestock. *Journal of the Science and Food Agriculture*. 68: 65-71.

de Oliveira, R.B., Senger, M.R., Vasques, L.M., Gasparotto, J., dos Santos, J.P.A., de Bittencourt Pasquali, M.A., Moreira, J.C.F., Silva, F.P. dan Gelain, D.P. 2013. *Schistosoma mansoni* Infection Causes Oxidative Stress and Alters Receptor for Advanced Glycation Endproduct (RAGE) and Tau Levels in Multiple Organs in Mice. *International Journal of Parasitology*. 43(5):371-379.



Depkes. 2000. *Penelitian Tanaman Obat di Beberapa Perguruan Tinggi di Indonesia*. Departemen Kesehatan RI. Jakarta

Eguale, T., Tadesse, D., and Giday, M. 2011. In vitro Anthelmintic Activity of Crude Extract of Five Medicinal Plants against Egg Hatching and Larval Developmnet of *Haemanochus contortus*. *Journal Ethnopharmacology*. 137. 108-113.

Esmaeilnejad, B., Tavassoli, M., Asri-Rezaei, S., dan Dalir-Naghadeh, B. 2012. Evaluation of Antioxidant Status and Oxidative Stress in Sheep Naturally Infected with *Babesia ovis*. *Veterinary Parasitology*., 185(2): 124-130.

FAO. 1991. Food Losses due to Non-Infectious and Production Diseases in Developing Countries. United Nation.

Gatot, M., Budisatria. I., Panjono, G.S., Nono, N., Endang, B. 2012. Kinerja Kambing Bligon Yang Dipelihara Peternak Di Desa Giri Sekar, Panggang, Gunungkidul. *Buletin Peternakan*. Fakultas Peternakan UGM.Yogyakarta

Githiori, J.B. 2004. Evaluation of Anthelmintic Properties of Ethnoveterinary Plants Preparation Used as Livestock Dewormers by Pastoralist and Small Holder Farmers in Kenya. Doctoral Disertation. Department Biomedical Sciences and Veterinary Public Health, SLU. Acta Universitatis Agriculture Science.76 p

Goldstein, J.I.,D.E. Newbury., Echlin, D.C.,Joy, A.D.,Romig, J.R.,Lyman, C. Fiori., and Lifsin, E. 1992. Scanning electron microscopy and X-ray microanalysis : A text for biologist, materials Scientist, and cytologists, 2nd ed. Plemun Press, New York, New York, 820 p.

Gomez-Munoz, M.T., Cuquerella M, Alunda J.M.1996. Identification and Partial Purification of a 26 kilodalton antigen of adult *Haemonchus contortus*. *International Journal of Parasitology* 26 : 311-318.

Hagerman, A.E. dan Butler, L.G. 1991. *Tanins and Lignins. In Herbivores: Their Interraction with Secondary Plant Metabolites*. (ed. G.A. Rosental and M.R. Berenbaum). Academic Press, San Diego.

Hamad, A.A. 2012. Efficacy of Some Indigenous Medicine Plant to Control Antinematicidal-Resistant *Haemonchus contortus* in Sheep. *Thesis*. University of Agriculture. Faisalabad Pakistan.



- Hammond, J.A., Fielding, D., Bishop,S.C. 1997. Prospects for Plant Anthelmintics in tropical veterinary medicine. *Veterinary Research. Community.* 21, 213-218.
- Haring, D.A.,Suter, D., Armhein, N., dan Luscher, A. 2006. Biomass Allocation is an important Determinant of the Tanin Concentration in growing plants. *Oxford Journal.* 99
- Hassan, M-F.M., Gammaz, H.A., Abdel-Daim, M.M., Abdoel-Motalab, Y.M., dan Mohammedsalih, K.M. 2013. Efficacy and Safety of Albendazole against *Haemonchus Contortus* Infestation in Goats. *Research in Zoology.* 3(1): 31-37.
- Heckendorf, F., Haring, D.A., Maurer, V., Senn, M., Hertzberg, H. 2007. Individual administration of three tanniniferous forage plants to lambs artificially infected with *Haemonchus contortus* and *Cooperia curticei*. *Veterinary Parasitology.*142, 293-300.
- Hoste, H., F. Jackson, S. Athanasiadou, S.M. Thamsborg, and S.O. Hoskin. 2006. The effect of tannin-rich plants on parasitic nematodes in ruminants. *Trends in Parasitology.* 22(6):253-261.
- Iqbal, Z., Lateef, M., Ashraf, M., dan Jabbar, A. 2004. Anthelmintic Activity of *Artemisia brevifolia* in Sheep. *Journal of Ethnopharmacology.* 93(2-3): 265-8.
- Jackson, F.S.,Warren, C.M.,Tom, N.,Yeap, L.F., and Jason, S.P.1996. The condensed tannin content of a range of subtropical and temperate forages and the reactivity of condensed tannin with ribulosa 1,5-bis phosphate Protein. *J.Sci Food.Agric.* 72 : 489-492
- Jaiswal, A.K., Sudan V., Pandey, V., Singh, A., Gaur, R.S., Kanojiya, D., Nigam, R., dan Shanker, D. 2014. Sex Dependent Alterations in the Protein Characterization Patterns of *Haemonchus contortus*. *J Parasit Dis.*
- Kamaraj, C.A., G. Rahman, Elango, A. Bagavan, and A.A. Zahir. 2011. Anthelmintic activity of botanical extract against sheep gastrointestinal nematodes, *Haemonchus contortus*. *Parasitology Research.* 108:37-45.
- Koul,O., Multani, J.S., Singh, G., Wahab, S. 2003. Bioefficacy of toosendanin from *Melia dubia* (syn. *M.azedarach*) against gram pod-borer. *Helicoverpa armigera* (Hubner). *Current Science* 83. 1387-1390



- Kuchai, J.A., F. Ahmad, M.Z., Chisty, Tak, J. Achmad, S. Ahmad, and M. Rassol. 2012. A study on morphology and morphometry of *Haemonchus contortus*. *Pakistan Journal of Zoology*. 44(6):1737-1741.
- Lastuti, N.D.R., Mufasirin, and Hamid, I.S. 2001. Deteksi Protein *Haemonchus sp* pada Domba dan Kambing dengan Uji Dot Blot Menggunakan Antibodi Poliklonal Protein Ekskresi dan Sekrei *Haemonchus contortus*. *Media Kedokteran Hewan*. 22(3): 162-167.
- Lifschitz, A., Lanusse, C., dan Alvarez, L. 2017. Host Pharmacokinetics and Drug Accumulation of Anthelmintics within Target Helminth Parasites of Ruminants. *New Zealand Veterinary Journal*. 65(4):176-184.
- Lowry, J.B., Petheram, J.R., dan Tangendjaja, B. 1992. *Plant Fed to Village Ruminants in Indonesia*. ACIAR Technical Reports 22, Australian Centre for International Agricultural Research, Canberra, Australia, p: 60.
- Manolaaraki, F., Sotiraki, S., Stefanakis, A., Skampardonis, V., Volanis, M., Hoste, H., 2010. Anthelmintic activity of some mediterranean browse plants against parasitic nematodes. *Parasitology* 137, 684-696
- Martinez-Ortiz-de-Montenallo, C., Vargaz-Magana, A.J., Canul-Ku, L., Miranda Oberanis, R., Capetillo-Leal, C., Sandoval-Castro, C.A., Hoste, H., Torres-costa, J.F.J., 2010. Effect of a tropical tannin-rich plant, *Lysiloma latisiliquum* on adult population of *Haemonchus contortus* in sheep. *Veterinary Parasitology*. 172, 283-290.
- Martinez-Ortiz-de-Montenallo, C., Vargaz-Magana, A.J., Canul-Ku, L., Miranda Oberanis, R., Capetillo-Leal, C., Sandoval-Castro, C.A., Torres-costa, J.F.J., Hoste, H., 2013. Scanning electron microscopy of *Haemonchus contortus* exposed to tannin-rich plants under in vivo and in vitro conditions. *Experimental parasitology* 133. 281-286.
- Matthew Adamu, Vinasan Naidou, and Jacobus Nelloz. 2013. Efficacy and Toxicity of Thirteen plant leaf acetone extracts used in ethnoveterinary medicine in South Africa on Egg Hatching and Larval Development of *Haemonchus contortus*. Biomed. *Central Veterinary Research*. 9:38
- Matias, R., Solon, S., Resende, U.M., Gomes, A., Koller, W.W. 2002. Melia azedarach, uso popular x estudos quimicos e farmacologicos: breve revisao. Ensaiose Ciencia:ed., Vol 6.UNIDERP, *Campo Grande*.pp.91-121



- Max, R.A., Dawson, J.M., Wakelin, D., Butterly, P.J., Kimambo, A.E., Kassuku, A.A. dan Mtenga, L.A. 2002. Effect of Condensed Tanin Extracts on Gastrointestinal Nematodes of Small Ruminants. In: Proceedings of the Second Dfid Livestock Production Programme Link Project (R7798) Workshop for Smallstock Holders. Sokoine University of Agriculture, Morogoro, Tanzania.
- Mengist, Z., N. Abebe, G. Gugsa, and N. Kumar. 2014. Assessment of small ruminant haemonchosis and its associated risk factors in and around Finoteselam, Ethiopia. *IQSR-Journal of Animal and Veterinary Science*. 7(12):36-41.
- Menzies, P. 2006. Heaven on Earth for Sheep Parasites. Ontario Sheep Flock Health and management. <http://www.ontariosheep.org/LinkClick.aspx?fileticket=ofhsMvSgsmo%3D&tabid=95>.
- Mc.Kenna,P.B.1998. The effect of Previous cold storage on the subsequent recovery of infective third stage nematode larva from sheep faeces. *Veterinary Parasitology*.80 (2): 167-172
- Min, B.R. and S.P. Hart. 2003. Tanins for suppression of internal parasites. *Journal of Animal Science*. 81:E102-E109.
- Mir, R.A.,Chrishti,M.A.,Zargan,H., Ganie,S.A. 2007. Clinicopathological changes in sheep experimentally infected with *Haemonchus contortus*. *World Journal of Agriculture Science*.3(5): 562-566.
- Mir, R.M., Chisti, M.Z., Rashid, M., Dar, S.A., Katoch, R., Rasool, S., dan Rasool, R. 2013. First Report on Morphology and Morphometry of *Haemonchus contortus* in Sheep of Jammu (J&K)-India. *Trends in Parasitology Research*. 2(2): 1-4.
- Molan, A.L., Waghorn, G.C., and Mc.Nabb, W.C. 2009. Condensed tannin and gastrointestinal parasites in sheep. *Proc. Soc. Anim. Prod.* 69:89-92.
- Mortensen, L.L., L.H.Wiliamson, T.H. Terril, R. Kircher, M. Larsen, and R.M. Kaplan. 2003. Evaluation of prevalence and clinical implications of anthelmintic resistance in gastrointestinal nematodes of goats. *JAVMA*. 23:495-500.
- Muntiha, M. 2001. Teknik Pembuatan Preparat Histopatologi dari Jaringan Hewan dengan Pewarnaan Hematoksilin dan Eosin (H&E). Temu teknis fungsional non peneliti. 156-163.



- Musa, T. and B. Bimbo. 2009. Abortifacient potentials of the aqueous extract of *Bambusa vulgaris* leaves in pregnant Dutch Rabbit. *Contraception*. Vol. 80. Issue 3. September 2009. P 308-313
- M.V. Maciel, S.M. Morais, C.M.L. Bevilaqua, A.L.F. Camurça-asconcelos, C.T.C. Costa, C.M.S. Castro. 2006. Ovicidal and larvical activity of *Melia azedarachta* extracts on *Haemonchus contortus*. *Veterinary Parasitology* 140 (2006) 98–104
- Nguyen, T.M., Van Binh, D., and Ørskov, E.R. 2005. Effect of foliages Containing Condensed Tannins and on Gastrointestinal Parasites. *Animal Feed Science and Technology*. 121.
- Ortolani, E. L., Leal, M. L. R., Minervino, A. H. H., Aires, A. R., Coop, R. L., Jackson, F. dan Suttle, N.F. 2013. Effects of Parasitism on Cellular Immune Response in Sheep Experimentally Infected with *Haemonchus contortus*. *Veterinary Parasitology*., 196 (1–2) : 230–234.
- Page, A.P., Winter, A.D. 2003. Enzymes involved in the Biogenesis of the nematode cuticle. *Advances Parasitology*. 53, 85-148
- Pasila, A.R. 2008. Identification of Excretion-Secretion Protein Profile of the Adult *Haemonchus contortus* with SDS-PAGE. Journal.unair.ac.id/filterPDF/8.%20Cacing.doc.abstrak.
- Paolini, V., Fouraste, I., Hoste, H. 2004. In vitro effects of three woody plant and sainfoin extracts on third stage larvae of *Haemonchus contortus* in goats. *Veterinary Journal*. 170, 260-263.
- Parson, S.A. dan Vere, D.T. 1984. A benefit-Cost Analysis of Bakitwan Project, Bogor. Indonesia. A report to the Australian Development Assistance Bureau New South Wales. Department of Agriculture. Australia
- Pessoa, 2001. Atividade ovicida in vitro de plantas medicinais contra *Haemonchus contortus*. Master thesis. Universidade Estadual do Ceara, Fortaleza, 57 pp.
- Pratiwi, M. 2011. Efek ekstrak Lerak (Sapindus rarakse) terhadap penurunan sel sel radang pada tikus wistar *in vivo*. *Skripsi*. Fakultas Kedokteran Gigi. USU.
- Qamar, M.F., dan Maqbool. 2012. Biochemical studies and serodiagnosis of Haemonchosis in sheep and goats. *Journal Animal Plant Science* 22(1)s



Rangkuti,S.H. 2014. Derajat Haemonchosis Berdasarkan Jumlah Cacing dan Telur Tiap Gram Tinja (TTGT) Pada Domba Ekor Tipis.*Laporan Penelitian.FKH. IPB.* Bogor.

Rates,S.M.K. 2001. Plants as source of drugs. *Toxicon*.39. 603-613.

Razali, Azhari, A. Novita, T.R. Ferasyi, Ridwan, dan A. Munandar. 2014. Potensi suspensi dan ekstrak daun katuk sebagai antelmintik terhadap nematoda gastrointestinal pada ternak kambing. *Jurnal Kedokteran Hewan*. 8(2):120-123.

Reed, J.D. 1995. Nutritional Toxicology of Tanins and Related Polyphenols in Forage Legumes. *Journal of Animal Science*. 73.

Reed, L.J., Muench, H. 1938. A Simple Method of Estimating Fifty Per Cent End points. *The American Journal of Hygiene*. 27(3): 493-497

Ritonga, G. 2001. Gambaran Sel darah Putih (Leukosit) Domba Penderita *Haemonchosis* Pasca Pemberian Simplicia Buah Mengkudu (*Morinda citrifolia*). Tidak dipublikasikan.

Rojas, D.K, López, J., Tejada, I., Vázquez, V., Shimada, A., Sánchez, D. dan Ibarra, F. 2006. Impact of Condensed Tanins from Tropical Forages on *Haemonchus contortus* Burdens in Mongolian Gerbils (*Meriones unguiculatus*) and Pelibuey Lambs. *Animal Feed Science and Technology*. 128.

Rowe, A., McMaster, K., Emery, D. dan Sangster, N. 2008. *Haemonchus contortus* Infection in Sheep: Parasite Fecundity Correlates with Worm Size and Host Lymphocyte Counts. *Veterinary Parasitology*. 153: 285–293.

Saminathan, M., Gopalakrishnan, A., Latchumikanthan, A., Milton, A. A. P., Aravind, M., Dhama, K., dan Singh, R. 2015. Histopathological and Parasitological Study of Blood-Sucking *Haemonchus contortus* Infection in Sheep. *Advances in Animal and Veterinary Sciences*. 3(2):99.

Siamba, D.N, Gatongi, P.N, Mualambalah, C.S, Ngeiywa, M.M, Wamae, L.W.2012. Stress response in infective larvae (L3) of the parasitic nematode *Haemonchus contortus* is accompanied by enhanced expression of heat shock proteins (HSP 70). *Current Research Journal Biology Science* 4(4): 345-349

Silva, H.H.G., Silva, I.G., Santos.,R.M.G., Rodrigues Filho, E., Elias, C.N., 2004. Atividade Larvacida de taninos isolados de *Magonia pubescens* St.Hill



- (sapindaceae) sobre *Aedes Aegypti* (diptera Culicidae). *Review of Social.Brasillian Medical Tropic.*37. 396-399.
- Simatupang, P. and Prajogo, U.H. 2004. Daya saing usaha peternakan menuju 2020. *Wartazoa.* 14(2):45-57.
- Soulsby, E.J.L. 1986. Helminths Arthropods and Protozoa of Domesticated Animals. 7th ed. Bailiere Tindall, London.
- Stear, M.J. dan Murray, M. 1994. Genetic Resistance to Parasitic Disease: Particularly of Resistance in Ruminants to Gastrointestinal Nematodes. *Veterinary Parasitology.* 54:161-176.
- Steel, R.G.D. and J.H. Torrie. 1990. Principle and Procedures of Statistics. 2nd ed. MacGraw-Hill, Singapore.
- Subekti, S., Puspitawati, H., dan Sosiawati, S.M. 2001. Ultrastruktur dan Morfologi beberapa Spesies *Haemonchus* sp. dari Kambing/Domba yang Dipotong di RPH Pegiran Kotamadya Surabaya. Tidak dipublikasikan
- Suryokusumo, S. dan Nugroho,N. 1994. Pemanfaatan Daun Bambu Sebagai Bahan Bangunan. *Strategi Penelitian Bambu Indonesia.* Hal 82-87. Yayasan Bambu Lingkungan Lestari.Bogor.
- Tafti, A.K., dan Mansourian, M. 2008. Pathologic Lesions of Naturally Occurring Coccidiosis in Sheep and Goats. *Complex Clinical Pathology.* 17:87–91.
- Taraschewski, H. 2000. Host–Parasite Interactions in Acanthocephala: A Morphological Approach. *Advances Parasitology.*, 46:1–179.
- Tariq, K.A., Chishti, M.Z., Ahmad,F., Shawl, A.S. 2009. Anthelmintic Activity of Extracts of *Artemisia absinthium* Against Ovine Nematodes. *Veterinary Parasitology.* 160.83–88
- Terril, T.H., Dykers, G.S., Shaik, S.A., Miller, J.E., Kouakou, B., Kannan, G., Burke, J.M., Mosjidis, J.A., 2009. Efficacy of sericea lespedeza hay a natural dewormer in goats: dose titration study. *Veterinary Parasitology* 163, 52-56.
- Thienpont, D. Rochete, and F.Vanparji,O.F.J. 1995. Diagnosing Helminthiasis Through Coprological examination : 47-67
- Troell, K., Waller, P., Hoglund, J. 2005. The development and overwintering survival of free living larvae of *Haemonchus contortus* in Sweden. *Journal of Helminthology* 79, 373-379.



Ualberta.2007.Parasites.<http://www2.biology.ualberta.ca/parasites/ParPub/text/indexphasm07i.htm> (6 Juni 2007)

Urquhart G.M., J. Armour, J.L. Dunca, A.m. Dunn, F,W. Jennings, 2000. Veterinary Parasitology. 2 nd Edition. Blackwell Science Ltd. London.

Utami, N.W. 1995. Bambu kuning (*Bambusa vulgaris* Schmiler ex Wendland). Lembaran Informasi Prosea-Yayasan Prosea, Bogor Indonesia. Vol.1No.12.

Vatta A.F., Letty B.A., Van der Linde M.J., Van Wijk E.F., Hansen J.W., Krecek R.C. 2001. Testing for Clinical Anaemia Caused by *Haemonchus* spp. in Goats Under Resource-Poor Conditions in SouthAfrica Using an Eye Colour Chart Developed ForSheep, *Veterinary Parasitology*. 99.1-14.

Wani,Z.A., Shahadar,R.A., Shahnawaz, M., and, Mir, M.S. 2012. Pathological Changes Due to Nemathelminth Parasites in the Sheep of Kashmir Valley. *International Journal of Livestock Research*. Vol 2(1): 173-178.

Widayati, I., dan Nurhayati, D. 2012. Evaluasi Ekstrak Segar dan Infusa Rumput Kebar (*Biophytum petersianum* Klotzsch) sebagai Antelmintik terhadap *Ascaridia galli* secara *in vitro*. Tidak dipublikasikan.

Widiyono, I., Sarmin., Susmiyati,T., Suwignyo,B. 2014. Studi Hematologik Kambing Kacang. *Prosiding Konferensi Ilmiah Veteriner Nasional (KIVNAS)* ke-13. Palembang. 23-26 November 2014.

Widjaya, E.A. 2001. *Identifikasi Jenis-jenis Bambu di Jawa*. Pusat Penelitian dan Pengembangan Biologi. LIPI. Balai Penelitian Botani. Herbarium Bogoriense. Bogor.

William,A.R., Fryganas, C., Ramsay, A., Mueller-Harvey,I., Thamsborg, S.M. 2014. Direct anthelmintic Effects of Condensed Tannins from Diverse Plant Sources against *Ascaris suum*. *PLoS ONE* 9(5)

Yaprianti I, N. Mulyono, BL. Widyan, S. Rahayu., M. Bata. 2012. The Physical and Chemistry Properties of Bambu Petung (*Dendrocalamus asper*) Leaf Extract and Its Inhibiting Activity Against Some Patogenic *Escherichia coli*. *Skripsi* Fakultas Teknologi Unika Atma Jaya. Jakarta.

Zajac, A.M., dan Conboy, G.A. 2006. *Veterinary Clinical Parasitology*. Chichester, West Sussex, UK: Wiley-Blackwell.



Zaman, M.A., Z. Iqbal, M.N. Khan, and G. Muhammad. 2012. Anthelmintic Activity of herbal formulation against gastrointestinal nematode of sheep. *Pakistan Veterinary Journal*. 32(1):117-121.

Zacharias,F., Guimares,J.E.,Araujo,R.R.,Almeida,M.A.,Ayres,M.C. 2008. Effect of homeopathic medicine on helminth parasitism and resistance of *Haemonchus contortus* infected sheep. *Homeopathy*.97(3):145-151.

Zhang Y, Bao B, Lu B, Ren Y, Tie X, and Zhang Y. 2005. Determination of flavone C-glucosides in antioxidant of bamboo leaves (AOB) fortified foods by reversed-phasehigh-performance liquid chromatography with ultraviolet diode array detection. *Journal of Chromatography* 1065: 177-185.

Zhong, R. Z., Sun,H. X., Liu, H. W. dan Zhou, D. W. 2014. Effects of Tannic Acid on *Haemonchus Contortus* Larvae Viability and Immune Responses of Sheep White Blood Cells in Vitro. *Parasite Immunology*. 36. 100–106.