

DAFTAR PUSTAKA

- Adesanya, D. A. dan Raheem, A. A. (2009) 'Development of Corn Cob Ash Blended Cement', *Construction and Building Materials*. Elsevier Ltd, 23(1), pp. 347–352. doi: 10.1016/j.conbuildmat.2007.11.013.
- Amin, N. U. dkk. (2016) 'Synthesis and Characterization of Silica From Bottom Ash of Sugar Industry', *Journal of Cleaner Production*. Elsevier Ltd, 117, pp. 207–211. doi: 10.1016/j.jclepro.2016.01.042.
- Aminullah, Rohaeti, E. dan Irzaman (2015) 'Reduction of High Purity Silicon from Bamboo Leaf as Basic Material in Development of Sensors Manufacture in Satellite Technology', *Procedia Environmental Sciences*. Elsevier B.V., 24, pp. 308–316. doi: 10.1016/j.proenv.2015.03.040.
- ASTM International (2009) 'Standard Test Methods for Loss on Ignition (LOI) of Solid Combustion Residues (D 7348 - 08)'. United States: ASTM International.
- Avrami, M. (1939) 'Kinetics of Phase Change. I General Theory', *Journal of Chemical Physics*, 7, pp. 1103–1112. doi: 10.1063/1.1750380.
- Avrami, M. (1940) 'Kinetics of Phase Change . II Transformation-Time Relations for Random Distribution of Nuclei', *Journal of Chemical Physics*, 8, pp. 212–223. doi: 10.1063/1.1750631.
- Avrami, M. (1941) 'Granulation , Phase Change , and Microstructure : Kinetics of Phase Change III', *Journal of Chemical Physics*, 9, pp. 177–184. doi: 10.1063/1.1750872.
- Bergh, M. (1999) 'Allergenic Oxidation Products in Ethoxylated Non-Ionic Surfactants. Chemical Characterization and Studies on Allergenic Activity and Physicochemical Behavior', *Acta Derm Venereol*, 205, pp. 1–26.
- Bergna, H.E. (ed.) (1994) *The Colloid Chemistry of Silica*. Washington DC: American Chemical Society.
- Besbes, M., Fakhfakh, N. dan Benzina, M. (2009) 'Characterization of silica gel prepared by using sol-gel process', *Physics Procedia*. Elsevier, 2, pp. 1087–1095. doi: 10.1016/j.phpro.2009.11.067.
- Bojko, O. dan Kabala, C. (2014) 'Loss-On-Ignition as an Estimate of Total Organic Carbon in the Mountain Soils', *Journal of Soil Science*, XLVII, pp. 71–79. doi: 10.17951/pjss.2014.47.2.71.
- Brinker, C. Jeffrey dan Scherer, G. W. (1990) *Sol-Gel Science The Physics and Chemistry of Sol-Gel Processing*. London: Academic Press, Inc.
- Central Facility for Advanced Microscopy and Microanalysis (2017) 'Introduction to Energy Dispersive X-Ray Spectrometry (EDS)'. Riverside: University of California, pp. 1–12. Available at: <https://cfamm.ucr.edu/documents/eds-intro.pdf>.
- Chemistry Libretext (2019) *Infrared Spectroscopy Absorption Table*. Available at: https://chem.libretexts.org/Ancillary_Materials/Reference/Reference_Table

- es/Spectroscopic_Parameters/Infrared_Spectroscopy_Absorption_Table.
- Chen, C.-Y., Li, H.-X. dan E.Davis, M. (1993) ‘Studies on Mesoporous Materials: I. Synthesis and Characterization of MCM-41’, *Microporous Material*, 2, pp. 17–26. doi: 10.1016/0927-6513(93)80058-3.
- Choi, H. W. dkk. (2013) ‘Crystallization Kinetics of Lithium Niobate Glass: Determination of the Johnson-Mehl-Avrami-Kolmogorov Parameters’, *Physical Chemistry Chemical Physics*, 15(24), pp. 1–36. doi: 10.1039/c3cp50909e.
- Dachriyanus (2004) *Analisis Struktur Senyawa Organik Secara Spektroskopi*. Padang: LPTIK Universitas Andalas.
- Darmawan, A. dkk. (2018) ‘Synthesis and Characterization of Hydrophobic Silica Thin Layer Derived from Methyltrimethoxysilane (MTMS)’, *International Conference on Chemistry and Material Science (IC2MS)*, 299, pp. 1–16. doi: 10.1088/1757-899X/299/1/012041.
- Dewati, C. C. (2018) *Kinetika Klinkerisasi Belite Dari Lumpur Geotermal*. Universitas Gadjah Mada.
- Djumat, H. H. (2013) *Sintesis Nano-Silika dari Abu Gunungapi Merapi dengan Polietilen Glikol P-(1,1,3,3-Tetrametilbutil)-Fenil Eter (Triton X100)*. Universitas Gadjah Mada.
- E., Smulders dkk. (2002) ‘Laundry Detergents’ in *Ullmann’s Encyclopedia of Industrial Chemistry*. Weinheim: Wiley-VCH.
- Ebrahimi-Kahrizangi, R. dan Abbasi, M. H. (2008) ‘Evaluation of reliability of Coats-Redfern method for kinetic analysis of non-isothermal TGA’, *Transactions of Nonferrous Metals Society of China*, 18(1), pp. 217–221. doi: 10.1016/S1003-6326(08)60039-4.
- Fachini, A. dan Joekes, I. (2002) ‘Interaction of Sodium Dodecylbenzenesulfonate with Chrysotile Fibers . Adsorption or Catalysis ?’, *Colloids and Surfaces*, 201(1–3), pp. 151–160. doi: 10.1016/S0927-7757(01)01034-2.
- Farjas, J. dan Roura, P. (2006) ‘Modification of the Kolmogorov-Johnson-Mehl-Avrami Rate Equation for Non-Isothermal Experiments and its Analytical Solution’, *Acta Materialia*, 54(20), pp. 5573–5579. doi: 10.1016/j.actamat.2006.07.037.
- Farn, R. J. (2006) *Chemistry and Technology of Surfactants*. India: Blackwell Publishing Ltd.
- Farrell, E. dan Brousseau, J. (2016) *Guide for DLS Sample Preparation*. Holtsville: Nova Instruments Company.
- Fernandez, B. R. (2011) *Makalah Sintesis Nanopartikel*. Padang.
- Geodipa Report (2006) *Preventions and Solutions for the Scale Problem at the Geothermal Power Plant and CDM Study in Indonesia Study Report February 2006 Engineering and Consulting Firms Association , Japan Tohoku Electric Power Co ., Inc, Report Study*. Jepang.
- Gill, J. S. (2008) ‘Scale Control in Geothermal Brines – New Inhibitors for Calcium Carbonate and Silica Control’, in *Presentation and Publication in Transactions of Geothermal*.

- Group PCC (2017) *ABS Acid (Dodecylbenzene Sulfonic Acid)*. Available at: <https://www.products.pcc.eu/en/id/244071/abs-acid-dodecylbenzene-sulfonic-acid/> (Accessed: 6 April 2018).
- Han, Y. (2014) *Theoretical Study of Thermal Analysis Kinetics*. University of Kentucky. Available at: http://uknowledge.uky.edu/me_etds/35.
- Harnisch, K. dan Lanzenberger, R. (1982) 'Determination of the Avrami Exponent by Non-Isothermal Analyses', *Journal of Non-Crystalline Solids*, 53, pp. 235–245. doi: 10.1016/0022-3093(82)90083-7.
- He, Xibing dkk. (2010) 'Atomistic Simulation Study of Linear Alkylbenzene Sulfonates at the Water/Air Interface', *J Phys Chem B*, 114(30), pp. 9787–9794. doi: [10.1021/jp101860v](https://doi.org/10.1021/jp101860v).
- Heiri, O., Lotter, A. F. dan Lemcke, G. (2001) 'Loss on Ignition as a Method for Estimating Organic and Carbonate Content in Sediments : Reproducibility and Comparability of Results', *Journal of Paleolimnology*, 25(1), pp. 101–110. doi: 10.1023/A:1008119611481.
- Horiba (2016) *A Guidebook to Particle Size Analysis*. Irvine: Horiba Instruments, Inc. Available at: https://www.horiba.com/fileadmin/uploads/Scientific/Documents/PSA/PSA_Guidebook.pdf.
- Horsinka, J. dkk. (2012) 'Study of The Kinetics of Static Recrystallization Using Avrami Equation and Stress Relaxation Method', *Metal*, 5, pp. 23–25. Available at: <http://metal2013.tanger.cz/files/proceedings/02/reports/316.pdf>.
- Hung, K. dan Wu, J. (2016) 'Characteristics and Thermal Decomposition Kinetics of Wood-SiO₂ Composites Derived by the Sol-Gel Process', *De Gruyter*, pp. 1–8. doi: 10.1515/hf-2016-0126.
- Hussin, L. H. dkk. (2013) 'Effect of Surfactants On The Thermal Decomposition of Li₇La₃Zr₂O₁₂ Ceramics Powder', *International Journal of Latest Research in Science and Technology*, 2(6), pp. 49–52. doi: 10.1016/j.elecom.2012.04.032.
- ILO dan WHO (2002) *Dodecyl Benzenesulfonic Acid*. Available at: http://www.ilo.org/dyn/icsc/showcard.display?p_version=2&p_card_id=1470.
- International Agency for Research on Cancer (2012) *Silica Dust, Crystalline, In The Form Of Quartz Or Cristobalite*.
- ISO (2008) *INTERNATIONAL STANDARD- ISO 21068*. First. Switzerland: ISO.
- Iswar, S. dkk. (2017) 'Effect of Aging on Silica Aerogel Properties', *Microporous and Mesoporous Materials*. Elsevier Ltd, 241, pp. 293–302. doi: 10.1016/j.micromeso.2016.11.037.
- Jafari, V. dan Allahverdi, A. (2014) 'Synthesis and Characterization of Colloidal Nanosilica via an Ultrasound Assisted Route Based on Alkali Leaching of Silica Fume', *International Journal of Nanoscience and Nanotechnology*, 10(3), pp. 145–152.
- Jain, P. K., Deepika dan Saxena, K. S. R. N. S. (2008) 'Phase Transformation and

- Crystallization Kinetics of $\text{Se}_{90}\text{In}_8\text{Sb}_2$ Chalcogenide Glass', *Chalcogenide Letters*, 5(6), pp. 126–136.
- Johansson, E. M. (2010) *Controlling the Pore Size and Morphology of Mesoporous Silica*. Linkoping University.
- Jung, H., Moon, D. dan Lee, J. (2012) 'Quantitative Analysis and Efficient Surface Modification of Silica Nanoparticles', *Journal of Nanomaterials*, 2012, pp. 1–8. doi: 10.1155/2012/593471.
- Kenneth, J. dan Richards, R. M. (eds) (2009) *Nanoscale Materials in Chemistry*. 2nd edn. Canada: John Wiley and Sons, Inc.
- Khawam, A. dan Flanagan, D. R. (2006) 'Solid-State Kinetic Models: Basics and Mathematical Fundamentals', *Journal of Physical Chemistry B*, 110(35), pp. 17315–17328. doi: 10.1021/jp062746a.
- Klancnik, G., Medved, J. dan Mrvar, P. (2010) 'Differential Thermal Analysis (DTA) and Differential Scanning Calorimetry (DSC) as a Method of Material Investigation', *Materials and Geoenvironment*, 57(1), pp. 127–142.
- Kleitz, F., Schmidt, W. dan Sch, F. (2003) 'Calcination Behavior of Different Surfactant-Templated Mesoporous Silica Materials', *Microporous and Mesoporous Materials*, 65, pp. 1–29. doi: 10.1016/S1387-1811(03)00506-7.
- Kleitz, F., Schmidt, W. dan Schüth, F. (2001) 'Evolution of Mesoporous Materials During the Calcination Process: Structural and Chemical Behavior', *Microporous and Mesoporous Materials*, 44–45, pp. 95–109. doi: 10.1016/S1387-1811(01)00173-1.
- Kristianingrum, S. (2018) 'Handout Spectroscopy Infra Merah'. Yogyakarta: UNY.
- Lin, H. dan Mou, C. (2002) 'Structural and Morphological Control of Cationic-Templated Mesoporous Silica', *Acc Chem. Res.*, 35(11), pp. 927–935. doi: 10.1021/ar000074f.
- M, G. F. A., Sy, M. R. H. dan Mardina, P. (2013) 'Ekstraksi Silika Dari Abu Sekam Padi Dengan Pelarut KOH', *Konversi*, 2(1), pp. 28–31. doi: 10.20527/k.v2i1.125.
- Machlin, E. (2007) *An Introduction to Aspects of Thermodynamics and Kinetics Relevant to Materials Science 3rd Edition*. 3rd edn. New York: Elsevier Science.
- Malvern Instruments (2006) 'Surfactant Micelle Characterization Using Dynamic Light Scattering'. Worcestershire: Malvern Instruments Ltd, pp. 1–5. Available at: <http://quimica.udea.edu.co/~coloides/Anexo1.pdf>.
- Malvern Instruments (2013) 'Wet or Liquid Dispersion Method Development for Laser Diffraction Particle Size Distribution Measurements'. Worcestershire: Malvern Instruments Ltd, pp. 1–11.
- Meng, Z. dkk. (2014) 'Kinetic Study on the Isothermal and Nonisothermal Crystallization of Monoglyceride Organogels', *The Scientific World Journal*, 1. doi: 10.1155/2014/149753.

- Michael E (1998) 'Differential Thermal Analysis', in *Handbook of Thermal Analysis and Calorimetry*. First. Amsterdam: Elsevier Science.
- Mingard, K. dkk. (2009) *Good Practice Guide for Improving the Consistency of Particle Size Measurement*. Teddington: National Physical Laboratory.
- Mukasyan, A. S. (2017) 'DTA / TGA-Based Methods', *Concise Encyclopedia of Self-Propagating High-Temperature Synthesis*. Elsevier Inc., pp. 93–95. doi: 10.1016/B978-0-12-804173-4.00040-5.
- Myers, D. (2006) *Surfactant Science and Technology*. 3rd ed. Canada: John Wiley and Sons, Inc.
- Nandiyanto, A. B. D. dkk. (2016) 'Synthesis of silica particles from rice straw waste using a simple extraction method', in *International Conference on Invitation in Engineering and Vocational Education*. doi: 10.1088/1757-899X/128/1/012040.
- Orton (2003) 'Thermoanalytical Instruments Simultaneous DTA / TGA Principle of Operation'. Westerville: The Edward Orton Jr. Ceramic Foundation. Available at: <http://www.shiwkon.com/attachments/DTA+TGA.PDF>.
- Otsuki, A., Dodbiba, G. dan Fujita, T. (2010) 'Measurement of particle size distribution of silica nanoparticles by interactive force apparatus under an electric field', *Advanced Powder Technology*. The Society of Powder Technology Japan, 21, pp. 419–423. doi: 10.1016/j.appt.2010.04.011.
- Pambudi, N. A. dkk. (2015) 'The Behavior of Silica in Geothermal Brine from Dieng Geothermal Power Plant, Indonesia', *Geothermics*. CNR-Istituto di Geoscienze e Georisorse, 54, pp. 109–114. doi: 10.1016/j.geothermics.2014.12.003.
- Pan, W. dkk. (2011) 'Effect of Eating Rate on Morphology and Structure of CoFe₂O₄ Nanofibers', *Material Letters*. Elsevier B.V., 65, pp. 3269–3271. doi: 10.1016/j.matlet.2011.06.102.
- Patel, B. K. dan Seetharaman, K. (2006) 'Effect of Heating Rate on Starch Granule Morphology and Size', *Carbohydrate Polymers*, 65, pp. 381–385. doi: 10.1016/j.carbpol.2006.01.028.
- Perkin Elmer (2010) 'Thermogravimetric Analysis (TGA) : A Beginner ' s Guide'. Waltham: PerkinElmer, Inc. Available at: https://www.perkinelmer.com/lab-solutions/resources/docs/faq_beginners-guide-to-thermogravimetric-analysis_009380c_01.pdf.
- PerkinElmer (2010) *Thermogravimetric Analysis (TGA) ; A Beginner's Guide*. doi: 10.1038/nrm1468.
- Prihatiningsih, M. C. (2012) *Pembuatan MCM-48 Tercangkok Gugus Amine dari Silika Limbah Padat Geotermal untuk Penjerap Karbondioksida*. Universitas Gadjah Mada.
- Purwanto, A. S., Taslimah dan Sriatun (2012) 'Sintesis dan Karakterisasi Silica Gel dari Tetraetilortosilikat (TEOS) Menggunakan Surfaktan Polyethylene Glycol (PEG) 6000 dalam Kondisi Basa', *Jurnal Kimia Sains dan Aplikasi*, 15(1), pp. 1–6. doi: 10.14710/jksa.15.1.1-6.
- Putz, A. dkk. (2015) 'Pore Ordering in Mesoporous Matrices Induced by Different

- Directing Agents', *Journal of Porous Materials*, 22, pp. 321–331. doi: 10.1007/s10934-014-9899-z.
- Putz, A. dkk. (2017) 'Mesoporous Silica Obtained with Methyltriethoxysilane as Co-precursor in Alkaline Medium', *Applied Surface Science*, 424, pp. 275–281. doi: 10.1016/j.apsusc.2017.04.121.
- Qiu, Y. dkk. (2014) 'Explosive Thermal Reduction of Graphene Oxide-Based Materials: Mechanism and Safety Implications', *Carbon*, 2, pp. 215–223. doi: 10.1016/j.carbon.2014.02.005.
- Qiu, Y. dkk. (2016) 'Influence of External Heating Rate on the Structure and Porosity of Thermally Exfoliated Graphite Oxide', *Carbon*. Elsevier Ltd. doi: 10.1016/j.carbon.2016.10.051.
- Rachman, A., Edwin, F. dan Sebleku, P. (2012) 'Karakterisasi Pasir Silika Cibadak Sukabumi Sebagai Bahan Baku Pembuatan Ramming Mx Silica', *Majalah Metalurgi*, V, pp. 263–272.
- Rafiee, E. dkk. (2012) 'Optimization of Synthesis and Characterization of Nanosilica Produced from Rice Husk (a Common Waste Material)', *International Nano Letters*, 2, p. 29. doi: 10.1186/2228-5326-2-29.
- Raheem, A. A. dan Kareem, M. A. (2017) 'Chemical Composition and Physical Characteristic of Rice Husk Ash Blended Cement', *International Journal of Engineering Research in Africa*, 22, pp. 25–35.
- Rahman, I. A. dan Padavettan, V. (2012) 'Synthesis of Silica Nanoparticles by Sol-Gel: Size-Dependent Properties, Surface Modification, and Applications in Silica-Polymer Nanocomposites — A Review', *Journal of Nanomaterials*, 2012, pp. 1–15. doi: 10.1155/2012/132424.
- Rahmat, N., Sadon, N. dan Yusof, M. A. (2017) 'Thermogravimetric Analysis (TGA) Profile at Different Calcination Conditions for Synthesis of PTES-SBA-15', *American Journal of Applied Sciences*, 14(10), pp. 938–944. doi: 10.3844/ajassp.2017.938.944.
- Ramelan, A. H. dkk. (2016) 'Preparation of Xerogel SiO₂ from Roasted Iron Sand Under Various Acidic Solution', *Journal of Physics: Conference Series*, 776(1). doi: 10.1088/1742-6596/776/1/012032.
- Riyanto, N. dkk. (2012) 'Kinetika Pelarutan Silika Amorf dari Lumpur Panas Bumi Dieng', *Jurnal Rekayasa Proses*, 6(1), pp. 1–6. doi: 10.22146/jrekpros.2450.
- Rodríguez, E. D. dkk. (2012) 'Increase of the Reactivity of Densified Silica Fume by Sonication Treatment', *Ultrasonics Sonochemistry*, 19, pp. 1099–1107. doi: 10.1016/j.ultsonch.2012.01.011.
- Salaguer, J.-L. (2002) 'SURFACTANTS, Types and Uses', *Laboratory of Formulation, Interfaces, Rheology and Processes*, 2, pp. 1–49. doi: 10.1016/j.marpolbul.2013.12.019.
- Samuelson, P. A. (2011) 'Synthesis of MCM-41', in Edler, K. (ed.) *Synthesis*, pp. 22–32.
- Santisteban, J. I. dkk. (2004) 'Loss on ignition: a qualitative or quantitative method for organic matter and carbonate mineral content in sediments?',

Journal of Paleolimnology, 32, pp. 287–299.

- Schawe, D. J. dkk. (2000) 'Interpreting DSC curves Part 1: Dynamic measurements'. Schweiz: Promotion and Dokumentation Schweizenbeach.
- Schmid, G. (2008) *Nanotechnology: Volume 1: Principles and Fundamentals*. Jerman: WILEY-VCH Verlag GmbH & Co. KGaA.
- Schmitt, T. M. (2001) *Analysis of Surfactans, second edition Revised and Expanded*. 2nd editio. United States: Marcel Dekker, Inc.
- Schumacher, B. A. (2002) *Methods for the Determination of Total Organic Carbon (TOC) in Soils and Sediments: April 2002*. Las Vegas: Ecological Risk Assasment Support Center.
- Scimeca, M. dkk. (2018) 'Energy Dispersive X-ray (EDX) microanalysis: A powerful tool in biomedical research and diagnosis', *European Journal of Histochemistry*, 62, p. 2841. doi: 10.4081/ejh.2018.2841.
- Seo, J. dkk. (2018) 'Controlling the Size of Pt Nanoparticles With a Cationic Surfactant, CnTABr', *CrystEngComm*. doi: 10.1039/C7CE02235B.
- Shangzhong, Z. dkk. (2018) 'Effects of Particle Size and Heating Rate on Evolution of Products from Pyrolysis of Phenolic Circuit Boards', *Environmental Engineering Science*, 35(2), pp. 95–100. doi: 10.1089/ees.2015.0546.
- Sharafudeen, R. dkk. (2017) 'Preparation and Characterization of Precipitated Silica using Sodium Silicate Prepared from Saudi Arabian Desert Sand', *Silicon*. Silicon, 9, pp. 917–922. doi: 10.1007/s12633-016-9531-8.
- Sheena, P. A. dkk. (2014) 'Effect of Calcination Temperature on the Structural and Optical Properties of Nickel Oxide Nanoparticles', *Nanosystem: Physics, Chemistry, Mathematics*, 5(3), pp. 441–449. Available at: <http://nanojournal.ifmo.ru/en/wp-content/uploads/2014/06/NPCM53P441.pdf>.
- Sheng, J. J. (2011) 'Surfactant Flooding', in *Modern Chemical Enhanced Oil Recovery*. Oxford: Elsevier, pp. 239–335. doi: 10.1016/B978-1-85617-745-0.00007-3.
- Shim, J., Velmurugan, P. dan Oh, B. T. (2015) 'Extraction and Physical Characterization of Amorphous Silica Made from Corn Cob Ash at Variable pH Conditions Via Sol Gel Processing', *Journal of Industrial and Engineering Chemistry*. The Korean Society of Industrial and Engineering Chemistry, 30, pp. 249–253. doi: 10.1016/j.jiec.2015.05.029.
- Singh, L. P. dkk. (2011) 'Functional Role of Cationic Surfactant to Control the Nano Size of Silica Powder', *Appl Nanosci*, 1, pp. 117–122. doi: 10.1007/s13204-011-0016-1.
- Sinha, I. and Mandal, R. K. (2011) 'Avrami Exponent Under Transient and Heterogeneous Nucleation Transformation Conditions', *Journal of Non-Crystalline Solids j*. Elsevier B.V., 357, pp. 919–925. doi: 10.1016/j.jnoncrysol.2010.11.005.
- Siswanto dkk. (2012) 'Perekayasaan Nanosilika Berbahan Baku Silika Lokal Sebagai Filler Kompon Karet Rubber Air Bag Peluncur Kapal Dari

- Galangan', *Prosiding InSINas*, pp. 56–59. Available at: http://biofarmaka.ipb.ac.id/biofarmaka/2013/PIRS_2012_file-TR-TeX_10.pdf.
- Song, X. dkk. (2008) 'Grain Growth Kinetics of BaTiO₃ Nanocrystals During Calcining Process', *Chinese Journal of Chemical Physics*, 21(3), pp. 295–300. doi: 10.1088/1674-0068/21/03/295-300.
- Stachowiak, G. W., Batchelor, A. W. dan Stachowiak, G. B. (2004) 'Lubricant or Process Fluid Analysis', in *Experimental Methods in Tribology*. 1st edn. Amsterdam: Elsevier B.V., pp. 221–252. doi: 10.1016/s0167-8922(04)80025-7.
- Sun, B., Zhou, G. dan Zhang, H. (2016) 'Progress in Solid State Chemistry Synthesis, Functionalization, and Applications of Morphology-Controllable Silica-Based Nanostructures: A review', *Progress in Solid State Chemistry*. Elsevier Ltd, 44(1), pp. 1–19. doi: 10.1016/j.progsolidstchem.2016.01.001.
- Suphaphol, P. (2000) 'Kinetics of Isothermal Crystallization of Syndiotactic Polypropylene: Avrami, Tobin, and Malkin Analysis', *SPE/ANTEC Proceeding*, 2, pp. 1631–1635.
- Susmayanti, W. (2014) *Sintesis Membran Komposit Nanosilika Lapindo-Nafion D2020 Untuk Fuel Cell Suhu Tinggi*. UGM.
- Swedish Institute for Standards (2000a) *SS-EN 12879: Characterization of Sludges – Determination of the Loss on Ignition of Dry Mass*. Swedish: European Committee for Standardization.
- Swedish Institute for Standards (2000b) 'SS-EN 12880: Characterization of sludges – Determination of dry residue and Karaktärisering av slam – Bestämning av torrsubstans och vatten- innehåll', pp. 8–13. Available at: <https://www.sis.se/api/document/preview/28687/>.
- Takeuchi, Y. (2006) *Pengantar Kimia*. Tokyo: Iwanami Shoten, Publishers.
- Tang, S. dkk. (2014) 'Effects of Heating Rate on the Nucleation, Growth and Transformation of InOOH and InO via Solvothermal Reactions', *The Journal of Physical Chemistry*, 118(36), pp. 21170–21176. doi: 10.1021/jp505459z.
- Teymouri, M., Samadi-maybodi, A. dan Vahid, A. (2016) 'A Soft and Efficient Approach for Removal of Template from Mesoporous Silica using Benzene Sulfonamide', *Journal of Nanoanalysis*, 03(01), pp. 26–33.
- TUNC, I. (2014) *Synthesis and Characterization of Silicious Geothermal Scales and Inhibition of Their Formation By Organic Compounds*. Izmir Institute of Technology.
- Ulya, M. R., Perdana, I. dan Mulyono, P. (2017) 'Pengaruh Penambahan Surfaktan Sodium Lignosulfonat (SLS) dalam Proses Pengendapan Nano Calcium Silicate (NCS) dari Geothermal Brine', *Jurnal Rekayasa Proses*, 11(2), pp. 12–19. doi: 10.22146/jrekpros.28245.
- Unger, K. K. (1979) 'Chapter 1 General Chemistry of Silica', *Journal of Chromatography Library*, 16, pp. 1–14. Available at:

<https://www.sciencedirect.com/science/article/abs/pii/S0301477008608052>.

- USDA (2017) *Technical Evaluation Report : Sodium Dodecylbenzene Sulfonate (SDBS)*.
- Vansant, E. F., Voort, P. Van Der dan Vrancken, K. C. (1995) *Characterization and Chemical Modification of the Silica Surface*. Edited by B. Delmon and J. T. Yates. Netherlands: Elsevier.
- Vekilov, P. G. (2010) 'Nucleation', *Cryst Growth*, 10(12), pp. 5007–5019. doi: 10.1021/cg1011633.
- Venkatathri, N. (2007) 'Synthesis of Mesoporous Silica Nanosphere Using Different Templates', *Solid State Communications*, 143(10), pp. 493–497. doi: 10.1016/j.ssc.2007.06.017.
- Vos, B. De dkk. (2005) 'Capability of Loss on Ignition as a Predictor of Total Organic Carbon in Non-Calcareous Forest Soils', *Communications in Soil Science and Plant Analysis*, 36, pp. 2899–2921. doi: 10.1080/00103620500306080.
- Wahyudi, A. dkk. (2011) *Penyiapan Nano Partikel Silika dari Mineral Silikat secara Mekanis*. Jakarta.
- Wang, B. W. dkk. (2006) 'Aligned Ultralong ZnO Nanobelts and Their Enhanced Field Emission', *Advanced Materials*, 18, pp. 3275–3278. doi: 10.1002/adma.200601274.
- Wang, W., Gu, B. dan Liang, L. (2005) 'Effect of Surfactants on the Formation , Morphology , and Surface Property of Synthesized SiO₂ Nanoparticles', *Journal of Dispersion Science and Technology*, 25(5), pp. 593–601. doi: 10.1081/DIS-200027309.
- Wardhani, G. A. P. K. (2017) 'Karakterisasi Silika pada Tongkol Jagung Dengan Spektroskopi Infra Merah dan Difraksi Sinar-X', *Jurnal Kimia Riset*, 2(1), pp. 37–42. Available at: <https://e-journal.unair.ac.id/JKR/article/download/3542/3134>.
- Wardhani, G. A. P. K., Nurlela, N. dan Azizah, M. (2017) 'Silica Content and Structure from Corncob Ash with Various Acid Treatment (HCl, HBr, and Citric Acid)', *Molekul*, 12(2), pp. 174–181. doi: 10.20884/1.jm.2017.12.2.382.
- Wijanarko, A. dkk. (2006) 'Adsorption of Alkyl Benzene Sulfonate Surfactant on Activated Carbon For Biobarrier Purpose', *Proceedings of the 1st International Conference on Natural Resources Engineering & Technology*, pp. 584–590.
- Yamagata, C. dkk. (2012) 'Influence of the Precursor Concentration on the Characteristics of Silica Powder Obtained from Na₂SiO₃ by a Facile Low Temperature Synthesis Process', *Journal of Materials Science and Engineering*, 2(8), pp. 429–436. Available at: <https://www.ipen.br/biblioteca/2012/18918.pdf>.
- Yao, F. dkk. (2008) 'Thermal decomposition kinetics of natural fibers: Activation energy with dynamic thermogravimetric analysis', *Polymer Degradation*

and Stability, 93(1), pp. 90–98. doi:
10.1016/j.polymdegradstab.2007.10.012.

Yu, D. dkk. (2013) ‘TGA Kinetic Study on the Hydrogen Reduction of an Iron Nickel Oxide’, *Mineral Engineering*, 54, pp. 32–38. doi: 10.1016/j.mineng.2013.03.018.

Zana, R. (ed.) (2005) *Dynamics of Surfactant Self-Assemblies: Micelles, Microemulsions, Vesicles, and Lyotropic Phases*. 125th edn. Boca Raton: CRC Press.

Zhu, Y., Wu, S. dan Wang, X. (2011) ‘Nano CaO Grain Characteristics and Growth Model Under Calcination’, *Chemical Engineering Journal*, 175, pp. 512–518. doi: 10.1016/j.cej.2011.09.084.

Zirak, M. B. dan Pezeshki, A. (2015) ‘Effect of Surfactant Concentration on the Particle Size, Stability, and Potential Zeta of Beta Carotene Nano Lipid Carrier’, *International Journal of Current Microbiology and Applied Sciences*, 4(9), pp. 924–932.