

DAFTAR PUSTAKA

- AGS, 2015. *A Pocket Guide to The AGS 2015 Beers Criteria*. American Geriatrics Society, New York.
- Alexandre, T.S., Meira, D.M., Rico, N.C., dan Mizuta, S.K., 2012. Accuracy of Timed Up and Go Test for screening risk of falls among community-dwelling elderly. *Brazilian Journal of Physical Therapy*, **16**: 381–388.
- Alvis, B.D. dan Hughes, C.G., 2015. Physiology Considerations in Geriatric Patients. *Anesthesiology Clinics*, **33**: 447–456.
- American Pharmacists Association, 2009. *Drug Information Handbook, 17th Edition*. Lexi-comp.
- Anne Shumway-Coo, S.B. dan Marjorie Woollacott, 2000. Predicting the Probability for Falls in Community-Dwelling Older Adults Using the Timed Up & Go Test. *Physical Therapy*, .
- Arnold, I., Straube, K., Himmel, W., Heinemann, S., Weiss, V., Heyden, L., dkk., 2017. High prevalence of prescription of psychotropic drugs for older patients in a general hospital. *BMC Pharmacology and Toxicology*, **18**: .
- Australian Commission on Safety and Quality in Health Care, 2009. *Preventing Falls and Harm from Falls in Older People: Best Practice Guidelines for Australian Community Care*. Australian Commission on Safety and Quality in Health Care, Sydney.
- Avionita, N., 2017. Hubungan Tingkat Depresi dengan Resiko Jatuh pada Lnjut Usia di Rumah Pelayanan Lanjut Usia Budi Dharma Yogyakarta. *Program Studi Ilmu Keperawatan Fakultas Ilmu Kesehatan Universitas Aisyiyah Yogyakarta*, 14.
- Azizah, F. dwi, 2017. Hubungan Antara Aktivitas Fisik dengan Resiko Jatuh pada Lanjut Usia di Desa Jaten Kecamatan Juwiring Klaten. *Fakultas Ilmu Kesehatan Universitas Muhammadiyah Surakarta*, .
- Badan Pusat Statistik, 2018. 'Statistik Penduduk Lanjut Usia 2018', . Jakarta.
- Barry, E., Galvin, R., Keogh, C., Horgan, F., dan Fahey, T., 2014. Is the Timed Up and Go test a useful predictor of risk of falls in community dwelling older adults: a systematic review and meta- analysis. *BMC Geriatrics*, **14**: .

- Beauchet, O., Fantino, B., Allali, G., Muir, S.W., Montero-Odasso, M., dan Annweiler, C., 2011. Timed up and go test and risk of falls in older adults: A systematic review. *The journal of nutrition, health & aging*, **15**: 933–938.
- Bloch, F., Thibaud, M., Dugué, B., Brèque, C., Rigaud, A.-S., dan Kemoun, G., 2011. Psychotropic Drugs and Falls in the Elderly People: Updated Literature Review and Meta-Analysis. *Journal of Aging and Health*, **23**: 329–346.
- Bloch, M.L., Jønsson, L.R., dan Kristensen, M.T., 2017. Introducing a Third Timed Up & Go Test Trial Improves Performances of Hospitalized and Community-Dwelling Older Individuals: *Journal of Geriatric Physical Therapy*, **40**: 121–126.
- BPS Provinsi Jawa Timur, 2018. Profil Penduduk Lanjut Usia Provinsi Jawa Timur 2017.
- Buntinx, F., Nielaes, L., Suetens, C., Jans, B., Mertens, R., dan Van den Akker, M., 2002. Evaluation of Charlson's comorbidity index in elderly living in nursing homes. *Journal of Clinical Epidemiology*, **55**: 1144–1147.
- CDC, 2017. 'About CDC's STEADI (Stopping Elderly Accidents, Deaths, & Injuries) Toolkit | STEADI - Older Adult Fall Prevention | CDC Injury Center', . URL: <https://www.cdc.gov/steady/about.html> (diakses tanggal 13/4/2018).
- Chaimowicz, F., Ferreira, T. de J.X.M., dan Miguel, D.F.A., 2000. Use of psychoactive drugs and related falls among older people living in a community in Brazil. *Revista de Saúde Pública*, **34**: 631–635.
- Daly, R.M., Rosengren, B.E., Alwis, G., Ahlborg, H.G., Sernbo, I., dan Karlsson, M.K., 2013. Gender specific age-related changes in bone density, muscle strength and functional performance in the elderly: a-10 year prospective population-based study. *BMC Geriatrics*, **13**: .
- De Winter, S., Vanwynsberghe, S., Foulon, V., Dejaeger, E., Flamaing, J., Sermon, A., dkk., 2016. Exploring the relationship between fall risk-

increasing drugs and fall-related fractures. *International Journal of Clinical Pharmacy*, **38**: 243–251.

Du Young, Ingrid-Katharina Wolf, dan Hildraud Knopf, 2017. Association of psychotropic drugs use with falls among older adults in Germany. Result of the German Health Interview Examination Survey for Adults 2008-2011 (DEGS1). *PLoS ONE*, .

Elder, R., Evans, K., dan Nizette, D., 2008. *Psychiatric and Mental Health Nursing*. Elsevier Australia.

Evans, D., Pester, J., Vera, L., Jeanmonod, D., dan Jeanmonod, R., 2015. Elderly fall patients triaged to the trauma bay: age, injury patterns, and mortality risk. *The American Journal of Emergency Medicine*, **33**: 1635–1638.

Fiebach, N.H., Barker, L.R., Burton, J.R., dan Zieve, P.D., 2007. *Principles of Ambulatory Medicine*. Lippincott Williams & Wilkins.

Gale, C.R., Cooper, C., dan Aihie Sayer, A., 2016. Prevalence and risk factors for falls in older men and women: The English Longitudinal Study of Ageing. *Age and Ageing*, **45**: 789–794.

Ganz DA, Huang C, dan Saliba D, et al, 2013. Preventing Falls in Hospitals: A Toolkit for Improving Quality of Care. *Agency for Healthcare Research and Quality (AHRQ)*, 202.

Greene, B.R., Donovan, A.O., Romero-Ortuno, R., Cogan, L., Ni Scanaill, C., dan Kenny, R.A., 2010. Quantitative Falls Risk Assessment Using the Timed Up and Go Test. *IEEE Transactions on Biomedical Engineering*, **57**: 2918–2926.

Hanlon, J.T., Boudreau, R.M., Roumani, Y.F., Newman, A.B., Ruby, C.M., Wright, R.M., dkk., 2009. Number and Dosage of Central Nervous System Medications on Recurrent Falls in Community Elders: The Health, Aging and Body Composition Study. *The Journals of Gerontology Series A: Biological Sciences and Medical Sciences*, **64A**: 492–498.

Hanlon, J.T., Zhao, X., Naples, J.G., Aspinnall, S.L., Perera, S., Nace, D.A., dkk., 2017. Central Nervous System Medication Burden and Serious Falls in

- Older Nursing Home Residents. *Journal of the American Geriatrics Society*, **65**: 1183–1189.
- Himes, C.L. dan Reynolds, S.L., 2012. Effect of Obesity on Falls, Injury, and Disability. *Journal of the American Geriatrics Society*, **60**: 124–129.
- Hu, D., Shi, X., Sun, L., Zhu, X., Yuan, H., Yang, Y., dkk., 2017. Comorbidity increased the risk of falls in Chinese older adults: a cross-sectional study 12.
- Huang, Y.-Q., Gou, R., Diao, Y.-S., Yin, Q.-H., Fan, W.-X., Liang, Y.-P., dkk., 2014. Charlson comorbidity index helps predict the risk of mortality for patients with type 2 diabetic nephropathy. *Journal of Zhejiang University SCIENCE B*, **15**: 58–66.
- Jenifirst, 2015. The beers criteria for potentially in appropriate medication use in older adults. *American Urological Association*, .
- Jeon, B.-J., 2013. The Effects of Obesity on Fall Efficacy in Elderly People. *Journal of Physical Therapy Science*, **25**: 1485–1489.
- Johnell, K., Bergman, G.J., Fastbom, J., Danielsson, B., Borg, N., dan Salmi, P., 2016. Psychotropic drugs and the risk of fall injuries, hospitalisations and mortality among older adults. *Int J Geriatr Psychiatry*, **7**.
- Katzung, 2007. *Basic and Clinical Pharmacology - 10th Ed.* Mc Graw Hill, United State.
- Kemenkes RI, 2013a. 'Gambaran Kesehatan Lanjut Usia di Indonesia', . *Buletin Jendela Data dan Informasi Kesehatan*, .
- Kemenkes RI, 2013b. Hasil Riset Kesehatan Dasar 2013.
- Kemenkes RI, 2016a. *PMK No. 25 2016 Tentang Rencana Aksi Nasional Kesehatan Lanjut Usia Tahun 2016-2019*. Depkes RI, Jakarta.
- Kemenkes RI, 2016b. Peraturan Menteri Kesehatan Republik Indonesia Nomor 52 Tahun 2016 Tentang Standa Tarif Pelayanan Kesehatan dalam Penyelenggaraan Program Jaminan Kesehatan.
- Kojima, G., Masud, T., Kendrick, D., Morris, R., Gawler, S., Treml, J., dkk., 2015. Does the timed up and go test predict future falls among British

- community-dwelling older people? Prospective cohort study nested within a randomised controlled trial. *BMC Geriatrics*, **15**: .
- Kolind, T., Thom, B., dan Hunt, G., 2016. *The SAGE Handbook of Drug & Alcohol Studies: Social Science Approaches*. SAGE.
- Kwan, E. dan Straus, S.E., 2014. Assessment and management of falls in older people. *Canadian Medical Association Journal*, **12**.
- Lam, W.Y. dan Fresco, P., 2015. Medication Adherence Measures: An Overview. *BioMed Research International*, **2015**: 1–12.
- Lamis, R.L., Kramer, J.S., Hale, L.S., Zackula, R.E., dan Berg, G.M., 2012. Fall risk associated with inpatient medications. *American Journal of Health-System Pharmacy*, **69**: 1888–1894.
- Lamy, P.P., 1982. Comparative Pharmacokinetic Changes and Drug Therapy in an Older Population. *Journal of the American Geriatrics Society*, **30**: S11–S19.
- Leipzig, R.M., Cumming, R.G., dan Tinetti, M.E., 1999. Drugs and Falls in Older People: A Systematic Review and Meta-analysis: I. Psychotropic Drugs. *Journal of the American Geriatrics Society*, **47**: 30–39.
- Lusardi, M.M., Fritz, S., Middleton, A., Allison, L., Wingood, M., Phillips, E., dkk., 2017. Determining Risk of Falls in Community Dwelling Older Adults: A Systematic Review and Meta-analysis Using Posttest Probability. *Journal of Geriatric Physical Therapy*, **40**: 1–36.
- Mangoni, A.A. dan Jackson, S.H.D., 2003. Age-related changes in pharmacokinetics and pharmacodynamics: basic principles and practical applications: Age-related changes in pharmacokinetics and pharmacodynamics. *British Journal of Clinical Pharmacology*, **57**: 6–14.
- Milos, V., Bondesson, Å., Magnusson, M., Jakobsson, U., Westerlund, T., dan Midlöv, P., 2014. Fall risk-increasing drugs and falls: a cross-sectional study among elderly patients in primary care. *BMC Geriatrics*, **14**: .
- Mitchell, R.J., Lord, S.R., Harvey, L.A., dan Close, J.C.T., 2014. Associations between obesity and overweight and fall risk, health status and quality of

- life in older people. *Australian and New Zealand Journal of Public Health*, **38**: 13–18.
- Moden, B., Merlo, J., Ohlsson, H., dan Rosvall, M., 2010. Psychotropic drugs and falling accidents among the elderly: a nested case control study in the whole population of Scania, Sweden. *Journal of Epidemiology & Community Health*, **64**: 440–446.
- NHS, 2012. STOPP START Toolkit Supporting Medication Review.
- Noviyanti, S., 2014. Hubungan Kekuatan Otot Quadriiceps Femoris dengan Resiko Jatuh Pada Lansia. *Fakultas Ilmu Kesehatan Universitas Muhammadiyah Surakarta*, 16.
- Nuttall, F.Q., 2015. Body Mass Index: Obesity, BMI, and Health. *Nutrition Today*, **50**: 117–128.
- Persatuan Endokrinologi Indonesia, 2015. Konsensus Pengelolaan dan Pencegahan Diabetes melitus tipe 2 di Indonesia.
- Pratt, N.L., Ramsay, E.N., Kalisch Ellett, L.M., Nguyen, T. a., Barratt, J.D., dan Roughead, E.E., 2014a. Association between use of multiple psychoactive medicines and hospitalization for falls: Retrospective analysis of a large healthcare claim database. *Drug Safety*, **37**: 529–535.
- Pratt, N.L., Ramsay, E.N., Kalisch Ellett, L.M., Nguyen, T.A., Barratt, J.D., dan Roughead, E.E., 2014b. Association Between Use of Multiple Psychoactive Medicines and Hospitalization for Falls: Retrospective Analysis of a Large Healthcare Claim Database. *Drug Safety*, **37**: 529–535.
- Pretorius, R.W., Gataric, G., Swedlund, S.K., dan Miller, J.R., 2013. Reducing the Risk of Adverse Drug Events in Older Adults **87**: 8.
- Roffman, C.E., Buchanan, J., dan Allison, G.T., 2016. Charlson Comorbidities Index. *Journal of Physiotherapy*, **62**: 171.
- Safarpour, M., Hosseini, S.R., Mohamadzade, M., Bijani, A., dan Fotouhi, A., 2018. Predictors of Incidence of Fall in Elderly Women; A Six-Month Cohort Study. *Bulletin of Emergency and Trauma*, **6**: 226–232.

- Shuto, H., Imakyure, O., Matsumoto, J., Egawa, T., Jiang, Y., Hirakawa, M., dkk., 2010. Medication use as a risk factor for inpatient falls in an acute care hospital: a case-crossover study: Case-crossover study on medication use and fall events. *British Journal of Clinical Pharmacology*, **69**: 535–542.
- Singh, S. dan Bajorek, B., 2014. Defining “elderly” in clinical practice guidelines for pharmacotherapy. *Pharmacy Practice (Internet)*, **12**: 0–0.
- Talmadge, K., Philipson, L., Reusch, J., Hill-Briggs, F., Youssef, G., Bertha, B., dkk., 2018. Standart Medical Care in Diabetes 2018. *J Clin ApplRes Educ*, .
- Tantri, N., sunarti, S., Nurlaila, G., dan Wahono S, D., 2014. Sarkopenia, Latihan, dan Kejadian Jatuh (Falls) pada Populasi Lanjut Usia. *Jurnal Kedokteran Brawijaya*, **28**: 35–39.
- Tareef Al-Aama, 2011. Falls in the elderly. *Canadian Family Physician*, **57**: 771–776.
- The American Guideline Assosciety, 2015. Pocket Guide to 2015 Beers Criteria.
- WHO, 2004. Neuroscience of Psychoactive Substance Use and Dependence. *Addiction*, **99**: 1361–1362.
- WHO, 2008. *WHO Global Report on Falls Prevention in Older Age*. World Health Organization.
- WHO, 2017. *Guideline for ATC Classification and DDD Assignment 2018*. Norway.
- WHO, 2018. 'Falls', . WHO.
- Yoshida, S., 2018. A Global Report on Falls Prevention Epidemiology of Falls 40.
- Zhou, Q., Chen, Y., dan Zhu, ling-ling, 2014a. Effects of drug pharmacokinetic/pharmacodynamic properties, characteristics of medication use, and relevant pharmacological interventions on fall risk in elderly patients. *Therapeutics and Clinical Risk Management*, 437.
- Zhou, Q., Chen, Y., dan Zhu, L.-L., 2014b. Effects of drug pharmacokinetic/pharmacodynamic properties, characteristics of medication use, and relevant pharmacological interventions on fall risk in elderly patients. *Therapeutics and Clinical Risk Management*, 437.