

DAFTAR PUSTAKA

- Abdelhak, J., Namouchi, S., Amami, M., Kébir, H. El, Zid, M.F., and Driss, A., 2014, Iron(III) and Cobalt(III) Complexes with Oxalate and Phenanthroline: Synthesis, Crystal Structure, Spectroscopy Properties and Magnetic Properties, *J. Supercond. Nov. Magn.*, 27, 1693–1700.
- Abounassif, M.A., Amr, A.E., and Mostafa, G.A.E., 2011, PVC Membrane Sensor for Potentiometric Determination of Iron(II) in some Pharmaceutical Formulations Based on A New Neutral Ionophore, *Drug test. Anal.*, 3, 373–379.
- Adhikamsetty, R.K., Gollapalli, N.R., and Jonnalagadda, S.B., 2008, Complexation of Fe²⁺ with 1,10-Phenanthroline forming Ferroin in Acidic Solutions, *Int. J. Chem. Kinet.*, 6, 515–523.
- Altenhofen, M., Cristiane, A., Bierhalz, K., and Kieckbusch, T.G., 2009, Alginate and Pectin Composite Films Crosslinked with Ca²⁺ Ions: Effect of The Plasticizer Concentration, *Carbohydr. Polym.*, 77, 736–742.
- Anonim, 1990, Peraturan Menteri Kesehatan Nomor 416 Tahun 1990 tentang Syarat-syarat dan Pengawasan Kualitas Air, Jakarta.
- Araujo, P., 2009, Key Aspects of Analytical Method Validation and Linearity Evaluation, *J. Chromatogr. B*, 877, 2224–2234.
- Arifin, Z., Irawan, D., Kasim, M., and Fajar, M., 2018, Adsorpsi Logam Fe(II) dalam Limbah Cair Artifisial Menggunakan Komposit Kitosan-Karbon Aktif Cangkang Buah Karet, *Prosiding Seminar Nasional Teknik Kimia*. UPN Yogyakarta, Yogyakarta.
- Awasthi, R., Kulkarni, G.T., Ramana, M.V., Jesus, T. De, Pinto, A., Kikuchi, S., Dal, D., Ghisleni, M., De, M., Braga, S., Bank, P. De, and Dua, K., 2017, Dual Crosslinked Pectin–Alginate Network as Sustained Release Hydrophilic Matrix for Repaglinide, *Int. J. Biol. Macromol.*, 97, 721–732.
- Bierhalz, A.C.K., Altenhofen, M., and Kieckbusch, T.G., 2012, Natamycin Release from Alginate/Pectin Films for Food Packaging Applications, *J. Food Eng.*, 110, 18–25.
- Braccini, I. and Serge, P., 2001, Molecular Basis of Ca²⁺-Induced Gelation in Alginates and Pectins: The Egg-Box Model Revisited, *Biomacromolecules*, 2, 1089–1096.
- Capitan-vallvey, L.F., Arroyo, E., Berenguer, C., Fernandez-Ramos, M.D., and Avidad, R., 2001, Single-use Optical Sensor for The Determination of Iron in

Water and White Wines, *Fresenius J. Anal. Chem.*, 369, 139–144.

Chakrabarty, S., Tonu, N., and Saha, N.K., 2018, Removal of Iron(II) Ion from Aqueous Solution Using Waste Tea Leaves, *Int. J. Eng. Sci.*, 6, 62–67.

Coimbra, P., Ferreira, P., Sousa, H.C. De, Batista, P., Rodrigues, M.A., Correia, I.J., and Gil, M.H., 2011, Preparation and Chemical and Biological Characterization of A Pectin/Chitosan Polyelectrolyte Complex Scaffold for Possible Bone Tissue Engineering Applications, *Int. J. Biol. Macromol.*, 48, 112–118.

Córdova, K., Tello, F., Bierhalz, A.C.K., Garnica, M.G., Martínez, H.E., and Grosso, C.R.F., 2015, Protein Adsorption onto Alginate-Pectin Microparticles and Films Produced by Ionic Gelation, *J. Food Eng.*, 154, 17–24.

Dragan, E.S., Apopei Loghin, D.F., and Cocarta, A.I., 2014, Efficient Sorption of Cu^{2+} by Composite Chelating Sorbents Based on Potato Starch-Graft-Polyamidoxime Embedded in Chitosan Beads, *ACS Appl. Mater. Interfaces*, 6, 16577–16592.

El Jamal, M.M. and Hammud, H.H., 2008, About The Instability of $[\text{Fe}(\text{III})(\text{phen})_3]^{3+}$, *J. Univ. Chem. Technol. Metall.*, 43, 349–356.

Evans, C.H., 1983, The Spectrophotometric Determination of Micromolar Concentrations of Co^{2+} using O-Phenanthroline, *Anal. Biochem.*, 135, 335–339.

Fatah, K., 2013, Pengembangan Film Sensor Kreatinin Berdasarkan Metode Jaffe dengan Mengimobilisasi TOMA-Pikrat dalam Matriks Kitosan-Pektin, *Skripsi*, Departemen Kimia FMIPA UGM, Yogyakarta.

Galus, S. and Lenart, A., 2013, Development and Characterization of Composite Edible Films Based on Sodium Alginate and Pectin, *J. Food Eng.*, 115, 459–465.

Gonzalez, A.G. and Herrador, M.A., 2007, A Practical Guide to Analytical Method Validation, Including Measurement Uncertainty and Accuracy Profiles, *Trends Anal. Chem.*, 26, 227–238.

Gu, X. and Zhou, T., 1996, Determination of Iron(II) in Water by A Spectrophotometric Method After Preconcentration on An Organic Solvent-Soluble Membrane Filter, *Anal. Lett.*, 29, 37–41.

Habibah, N., 2016, Pengembangan Beads PVA/Natrium Alginat sebagai Matriks Imobilisasi 1,5-Difenilkarbazida untuk Deteksi Cr(VI), *Tesis*, Departemen Kimia FMIPA UGM, Yogyakarta.

- Harmita, 2004, Petunjuk Pelaksanaan Validasi Metode dan Cara Perhitungannya, *Maj. Ilmu Kefarmasian*, 1, 117–135.
- Harris, D.C., 2007, Quantitative Chemical Analysis, W.H. Freeman and Company, New York.
- Haynes, C.A. and Norde, W., 1994, Globular Proteins at Solid/Liquid Interfaces, *Colloids Surfaces B*, 2, 517–566.
- Holleman, A.F., and Wiberg, E., 2001, *Inorganic Chemistry*, Academic Press, California.
- Hua, S., Ma, H., Li, X., Yang, H., and Wang, A., 2010, pH-Sensitive Sodium Alginate/Poly(Vinyl Alcohol) Hydrogel Beads Prepared by Combined Ca^{2+} Crosslinking and Freeze-Thawing Cycles for Controlled Release of Diclofenac Sodium, *Int. J. Biol. Macromol.*, 46, 517–523.
- Jaya, S., Durance, T.D., and Wang, R., 2009, Effect of Alginate-Pectin Composition on Drug Release Characteristics of Microcapsules, *J. Microencapsul.*, 26, 143–153.
- Kauffman, G.B., Takahashi, L.T., Pearson, K.H., Sequin, L.W., and Kirschner, S., 1966, *Inorganic Syntheses*, McGraw-Hill Book Company, Inc., New York.
- Kumar, S.A., Thakur, N., Parab, H.J., Pandey, S.P., Shinde, R.N., Pandey, A.K., Kumar, S.D., and Reddy, A.V.R., 2014, A Visual Strip Sensor for Determination of Iron, *Anal. Chim. Acta*, 851, 87–94.
- Lou, T., Chen, L., Chen, Z., Wang, Y., and Li, J, 2011, Colorimetric Detection of Trace Copper Ions Based on Catalytic Leaching of Silver-Coated Gold Nanoparticles, *ACS Appl Mater Interfaces*, 3(11), 4215-4220.
- Manku, G.S., 1980, *Theoretical Properties of Inorganic Chemistry*, Tata McGraw-Hill, New Delhi.
- Mashhadizadeh, M.H., Shoaie, I.S., and Monadi, N., 2004, A Novel Ion Selective Membrane Potentiometric Sensor for Direct Determination of Fe(III) in The Presence of Fe(II), *Talanta*, 64, 1048–1052.
- Mudasir, Mugiyani, and Hadipranoto, N., 2002, Spectrophotometric Determination of Pyrocatechol and Pyrogallol Based on Their Redox Reaction with Iron(III)/ Phenanthroline System, *Indones. J. Chem.*, 2, 161–166.
- Murthy, Y.L.N., Boddeti, G., Bhagavathula, D., Nagalakshmi, K., and Singh, R., 2011, A Simple Inexpensive Detection Method of Nickel in Water using Optical Sensor, *Int. J. ChemTech Res.*, 3, 1285–1291.

- Nesic, A., Onjia, A., Davidovic, S., Dimitrijevic, S., Errico, M.E., Santagata, G., and Mario, M., 2016, Design of Pectin-Sodium Alginate Based Films for Potential Healthcare Application. Study of Chemico-Physical Interactions Between The Components of Films and Assessment of Their Antimicrobial Activity, *Carbohydr. Polym.*, 157, 981–990.
- Ondigo, D.A., Tshentu, Z.R., and Torto, N., 2013, Electrospun Nanofiber Based Colorimetric Probe for Rapid Detection of Fe^{2+} in Water, *Anal. Chim. Acta*, 804, 228–234.
- Peters, F.T., Drummer, O.H., and Musshoff, F., 2007, Validation of New Methods, *Forensic Sci. Int.*, 165, 216–224.
- Poirier, L., Nelson, J., Leong, D., Berhane, L., Hajdu, P., and Lopez-Linares, F., 2016, Application of ICP-MS and ICP-OES on The Determination of Nickel, Vanadium, Iron, and Calcium in Petroleum Crude Oils via Direct Dilution, *Energy and Fuels*, 30, 3783–3790.
- Rajendraprasad, N. and Basavaiah, K., 2010, Highly Sensitive Spectrophotometric Determination of Olanzapine Using Cerium (IV) and Iron (II) Complexes of 1,10-Phenanthroline and 2,2'-Bipyridyl, *J. Anal. Chem.*, 65, 482–488.
- Rezvanian, M., Ahmad, N., Cairul, M., Mohd, I., and Ng, S., 2017, Optimization, characterization, and In Vitro Assessment of Alginate-Pectin Ionic Cross-Linked Hydrogel Film for Wound Dressing Applications, *Int. J. Biol. Macromol.*, 97, 131–140.
- Saithongdee, A., Praphairaksit, N., and Imyim, A., 2014, Electrospun Curcumin-Loaded Zein Membrane for Iron(III) Ions Sensing, *Sensors Actuators B. Chem.*, 202, 935–940.
- Samadi-maybodi, A., Rezaei, V., and Rastegarzadeh, S., 2015, Sol-gel Based Optical Sensor for Determination of Fe(II): A Novel Probe for Iron Speciation, *Spectrochim. Acta Part A Mol. Biomol. Spectrosc.*, 832–837.
- Sharif, T., Niaz, A., Najeeb, M., Zaman, M.I., Ihsan, M., and Sirajuddin, 2015, Isonicotinic Acid Hydrazide-Based Silver Nanoparticles as Simple Colorimetric Sensor for The Detection of Cr^{3+} , *Sensors Actuators, B Chem.*, 216, 402–408.
- Siracusa, V., Romani, S., Gigli, M., Mannozi, C., Cecchini, J.P., Tylewicz, U., and Lotti, N., 2018, Characterization of Active Edible Films based on Citral Essential Oil , Alginate and Pectin, *Materials (Basel)*, 11.
- Smith, R.C., 1961, Infrared Spectra of Substituted 1,10-phenanthrolines, Dissertation, Department of Chemistry Iowa University, Iowa.
- Sombatsri, S., Wittayakun, J., Sanai, K., Kajsanthia, K., and Prayoonpokarach, S.,

2012, An Optical Sensing Film for The Determination of Co(II) Based on Disodium-1-nitroso-2-naphthol-3,6-disulfonate Immobilized in Chitosan Film, *Sensors Actuators B. Chem.*, 166–167, 772–776.

Susanto, N.C.A., 2015, Pembuatan Beads $\nu\kappa$ -Karaginan sebagai Deteksi Kolorimetri Logam Fe dengan Imobilisasi Fenantrolin, *Tesis*, Departemen Kimia FMIPA UGM, Yogyakarta.

Tautkus, S., Steponeniene, L., and Kazlauskas, R., 2006, Determination of Iron in Natural and Mineral Waters by Flame Atomic Absorption Spectrometry, *J.Serb.Chem.Soc.*, 69, 393–402.

Taverniers, I., Bockstaele, E. Van, and Loose, M. De, 2010, *Analytical Method Validation and Quality Assurance*, John Wiley & Sons, Inc.

Tosonian, S., Ruiz, C.J., Rios, A., Frias, E., and Eichler, J.F., 2013, Synthesis, Characterization, and Stability of Iron(III) Complex Ions Possessing Phenanthroline-Based Ligands, *Open J. Inorg. Chem.*, 3, 7–13.

Wang, L., Zhang, Y., Park, Y., Chen, L., and Jung, Y.M., 2017, Quantitative Determination of Iron Ions Based on a Resonance, *Anal. Sci.*, 33, 23–27.

Xu, J., Che, P., and Ma, Y., 1996, More Sensitive way to Determine Iron using an Iron(II)-1,10-Phenanthroline Complex and Capillary Electrophoresis, *J. Chromatogr. A*, 749, 287–294.

Yang, M., Chae, J.B., Kim, C., and Harrison, R.G., 2019, A Visible Chemosensor based on Carbohydrazide for Fe(II), Co(II) and Cu(II) in Aqueous Solution, *R. Soc. Chem.*, 18, 1249–1258.



UNIVERSITAS
GADJAH MADA

SINTESIS FILM ALGINAT/PEKTIN TERIMOBILISASI 1,10-FENANTROLIN UNTUK DETEKSI SECARA KOLORIMETRI ION Fe(II)

NINDYA TRI MULIAWATI, Drs. Dwi Siswanta, M.Eng., Ph.D. ; Dr.rer.nat. Nurul Hidayat Aprilita, M.Si.
Universitas Gadjah Mada, 2019 | Diunduh dari <http://etd.repository.ugm.ac.id/>