

DAFTAR PUSTAKA

- As'ari, A.A., 2018, Karakteristik Respon Sensor Safrole Berbasis *Quartz Crystal Microbalance* (QCM) dengan Lapisan Nanofiber *Polyvinyl Acetate* (PVAc), Skripsi : Universitas Gadjah Mada, Yogyakarta.
- Ayad, Mohamad, dan Minisy, Islam, 2016, Detection and kinetics of methylamine on chitosan film coated quartzcrystal microbalance electrode, *Progress in OrganicCoatings*, Vol. 100, pp. 76-80.
- Bearzotti, A., Macagnano, A., Papa, P., Venditti, I., and Zampetti, E., 2016. A Study of a QCM Sensor Based on Pentacene for the Detection of BTX Vapors in Air, *Sensors and Actuators B: Chemical*, 2017, Vol.240, pp.1160-1164.
- Elisabeta, C., Dobrinas, S., Paunescu, E., Stanciu, G., and Draghici C., 2011, Determination of Aromatic Volatile Compounds in Petrochemical Wastewater, *Environmental Engineering and Management Journal*, 2011, Vol.10, pp.1081-1085.
- Gallego, E., Roca, F. X., Guardino, X., and Rosell, M. G., 2008, Indoor and outdoor BTX Levels in Barcelona City Metropolitan Area and Catalan Rural Areas, *Journal of Environmental Sciences*, 2008, Vol.20, pp.1063-1069.
- Internatioanal Programme on Chemical Safety Environmental Health Criteria 150, Benzene, World Health Orgnization Geneva, 1993.
- Ju, J.F., Syu, M.J., Teng, H.S., Chou, S.K., and Chang, Y.S., 2008, Preparation and Identification of β -cyclodextrin Polymer Thin Film for Quartz Microbalance Sensong of Benzene, Toluene and p-xylene, *Sensors and Actuators B: Chemical*, Vol.132, pp.319-326.
- Matsuno, G., 1999, Sensitivity and Response Time of a Quartz Crystal Microbalance Gas Sensor, *Sensors and Materials*, 11, Vol. 7, pp. 401-412.
- MOCON, Inc., Baseline[®], Gas Analyzers and Sensors. Diakses dari <http://products.baseline-mocon.com/item/ronmental-monitoring-series-9100-gas-chromatograph/bient-air-application-using-a-high-sensitivity-pid/item-1014> pada tanggal 21 Desember 2018.
- Pubchem[®]. Diakses dari <https://pubchem.ncbi.nlm.nih.gov> pada tanggal 21 Desember 2018.

- Park, J.Y., Bea, G.N., and Lee, I.H., 2008, Optimization of the electrospinning conditions for preparation of nanofibers from polyvinylacetate (PVAc) in ethanol solvent, *Journal of Industrial and Engineering Chemistry*, Vol.14, pp.707-713.
- Rianjanu, A., Roto, Julian, T., Hidayat, S.N., Kusumaatmaja, A., Suyono, E.A., dan Triyana, K., 2018, Polyacrylonitrile Nanofiber-Based Quartz Crystal Microbalance for Sensitive Detection of Safrole Sensors, Vol.18, pp.1150.
- Riowirawan, 2017, Pengembangan Sensor Uap Amoniak dengan Quartz Crystal Microbalance (QCM) Berlapis Chitosan, Tesis: Universitas Gadjah Mada, Yogyakarta.
- Reineke, F.J. and Bächmann K., 1985, Gas Chromatographic Determination of C_2 - C_8 Hydrocarbons and Halocarbons in Ambient Air by Simultaneous Use of Three Detectors. *J Chromatography*, Vol. 323, pp.323-329.
- Shen, Z. Zhang, X., Ma, X., Mi, R., Chen, Y., and Ruan, S., 2018, The significant improvement for BTX (benzene, toluene and xylene) sensing performance based on Au-decorated hierarchical ZnO porous rose-like architectures, *Sensors and Actuators B: Chemical*, Vol.262, 2018, pp.86-94.
- Vives, A.A., 2008, *Piezoelectric Transducers and Application*, Second edition. *Statwide Agricultural Land Use Baseline 2015*, Berlin, Heidelberg: Springer Berlin Heidelberg.
- Yurish, S.Y. and Gomes, M.T.S.R., 2003. Smart Sensor and MEMS. In: *NATO Advanced Study Institute on Smart Sensors and MEMS*. Portugal: Kluwer Academic Publishers, pp.1-489.