



DAFTAR PUSTAKA

- Abu-Laban, R. B., & Shuster, M. (2009). Cardiac Arrest. *Evidence-Based Emergency Medicine*, (225971), 225–233. <https://doi.org/10.1097/GRF.0000000000000273>
- Alam, N., Vegting, I. L., Houben, E., van Berkel, B., Vaughan, L., Kramer, M. H. H., & Nanayakkara, P. W. B. (2015). Exploring the performance of the National Early Warning Score (NEWS) in a European emergency department. *Resuscitation*, 90, 111–115. <https://doi.org/10.1016/j.resuscitation.2015.02.011>
- Alexander, L. K., Lopes, B., Ricchetti-Masterson, K., & Yeatts, K. B. (2015). Second Edition of the ERIC Notebook: Cross-sectional Studies. *ERIC Notebook*, 1–5. https://sph.unc.edu/files/2015/07/nciph_ERIC8.pdf
- Bagshaw, S. M., Webb, S. A. R., Delaney, A., George, C., Pilcher, D., Hart, G. K., & Bellomo, R. (2009). Very old patients admitted to intensive care in Australia and New Zealand: A multi-centre cohort analysis. *Critical Care*, 13(2). <https://doi.org/10.1186/cc7768>
- Bardosono, S. (2010). Dasar pemilihan uji statistik, 1–44. Retrieved from staff.ui.ac.id/system/files/users/.../dasarpemilihanujistatistik.pdf. Diakses pada tanggal 25 Agustus 2018
- Bellomo, R., Goldsmith, D., Uchino, S., Buckmaster, J., Hart, G. K., Opdam, H., ... Gutteridge, G. (2003). A prospective before-and-after trial of a medical emergency team. *Medical Journal of Australia*, 179(6), 283–287. [https://doi.org/bel10089_fm \[pii\]](https://doi.org/bel10089_fm)
- Buist, M., Bernard, S., Nguyen, T. V., Moore, G., & Anderson, J. (2004). Association between clinically abnormal observations and subsequent in-hospital mortality: A prospective study. *Resuscitation*, 62(2), 137–141. <https://doi.org/10.1016/j.resuscitation.2004.03.005>
- Cardoso, L. T. Q., Grion, C. M. C., Matsuo, T., Anami, E. H. T., Kauss, I. A. M., Seko, L., & Bonametti, A. M. (2011). Impact of delayed admission to intensive care units on mortality of critically ill patients: A cohort study. *Critical Care*, 15(1), R28. <https://doi.org/10.1186/cc9975>
- Chen, J., Ou, L., Hillman, K., Flabouris, A., Bellomo, R., Hollis, S. J., & Assareh, H. (2014). The impact of implementing a rapid response system: A comparison of cardiopulmonary arrests and mortality among four teaching hospitals in Australia. *Resuscitation*, 85(9), 1275–1281. <https://doi.org/10.1016/j.resuscitation.2014.06.003>
- Cooke, C. R., Lu, M., & Banerjee, M. (2013). Duration of resuscitation efforts and subsequent survival after in-hospital cardiac arrest. *Lancet*, 380(9852), 1473–1481. [https://doi.org/10.1016/S0140-6736\(12\)60862-9](https://doi.org/10.1016/S0140-6736(12)60862-9).Duration
- Dahlan, S. (2007). *Ilmu Kedokteran Forensik: Pedoman bagi Dokter dan Penegak Hukum*. Semarang: Badan Penerbit Universitas Diponegoro.
- Departemen Anestesiologi, Resusitasi, dan T. I. (2017). *Acute Life Threatening*



- Events Management in Critically Ill Patient.* (B. Adiyanto, Ed.).
Yoggyakarta: RSUP Dr. Sardjito.
- Departemen Kesehatan Republik Indonesia. (2006). *Profil Kesehatan Republik Indonesia*. Jakarta: Depkes RI.
- Departemen Kesehatan Republik Indonesia. (2007). *Standar Pelayanan Minimal Rumah Sakit*. Jakarta: Direktorat Jendral Bina Pelayanan Medik.
- DeVita, M. A., Bellomo, R., Hillman, K., Kellum, J., Rotondi, A., Teres, D., ... Galhotra, S. (2006). Findings of the First Consensus Conference on Medical Emergency Teams. *Critical Care Medicine*, 34(9), 2463–2478. <https://doi.org/10.1097/01.CCM.0000235743.38172.6E>
- DeVita, M. A., Smith, G. B., Adam, S. K., Adams-Pizarro, I., Buist, M., Bellomo, R., ... Winters, B. (2010). “Identifying the hospitalised patient in crisis”-A consensus conference on the afferent limb of Rapid Response Systems. *Resuscitation*, 81(4), 375–382. <https://doi.org/10.1016/j.resuscitation.2009.12.008>
- Driscoll, B. R. O., Howard, L. S., Davison, A. G., & Thoracic, B. (2011). Emergency oxygen use in adult patients : concise guidance, 11(4), 372–375.
- Dundar, Z. D., Ergin, M., Karamercan, M. A., Ayrancı, K., Colak, T., Tuncar, A., ... Gul, M. (2016). Modified Early Warning Score and VitalPac Early Warning Score in geriatric patients admitted to emergency department. *European Journal of Emergency Medicine*, 23(6), 406–412. <https://doi.org/10.1097/MEJ.0000000000000274>
- Goldhill, D. R., Worthington, L., Mulcahy, A., Tarling, M., & Sumner, A. (1999). The patient-at-risk team: Identifying and managing seriously ill ward patients. *Anaesthesia*, 54(9), 853–860. <https://doi.org/10.1046/j.1365-2044.1999.00996.x>
- Griffiths, J. R., & Kidney, E. M. (2012). Current use of early warning scores in UK emergency departments. *Emergency Medicine Journal*, 29(1), 65–66. <https://doi.org/10.1136/emermed-2011-200508>
- Guido, W. G. (2006). *Legal and ethical issues in nursing*. New Jersey: Pearson Prentice Hall.
- Hourihan, F., Bishop, G., Hillman, K. M., & K, D. (1995). The Medical Emergency Team: a new strategy to identify and intervene in high-risk patients. *Clinical Intensive Care*, 6, 269–272. <https://doi.org/10.3109/tcic.6.6.269.272>
- Idris, M. A., & Tjiptomartono, L. A. (2008). *Penerapan Ilmu Kedokteran Forensik Dalam Proses Penyidikan*. Jakarta: Sagung Seto.
- Imron M, M. A. (2010). *Metodologi Penelitian Bidang Kesehatan*. Jakarta: CV Sagung Seto.
- Jäderling, G., & Bellomo, R. (2016). *and Rapid Response Teams Improve Outcomes ? Evidence-Based Practice of Critical Care* (Second Edi). Elsevier Inc. <https://doi.org/10.1016/B978-0-323-29995-4.00005-8>
- Johansson J, & Walther B. (2010). Clinical outcome. *Journal of Gastrointestinal Surgery* (Vol. 4). <https://doi.org/10.1016/j.jgi.2012.10.003>. Breakthroughs
- Joint Commission. (2016). Patient Safety Systems (PS). *Comprehensive Accreditation Manual for Hospitals*, 1(January), 1–54. Retrieved from



- https://www.jointcommission.org/assets/1/18/PSC_for_Web.pdf. Diakses pada tanggal 25 Agustus 2018
- Kolic, I., Crane, S., McCartney, S., Perkins, Z., & Taylor, A. (2015). Factors affecting response to National Early Warning Score (NEWS). *Resuscitation*, 90(2015), 85–90. <https://doi.org/10.1016/j.resuscitation.2015.02.009>
- Komite Akreditasi Rumah Sakit. (2012). Standar Akreditasi Rumah Sakit versi 2012. *Komisi Akreditasi Rumah Sakit*, 1–421. <https://doi.org/10.1016/j.resuscitation.2015.02.009>
- Konrad, D., Jäderling, G., Bell, M., Granath, F., Ekbom, A., & Martling, C. R. (2010). Reducing in-hospital cardiac arrests and hospital mortality by introducing a medical emergency team. *Intensive Care Medicine*, 36(1), 100–106. <https://doi.org/10.1007/s00134-009-1634-x>
- Menteri Kesehatan Republik Indonesia. (2010a). Pedoman Penyelenggaraan Pelayanan High Care Unit (HCU) di Rumah Sakit. *Keputusan Menteri Kesehatan Republik Indonesia Nomor 834/MENKES/SK/VII/2010 Tentang Pedoman Penyelenggaraan Pelayanan High Care Unit (HCU) Di Rumah Sakit*. Retrieved from [http://kebijakankesehatanindonesia.net/sites/default/files/file/2011/kepmenkess/KMK No. 834 ttg High Care Unit.pdf](http://kebijakankesehatanindonesia.net/sites/default/files/file/2011/kepmenkess/KMK%20No.%20834%20ttg%20High%20Care%20Unit.pdf). Diakses pada tanggal 25 Agustus 2018
- Menteri Kesehatan Republik Indonesia. (2010b). Pedoman Penyelenggaraan Pelayanan Intensive Care Unit (ICU) Di Rumah Sakit. *Keputusan Menteri Kesehatan Republik Indonesia Nomor: 1778/MENKES/SK/XII/2010*. Retrieved from http://buk.depkes.go.id/index.php?option=com_docman&task=doc_download&gid=604&Itemid=112. Diakses pada tanggal 25 Agustus 2018
- National Institute for Clinical Excellence. (2007). *Recognition of and Response to Acute Illness in Adults In Hospital*. London: NICE.
- Nursalam. (2008). *Konsep dan Penerapan Metodologi Penelitian Ilmu Keperawatan* (2nd ed.). Jakarta: Salemba Medika.
- Opio, M. O., Nansubuga, G., & Kellett, J. (2014). In-hospital mortality of acutely ill medical patients admitted to a resource poor hospital in sub-Saharan Africa and to a Canadian Regional Hospital compared using the abbreviated VitalPAC™ Early Warning Score. *European Journal of Internal Medicine*, 25(2), 142–146. <https://doi.org/10.1016/j.ejim.2013.09.013>
- Petersen, J. A., Antonsen, K., & Rasmussen, L. S. (2016). Frequency of early warning score assessment and clinical deterioration in hospitalized patients: A randomized trial. *Resuscitation*, 101, 91–96. <https://doi.org/10.1016/j.resuscitation.2016.02.003>
- Prytherch, D. R., Smith, G. B., Schmidt, P. E., & Featherstone, P. I. (2010). ViEWS-Towards a national early warning score for detecting adult inpatient deterioration. *Resuscitation*, 81(8), 932–937. <https://doi.org/10.1016/j.resuscitation.2010.04.014>
- Riset Kesehatan Dasar (RISKESDAS). (2013). Badan Penelitian dan Pengembangan Kesehatan Kementerian RI Tahun 2013. Retrieved from <http://www.depkes.go.id/resources/download/general/hasil%20riskesdas%202013.pdf>. Diakses pada tanggal 26 Agustus 2018



- Rumah Sakit Umum Pusat (RSUP) Dr. Sardjito. (2017). *Laporan Tahunan Tahun 2017*. Yogyakarta: RSUP Dr. Sardjito.
- Roger V. L. (2013). Epidemiology of heart failure. *Circulation research*, 113(6), 646–659. doi:10.1161/CIRCRESAHA.113.300268
- Royal College of Physicians. (2012). *National Early Warning Score (NEWS) - Standardising the assessment of acute-illness severity in the NHS*. Report of a working party. London: RCP
- Sandroni, C., Nolan, J., Cavallaro, F., & Antonelli, M. (2007). In-hospital cardiac arrest: Incidence, prognosis and possible measures to improve survival. *Intensive Care Medicine*, 33(2), 237–245. <https://doi.org/10.1007/s00134-006-0326-z>
- Siddiqui, S., Chua, M., Kumaresan, V., & Choo, R. (2018). A comparison of pre ICU admission SIRS , EWS and q SOFA scores for predicting mortality and length of stay in ICU. *Journal of Critical Care*, 41(2017), 191–193. <https://doi.org/10.1016/j.jcrc.2017.05.017>
- Smith, G. B. (2013). Have we found the perfect early warning score? A view of ViEWS. *Resuscitation*, 84(6), 707–708. <https://doi.org/10.1016/j.resuscitation.2013.04.001>
- Smith, G. B., Prytherch, D. R., Meredith, P., Schmidt, P. E., & Featherstone, P. I. (2013). The ability of the National Early Warning Score (NEWS) to discriminate patients at risk of early cardiac arrest, unanticipated intensive care unit admission, and death. *Resuscitation*, 84(4), 465–470. <https://doi.org/10.1016/j.resuscitation.2012.12.016>
- Somme, D., Maillet, J. M., Gisselbrecht, M., Novara, A., Ract, C., & Fagon, J. Y. (2003). Critically ill old and the oldest-old patients in intensive care: Short- and long-term outcomes. *Intensive Care Medicine*, 29(12), 2137–2143. <https://doi.org/10.1007/s00134-003-1929-2>
- Subbe, C. P., Kruger, M., Rutherford, P., & Gemmel, L. (2001). Validation of a modified Early Warning Score in medical admissions. *QJM : Monthly Journal of the Association of Physicians*, 94(10), 521–526. <https://doi.org/10.1093/qjmed/94.10.521>
- The Joint Commission, A. (2011). Sudden Cardiac Arrest Meeting the Challenge Sudden Cardiac Arrest : Meeting the Challenge, 1–87. Retrieved from http://www.jointcommission.org/sudden_cardiac_arrest_initiatives/. Diaskes pada tanggal 30 Agustus 2018
- Touati, B. (2007). Improving patient safety. *Practical procedures {&} aesthetic dentistry : PPAD* (Seventh Ed, Vol. 19). 1-5. Elsevier Inc. <https://doi.org/10.1016/B978-0-323-28782-1.00004-6>
- Wachter. (2012). *Understanding patient safety* (2nd ed.). Newyork: McGraw Hill Medical.
- Young, M. P., Gooder, V. J., McBride, K., James, B., & Fisher, E. S. (2003). Inpatient transfers to the intensive care unit: Delays are associated with increased mortality and morbidity. *Journal of General Internal Medicine*, 18(2), 77–83. <https://doi.org/10.1046/j.1525-1497.2003.20441.x>