

DAFTAR PUSTAKA

- Abdullah, T. & A. Rauf. 2011. Karakteristik populasi dan serangan Penggerek jagung asia, *Ostrinia furnacalis* (Lepidoptera: Pyralidae) dan hubungannya dengan kehilangan hasil. *J. Fitomedika* 7: 175-181.
- Alcantara, E., A. Estrada, V. Alpuerto & G. Head. 2011. Monitoring Cry1Ab susceptibility in Asian corn borer (Lepidoptera:Crambidae) on Bt corn in the Philippines. *Crop Prot.* 30: 554-559.
- Altschul, S.F., W. Gish, W. Miller, E.W. Myers & D.J. Lipman. 1990. Basic local alignment search tool. *J. Mol. Biol.* 215: 403-410.
- Amarillo-Suarez, A.R., R. C. Stillwell & C.W. Fox. 2011. Natural selection on body size is mediated by multiple interacting factors: a comparison of beetle populations varying naturally and experimentally in body size. *Ecol. Evol.* DOI:10.1002/ece3.1.
- Andow, D.A. & A.R. Ives. 2015. Monitoring and adaptive resistance management. *Ecol. Appl.* 12:1378–1390.
- Andow, D.A. & C. Zwahlen. 2006. Assessing environmental risks of transgenic plants. *Ecol. Lett.* 9: 196–214.
- Atkinson, D. 1994. Temperature and organism size-a biological law for ectotherms? *Adv. Ecol. Res.* 25:1-58.
- Bahagiawati. 2011. Plot refugium untuk pengelolaan resistensi hama terhadap tanaman transgenik Bt. *J. AgroBiogen* 7:128-137.
- Barton, M., P. Sunnucks, M. Norgate, N. Murray & M. Kearney. 2014. Co-gradient variation in growth rate and development time of a broadly distributed butterfly. *PLoS ONE* 9(4): e95258. doi:10.1371/journal.pone.0095258.
- Blackburn, T.M., K.J. Gaston & N. Loder. 1999. Geographic gradients in body size: a clarification of Bergmann's rule. *Divers. Distrib.* 5:165-174.
- Bohn, M., R.C. Kreps, D. Klein & A.E. Melchinger. 1999. Damage and grain yield losses caused by European corn borer (Lepidoptera: Pyralidae) in early maturing European maize hybrids. *J. Econ. Entomol.* 92: 723-731.
- Bourguet, D., M.T. Bethenod, N. Pasteur & F. Viard. 2000. Gene flow in the European corn borer *Ostrinia nubilalis*: implications for the sustainability of transgenic insecticidal maize. *Proc. Biol. Sci.* 267: 117-122.
- BPS (Badan Pusat Statistik Indonesia). 2018. *Statistik Indonesia 2018*. Badan Pusat Statistik. Jakarta.719p.
- Brindley, T.A. & F.F. Dicke. 1963. Significant developments in European corn borer research. *Ann. Rev. Entomol.* 8: 155-176.

- Calcagno, V., C. Mitoyen, P. Audiot, S. Ponsard, G.Z. Gao, Z.Z. Lu, Z.Y. Wang, K.L. He & D. Bourguet. 2017. Parallel evolution of behaviour during independent host-shifts following maize introduction into Asia and Europe. *Evol. Appl.* 10:881-889.
- Calvo, D. & J.M. Molina. 2005. Fecundity-body size relationship and other reproductive aspect of *Streblothe panda* (Lepidoptera: Lasiocampidae). *Ann. Entomol. Soc. Am.* 98:191-196.
- Carson, W.P. & R.B. Root. 2000. Herbivory and plant species coexistence: community regulation by an outbreaking phytophagous insect. *Ecol. Monogr.* 70:73-99.
- Cayabyab, B.F., E.P. Alcantara, A.C. Sumalde, P.G. Gonzales, W.R. Cuaterno, B.D. Siegfried, M.C. Malenab, J.M. Belen & K. Ardez. 2015. F2 screening for rare resistance alleles of Asian corn borer, *Ostrinia furnacalis* Guenée (Lepidoptera: Crambidae) in the Philippines. *Journal ISSAAS* 21:1-7.
- Chapman, R.F. 1998. *The insects structure and function*. 4th edition. Cambridge University Press. New York. USA. 770p.
- Chen, R.Z., M.G. Klein, Q.Y. Li, L.B. Li, P.P. Li & C.F. Sheng. 2015. Do second generation Asia corn borer (Lepidoptera: Crambidae) immigrate to corn fields from alternate habitats? *J. Asia-Pac. Entomol.* 18: 687-693.
- Cheraghali, Z., M. Esfandiari, M.S. Mossadegh & H.R. Memari. 2015. Genetic diversity of populations of the stem borer *Sesamia nonagrioides* (Lepidoptera: Noctuidae) in southern and southwestern Iran, using RAPD-PCR. *North-West. J. Zool.* 11: 70–75.
- Chesnokov, Y.V. & A.M Artemyeva. 2015. Evaluation of the measure of polymorphism Information of genetic diversity. *Agric. Biol.* 50: 571-578.
- Chown, S.L. & K.J. Gaston. 2010. Body size variation in insects: a macroecological perspective. *Biol. Rev.* 85:139-169.
- Coates, B.S., D.V. Sumerford, R.L. Hellmich & L.C. Lewis. 2005a. Partial mitochondrial genome sequences of *Ostrinia nubilalis* and *Ostrinia furnacalis*. *Int. J. Biol. Sci.* 1: 13-18.
- Coates, B.S., D.V. Sumerford, R.L. Hellmich & L.C. Lewis. 2005b. Sequence variation in the cadherin gene of *Ostrinia nubilalis*: a tool for field monitoring. *Insect Biochem. Mol. Biol.* 35:129-139.
- Coates, B.S., R.L. Hellmich & L.E. Lewis. 2005c. Polymorphic CA/GT and GA/CT microsatellite loci for *Ostrinia nubilalis* (Lepidoptera: Crambidae). *Mol. Ecol. Notes* 5:10-12.
- Coates, B.S., D.O. Bayles, K.W. Wanner & H.M. Robertson. 2011. The application and performance of single nucleotide polymorphism markers for population genetic analysis of Lepidoptera. *Front. Genet.* 2:1-10.

- Dalecky, A., S.M. Bogdanowicz, E.B. Dopman, D. Bourguet & R.G. Harrison. 2006. Two multiplex sets of eight and five microsatellite markers for the European corn borer, *Ostrinia nubilalis* Hübner (Lepidoptera: Crambidae). *Mol. Ecol. Notes* 6: 945–947.
- da-Lopez, Y. F., Y.A. Trisyono, Witjaksono & Subiadi. 2014. Pola sebaran kelompok telur *Ostrinia furnacalis* Guenée (Lepidoptera: Crambidae) pada lahan jagung. *J. Entomol. Indon.* 11: 81-92.
- Dopman, E.B., L. Perez, S.M. Bogdanowicz & R.G. Harrison. 2005. Consequences of reproductive barriers for genealogical discordance in the European corn borer. *Proc. Natl. Acad. Sci. USA* 102:14706-14711.
- Downey, J.C. & A.C. Allyn. 1975. Wing-scale morphology and nomenclature. *Bull. Allyn museum* 31:1-32.
- Elliot, N.C., D.W. Onstad & M.J. Brewer. 2008. History and ecological basis for Areawide Pest Management. *In: Areawide Pest Management: Theory and implementation*. Eds. O. Koul, G. Cuperus and N. Elliot. CAB International. pp.15-33.
- Engels, H., D. Bourguet, L. Cagan, B. Manachini, I. Schuphan, T.J. Stodola, A. Micoud, C. Brazier, C. Mottet & D.A. Andow. 2010. Evaluating Resistance to Bt Toxin Cry1Ab by F2 Screen in European Populations of *Ostrinia nubilalis* (Lepidoptera: Crambidae). *J. Econom. Entomol.* 103:1803–1809.
- Fairbairn, D.J. 1997. Allometry for sexual size dimorphism: pattern and process in the coevolution of body size in males and females. *Ann. Rev. Ecol. Syst.* 28: 659-687.
- Felsenstein, J. 1985. Limits on phylogenies: an approach using the bootstrap. *Evolution* 39: 783-791.
- Fischer, K. & K. Fiedler. 2000. Sex-related differences in reaction norms in the butterfly *Lycaena tityrus* (Lepidoptera; Lycaenidae). *Oikos* 90: 372-380.
- Folmer, O., M. Black, W. Hoeh, R. Lutz & R. Vrijenhoek. 1994. DNA primers for amplification of mitochondrial cytochrome c oxidase subunit I from diverse metazoan invertebrates. *Mol. Mar. Biol. Biotechnol.* 3: 294-299.
- French, W.B. & L. Hammack. 2014. Male reproductive competition and components of females fitness in relation to body size in Northern corn rootworm (Coleoptera: Chrysomelidae). *Ann. Entomol. Soc. Am.* 107: 279-287.
- French-Constant, R.H. & C. Bass. 2017. Does resistance really carry a fitness cost? *Curr. Opin. Insect Sci.* 21: 39-46.
- Frolov, A.N. 1998. Variation in the European corn borer, *Ostrinia nubilalis*, and allies (Lepidoptera, Pyralidae). *Mem. Soc. r. belge Ent.* 38: 71-105.
- Frolov, A.N., D. Bourguet & S. Ponsard. 2007. Reconsidering the taxonomy of several *Ostrinia* species in the light of reproductive isolation: a tale for Ernst Mayr. *Biol. J. Linn. Soc.* 91: 49-72.

- Gassmann, A.J., Y. Carriere & B.E. Tabashnik. 2009. Fitness costs of insect resistance to *Bacillus thuringiensis*. *Annu. Rev. Entomol.* 54:147-163
- Gullan, P.J. & P.S. Cranston. 2010. *The insects: an outline of entomology*. Fourth Ed. Wiley-Blackwell. UK.565p.
- Hajibabaei, M., D.H. Janzen, J.M. Burns, W. Hallwachs & P.D.N. Hebert. 2006. DNA barcodes distinguish species of tropical Lepidoptera. *Proc. Natl. Acad. Sci. USA* 103: 968-971.
- Hall, T.A. 1999. BioEdit: A User-Friendly Biological Sequence Alignment Editor and Analysis Program for Windows 95/98/NT. *Nucleic Acids Symp. Ser.* 41: 95-98.
- Hanski, I. 1991. Single-species metapopulation dynamics: concepts, models and observations. *Biol. J. Linn. Soc.* 42: 17-38.
- Hanski, I. 1998. Metapopulation dynamics. *Nature* 396: 41-49
- Hasbi, A.M., R. Raffiudin & I.M. Samudra. 2016. Biologi Penggerek batang jagung *Ostrinia furnacalis* Guenée yang diberi pakan buatan. *J. Sumberdaya Hayati* 2:13-18.
- Hebert, P.D.N., E.H. Penton, J.M. Burns, D.H. Janzen & W. Hallwachs. 2004. Ten species in one: DNA barcoding reveals cryptic species in the neotropical skipper butterfly *Astraptes fulgerator*. *Proc. Natl. Acad. Sci. USA* 101:14812-14817.
- Heckel, D.G., B.E. Tabashnik, Y.B. Liu, L.J. Gahan, A.M. Shelton, J.Z. Zhao & S.W. Baxter. 2001. Diamondback moth resistance to Bt: relevance of genetics and molecular biology to detection and management. *Proceedings of the 4th International Workshop, The management of diamondback moth and other crucifer pests*. Nov. 2001, Melbourne, Australia. pp27-36.
- Herman, M. 2011. Sebelas tahun perkembangan jagung *Bt* dan statusnya secara global. *J. AgroBiogen* 3: 73-79.
- Honěk, A. 1993. Intraspecific variation in body size and fecundity in insects: a general relationship. *Oikos* 66: 483-492.
- Hoshizaki, S., R. Washimori, S. Kubota, A.N. Frolov, D. Kageyama, S. Gomboc, S. Ohno, S. Tatsuki & Y. Ishikawa. 2008a. Limited variation in mitochondrial DNA of maize-associated *Ostrinia nubilalis* (Lepidoptera: Crambidae) in Russia, Turkey and Slovenia. *Eur. J. Entomol.* 105: 545-552.
- Hoshizaki, S., R. Washimori, S. Kubota, S. Ohno, Y. Huang, S. Tatsuki & Y. Ishikawa. 2008b. Two mitochondrial lineage occur in the Asian corn borer. *Ostrinia furnacalis* (Lepidoptera: Crambidae), in Japan. *Bull. Entomol. Res.* 98: 519-526.

- ISAAA (The International Service for the Acquisition of Agri-biotech Applications). 2017. *Global status of commercialized biotech/GM crops in 2017: biotech crop adoption surges as economic benefits accumulate in 22 Years*. ISAAA Brief No. 53. ISAAA: Ithaca, NY. 143p.
- Ishikawa, Y., T. Takanashi, C. Kim, S. Hoshizaki, S. Tatsuki & Y.P. Huang. 1999. *Ostrinia* spp. in Japan: their host plants and sex pheromones. *Entomol. Exp. Appl.* 91: 237-244.
- Johnson, C.N. 1999. Relationships between body size and population density of animals: the problem of the scaling of study area in relation to body size. *Oikos* 85: 565-569.
- Kalshoven, L.G.E. 1981. *The pests of crops in Indonesia*. Ichtar Baru-Van Hoeve. Jakarta. 701p.
- Kasryno, F., E. Pasandaran, Suyanto & M.O. Adnyana. 2007. Gambaran umum ekonomi jagung Indonesia. *Dalam Jagung: teknik produksi dan pengembangan*. Pusat Penelitian dan Pengembangan Tanaman Pangan. Departemen Pertanian Republik Indonesia. Jakarta. pp. 474-497.
- Kim, C.G., S. Hoshizaki, Y.P. Huang, S. Tatsuki & Y. Ishikawa. 1999. Usefulness of mitochondrial COII gene sequences in examining phylogenetic relationships in the Asian corn borer, *Ostrinia furnacalis*, and allied species (Lepidoptera: Pyralidae). *Appl. Entomol. Zool.* 34: 405-412.
- Kim, K.S. & T.W. Sappington. 2004a. Boll weevil (*Anthonomus grandis*, Boheman) (Coleoptera: Curculionidae) dispersal in the southern United States: evidence from mitochondrial DNA variation. *Environ. Entomol.* 33: 457-470.
- Kim, K.S. & T.W. Sappington. 2004b. Genetic structuring of boll weevil populations in the US based on RAPD markers. *Insect Mol. Biol.* 13: 293-303.
- Kim, K.S. & T.W. Sappington. 2013a. Microsatellite data analysis for population genetics. In Stella K. Kantartzi (ed). *Microsatellites: methods and protocols*, Methods in Molecular Biology 1006. pp271-295.
- Kim, K.S. & T.W. Sappington. 2013b. Population genetics strategies to characterize long-distance dispersal of insects. *J. Asia-Pac. Entomol.* 16: 87-97.
- Kim, K.S., B.S. Coates, R.L. Hellmich, D.V. Sumerford & T.W. Sappington. 2008. Isolation and characterization of microsatellite loci from the European corn borer, *Ostrinia nubilalis* (Hübner) (Insecta: Lepidoptera: Crambidae). *Mol. Ecol. Res.* 8: 409-411.
- Kim, K.S., M.J. Bagley, B.S. Coates, R.L. Hellmich & T.W. Sappington. 2009. Spatial and temporal genetic analyses show high gene flow among European corn borer (Lepidoptera: Crambidae) population across the central U.S. corn belt. *Environ. Entomol.* 38: 1312-1323.
- Kimura, M. 1980. A simple method for estimating evolutionary rates of base substitutions through comparative studies of nucleotide sequences. *J. Mol. Evol.* 16: 111-120.

- Kojima, W., T. Fujii, M. Suwa, M. Miyazawa & Y. Ishikawa. 2010. Physiological adaptation of the Asian corn borer *Ostrinia furnacalis* to chemical defenses of its host plant, maize. *J. Insect Physiol.* 56:1349-1355.
- Kottek, M., J. Grieser, C. Bech, B. Rudolf & F. Rubel. 2006. World map of the Köppen-Geiger climate classification updated. *Meteorol. Z.* 15: 259-263.
- Krumm, J.T., T.E. Hunt, S.R. Skoda, G.L. Hein, D..J. Lee, P.L. Clark & J.E. Foster. 2008. Genetic variability of the European corn borer, *Ostrinia nubilalis*, suggests gene flow between populations in the Midwestern United States. *J. Insect Sci.* 8: 1-12.
- LaBarbera, M. 1989. Analyzing body size as a factor in ecology and evolution. *Annu. Rev. Ecol. Syst.* 20: 97-117.
- Legendre, L. & P. Legendre. 1983. *Numerical Ecology*. Elsevier Science Publishing Company Inc. New York. 419p.
- Li, J., B.S. Coates, K.S. Kim, D. Bourguet, S. Ponsard, K. He & Z. Wang. 2014. The genetic structure of Asian corn borer, *Ostrinia furnacalis*, populations in China: haplotype variance in northern populations and potential impact on management of resistance to transgenic maize. *J. Hered.* 105: 642-655.
- Lihawa, M., Witjaksono & N.S. Putra. 2010. Survei Penggerek batang jagung dan kompleks musuh alamnya di Provinsi Gorontalo. *J. Perlindungan Tanaman Indonesia* 16: 82-87.
- Lovich, J.E. & J.W. Gibbons. 1992. A review of techniques for quantifying sexual size dimorphism. *Growth Dev. Aging* 56: 269-281.
- Marcon, P.C.R.G., D.B. Taylor, C.E. Mason, R.L. Hellmich & D. Siegfried. 1999. Genetic similarity among pheromone and voltinism races of *Ostrinia nubilalis* (Hubner) (Lepidoptera: Crambidae). *Insect Mol. Biol.* 8: 213-221.
- Martel, C., A. Rejasse, F. Rousset, M-T. Bethenod & D. Bourguet. 2003. Host-plant-associated genetic differentiation in northern French populations of the European corn borer. *Heredity* 90: 141-149.
- Mayr, E. 1982. *Systematics and the origin of species*. Columbia University Press. New York. USA. 334p.
- McKenzie, J.A. 2000. The character or the variation: the genetic analysis of the insecticide-resistance phenotype. *Bull. Entomol. Res.* 90: 3-7.
- Miller, W.E. 2005. Extrinsic effects on fecundity-maternal weight relations in capital-breeding Lepidoptera. *J. Lepid. Soc.* 59: 143-160.
- Mohan, S., S. Banerjee, S.P. Mohanty, G.K. Saha & G. Aditya. 2014. Assessment of pupal productivity of *Aedes* and co-occurring mosquitoes in Kolkata, India. *Southeast Asian J. Trop. Med. Public Health* 45: 1279-1291.
- Moore, W.S. 1995. Inferring phylogenies from *mtDNA* variation: mitochondrial-gene trees versus nuclear-gene trees. *Evolution* 49: 718-726.

- Mutuura, A. & E. Munroe. 1970. Taxonomy and distribution of the European corn borer and allied species (Genus *Ostrinia*). *Mem. Entomol. Soc. Can.*71:1–112.
- Nafus, D.M. & I.H. Schneider. 1991. Review of the Biology and control of the Asian corn borer, *Ostrinia furnacalis* (Lep: Pyralidae). *Trop. Pest Manag.* 37: 41-56.
- Nagy, S., P. Poczai, I. Cernak, A.M. Gorji, G.Hegedus & J. Taller. 2012. PICcalc: an online program to calculate polymorphic information content for molecular genetic studies. *Biochem. Genet.* 50: 670-672.
- Nakano, R., T. Takanashi, N. Skals, A. Surlykke & Y. Ishikawa. 2010. Ultrasonic courtship songs of male Asian corn borer moths assist copulation attempts by making the females motionless. *Physiol. Entomol.* 35:76-81.
- Nakano, R., Y. Ishikawa, S. Tatsuki, A. Surlykke, N. Skals & T. Takanashi. 2006. Ultrasonic courtship song in the Asian corn borer moth, *Ostrinia furnacalis*. *Naturwissenschaften* 93: 292-296.
- Nei, M. 1972. Genetic distance between population. *Am. Nat.* 106: 283-292.
- Nia, N.E., J. Razmjou, B. Naseri & N.G.M.Z. Khiaban. 2016. Genetic variability of host populations of the European corn borer, *Ostrinia nubilalis* (Hubner) (Lepidoptera: Crambidae) in Iran. *Mun. Ent. Zool.* 11: 188-196.
- Nonci, N. 2004. Biologi dan musuh alami penggerek batang *Ostrinia furnacalis* Guenée (Lepidoptera: Pyralidae) pada tanaman jagung. *J. Litbang Pertanian* 23: 8-14.
- Nunney, L. 2007. Pupal period and adult size in *Drosophila melanogaster*: a cautionary tale of contrasting correlations between two sexually dimorphic traits. *J. Evol. Biol.* 20: 141-151.
- Nylin, S. & K. Gotthard. 1998. Plasticity in life-history traits. *Annu. Rev. Entomol.* 43: 63-83.
- Oldeman, I.R. 1975. *The agroclimatic map of Java and Madura*. Contributions from the Central Research Institute for Agriculture. Bogor. Indonesia.
- Orr, H.A. 2009. Fitness and its role in evolutionary genetics. *Nat. Rev. Genet.* 10: 531-539.
- Patty, J.A. 2012. Teknik pengendalian hama *Ostrinia furnacalis* pada tanaman jagung manis. *J. Agroforestri* 7: 50-58.
- Peakall, R. & Smouse P.E. 2012. GenAIEx 6.5: genetic analysis in excel. Population genetic software for teaching and research—an update. *Bioinformatics* 28: 2537-2539.
- Pereira, F., J. Carneiro & A. Amorim. 2006. Identification of species with DNA-based technology: current progress and challenges. *Recent Pat. DNA Gene Seq.* 2 : 187-200.

- Pielou, E.C. 1984. *The interpretation of ecological data*. John Wiley & Sons. USA. 263p.
- Piwczynski, M., M. Pabijan, A. Grzywacz, W. Glinkowski, P.K. Beres & J. Buszko. 2016. High regional genetic diversity and lack of host-specificity in *Ostrinia nubilalis* (Lepidoptera: Crambidae) as revealed by *mtDNA* variation. *Bull. Entomol. Res.* 106: 512-521.
- Pornkulwat, S., S.R. Skoda, G.D. Thomas & J.E. Foster. 1998. Random amplified polymorphic DNA used to identify genetic variation in ecotypes of the European corn borer (Lepidoptera: Pyralidae). *Ann. Entomol. Soc. Am.* 91: 719-725.
- R core team. 2018. *R: a language and environment for statistical computing*. R Foundation for Statistical Computing, Vienna, Austria.
- Rahayu, T., Y.A. Trisyono & Witjaksono. 2018. Fitness of Asian corn borer, *Ostrinia furnacalis* (Lepidoptera: Crambidae) reared in an artificial diet. *J. Asia-Pac. Entomol.* 21: 823-828.
- Roush, R.T. & J.A. McKenzie. 1987. Ecological genetics of insecticide and acaricide resistance. *Ann. Rev. Entomol.* 32: 361-380.
- Rukhsana, K. & C.D. Sebastian. 2016. A Study on The mitochondrial *COI* DNA sequence and phylogenetic status of *Anastatus bangalorensis* Mani & Kurian and *Anastatus acherontiae* Narayanan, Subba Rao & Ramachandra Rao (Hymenoptera: Eupelmeidae). *Int. J. Appl. Nat. Sci.* 5: 69-74.
- Saenong, M.S. & J.B. Alfons. 2009. Pengendalian hayati hama penggerek batang jagung. *J. Budidaya Pertanian* 5: 1-10.
- Samal, S., G.R. Rout, S. Nayak, R.M. Nanda, P.C. Lenka & P. Das. 2003. Primer screening and optimization for RAPD analysis of cashew. *Biol. Plantarum* 46: 301-304.
- Sappington, T.W. 2005. First-flight adult European corn borer (Lepidoptera: Crambidae) distribution in roadside vegetation relative to cropping patterns and corn phenology. *Environ. Entomol.* 34: 1541-1548.
- Sappington, T.W. 2018. Migratory flight of insect pests within a year-round distribution: European corn borer as a case study. *J. Integr. Agric.* 17: 1485–1505.
- Setyolaksono, M.P., Suputa & N.S. Putra. 2017. Morphological and molecular observation to confirm the taxonomic of *Coptocerus biguttatus* (Coleoptera: Cerambycidae) on cloves in Ambon and part of Ceram island. *J. Perlindungan Tanaman Indonesia* 21: 96-105.
- Shirai, Y. 1998. Laboratory evaluation of flight ability of the Oriental corn borer, *Ostrinia furnacalis* (Lepidoptera: Pyralidae). *Bull. Entomol. Res.* 88: 327–333.
- Sibly, R.M. & D. Atkinson. 1994. How rearing temperature affects optimal adult size in ectotherms. *Funct. Ecol.* 8: 486-493.

- Slatkin, M. 1984. Ecological causes of sexual dimorphism. *Evolution* 38: 622-630.
- Stillwell, R.C. & C.W. Fox. 2007. Environmental effects on sexual size dimorphism of a seed-feeding beetle. *Oecologia* 153: 273-280.
- Stillwell, R.C., G.E. Morse & C.W. Fox. 2007. Geographic variation in body size and sexual size dimorphism of a seed-feeding beetle. *Am. Nat.* 170: 358-369.
- Stillwell, R.C. W.U. Blackenhorn, T. Teder, G. Davidowitz & C.W. Fox. 2010. Sex differences in phenotypic plasticity affect variation in sexual size dimorphism in insects: from physiology to evolution. *Annu. Rev. Entomol.* 55: 227-245.
- Subiadi, Y.A. Trisyono & E. Martono. 2014. Aras kerusakan ekonomi (AKE) larva *Ostrinia furnacalis* (Lepidoptera: Crambidae) pada tiga fase pertumbuhan tanaman jagung. *J. Entomol. Indon.* 11: 19-26.
- Sun, W., H. Dong, Y.B. Gao, Q.F. Su, H.T. Qian, H.Y. Bai, Z.T. Zhang & B. Cong. 2015. Genetic variation and geographic differentiation among populations of the nonmigratory agricultural pest *Oedaleus infernalis* (Orthoptera: Acridoidea) in China. *J. Insect Sci.* 15: 1-8.
- Sutrisno, H. 2015. Phylogenetic relationships within *Arctornis* (Lepidoptera: Erebidae) based on *COI* gene sequences. *HAYAT J. Biosci.* 22: 6-11.
- Syuaib, M.F. 2016 Sustainable agriculture in Indonesia: Facts and challenges to keep growing in harmony with environment. *Agri. Eng. Int.: CIGR Journal*, 18:170-184.
- Takanashi, T., R. Nakano, A. Surlykke, H. Tatsuta, J. Tabata, Y. Ishikawa & N. Skals. 2010. Variation in courtship ultrasounds of three *Ostrinia* moths with different sex pheromones. *PLoS ONE* 5: 1-12.
- Tamura, K., G. Stecher, D. Peterson, A. Filipski & S. Kumar. 2013. MEGA6: molecular evolutionary genetics analysis version 6.0. *Mol. Biol. Evol.* 30: 2725-2729.
- Teder, T. & T. Tammaru. 2005. Sexual size dimorphism within species increases with body size in insects. *Oikos* 108: 321-334.
- Thompson, J.D., D.G. Higgins & T.J. Gibson. 1994. CLUSTAL W: improving the sensitivity of progressive multiple sequence alignment through sequence weighting, positions-specific gap penalties and weight matrix choice. *Nucleic Acids Res.* 22: 4673-4680.
- Tokuda, M., S. Tanaka & Dao-Hong Zhu. 2010. Multiple origins of *Locusta migratoria* (Orthoptera: Acrididae) in the Japanese archipelago and the presence of two major clades in the world: evidence from a molecular approach. *Biol. J. Linn. Soc.* 99: 570-581.
- Ulrich, W. 2006. Body weight distributions of European Hymenoptera. *Oikos* 114: 518-528.

- Untung, K. 2006. *Pengantar pengelolaan hama terpadu*. Eds. 2 Gadjah Mada University Press. Yogyakarta. 348p.
- Wang, Y., K.S. Kim, W. Guo, Q. Li, Y. Zhang, Z. Wang & B.S. Coates. 2017. Introgression between divergent corn borer species in a region of sympatry: implications on the evolution and adaptation of pest arthropods. *Mol. Ecol.* 26. DOI.10.1111/mec.14387.
- Wiesemuller, B. & H. Rothe. 2006. Interpretation of bootstrap values in phylogenetic analysis. *Anthrop. Anz. Jg.* 64: 161-165.
- Williams, J.G.K., A.R. Kubelik, K.J. Livak, J.A. Rafalski & S.V. Tingey. 1990. DNA polymorphisms amplified by arbitrary primers are useful as genetic markers. *Nucleic Acids Res.* 18: 6531-6535.
- Winston, J.E. 1999. *Describing species: practical taxonomic procedure for biologists*. Columbia University Press. New York. USA. 518p.
- Xiao, L., H.M. He, L.L. Huang, T. Geng, S. Fu & F.S. Xue. 2016 Variation of life-history traits of the Asian corn borer, *Ostrinia furnacalis* in relation to temperature and geographical latitude. *Ecol. Evol.* 6: 5129-5143.
- Xu, M., S. Sun, R. Wang & S. Li. 1998. Genetic variation and phylogenetic relationships among six populations of corn borers in China. *Biochem. Genet.* 36: 289-297.
- Yan, F., X. Liang & X. Zhu. 1999. The role of DIMBOA on the feeding of Asian corn borer, *Ostrinia furnacalis* (Guenee) (Lep., Pyralidae). *J. Appl. Ent.* 123: 49-53.
- Yang, Z. & Y. Zhang. 2011. Comparison of ultrastructure among sibling species of *Ostrinia* (Lepidoptera: Crambidae) from China. *Can. Entomol.* 143: 126-135.
- Yeh, F.C. & T.J.B. Boyle. 1997. Population genetic analysis of co-dominant and dominant markers and quantitative traits. *Belg. J. Bot.* 129: 157.
- Yu, D.J., Z.I. Chen, R.J. Zhang & W.Y. Yin. 2005. Real time qualitative PCR for the inspection and identification of *Bactrocera philippinensis* and *Bactrocera occipitalis* (Diptera: Tephritidae) using SYBR green assay. *Raffles B. Zool.* 53: 73-78.
- Zaidun. 2004. Pengendalian hama jagung dengan sistem pengaturan waktu tanam di lahan kering beriklim basah. *Prosiding Temu Teknis Nasional Tenaga Fungsional Pertanian Tahun 2004*. pp229-235.
- Zhang, D.X. & G.M. Hewitt. 1997. Insect mitochondrial control region: a review of its structure, evolution and usefulness in evolutionary studies. *Biochem. Syst. Ecol.* 25: 99-120.
- Zothansangi, C. Vanlalruati, N.S. Kumar & G. Gurusubramanian. 2011. Genetic variation within two cryptic species of *Cirrochroa* (Heliconiinae: Lepidoptera) by RAPD-PCR technique. *Sci. Vis.* 11: 165-170.