

DAFTAR PUSTAKA

- Almekinders, L.C., Baynes, A.J. and Bracey, L.W., 1995. An in vitro investigation into the effects of repetitive motion and nonsteroidal antiinflammatory medication on human tendon fibroblasts. *The American Journal of Sports Medicine*, 23(1), pp.119-123.
- Amanollahi O, Azizi B. 2013. The comparative study of the outcomes of early and late oral feeding in intestinal anastomosis surgeries in children. *Afr J Paediatr Surg*; 10:74-7.
- Al-Nimer, M.S., Hameed, H.G. and Mahmood, M.M., 2015. Antiproliferative effects of aspirin and diclofenac against the growth of cancer and fibroblast cells: In vitro comparative study. *Saudi Pharmaceutical Journal*, 23(5), pp.483-486.
- Bates, D.O., 2010. Vascular endothelial growth factors and vascular permeability. *Cardiovascular research*, 87(2), pp.262-271.
- Binnebösel, M., Grommes, J., Koenen, B., Junge, K., Klink, C.D., Stumpf, M., Öttinger, A.P., Schumpelick, V., Klinge, U. and Krones, C.J., 2010. Zinc deficiency impairs wound healing of colon anastomosis in rats. *International journal of colorectal disease*, 25(2), pp.251-257.
- Block, B.M., Liu, S.S., Rowlingson, A.J., Cowan, A.R., Cowan Jr, J.A. and Wu, C.L., 2003. Efficacy of postoperative epidural analgesia: a meta-analysis. *Jama*, 290(18), pp.2455-2463.
- Bosmans, J.W., Jongen, A.C., Bouvy, N.D. and Derikx, J.P., 2015. Colorectal anastomotic healing: why the biological processes that lead to anastomotic leakage should be revealed prior to conducting intervention studies. *BMC gastroenterology*, 15(1), p.180
- Carroll, C.C., 2016. Analgesic drugs alter connective tissue remodeling and mechanical properties. *Exercise and sport sciences reviews*, 44(1), p.29.
- Chengdong Ji, Yuanchang Xiong, Xin Pan, Xuan Guo, Zhen Li, Shuwen Qian, Chang Xu, De-Hua Yu, Wan-Qing Liao. 2015. Effect of non-steroidal anti-inflammatory drugs on the increasing the incidence of colonic anastomosis in rats. *Int J Clin Exp Pathol* 2015;8(6):6126-6134
- Compare, D., Nardone, O. and Nardone, G., 2010. Non-steroidal anti-inflammatory drugs in the carcinogenesis of the gastrointestinal tract. *Pharmaceuticals*, 3(8), pp.2495-2516.

- Erpek, S., Kilic, N., Kozaci, D., Dikicioglu, E. and Kavak, T., 2006. Effects of flunixin meglumine, diclofenac sodium and metamizole sodium on experimental wound healing in rats. *Revue de médecine vétérinaire*, 157(4), p.185.
- Esen, E., Sucullu, I., Sinan, H., Filiz, A.I., Yucel, E. and Akin, M.L., 2008. The effects of non-steroid anti-inflammatory drugs on healing of colonic anastomosis in rats. *Eastern Journal of Medicine*, 13(1-2), pp.13-18.
- FitzGerald GA, P.C., 2001. The coxibs, selective inhibitors of cyclooxygenase-2. , 345(23), pp.1706–1712.
- FitzGerald, G.A., 2004. Coxibs and cardiovascular disease. *New England Journal of Medicine*, 351(17), pp.1709-1711.
- Green, J.A., Stockton, R.A., Johnson, C. and Jacobson, B.S., 2004. 5-Lipoxygenase and cyclooxygenase regulate wound closure in NIH/3T3 fibroblast monolayers. *American Journal of Physiology-Cell Physiology*, 287(2), pp.C373-C383.
- Gulcicek, O.B., Solmaz, A., Yigitbas, H., Ercetin, C., Yavuz, E., Ozdogan, K., Biricik, A., Akkalp, A.K., Uzun, H., Kutnu, M. and Celebi, F., 2018. Role of diclofenac sodium and paracetamol on colonic anastomosis: An experimental rodent model. *Asian journal of surgery*, 41(3), pp.264-269.
- Harding, P. and La Pointe, M.C., 2011. Prostaglandin E2 increases cardiac fibroblast proliferation and increases cyclin D expression via EP1 receptor. *Prostaglandins, Leukotrienes and Essential Fatty Acids (PLEFA)*, 84(5-6), pp.147-152.
- Ince, I., Aksoy, M., Ahiskalioglu, A., Comez, M., Dostbil, A., Celik, M., Yilmaz, I., Mammadov, R., Dogan, H., Boztok Ozgermen, B. dan Altuner, D., 2015. A comparative investigation of the analgesic effects of metamizole and paracetamol in rats. *J Invest Surg*, 28(3), pp.173-180
- Jage, J., Laufenberg-Feldmann, R. and Heid, F., 2008. Drugs for postoperative analgesia: routine and new aspects: Part 2: opioids, ketamine and gabapentinoids. *Der Anaesthetist*, 57(5), pp.491-498.
- Jasiecka, A., Maślanka, T. and Jaroszewski, J.J., 2014. Pharmacological characteristics of metamizole. *Polish journal of veterinary sciences*, 17(1), pp.207-214.
- Jones, M.K., Wang, H., Peskar, B.M., Levin, E., Itani, R.M., Sarfeh, I.J. and Tarnawski, A.S., 1999. Inhibition of angiogenesis by nonsteroidal anti-inflammatory drugs: insight into mechanisms and implications for cancer growth and ulcer healing. *Nature medicine*, 5(12), p.1418.
- Jóźwiak-Bebenista, M. dan Nowak, J.Z., 2014. Paracetamol: mechanism of action,

- applications and safety concern. *Acta Pol Pharm*, 71(1), pp.11-23
- Kehlet, H. & Wilmore, D.W., 2008. Evidence-based surgical care and the evolution of fast-track surgery. *Annals of Surgery*, 248(2), pp.189–198.
- Kötter, T., da Costa, B.R., Fässler, M., Blozik, E., Linde, K., Jüni, P., Reichenbach, S. and Scherer, M., 2015. Metamizole-associated adverse events: a systematic review and meta-analysis. *PLoS One*, 10(4), p.e0122918.
- Khan, A.A., Iadarola, M., Yang, H.Y.T. and Dionne, R.A., 2007. Expression of COX-1 and COX-2 in a clinical model of acute inflammation. *The Journal of Pain*, 8(4), pp.349-354.
- Lee, B., Schug, S.A., Joshi, G.P., Kehlet, H. and PROSPECT Working Group, 2018. Procedure-Specific Pain Management (PROSPECT)-An Update. *Best Practice & Research Clinical Anaesthesiology*.
- Maier, C., 1999. Dipyron (metamizol)—a never ending story. *Acute Pain*, 4(2), pp.165-166.
- Menezes, G.B., Rezende, R.M., Pereira-Silva, P.E.M., Klein, A., Cara, D.C. and Francisci, J.N., 2008. Differential involvement of cyclooxygenase isoforms in neutrophil migration in vivo and in vitro. *European journal of pharmacology*, 598(1-3), pp.118-122.
- Nicpoń, J., Siudzińska, A., Marędzia, M., Śmieszek, A., Basińska, K. and Koszykowska, M., 2015. The effect of metamizole and tolafenamic acid on canine and equine adipose-derived mesenchymal stem cells (ASCs) an in vitro research. *Polish journal of veterinary sciences*, 18(1), pp.3-11.
- Oestern, H.J., Trentz, O. dan Uranues, S. eds., 2014. *Bone and Joint Injuries: Trauma Surgery III*. Springer Science & Business Media.
- Ottani, A., Leone, S., Sandrini, M., Ferrari, A. and Bertolini, A., 2006. The analgesic activity of paracetamol is prevented by the blockade of cannabinoid CB1 receptors. *European journal of pharmacology*, 531(1-3), pp.280-281.
- Pickering, G., Lorient, M.A., Libert, F., Eschalier, A., Beaune, P. and Dubray, C., 2006. Analgesic effect of acetaminophen in humans: first evidence of a central serotonergic mechanism. *Clinical Pharmacology & Therapeutics*, 79(4), pp.371-378.
- Pickering, G., Faure, M., de Boissy, E.C., Roche, G., Mom, T., Simen, E., Dubray, C., Eschalier, A. and Gilain, L., 2012. Tropisetron and paracetamol association in post-operative patients. *Fundamental & clinical pharmacology*, 26(3), pp.432-437

- Shigeta, J.I., Takahashi, S. and Okabe, S., 1998. Role of cyclooxygenase-2 in the healing of gastric ulcers in rats. *Journal of Pharmacology and Experimental Therapeutics*, 286(3), pp.1383-1390.
- Reisinger, K.W., Schellekens, D.H., Bosmans, J.W., Boonen, B., Hulsewé, K.W., Sastrowijoto, P., Derikx, J.P., Grootjans, J. and Poeze, M., 2017. Cyclooxygenase-2 is essential for colorectal anastomotic healing. *Annals of surgery*, 265(3), pp.547-554.
- Reuben, S.S., 2007. Update on the role of nonsteroidal anti-inflammatory drugs and coxibs in the management of acute pain. *Current Opinion in Anaesthesiology*, 20(5), pp.440-450.
- Ross, A.R., Hall, N.J., Ahmed, S.A. and Kiely, E.M., 2016. The extramucosal interrupted end-to-end intestinal anastomosis in infants and children; a single surgeon 21 year experience. *Journal of pediatric surgery*, 51(7), pp.1131-1134.
- Rossiello, L., D'andrea, F., Grella, R., Signoriello, G., Abbondanza, C., De Rosa, C., Prudente, M., Morlando, M. and Rossiello, R., 2009. Differential expression of cyclooxygenases in hypertrophic scar and keloid tissues. *Wound repair and regeneration*, 17(5), pp.750-757.
- Schmassmann, A., 1998. Mechanisms of ulcer healing and effects of nonsteroidal anti-inflammatory drugs. *The American journal of medicine*, 104(3S1), pp.43S-51S.
- Shi, S. & Klotz, U., 2008. Clinical use and pharmacological properties of selective COX-2 inhibitors. *European Journal of Clinical Pharmacology*, 64(3), pp.233-252.
- Siddesha, J.M., Valente, A.J., Sakamuri, S.S., Yoshida, T., Gardner, J.D., Somanna, N., Takahashi, C., Noda, M. and Chandrasekar, B., 2013. Angiotensin II stimulates cardiac fibroblast migration via the differential regulation of matrixins and RECK. *Journal of molecular and cellular cardiology*, 65, pp.9-18.
- Simon, L.S, Weaver, A.L., Graham, D.Y., Kivitz, Alan J.K., Lipsky, P.E., Hubbard, R.C., Isakson, P.C., Verburg, K. M., Yu, S.S., Zhao, W.W., Geis, G.S. 2015. Anti-inflammatory and Upper Gastrointestinal Effects of Celecoxib in Rheumatoid Arthritis. *JAMA*. 282(20), pp. 1921-1928
- Slim, K., Joris, J. and Beloeil, H., 2016. Colonic anastomoses and non-steroidal anti-inflammatory drugs. *Journal of visceral surgery*, 153(4), pp.269-275.
- Singla, N.K., Parulan, C., Samson, R., Hutchinson, J., Bushnell, R., Beja, E.G., Ang, R. dan Royal, M.A., 2012. Plasma and cerebrospinal fluid pharmacokinetic parameters after single-dose administration of intravenous, oral, or rectal acetaminophen. *Pain Pract*, 12(7), pp.523-532.

- Stumpf, M., Cao, W., Klinge, U., Klosterhalfen, B., Kasperk, R. and Schumpelick, V., 2002. Collagen distribution and expression of matrix metalloproteinases 1 and 13 in patients with anastomotic leakage after large-bowel surgery. *Langenbeck's Archives of Surgery*, 386(7), pp.502-506.
- Syk, I., Mirastschijski, U., Jeppsson, B.W. and Ågren, M.S., 2003. Experimental colonic obstruction increases collagen degradation by matrix metalloproteinases in the bowel wall. *Diseases of the colon & rectum*, 46(9), pp.1251-1259.
- Thompson, S.K., Chang, E.Y. and Jobe, B.A., 2006. Clinical review: healing in gastrointestinal anastomoses, part I. *Microsurgery: Official Journal of the International Microsurgical Society and the European Federation of Societies for Microsurgery*, 26(3), pp.131-136.
- Tomisato, W., Tsutsumi, S., Rokutan, K., Tsuchiya, T. and Mizushima, T., 2001. NSAIDs induce both necrosis and apoptosis in guinea pig gastric mucosal cells in primary culture. *American Journal of Physiology-Gastrointestinal and Liver Physiology*, 281(4), pp.G1092-G1100.
- Tomlinson, J. and Blikslager, A., 2003. Role of nonsteroidal anti-inflammatory drugs in gastrointestinal tract injury and repair. *Journal of the American Veterinary Medical Association*, 222(7), pp.946-951.
- Vasiliu, E.C., Zarnescu, N.O., Costea, R. and Neagu, S., 2015. Review of Risk Factors for Anastomotic Leakage in Colorectal Surgery. *Chirurgia (Bucharest, Romania: 1990)*, 110(4), pp.319-326.
- Van der Westhuizen, J., Kuo, P.Y., Reed, P.W. dan Holder, K., 2011. Randomised controlled trial comparing oral and intravenous paracetamol (acetaminophen) plasma levels when given as preoperative analgesia. *Anaesth Intensive Care*, 39(2), p.242.
- Vignali, A., Elmore, U., Lemma, M., Guarnieri, G., Radaelli, G. and Rosati, R., 2018. Intracorporeal versus Extracorporeal Anastomoses Following Laparoscopic Right Colectomy in Obese Patients: A Case-Matched Study. *Digestive surgery*, 35(3), pp.236-242.
- Van der Vijver, R.J., van Laarhoven, C.J., Lomme, R.M. and Hendriks, T., 2012. Paracetamol does not compromise early wound repair in the intestine or abdominal wall in the rat. *Anesthesia & Analgesia*, 115(6), pp.1451-1456.
- Shen, W., Prisk, V., Li, Y., Foster, W. and Huard, J., 2006. Inhibited skeletal muscle healing in cyclooxygenase-2 gene-deficient mice: the role of PGE2 and PGF2 α . *Journal of applied physiology*, 101(4), pp.1215-1221.