



DAFTAR PUSTAKA

- Adriaanse, M.C., Drewes, H.W., van der Heide, I., Struijs, J.N., Baan, C.A., 2016. The impact of comorbid chronic conditions on quality of life in type 2 diabetes patients. *Quality of Life Research* 25:175–182.
- Al-Goblan, A.S., Al-Alfi, M.A., Khan, M.Z., 2014. Mechanism linking diabetes mellitus and obesity. *Diabetes, Metabolic Syndrome and Obesity* 7:587-591.
- Al Hayek, A.A., Robert, A.A., Al Saeed, A., Alzaid, A.A., Al Sabaan, F.S., 2014. Factors associated with health-related quality of life among Saudi patients with type 2 diabetes melitus: A Cross-Sectional Survey. *Diabetes & Metabolism Journal* 38:220.
- Amelia, R., Wahyuni, A.S., Ariga, R.A., Felicia, Preveena, 2018. Relationship between family support with quality of life among type 2 diabetes mellitus patients at Amplas primary health care in Medan, Indonesia. *Journal of Physic* 1116.
- American Diabetes Association, 2019. Diabetes care. *Journal of Clinical and Applied Research and Education* 42(1): S1-S173.
- Andayani, T.M., 2013. *Farmakoekonomi Prinsip dan Metodologi*. Bursa Ilmu, Yogyakarta.
- Asadi-Lari, M., Tamburini, M., Gray, D., 2004. Patients needs, satisfaction and health related quality of life: Towards a comprehensive model. *Health and Quality of Life Outcome* 2:32.
- Atwine, F., Hultsjö, S., Albin, B., Hjelm, K., 2015. Health-care seeking behaviour and the use of traditional medicine among persons with type 2 diabetes in southwestern Uganda: a study of focus group interviews. *The Pan Africa Medical Journal* 20:76.
- Badan Litbangkes, 2018. *Hasil Utama Riskesdas 2018*. Kementerian Kesehatan Republik Indonesia, Jakarta.
- Bharati, D.R., Pal, K., Kar, S., Yamuna, T.V., Basu, M., 2011, Prevalence and determinants of diabetes mellitus in Puducherry, South India. *Journal of Pharmacy & Bioallied Sciences* 3(4):513-518.
- Bener, A., Darwish, S., Al-Hamaq, A.O., Yousafzai, M.T., Nasralla, E.A., 2014. The potential impact of family history of metabolic syndrome and risk of type 2 diabetes mellitus: in a highly endogamous population. *Indian Journal of Endocrinology and Metabolism* 18(2):202-209.
- Craig, C.L., Marshall, A.L., Sjöström, M., Bauman, A.E., Booth, M.L., Ainsworth, B.E., Pratt, M., Ekelund, U., Yngve, A., Sallis, J.F., Oja, P., 2003. International physical activity questionnaire: 12-country reliability and validity. *Medicine & Science in Sports & Exercise* 35(8):1381-1395.
- Chang, S.A., 2012. Smoking and type 2 diabetes mellitus. *Diabetes and Metabolism Journal* 36(6):399-403.



- Chen, T.H., Lu, L., Michael, M.K., 2005. A systematic review: How to choose appropriate health-related quality of life (hrqol) measures in routine general practice? *Journal of Zhejiang University Science* 6(9):936-940.
- Chentli, F., Azzoug, S., Mahgoun, S., 2015. Diabetes mellitus in elderly. *Indian Journal of Endocrinology and Metabolism* 19(6):744-752.
- Colburn, W.A., Gottlieb, A.B., Koda, J., Kolterman, O.G., 1996. Pharmacokinetics and pharmacodynamics of AC137 (25,28,29 tripro-amylin, human) after intravenous bolus and infusion doses in patients with insulin-dependent diabetes. *The Journal of Clinical Pharmacology* 36:13–24.
- Cui, J., Sun, J., Wang, W., Xin, H., Qiao, Q., Baloch, Z., Ma, A., 2017. The association of triglycerides and total cholesterol concentrations with newly diagnosed diabetes in adults in China. *Oncotarget* 8 (61): 103477–103485.
- Daher, A.M., Al Mashoor, S.A., Winn, T., 2015. Glycaemic control and quality of life among ethnically diverse Malaysian diabetic patients. *Quality of Life Research* 24(4):951–958.
- Dasgupta, A., Sarma, D., Saikia, U.K., 2012. Hypomagnesemia in type 2 diabetes mellitus. *Indian Journal of Endocrinology and Metabolism* 16(6):1000-1003.
- DeFronzo, R.A., Simonson, D., Ferrannini, E., 1982. Hepatic and peripheral insulin resistance: a common feature of type 2 (non-insulin-dependent) and type 1 (insulin-dependent) diabetes mellitus. *Diabetologia* 23:313–319.
- De Rosa, S., Arcidiacono, B., Chiefari, E., Brunetti, A., Indolfi, C., Foti, D.P., 2018. Type 2 diabetes mellitus and cardiovascular disease: genetic and epigenetic links. *Frontiers in Endocrinology* 9:2.
- Dewi, F.S.T., Choiriyah, I., Indriyani, C., Wahab, A., Lazuardi, L., Nugroho, A., Susetyowati, S., Harisaputra, R.K., Santi, R., Lestari, S.K., Ng, N., Hakimi, M., Josef, H.K., Utarini, A., 2018. Designing and collecting data for a longitudinal study: the Sleman Health and Demographic Surveillance System (HDSS). *Scandinavian Journal of Public Health* 46 (7):704-710.
- Dinkes Sleman, 2018. *Profil kesehatan Kabupaten Sleman tahun 2018*. Dinas Kesehatan Kabupaten Sleman, Sleman.
- Djaali, Muljono, P., 2007. *Pengukuran Dalam Bidang Pendidikan*. Grasindo, Jakarta.
- Donald, M., Dower, J., Coll, J.R., Baker, P., Mukandi, B., Doi, S.A., 2013. Mental health issues decrease diabetes-specific quality of life independent of glycaemic control and complications: findings from Australia's living with diabetes cohort study. *Health Qual Life Outcomes* 11:170.
- Fal, A.M., Jankowska, B., Uchmanowicz, I., Sen, M., Panaszek, B., Polanski, J., 2011. Type 2 diabetes quality of life patients treated with insulin and oral hypoglycemic medication. *Acta Diabetologica* 48:237–242.
- Farsaei, S., Radfar, M., Heydari, Z., Abbasi, F., Qorbani, M., 2014. Insulin adherence in patients with diabetes: risk factors for injection omission. *Primary Care Diabetes* 8:338–345.
- Gill, T.M., Feinstein, A.R., 1994. A critical appraisal of the quality of quality-of-life measurements. *Journal of the American Medical Association* 272:619-26.



- Guyatt, G.H. 1993. Measurement of health-related quality of life in heart failure. *Journal of the American College of Cardiology* 22(4 Suppl A):185A-191A.
- Guyatt, G.H. 1997. Measuring health-related quality of life: general issues. Quality of life symposium. *Canadian Respiratory Journal* 4(3):124-130.
- Guyatt, G.H., Ferrans, C.E., Halyard, M.Y., Revicki, D.A., Symonds, T.L., Varricchio, C.G., 2007. Exploration of the value of health-related quality-of-life information from clinical research and into clinical practice. *Mayo Clinic Proceedings* 82:1229-1239.
- Hackett, R.A., Steptoe, A., 2017. Type 2 diabetes mellitus and psychological stress — a modifiable risk factor. *Endocrinology* 13:547–560.
- Hajian-Tilaki, K., Heidari, B., Hajian-Tilaki, A., 2017. Are gender differences in health-related quality of life attributable to sociodemographic characteristics and chronic disease conditions in elderly people? *International Journal of Preventive Medicine* 8:95.
- Hjelm, K., Atwine, F., 2011. Health-care seeking behaviour among persons with diabetes in Uganda: an interview study. *BMC International Health Human Rights* 11(1):1–8.
- Hollander, P., Maggs, D.G., Ruggles, J.A., Fineman, M., Shen, L., Kolterman, O.G., 2004. Effect of pramlintide on weight in overweight and obese insulin treated type 2 diabetes patients. *Obesity Research* 12:661–668.
- Holst, J.J., 2007. The physiology of glucagon-like peptide 1. *Physiological Review* 87:1409–1439.
- IDF, 2017. *IDF Diabetes Atlas*. Eighth Edition. International Diabetes Federation, United Kingdom.
- Im, K., Issac, A., NM, J., Ninan, E., Maliakel, B., Kuttan, R., 2014. Effects of the polyphenol content on the anti-diabetic activity of *Cinnamomum zeylanicum* extracts. *Food and Function* 5(9):2208-2220.
- Ishii, H., Terauchi, Y., Jinnouchi, H., Taketsuna, M., Takeuchi, M., dan Imaoka, T., 2013. Effects of insulin changes on quality of life and glycemic control in Japanese patients with type 2 diabetes melitus: The insulin-changing study intending to gain patients' insights into insulin treatment with patient-reported health outcomes in actual c. *Journal of Diabetes Investigation* 4:560–570.
- Jing, X., Chen, J., Dong, Y., Han, D., Zhao, H., Wang, X., Gao, F., Li, C., Cui, Z., Liu, Y., Ma, J., 2018. Related factors of quality of life of type 2 diabetes patients: a systematic review and meta-analysis. *Health and Quality of Life Outcomes* 16:189.
- Kaplan, R.M., Bush, J.W., Berry, C.C., 1976. Health status: types of validity and the index of well-being. *Health Service Research* 11:478–507.
- Karimi, M., Brazier, J., 2016. Health, health-related quality of life, and quality of life: what is the difference? *Pharmacoeconomics* 34(7):645-9.
- Kathe, N., Hayes, C.J., Bhandari, N.R., Payakachat, N., 2018. Assessment of reliability and validity of SF-12v2 among a diabetic population. *Value in Health* 21:432-440.



- Katzung, B.G., 2012. *Basic & Clinical Pharmacology 12th edition*. McGraw Hill Companies, USA.
- Kautzky-Willer, A., Harreiter, J., Pacini, G., 2016. Sex and gender differences in risk, pathophysiology and complications of type 2 diabetes mellitus. *Endocrine Review* 37(3):278-316.
- Li, J., Jarczok, M.N., Loerbroks, A., Schöllgen, I., Siegrist, J., Bosch, J.A., Wilson, M.G., Mauss, D., Fischer, J.E., 2013. Work stress is associated with diabetes and prediabetes: cross-sectional results from the MIPH Industrial Cohort Studies. *International Journal of Behavioral Medicine* 20(4):495-503.
- Li, Y.X., Zhou, L., 2015. Vitamin D deficiency, obesity and diabetes. *Cellular and Molecular Biology* 61(3):35-38.
- Lin, X.J., Lin, I.M., S.Y., 2013. Methodological issues in measuring health-related quality of life. *Tzu Chi Medical Journal* 25:8-12.
- Lopez, J.M.S., Annunziata, K., Bailey, R.A., Rupnow, M.F.T., Morisky, D.E., 2014. Impact of hypoglycemia on patients with type 2 diabetes mellitus and their quality of life, work productivity, and medication adherence. *Patient Preference and Adherence* 8:683-692.
- Lu, Y., Wang, N., Chen, Y., Nie, X., Li, Q., Han, B., Chen, Y., Xia, F., Cang, Z., Lu, M., Meng, Y., Lu, Y., 2017. Health-related quality of life in type-2 diabetes patients: a cross-sectional study in East China. *BMC Endocrine Disorders* 17:38.
- Lund, P.K., Goodman, R.H., Dee, P.C., Habener, J.F., 1982. Pancreatic preproglucagon cDNA contains two glucagon-related coding sequences arranged in tandem. *Proceedings of the National Academy of Sciences of the United States of America* 79:345–349.
- Lv, Q., Meng, X.F., He, F.F., Chen, S., Su, H., Xiong, J., Gao, P., Tian, X.J., Liu, J.S., Zhu, Z.H., Huang, K., Zhang, C., 2013. High serum uric acid and increased risk of type 2 diabetes: a systemic review and meta-analysis of prospective cohort studies. *Plos One* 8(2): e56864.
- Maruish, M.E., 2012. *User's Manual for the SF-12v2 Health Survey*. Third Edition. Quality Metric Incorporated, Lincoln RI.
- Mortensen, K., Christensen, L.L., Holst, J.J., Orskov, C., 2003. GLP-1 and GIP are colocalized in a subset of endocrine cells in the small intestine. *Regulatory Peptides* 114:189–196.
- Mustakini, J.H., 2008. *Pedoman Survey Kuesioner: Mengembangkan kuesioner, mengatasi bias dan meningkatkan respon*. BPFE-Yogyakarta, Yogyakarta.
- Nair, R., Kanchan, P., 2017. Outcome tools for diabetes-specific quality of life. Study performed in a privat family practice clinic. *Canadian Family Physician* 63:310-315.
- Norris, S.L., Nichols, P.J., Caspersen, C.J., Glasgow, R.E., Engelgau, M.M., Jack, L., 2002. Increasing diabetes self-management education in community settings. A systematic review. *American Journal of Preventive Medicine* 222 (4 Suppl):39-66.
- Notoatmodjo, S., 2012. *Metodologi Penelitian Kesehatan*. Rineka Cipta, Jakarta.



- Ogawa, A., Harris, V., McCorkle, S.K., Unger, R.H., Luskey, K.L., 1990. Amylin secretion from the rat pancreas and its selective loss after streptozotocin treatment. *The Jurnal of Clinical Investigation* 85:973–976.
- Özder, A., 2015. The well-being and depression status of diabetic patients in primary health care. *Acta Medica Mediterranea* 31:23.
- Pan, X., Hong, Z., Xu, R., 2013. Relationship between negative emotion and quality of life of type 2 diabetes patients. *Journal of Qilu Nursing* (21): 38–39.
- Prajapati, V.B., Blake, R., Acharya, L.D., Seshadri, S., 2017. Assessment of quality of life in type II diabetic patients using the modified diabetes quality of life (MDQoL)-17 questionnaire. *Brazilian Journal of Pharmaceutical Sciences* 53(4): e17144.
- Prasad, S., Cucullo, L., 2015. Impact of tobacco smoking and type-2 diabetes mellitus on public health: a cerebrovascular perspective. *Journal of Pharmacovigilance* (Suppl 2): e003.
- PERKENI, 2015. *Konsensus Pengelolaan dan Pencegahan Diabetes Melitus tipe 2 di Indonesia 2015*. PB PERKENI, Jakarta.
- Rezaei, S., Matin, B.K., Karyani, A.K., Woldemichael, A., Khosravi, F., Khosravipour, M., Rezaeian, S., 2017. Impact of smoking on health-related quality of life: a general population survey in West Iran. *Asian Pacific Journal of Cancer Prevention* 18(11):3179-3185.
- Rhee, M.K., Slocum, W., Ziemer, D.C., Culler, S.D., Cook, C.B., El-Kebbi, I.M., Gallina, D.L., Barnes, C., Phillips, L.S., 2005. Patient adherence improves glycemic control. *The Diabetes Educator* 1(2):240-250.
- Roberts, R.O., Geda, Y.E., Knopman, D.S., Christianson, T.J., Pankratz, V.S., Boeve, B.F., Vella, A., Rocca, W.A., Petersen, R.C., 2008. Association of duration and severity of diabetes mellitus with mild cognitive impairment. *Archives of Neurology* 65(8):1066-1073.
- Ruston, A., Smith, A., Fernando, B., 2013. Diabetes in the workplace - diabetic's perceptions and experiences of managing their disease at work: a qualitative study. *BMC Public Health* 13:386.
- Rwegerera, G.M., Moshomo, T., Gaenamong, M., Oyewo, T.A., Gollakota, S., Rivera, Y.P., Masaka, A., Godman, B., Shimwela, M., Habte, D., 2018. Health-related quality of life and associated factors among patients with diabetes mellitus in Botswana. *Alexandria Journal of Medicine* 54:111–118.
- Sajith, M., Pankaj, M., Pawar, A., Modi, A., Sumariya, R., 2014. Medication adherence to antidiabetic therapy in patients with type 2 diabetes melitus. *Young* 18:7.
- Shaw, J.E., Sicree, R.A., Zimmet, P.Z., 2010. Global estimates of the prevalence of diabetes for 2010 and 2030. *Diabetes Research and Clinical Practice* 87: 4 -1 4.
- Sigal, R.J., Kenny, G.P., Wasserman, D.H., Castaneda-Sceppa, C., White, R.D., 2006. Physical activity/exercise and type 2 diabetes. *Diabetes Care* 29(6): 1433-1438.



- Stark Casagrande, S., Cowie, C.C., 2012. Health insurance coverage among people with and without diabetes in the U.S. adult population. *Diabetes Care* 35(11):2243-9.
- Trief, P.M., Cibula, D., Rodriguez, E., Akel, B., Weinstock, R.S., 2016. Incorrect Insulin Administration: A Problem That Warrants Attention. *Clinical Diabetes Journals* 34(1):25–33.
- Quah, J.H., Luo, N., Ng, W.Y., How, C.H., dan Tay, E.G., 2011. Health-related quality of life is associated with diabetic complications, but not with shortterm diabetic control in primary care. *Annals of the Academy of Medicine-Singapore* 40:276.
- Vallis, M., 2016. Quality of life and psychological well-being in obesity management: improving the odds of success by managing distress. *International Journal of Clinical Practice* 70 (3): 196-205.
- Vilagut, G., Forero, C.G., Pinto-Meza, A., Haro, J.M., de Graaf, R., Bruffaerts, R., Alonso, J., 2013. The mental component of the Short-Form 12 health survey (SF-12) as a measure of depressive disorders in the general population: results with three alternative scoring methods. *Value in Health* 16:564–573.
- Ware, J.E., Kosinski, M., Keller, S.D., 1996. A 12-item short-form health survey: construction of scales and preliminary tests of reliability and validity. *Medical care* 34(3):220–233.
- Wasem, J., Bramlage, P., Gitt, A.K., Binz, C., Krekler, M., Deeg, E., Tschöpe, D., 2013. Co-morbidity but not dysglycaemia reduces quality of life in patients with type-2 diabetes treated with oral mono- or dual combination therapy – an analysis of the DiaRegis registry. *Cardiovascular Diabetology* 12:47.
- Waspadji. 2013. *Menyusun diet berbagai penyakit berdasarkan daftar makanan penukar*. Edisi4. Badan penerbit Fakultas Kedokteran Universitas Indonesia, Jakarta.
- Wells, B.G., DiPiro, J.T., Schwinghammer, T.L., DiPiro, C., 2015. *Pharmacotherapy Handbook* Ninth edition. McGraw-Hill Education Medical, New York.
- WHO, 1997. *WHOQoL Measuring Quality of life*. World Health Organization, Geneva.
- WHO, 2008. *Waist Circumference and Waist–Hip Ratio: Report of a WHO Expert Consultation*. World Health Organization, Geneva.
- WHO, 2016. *Global report on diabetes*. World Health Organization, Geneva.
- Widoyoko, E.P., 2016. *Teknik Penyusunan Instrumen Penelitian*. Pustaka Pelajar, Yogyakarta.
- Wilding, J.P.H., 2014. The importance of weight management in type 2 diabetes mellitus. *International Journal of Clinical Practice* 68(6):682–691.
- Zhang, X., Geiss, L.S., Cheng, Y.J., Beckles, G.L., Gregg, E.W., Kahn, H.S., 2008. Access to health care and control of ABCs of diabetes. *Diabetes care* 31(9):1748-1753.
- Zhang, W., Xu, H., Zhao, S., Yin, S., Wang, X., Guo, J., 2015. Prevalence and influencing factors of co-morbid depression in patients with type 2 diabetes mellitus: a general hospital based study. *Diabetology & Metabolic Syndrom* 7:60.
- Zioga, E., Kazakos, K., Dimopoulos, E., Koutras, C., Marmara, K., Marmara, E., 2016. Adherence and quality of life in patients with type II diabetes melitus in Northern Greece. *Materia Socio Medica* 28:258.