

DAFTAR PUSTAKA

- [1] J. Lu, D. Wu, M. Mao, W. Wang, and G. Zhang, "Recommender system application developments : A survey," *Decis. Support Syst.*, vol. 74, pp. 12–32, 2015.
- [2] B. Patel, P. Desai, and U. Panchal, "Methods of Recommender System : A Review," *Int. Conf. Innov. Inf. Embed. Commun. Syst.*, 2017.
- [3] C. Liao and S. Lee, "A clustering based approach to improving the efficiency of collaborative filtering recommendation," *Electron. Commer. Res. Appl.*, vol. 18, pp. 1–9, 2016.
- [4] Y. C. Hu, "Recommendation using neighborhood methods with preference-relation-based similarity," *Inf. Sci. (Ny)*, vol. 284, pp. 18–30, 2014.
- [5] L. Yao, Q. Z. Sheng, A. H. H. Ngu, J. Yu, and A. Segev, "Unified collaborative and content-based web service recommendation," *IEEE Trans. Serv. Comput.*, vol. 8, no. 3, pp. 453–466, 2015.
- [6] Y. Xu and J. Yin, "Collaborative recommendation with user generated content," *Eng. Appl. Artif. Intell.*, vol. 45, pp. 281–294, 2015.
- [7] B. Lika, K. Kolomvatsos, and S. Hadjiefthymiades, "Facing the cold start problem in recommender systems," *Expert Syst. Appl.*, vol. 41, no. 4 PART 2, pp. 2065–2073, 2014.
- [8] L. Yun, Y. Yang, J. Wang, and G. Zhu, "Improving rating estimation in recommender using demographic data and expert opinions," *ICSESS 2011 - Proc. 2011 IEEE 2nd Int. Conf. Softw. Eng. Serv. Sci.*, pp. 120–123, 2011.
- [9] J. Bobadilla, F. Ortega, A. Hernando, and J. Bernal, "A collaborative filtering approach to mitigate the new user cold start problem," *Knowledge-Based Syst.*, vol. 26, pp. 225–238, 2012.
- [10] Z. Zhang, H. Lin, K. Liu, D. Wu, G. Zhang, and J. Lu, "A hybrid fuzzy-based personalized recommender system for telecom products/services," *Inf. Sci. (Ny)*, vol. 235, pp. 117–129, 2013.
- [11] L. H. Son, "HU-FCF: A hybrid user-based fuzzy collaborative filtering method in Recommender Systems," *Expert Syst. Appl.*, vol. 41, no. 15, pp. 6861–6870, 2014.
- [12] L. Hoang, "HU-FCF++ : A novel hybrid method for the new user cold-start problem in recommender systems," *Eng. Appl. Artif. Intell.*, vol. 41, pp. 207–222, 2015.
- [13] J. Bobadilla, F. Ortega, A. Hernando, and A. Gutiérrez, "Recommender systems survey," *Knowledge-Based Syst.*, vol. 46, pp. 109–132, 2013.

- [14] K. Shah, A. Salunke, S. Dongare, and K. Antala, "Recommender Systems : An overview of different approaches to recommendations," *Int. Conf. Innov. Inf. Embed. Commun. Syst.*, no. 17, 2017.
- [15] P. Lops, M. De Gemmis, and G. Semeraro, "Content-based Recommender Systems : State of the Art and Trends," *Recomm. Syst. Handb.*, pp. 73–105, 2011.
- [16] B. H. Huang and B. R. Dai, "A Weighted Distance Similarity Model to Improve the Accuracy of Collaborative Recommender System," *Proc. - IEEE Int. Conf. Mob. Data Manag.*, vol. 2, pp. 104–109, 2015.
- [17] H. Lee, "An Introduction to Recommender Systems," *Recomm. Syst. Textb.*, pp. 1–28, 2016.
- [18] F. Ricci, L. Rokach, and B. Shapira, *Introduction to Recommender Systems Handbook*. Springer Science+Business Media, 2011.
- [19] F. O. Isinkaye, "Recommendation systems : Principles , methods and evaluation," *Egypt. Informatics J.*, vol. 16, pp. 261–273, 2015.
- [20] G. Adomavicius and J. Zhang, "Improving Stability of Recommender Systems: A Meta-Algorithmic Approach," *IEEE Trans. Knowl. Data Eng.*, vol. 27, no. 6, pp. 1573–1587, 2015.
- [21] M. A. Ghazanfar and A. Prugel-Bennett, "A scalable, accurate hybrid recommender system," *3rd Int. Conf. Knowl. Discov. Data Mining, WKDD 2010*, no. 2, pp. 94–98, 2010.
- [22] G. Adomavicius and A. Tuzhilin, "Toward the Next Generation of Recommender Systems : A Survey of the State-of-the-Art and Possible Extensions," vol. 17, no. 6, pp. 734–749, 2005.
- [23] D. T. Lien and N. D. Phuong, "Collaborative filtering with a graph-based similarity measure," *2014 Int. Conf. Comput. Manag. Telecommun. ComManTel 2014*, pp. 251–256, 2014.
- [24] S. Sharma, "Suggestive Approaches to Create a Recommender System for GitHub," *Int. J. Inf. Technol. Comput. Sci.*, vol. 9, no. 8, pp. 48–55, 2017.
- [25] D. Luo and N. J. Yuan, "Representation Learning with Pair-wise Constraints for Collaborative Ranking," *Tenth ACM Int. Conf. Web Search Data Min.*, pp. 567–575, 2017.
- [26] Y. Ren, G. Li, J. Zhang, and W. Zhou, "Lazy Collaborative Filtering for Data Sets With Missing Values Yongli," vol. 43, no. 6, pp. 1–13, 2012.
- [27] B. K. Patra, R. Launonen, V. Ollikainen, and S. Nandi, "A new similarity measure using Bhattacharyya coefficient for collaborative filtering in sparse data," *Knowledge-Based Syst.*, vol. 82, pp. 163–177, 2015.
- [28] C. Desrosiers and G. Karypis, "A comprehensive survey of neighborhood-based recommendation methods," 2011, pp. 1–37.

- [29] N. Jing, T. Jiang, and J. Du, "Personalized recommendation based on customer preference mining and sentiment assessment from a Chinese e-commerce website," *Electron. Commer. Res.*, vol. 18, no. 1, pp. 159–179, 2018.
- [30] S. Venugopal and G. Nagraj, "A Proficient Web Recommender System using Hybrid Possibilistic Fuzzy Clustering and Bayesian Model Approach," *Int. J. Intelligen Eng. Syst.*, vol. 11, no. 6, pp. 190–198, 2018.
- [31] M. Nilashi, O. Ibrahim, and K. Bagherifard, "A recommender system based on collaborative filtering using ontology and dimensionality reduction techniques," *Expert Syst. Appl.*, vol. 92, pp. 507–520, 2018.
- [32] Y. Park, S. Park, W. Jung, and S. G. Lee, "Reversed CF: A fast collaborative filtering algorithm using a k-nearest neighbor graph," *Expert Syst. Appl.*, vol. 42, no. 8, pp. 4022–4028, 2015.
- [33] Y. Shi, M. Larson, and A. Hanjalic, "Unifying rating-oriented and ranking-oriented collaborative filtering for improved recommendation," *Inf. Sci. (Ny).*, vol. 229, pp. 29–39, 2013.
- [34] Y. Liu and J. Yang, "Improving Ranking-based recommendation by social information and negative similarity," *Procedia Comput. Sci.*, vol. 55, no. Itqm, pp. 732–740, 2015.
- [35] Y. Tang and Q. Tong, "BordaRank: A ranking aggregation based approach to collaborative filtering," *2016 IEEE/ACIS 15th Int. Conf. Comput. Inf. Sci. ICIS 2016 - Proc.*, 2016.
- [36] J. Das, P. Mukherjee, S. Majumder, and P. Gupta, "Clustering-based recommender system using principles of voting theory," *Proc. 2014 Int. Conf. Contemp. Comput. Informatics, IC3I 2014*, pp. 230–235, 2014.
- [37] G. Al-Sharrah, "Ranking using the copeland score: A comparison with the hasse diagram," *J. Chem. Inf. Model.*, vol. 50, no. 5, pp. 785–791, 2010.
- [38] Ermatita, S. Hartati, R. Wardoyo, and A. Harjoko, "Development of Copeland Score Methods for Determine Group Decisions," *Int. J. Adv. Comput. Sci. Appl.*, vol. 4, no. 6, pp. 240–242, 2013.
- [39] D. Bailey, M. A. Kohler, and A. Cole-rhodes, "Rank Aggregation of Dispersion Measure Ordering for Estimating Gaussian Mixture Model Language Recognition Performance," *2010 Int. Conf. Signal Image Process.*, pp. 135–138, 2010.
- [40] P. Faliszewski, E. Hemaspaandra, L. A. Hemaspaandra, and J. Rothe, "Copeland voting fully resists constructive control," *Lect. Notes Comput. Sci. (including Subser. Lect. Notes Artif. Intell. Lect. Notes Bioinformatics)*, vol. 5034 LNCS, pp. 165–176, 2008.

- [41] S. Meng, W. Dou, X. Zhang, and J. Chen, "KASR: A Keyword-Aware Service Recommendation Method on MapReduce for Big Data Applications," *IEEE Trans. Parallel Distrib. Syst.*, vol. 25, no. 12, pp. 3221–3231, 2014.
- [42] B. Li, X. Zhu, R. Li, and C. Zhang, "Rating Knowledge Sharing in Cross-Domain Collaborative Filtering.," *IEEE Trans. Cybern.*, vol. 45, no. 5, pp. 1–15, 2014.
- [43] S. Kim, K. Sung, and C. Park, "Improvement of collaborative filtering using rating normalization," *Multimed Tools Appl.*, 2013.
- [44] M. Jiang, D. Song, L. Liao, and F. Zhu, "A Bayesian recommender model for user rating and review profiling," *Tsinghua Sci. Technol.*, vol. 20, no. 6, pp. 634–643, 2015.
- [45] R. Xu, S. Wang, X. Zheng, and Y. Chen, "Distributed collaborative filtering with singular ratings for large scale recommendation," *J. Syst. Softw.*, vol. 95, pp. 231–241, 2014.
- [46] M. A. Mazurowski, "Estimating confidence of individual rating predictions in collaborative filtering recommender systems," *Expert Syst. Appl.*, vol. 40, no. 10, pp. 3847–3857, 2013.
- [47] M. Zhang, X. Guo, and G. Chen, "Prediction uncertainty in collaborative filtering: Enhancing personalized online product ranking," *Decis. Support Syst.*, vol. 83, pp. 10–21, 2016.
- [48] H. S. S. S.H. Naderi, P. Shams, "Fuzzy-Copeland Ranking Method to Evaluate Multi-disjoint Paths Selection Algorithms," *IEEE 3rd Int. Conf. Softw. Eng. Serv. Sci.*, pp. 761–764, 2012.
- [49] J. Wang and Y. Chen, "A Distributed Hybrid Recommendation Framework to Address the New-User Cold-Start Problem," *UIC-ATC-ScalCom-CBDCom-IoP*, pp. 1687–1692, 2015.
- [50] P. A. Riyaz and S. M. Varghese, "A Scalable Product Recommendations using Collaborative Filtering in Hadoop for Bigdata," *Procedia Technol.*, vol. 24, pp. 1393–1399, 2016.
- [51] H. Wu, Y. Hua, B. Li, and Y. Pei, "Personalized Recommendation via Rank Aggregation in Social Tagging Systems," *Proc. 10th Int. Conf. Fuzzy Syst. Knowl. Discov.*, no. 2010, pp. 888–892, 2013.
- [52] C. Jiang, R. Duan, H. K. Jain, S. Liu, and K. Liang, "Hybrid collaborative filtering for high-involvement products: A solution to opinion sparsity and dynamics," *Decis. Support Syst.*, vol. 79, pp. 195–208, 2015.
- [53] G. M. Dakhel and M. Mahdavi, "A new collaborative filtering algorithm using K-means clustering and neighbors' voting," *2011 11th Int. Conf. Hybrid Intell. Syst.*, pp. 179–184, 2011.

- [54] G. Pitsilis *et al.*, “Clustering Recommenders in Collaborative Filtering Using Explicit Trust Information,” in *International Conference on Trust Management (TM)*, 2011, pp. 82–97.
- [55] Z. Min and Y. Shuzhen, “A Collaborative Filtering Recommender Algorithm Based On the User Interest Model,” *IEEE 17th Int. Conf. Comput. Sci. Eng.*, pp. 3–7, 2014.
- [56] B. Gavish and J. H. Gerdes, “Voting mechanisms and their implications in a GDSS environment,” *Ann. Oper. Res.*, vol. 71, pp. 41–74, 1997.
- [57] S. Wang, “Ranking-Oriented Collaborative Filtering: A Listwise Approach,” vol. 35, no. 2, 2016.
- [58] W. Pan and L. Chen, “Neurocomputing Group Bayesian personalized ranking with rich interactions,” *Neurocomputing*, vol. 207, pp. 501–510, 2016.
- [59] B. Shams and S. Haratizadeh, “IteRank: An iterative network-oriented approach to neighbor-based collaborative ranking,” *Knowledge-Based Syst.*, vol. 128, pp. 102–114, 2017.
- [60] B. Shams and S. Haratizadeh, “Item-based collaborative ranking,” *Knowledge-Based Syst.*, vol. 152, pp. 172–185, 2018.
- [61] A. Shi, Y. Larson, MA, Hanjalic, “List-wise Learning to Rank with Matrix Factorization for Collaborative Filtering,” *RecSys '10 Proc. fourth ACM Conf. Recomm. Syst.*, pp. 269–272.
- [62] M. Khalil-hani, M. N. Marsono, and R. Bakhteri, “Biometric encryption based on a fuzzy vault scheme with a fast chaff generation algorithm,” *Futur. Gener. Comput. Syst.*, vol. 29, no. 3, pp. 800–810, 2013.
- [63] A. Gogna, S. Member, and A. Majumdar, “A Comprehensive Recommender System Model: Improving Accuracy for Both Warm and Cold Start Users,” *IEEE. Transl. content Min. are permitted Acad. Res. only*, vol. 3, pp. 2803–2813, 2015.
- [64] E. Q. Da Silva, C. G. Camilo-Junior, L. M. L. Pascoal, and T. C. Rosa, “An evolutionary approach for combining results of recommender systems techniques based on collaborative filtering,” *Expert Syst. Appl.*, vol. 53, pp. 204–218, 2016.
- [65] J. Chen, H. Wang, and Z. Yan, “Evolutionary heterogeneous clustering for rating prediction based on user collaborative filtering ☆,” *Swarm Evol. Comput.*, vol. 38, no. April 2017, pp. 35–41, 2018.
- [66] S. Arora and B. Barak, *Computational Complexity: A Modern Approach*, no. January. 2007.

- [67] M. L. Mouritsen, J. T. Davis, and S. C. Jones, "ANOVA Analysis of Student Daily Test Scores in Multi-Day Test Periods," *J. Learn. High. Education*, vol. 12, no. 2, pp. 73–82, 2016.
- [68] H. Harb and A. Makhoul, "An Enhanced K-means and ANOVA-based Clustering Approach for Similarity Aggregation in," vol. 0, no. 0, pp. 1–10, 2015.
- [69] R. S. Wahono, "romi-dm-02-proses-june2015." Bahan Ajar, 2015.
- [70] F. Ortega, A. Hernando, J. Bobadilla, and J. H. Kang, "Recommending items to group of users using Matrix Factorization based Collaborative Filtering," *Inf. Sci. (Ny)*, vol. 345, pp. 313–324, 2016.
- [71] A. Kumar, S. Gupta, S. K. Singh, and K. K. Shukla, "Comparison of various metrics used in collaborative filtering for recommendation system," *2015 8th Int. Conf. Contemp. Comput. IC3 2015*, pp. 150–154, 2015.
- [72] J. Niu, L. Wang, X. Liu, and S. Yu, "FUIR: Fusing user and item information to deal with data sparsity by using side information in recommendation systems," *J. Netw. Comput. Appl.*, vol. 70, pp. 41–50, 2016.
- [73] Y. Dai, H. Ye, and S. Gong, "Personalized Recommendation Algorithm Using User Demography Information," *2009 Second Int. Work. Knowl. Discov. Data Min.*, pp. 100–103, 2009.
- [74] H. Liu, Z. Wu, and X. Zhang, "CPLR : Collaborative pairwise learning to rank for personalized recommendation," *Knowledge-Based Syst.*, vol. 0, pp. 1–10, 2018.
- [75] J. Das and S. Majumder, "Context Aware Scalable Collaborative Filtering," pp. 184–190, 2017.
- [76] G. Adomavicius and Y. Kwon, "Improving Aggregate Recommendation Diversity Using Ranking-Based Techniques," vol. 24, no. 5, pp. 896–911, 2012.
- [77] A. Gogna and A. Majumdar, "A comprehensive recommender system model: Improving accuracy for both warm and cold start users," *IEEE Access*, vol. 3, pp. 2803–2813, 2015.
- [78] W. Insuwan, U. Suksawatchon, and J. Suksawatchon, "Improving missing values imputation in collaborative filtering with user-preference genre and singular value decomposition," *Knowl. Smart Technol. (KST), 2014 6th Int. Conf.*, pp. 87–92, 2014.
- [79] Y. Cai, H. F. Leung, Q. Li, H. Min, J. Tang, and J. Li, "Typicality-based collaborative filtering recommendation," *IEEE Trans. Knowl. Data Eng.*, vol. 26, no. 3, pp. 766–779, 2014.
- [80] Z. Zhang, X. Tang, and D. Chen, "Applying User-Favorite-Item-Based Similarity into Slope One Scheme for Collaborative Filtering," *2014 World Congr. Comput. Commun. Technol.*, pp. 5–7, 2014.



- [81] C. Panagiotakis, "Detection of Hurriedly Created Abnormal Profiles in Recommender Systems," *2018 Int. Conf. Intell. Syst.*, pp. 499–506, 2018.
- [82] L. P. Tanaman, "Panduan Praktikum Perancangan Percobaan Semester I TA. 2016/2017," Fakultas Pertanian Universitas Gadjah Mada, 2017.
- [83] A. A. Gomez and K. A. Gomez, *Statistical Procedures For Agricultural Research*, vol. 2. 1984.