

Contents

APPROVAL.....	2
PRONOUNCEMENT	3
Acknowledgments.....	i
Ucapan Terima Kasih.....	iii
ABSTRACT	v
INTISARI.....	vi
Contents	vii
List of Figures	x
List of Tables.....	xv
CHAPTER I	1
INTRODUCTION	1
1.1 Background.....	1
1.2 Problem formulation	2
1.3 Objective research.....	2
1.4 Scope of Work.	2
1.4.1 The scope of the area.....	2
1.4.2 Scope of study	4
1.4.3 Research limitation.....	5
1.4.4 Previous research.	5
CHAPTER II.....	6
REGIONAL GEOLOGY	6
2.1 Geomorphology.	6
2.2 Stratigraphy.....	7
2.3 Geological Structure	8
CHAPTER III	10
LITERATURE REVIEW.....	10
3.1 The structural feature of the rock mass.....	10
3.1.1 Rock bedding orientation (strike/dip direction).....	11
3.1.2 Discontinuity analysis.	12

3.2	Terrestrial Laser Scanner (TLS) method.	21
3.2.1	Definition.	21
3.2.2	Data processing	21
3.2.3	Terrestrial Laser Scanner application.....	22
3.3	Hypothesis	23
CHAPTER IV		24
METHODOLOGY		24
4.1	Material and equipment for research.	24
4.1.1	Research material.	24
4.1.2	Research instruments.	24
4.2	Research stage	26
4.2.1	Research preparation	26
4.2.2	Site investigation and data collection.....	26
4.2.3	Data processing and Analysis.	27
4.2.4	Synthesis	27
4.3	Research methodology.	27
4.3.1	Area study and data collection.	30
4.3.2	Data processing and analysis method	42
CHAPTER V.....		51
GEOLOGY OF STUDY AREA		51
5.1	Morphology	51
5.2	Lithology.....	51
5.2.1	Lithology in location 1.	52
5.2.2	Lithology in location 2.	53
5.2.3	Lithology in location 3	53
5.2.4	Lithology in location 4	54
5.2.5	The correlation of Lithology.	55
5.3	Geology structure.	57
5.3.1	Geology structure in location 1.	57
5.3.2	Geology structure in location 2	58
5.3.3	Geology structure in location 3	58

5.3.4	Geology structure in location 4	59
CHAPTER VI		60
RESULT OF ANALYSIS		60
6.1	Result of the conventional method	60
6.1.1	Rock mass bedding	60
6.1.2	Discontinuities orientation	62
6.1.3	Discontinuities condition	66
6.1.4	Spacing of discontinuities	70
6.2	Result of rock mass discontinuity by using TLS.	70
6.2.1	Rock mass bedding	70
6.2.1	Discontinuities orientation.	72
6.2.3	Rock discontinuity condition	76
6.2.4	Discontinuity spacing	86
6.2	Integration of the geometric information derived from TLS and validation against the conventional approach.	91
6.2.1	Amount of the data sample	91
6.2.2	Rock mass beds orientation	92
6.2.3	Discontinuity orientation	92
6.2.4	Discontinuity condition	94
6.2.5	Discontinuity spacing	95
6.3	Discussion.	96
6.3.1	<i>Discussion the application of both method.</i>	96
CHAPTER VII		101
CONCLUSION AND RECOMENDATION		101
7.1	Conclusion	101
7.2	Recommendation.	102
Reference		103
APPENDIX		106