

## DAFTAR PUSTAKA

- Abarshi, M.M., Mohammed, I.U., Jeremiah, S.C., Legg, J.P., Lava Kumar, P., Hillocks, R.J., & Maruthia, M.N. 2012. *Multiplex RT-PCR assays for the simultaneous detection of both RNA and DNA viruses infecting cassava and the common occurrence of mixed infections by two cassava brown streak viruses in East Africa. Journal of Virological Methods.* 179: 176– 184.
- Agrios, G.N. 2005. *Plant Pathology*. Fifth Edition. Elsevier Academic Press, New York.
- Aidawati N, Yusriadi & Hidayat S.H. 2001. Kisaran inang virus gemini asal tanaman cabai dari Guntung Payung, Kalimantan Selatan. *Prosiding Kongres dan Seminar Nasional Perhimpunan Fitopaologi Indonesia XVI, Bogor-Jawa Barat*.
- Aidawati N. 2005. Keanekaragaman *Begomovirus* pada Tomat dan Serangga Vektornya, *Bemisia tabaci* Gennadius (Hemiptera: Aleyrodidae), serta Pengujian Ketahanan Genotip Tomat Terhadap Strain *Begomovirus*. [Disertasi]. Sekolah Pascasarjana Institut Pertanian Bogor. Bogor.
- Alberter, B., Ali-Rezaian M. & Jeske H. 2005. Replicative intermediates of *Tomato leaf curl virus* and its satellite DNAs. *Virology*. 331 (2): 441-448.
- Anfoka. G.H & Abhary M.K.. 2007. Occurance of *Tomato infectious chlorosis virus* (TICV) in Jordan. *Bulletin OEPP/EPPO Bulletin* 37, 186-190.
- Anonim. 2003. Distribution of *Bemisia tabaci* in Latin America. Presented in May at the VIIIth International Plant Virus Epidemiology Symposium in Ascherleben, Germany. [http://gisweb.ciat.cgiar.org/SIG/download/AR2003/annual\\_report\\_3\\_5.pdf](http://gisweb.ciat.cgiar.org/SIG/download/AR2003/annual_report_3_5.pdf). 5 p. (diakses 16 Juni 2018).
- Amanda, U.D & Cartealy, I.C. 2015. Isolasi RNA total dari mesokarp buah kelapa sawit (*Elaeis guineensis* Jacq. var. Tenera). *Pros. Sem. Nas. Masy. Biodiv. Indon.* Vol. 1. No. 2 :171-176.
- Amir. 2009. Kajian Penularan dan Respon Ketahanan Berbagai Varietas Tomat terhadap *Tomato infectious chlorosis virus*. Tesis. Universitas Gadjah Mada.
- Ausubel F.M., Brent R., Kingston R.E., Moore D.D., Seidman J.G., Smith J.A. & Struhl K. 2003. *Current Protocols in Molecular Biology*. John Wiley & Sons, Inc. 4648p. <http://www.justmed.eu/files/st/biocel/Molecular%20Biology%20-%20Current%20Protocols%20%5BF.%20Ausubel%2C%202003%5D.pdf> (diakses 16 Juni 2018).
- Badan Pusat Statistik. 2017. Konsumsi Buah dan Sayur Susenan Maret 2016. Jakarta: Badan Pusat Statistik. [gizi.depkes.go.id/wp-content/uploads/.../Paparan-BPS-Konsumsi-Buah-Dan-Sayur.pdf](http://gizi.depkes.go.id/wp-content/uploads/.../Paparan-BPS-Konsumsi-Buah-Dan-Sayur.pdf). (diakses 1 Februari 2018).



UNIVERSITAS  
GADJAH MADA

**METODE MULTIPLEX RT-PCR UNTUK DETEKSI SIMULTAN CRINIVIRUS DAN BEGOMOVIRUS PADA TANAMAN TOMAT**

ESTI PRASETYA N, Dr. Ir. Sedyo Hartono, M.P; Dr. Ir. Sri Sulandari, S.U

Universitas Gadjah Mada, 2018 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Badan Pusat Statistik dan Direktorat Jenderal Hortikultura. 2016. *Produksi, Luas Panen dan Produktivitas Hortikultura di Indonesia*. [www.pertanian.go.id/Indikator/tabel-2-prod-lspn-prodvitas-horti.pdf](http://www.pertanian.go.id/Indikator/tabel-2-prod-lspn-prodvitas-horti.pdf). (diakses 1 Februari 2018).
- Balai Pengkajian Teknologi Pertanian. 2004. *Budidaya Tomat Balai Pengkajian Teknologi Pertanian di Dataran Rendah*. Jakarta: Balai Pengkajian Teknologi Pertanian.
- [BBPP] Balai Besar Pelatihan Pertanian. 2012. Teknik Budidaya Tanaman Tomat (*Solanum lycopersicum*). [http://www.bbpp-lembang.info/index.php/arsip/artikel/artikel-pertanian/588-teknik\\_budidaya\\_tanaman-tomat-solanum-lycopersicum](http://www.bbpp-lembang.info/index.php/arsip/artikel/artikel-pertanian/588-teknik_budidaya_tanaman-tomat-solanum-lycopersicum). (diakses 1 Februari 2018).
- BIO-RAD. 2018. *Nucleic Acid Extraction and Purification*. <http://www.bio-rad.com/en-id/applications-technologies/nucleic-acid-extraction-purification?ID=LUSNQLDN>. (diakses 1 Februari 2018).
- Bos, L. 1994. *Pengantar Virologi Tumbuhan*. (Terjemahan dari "Introduction of Plant Virology" diterjemahkan oleh Triharso). Gadjah Mada University Press, Yogyakarta.
- Brown J.K, Zerbini F.M. & Navas-Castillo J. 2015. Revision of *Begomovirus* taxonomy based on pairwise sequence comparisons. *Arch Virol* 160:1593–1619.
- CABI. 2017. *Data sheet Lycopersicon esculentum*. <https://www.cabi.org/isc/datasheet/122417>. (diakses 24 Mei 2018).
- Claros, M.G & Canovas, F.M. 1999. RNA isolation from plant tissues: a practical experience for biological undergraduates. *Biochem. Edu.* Vol. 27: 110-3.
- Corkill G. & Rapley R. 2008. The manipulation of nucleic acids: basic tools and techniques. Di dalam: Walker JM, Rapley R, editor. *Molecular biomethods handbook*. Second edition. NJ (US): Humana Pr. p 29.
- Czosnek, H. & Ghanim, M. 2002. The circulative pathway of *Begomoviruses* in the whitefly vector *Bemisia tabaci*-insights from studies with *Tomato yellow leaf curl virus*. *Ann. Appl. Biol.* 140, 215–231
- Damayanti, T.A & Putra, L.K. 2012. Preparasi RNA Virus Mosaik Bergaris dari Tanaman Tebu Menggunakan Metode Tabung PCR. *Jurnal Fitopatologi Indonesia*. Vol 8. No 1: 22-27.
- Diningsih, E., Suastika G., Damayanti T.A, & Susanto S. 2017. Deteksi Cepat *Carnation mottle virus* pada Tanaman Anyelir (*Dianthus caryophyllus* L.). *J. Hort.* Vol. 27 No. 1 : 95-104.
- Direktorat Jenderal Hortikultura. 2015. *Statistik Produksi Hortikultura Tahun 2014*. Direktorat Jenderal Hortikultura, Kementerian Pertanian. 285p. <http://hortikultura.pertanian.go.id/wp-content/uploads/2016/02/Statistik-Produksi-2014.pdf>. (diakses 1 Februari 2018).
- Dovas C.I., Katis N.I. & Avgelis A.D. 2002. *Multiplex* detection of *Crinivirus* associated with epidemics of a yellowing disease of tomato in Greece. *Plant Dis.* 86(12):1345– 349.
- Doyle K. 1996. *The source of discovery: protocols and applications guide*. Lincoln (UK): Promega. 404 p.

- Duffus J.E, Liu H.Y. & Wisler G.C. 1996. *Tomato infectious chlorosis virus*-a new clostero-like virus transmitted by *Trialeurodes vaporariorum*. *Eur J Plant Pathol.* 102:219–226.
- Elnifro E.M., Ashshi A.M., Cooper R.J., & Klapper P.E. 2000. *Multiplex PCR* : optimazion and application in diagnostic virology. *Clin Microbiol Review* 13 (4) : 559 – 570.
- Endarsih, W. 2017. Ekstraksi dsRNA Secara Sederhana untuk Preparasi Deteksi RT-PCR Tiga Spesies Virus Tanaman. *Tesis*. Universitas Gadjah Mada.
- Endarsih, W., Hartono S. & Sulandari S. 2017. Perbaikan Metode Ekstraksi dsRNA Virus secara Sederhana untuk RT-PCR Tiga Virus Tumbuhan. *Jurnal Perlindungan Tanaman Indonesia*. Vol. 21, No. 22. p 106-113.
- [EPPO] European and Mediterranean Plant Protection Organization. 2005. Tomato chlorosis crinivirus. *Bull EPPO*. 35: 439–441.
- Fajarfika, R. 2014. Kajian Serologi dan Molekuler *Crinivirus* pada Tanaman Tomat. *Tesis*. Universitas Gadjah Mada
- Fajarfika. R, Hartono S., Sulandari S., & Somowiyarjo S. 2015. Deteksi Molekuler Penyebab Penyakit Kuning (*Tomato chlorosis virus* dan *Tomato infectious chlorosis virus*) Pada Tanaman Tomat. *Jurnal Perlindungan Tanaman Indonesia*, Vol. 19, No. 2 : 80-88.
- Fitriasari, E.D. 2010. Keefektifan Kutukebul dalam Menularkan Virus Penyebab Penyakit Kuning pada Tanaman Tomat. *Tesis*. Institut Pertanian Bogor.
- Fortes I.M., Moriones E., & Navas-Castillo J. 2012. *Tomato chlorosis virus* in pepper : prevelance in commercial crops in southeastern Spain and symptomatology under experimental conditions. *Plant pathology*. 61. P 994-1001.
- Ghanim, M., S. Morin, & H. Czosnek. 2001. Rate of *Tomato yellow leaf curl virus* (TYLCV) translocation in the circulative transmission pathway of its vector, the whitefly *Bemisia tabaci*. *Phytopatholog*. 91. p 188–196.
- Gibs, A & Horizon B. 1976. *Plant Virology The Principles*. Butler and tanner Ltd. Frome. Britain. 292p.
- Giovannucci, E. 1999. Tomatoes, tomato-based products, lycopene, and cancer: review of the epidemiologic literature. *J. Natl. Cancer Inst.* 91:317–331.
- Goodwin, P.H. 1994. Amplification of plasmid DNA to detect plant pathogenic mycoplasma-like organism. *Ann Appl Biol*. 124: 27-36.
- Hanindita, N. 2008. Analisis Ekspor Tomat Segar Indonesia. Bogor: *Program Pascasarjana Manajemen Bisnis Institut Pertanian Bogor*.
- Harrison, D.B & Robinson D.J. 1999. Natural Genomic and antigenic variation in whitefly-transmitted geminiviruses (*Begomoviruses*). *Annual Review Phytopathology*. 37: 369-398.

- Hartono, S. 2002. Studies of Criniviruses in Japan. *Thesis*. Tokyo University of Agriculture and Technology.
- Hartono, S. 2008. Molecular Identification of *Begomovirus* Causing Yellow Leaf Curl Disease on Tomato Plants in Central Java. *Journal of Acta Agrosia* 11: 69–74.
- Hartono, S. & Wijonarko, A. 2007. Karakterisasi Biologi Molekuler *Tomato infectious chlorosis virus* Penyebab Penyakit Kuning pada Tanaman Tomat di Indonesia. *Agricultural Science* 9: 139–146.
- Hartono, S., Natsuaki, T., Sayama, H., Atarashi, H. & Okuda, S. 2003. Yellowing Disease of Tomatoes Caused by *Tomato infectious chlorosis virus* Newly Recognized in Japan. *Journal of General Plant Pathology* 69: 61–64.
- Henegariu, O., Heerema, N.A., Dlouhy, S.R., Vance, G.H., & Vogt, P.H. 1997. *Multiplex PCR* : critical parameters and step-by-step protocol. *BioTechniques* 23 (3) : 504-511.
- Hidayat, S.H., Rusli, E.S., & Nooraidawati. 1999. Penggunaan primer universal dalam Polymerase chain reaction untuk mendeteksi virusgemini pada cabai. *Kongres nasional XV dan seminar Ilmiah PFI*, Purwokerto, 16-18 September 1999.
- Hirota, T., Natsuaki, T., Murai, T., Nishigawa, H., Niibori, K., Goto, K., Hartono, S., Suastika, G., & Okuda, S. 2010. Yellowing Disease of Tomato Caused by *Tomato chlorosis virus* Newly Recognized in Japan. *Journal of General Plant Pathology* 76:168–171.
- Hubert J., Lyimo HJF., Luzi-Kihupi A., & Mbega E.R. 2017. Immunocapture and simple direct tube reverse transcriptase polymerase chain reaction (RT-PCR) for detectin of Rice yellow mottle virus. *African Journal of Biotechnology*. Vol 16 (24). p 1331-1337.
- Jacquemond, M., Dalmont, A., Fabre, F., Guilbaud, L. & Lecoq, H. 2009. Comparative Whitefly Transmission of *Tomato chlorosis virus* and *Tomato infectious chlorosis virus* from Single or Mixed Infectious. *J. Plant Pathology* 58:221-227.
- Juárez M., Tovar R., Fiallo-Olivé E, Aranda M.A, Gosálvez B., Castillo P., Moriones E., & Navas-Castillo J. 2014. First detection of Tomato leaf curl New Delhi virus infecting zucchini in Spain. *Plant Disease*. 98. 857.
- Kailaku, S.I., Dewandari, K.T. & Sunarmani. 2007. Potensi Likopen Dalam Tomat Untuk Kesehatan. *Buletin Teknologi Pasca Panen Pertanian*. Vol. 3: 50-58.
- Karasev, A.V. 2000. Genetic diversity and evaluation of closteroviruses. *Annu. Rev. Phythopathol.* 38:293-324.
- Keynon, L., Tsai W-S, Shih S-L, & Mei Lee L. 2014. Emergence and diversity of *Begomovirus* infecting solanaceous in East and Southeast Asia. *Virus Research*.
- Kimura, S & Sinha, N. 2008. Tomato (*Solanum lycopersicum*): A Model Fruit-Bearing Crop. *Cold Spring Harb. Protoc.* Vol 3 (11).



UNIVERSITAS  
GADJAH MADA

**METODE MULTIPLEX RT-PCR UNTUK DETEKSI SIMULTAN CRINIVIRUS DAN BEGOMOVIRUS PADA TANAMAN TOMAT**

ESTI PRASETYA N, Dr. Ir. Sedyo Hartono, M.P; Dr. Ir. Sri Sulandari, S.U

Universitas Gadjah Mada, 2018 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Kusumaningum, F., Hartono, S. & Sulandari, S.. 2015. Infeksi Ganda *Begomovirus* dan *Crinivirus* pada Tanaman Tomat di Kabupaten magelang, Jawa Tengah. *Jurnal Perlindungan Tanaman Indonesia*. Vo. 19. No. 2 : 60-64.
- Kuwabara, K., Yokoi N., Ohki T., & Tsuda S.. 2010. Improved *multiplex* reverse transcription-polymerase chain reaction to detect and identify five tospovirus species simultaneously. *J Gen Plant Pathol*, 76: 273-277.
- Lee S.C & Chang Y.C. 2006. *Multiplex* RT-PCR detection of two orchid viruses with an internal control of plant nad5 mRNA. *Plant Pathol Bull* 15 : 187 – 196.
- Lefeurve, P., M. Hoareau, H. H. delatte, B. Reynaud, & J-M. Lett. 2007. A *multiplex* PCR method discriminating between the TYLCV and TYLCV-Mld clades of *Tomato yellow leaf curl virus*. *Journal of Virological Method*. 144 : 165-168.
- Li, R, H., G. C. Wisler, H.-Y. Liu, & J.E. Duffus. 1998. Comparison of Diagnostic Techniques for Detecting *Tomato infectious chlorosis virus*. *Plant Disease* 82: 84–88.
- Liu H.Y, Wisler G.C, & Duffus J.E. 2000. Particle lengths of whitefly-transmitted *Criniviruses*. *Plant Disease* 84: 803-805.
- Liu D. 2009. *Handbook of nucleic acid purification*. Boca Raton, London, New York: CRC Pr. 554 p.
- Lozano G., Moriones E., & Navas-Castilo J. 2004. First report of sweet pepper (*Capsicum annum*) as natural host plant for *Tomato chlorosis virus*. *Plant Disease* 88: 224.
- Macedo, M. A., Barreto S.S., Hallwass M., & Inoue-Nagata A. K. 2014. High Incidence of *Tomato chlorosis virus* alone and in mixed infection with *Begomoviruses* in two tomato fields in the Federal Distric and Goias state, Brazil. *Tropical Plant Pathology*. Vol 39 (6) : 449-452.
- Martelli, G.P., Agranovsky, A.A., & Bar-Joseph, M. 2002. The family *Closteroviridae* revised. *Archives of Virology* 147: 2039-2044.
- Martin, J.H., Mifsud D, & Rapisarda C. 2000. The whtelies (Hemiptera: Aleyrodidae) of European and Mediteranean basin. *Buletin of Enthomological Research* 90: 407-448).
- Matthews, R. E. F. 1992. *Fundamentals of Plant Virology*. Academic Press. USA.
- Mehta P., Wyamn J.A., Nakhla M.K, & Maxwell D.P. 1994. Transmission of Tomato yellow leaf curl geminivirus by *Bemisia tabaci* (Homoptera: Aleyrodidae). *Journal of Economic Entomology*. V 87.p:m1291-1297.
- Miftakhurohman. 2013. Identifikasi dan Deteksi *Multiplex* Reverse Transcription Polymerase Chain Reaction Virus-Virus Penyebab Gejala Mosaik pada Nilam (*Pogostemon cablin* Benth.). *Tesis*. Insitut Pertanian Bogor.
- Moris T.J,& Dodds J.A. 1979. Isolation and Analysis of Double Stranded RNA from virus Infected Plant and Fungi Tissue. *Phytophatology* 69: 854-1290.





UNIVERSITAS  
GADJAH MADA

**METODE MULTIPLEX RT-PCR UNTUK DETEKSI SIMULTAN CRINIVIRUS DAN BEGOMOVIRUS PADA TANAMAN TOMAT**

ESTI PRASETYA N, Dr. Ir. Sedyo Hartono, M.P; Dr. Ir. Sri Sulandari, S.U

Universitas Gadjah Mada, 2018 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Nakhla, M.K. & D.P. Maxwell. 1998. Epidemiology and Management of Tomato yellow leaf curl Disease, p. 565–583. In A. Hadidi, R.K. Khetarpal, H. Koganezawa (eds.), *Plant Virus Disease Control*. APS Press, St Paul, Minnesota, USA.
- Navas-Castillo J, Camero R, Bueno M, & Moriones E. 2000. Severe yellowing outbreaks in tomato in Spain associated with infections of *Tomato chlorosis virus*. *Plant Disease* 84: 835-837.
- Navot N., Zeidan M., Picheriski E., Zamir D., & Czosnek H. 1991. Tomato yellow leaf curl virus: A whitefly-transmitted geminivirus with a single genomic component. *Virology* 185: 151-161.
- Nurulita. S & G. Suastika. 2013. Identifikasi *Tomato infectious chlorosis virus* and *Tomato chlorosis virus* melalui *Reverse Transcription Polymerase Chain Reaction* dan Analisis Sikuen Nukleotida. *Jurnal Fitopatologi Indonesia*. Vol 9, No.4 :107-115.
- Panno, S., S. Davino, L. Rubio, E. Rangel. M. Davino, J. G. Hernandez, & A. Olmos. 2012. Simultaneous detection of seven main tomato-infecting RNA viruses by two *multiplex* reverse transcription polymerase chain reactions. *Journal of Virological Methods*. 186: 152-156.
- Papayiannis, L.C., Iacovides, T.A., Katis, N.I., & Brown, J.K. 2010. Differentiation of *Tomato yellow leaf curl virus* and *Tomato yellow leaf curl Sardinia virus* using realtime TaqMan® PCR. *J. Virol. Methods*. 165, 236–245.
- Pasev, G., Radeva, V., & Kostova, D. 2011. First report of *Tomato infectious chlorosis virus* on Tomato in Bulgaria. *Journal of Phytopathology*. 160: 160-162.
- Polston, J. E & Anderson P. K. 1997. The emergence of whitefly-transmitted geminivirus in tomato in the Western Hemisphere. *Plant Disease*. 81 (12) : 1358-1369.
- Poornima, P., Ambika G., Tippeswamy M.V., Savitrthri R. 2011. Functional characterization of coat protein and V2 involved in cell to cell movement of cotton leaf curl Kokhran virus-Dabawali. *PLoS ONE* 6. E26929.
- Purwoko, R.R. 2016. Keragaman *Begomovirus* yang berasosiasi dengan *Bemisia tabaci* (Gennadius) (Hemiptera: Aleyrodidae) di Jawa. *Tesis*. Universitas Gadjah Mada.
- Qiagen. 2012. *RNeasy Mini Handbook*. Sample and Assay Technologies. Germany. 78 p.
- Raja, P., Sanville B.C., Buchmann R. C., & Bisaro D. M.. 2008. Viral genome methylation as an epigenetic defence against geminiviruses. *J. Virol*. 82 : 8997-9007.
- Revill, P. A., Ha, C. V., Porchum, S. C., Vu, M. T., & Dale, J. L. 2003. The complete nucleotide sequence of two distinct *geminiviruses* infecting cucurbit in Vietnam. *Arc Virol* 148. p: 1523-1541.
- Rojas, M.R., Gilbertson, R.L., Russel, D.R. & Maxwell, D.P. 1993. Use of degenerate primers in the polymerase chain reaction to detect whitefly transmitted geminiviruses. *Plant Dis*. Vol. 77. pp 340-347.



UNIVERSITAS  
GADJAH MADA

**METODE MULTIPLEX RT-PCR UNTUK DETEKSI SIMULTAN CRINIVIRUS DAN BEGOMOVIRUS PADA TANAMAN TOMAT**

ESTI PRASETYA N, Dr. Ir. Sedyo Hartono, M.P; Dr. Ir. Sri Sulandari, S.U

Universitas Gadjah Mada, 2018 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Sakamto Kon. T., Hidayat S. H., Ito K., Hase S., Takahashi H., & Ikegami M.. 2005. *Begomovirus* associated with leaf curl disease tomato in Java, Indonesia. *Journal of Phytopathology*. 153 (9): 562-566.
- Seal, S. & Coates, D. 1998. Detection and quantification of plant viruses by PCR. Di dalam: Foster GD, Taylor SC. editor. *Methods in Mol Biol* [internet]. [diakses 2 Februari 2018]. Totowa (NJ) : *Humana Press*. 81: 469–486
- Setiawati, W., Gunaeni N., Subhan & Muharam A.. 2011. Pengaruh Pemupukan dan Tumpangsari antara Tomat dan Kubis terhadap Populasi dan Insiden Penyakit Virus Kuning pada Tanaman Tomat. *J. Hort*. 21 (2) : 135-144.
- Sirakov, I. N. 2016. *Nucleic Acid Isolation and Downstream Application*. <https://www.intechopen.com/books/nucleic-acids-from-basic-aspects-to-laboratory-tools>. (diakses 2 Februari 2018).
- Shibuya, Y. & J. Sakata. 2007. First Report of *Pepper yellow leaf curl Indonesia virus* in *Ageratum conyzoides* in Indonesia. *Plant Disease*. 91:1198
- Sudiono, Hidayat S.H., Suseno R. & S. Sosromarsono. 2001. Deteksi molekuler dan uji kisaran inang virus Geimini asal tomat. *Prosiding Kongres Nasional XVI dan Seminar Ilmiah PFI*, Bogor, 22-24 Agustus 2001.
- Sudiono, Yasin N., Hidayat, S.H., & Hidayat P. 2005. Penyebaran dan Deteksi Molekuler Virus Gemini Penyebab Penyakit Kuning Pada Tanaman Cabai di Sumatera. *J HPT Tropika*. Vol 5, No. 2: 113-121.
- Suehiro, N, Matsuda, K, Okuda, S & Natsuaki, T. 2005, A simplified method for obtaining plant viral RNA for RT-PCR', *J. Virol. Methods*. Vol. 125. No. 1: (67-73).
- Sulandari, S., Suseno. R, Hidayat S.H, Harjosudarmo J., & Sosromarsono S. 2001. Deteksi virus gemini pada Cabai di Daerah Istimewa Jogjakarta. *Prosiding Kongres Nasional XVI dan Seminar Ilmiah Perhimpunan Fitopatologi Indonesia, Bogor, 22-24 Agustus 2001*. Hal: 200-202.
- Sulandari S. 2004. Karakterisasi biologi, serologi, dan analisis sidik jari DNA virus penyebab penyakit daun keriting kuning cabai. [Disertasi]. Bogor: Fakultas Pertanian, Institut Pertanian Bogor.
- Sulandari, S., R. Suseno, S. H. Hidayat, J. Harjosudarmo, & S. Sosromarsono. 2006. Deteksi dan kajian kisaran inang virus penyebab penyakit daun keriting kuning cabai. *Hayati*. 13 (1): 1-6.
- Syafarudin & Santoso, J.T. 2011. Optimasi teknik isolasi dan purifikasi DNA yang efisien dan efektif pada Kemiri Sunan (*Reutalis trisperma* (Blanco) Airy Shaw). *Jurnal Litri*, 17 (1):11-17.
- Syukur, S. 2000. Efek Iradiasi Gamma pada Pembentukan Variasi Klon dari *Catharantus roseus* [L.] Don. *Risalah Pertemuan Ilmiah Penelitian dan Pengembangan Teknologi Isotop dan Radiasi*. Biochemistry Biotechnology Lab. Andalas University Padang. Padang. 33-37.



UNIVERSITAS  
GADJAH MADA

**METODE MULTIPLEX RT-PCR UNTUK DETEKSI SIMULTAN CRINIVIRUS DAN BEGOMOVIRUS PADA TANAMAN TOMAT**

ESTI PRASETYA N, Dr. Ir. Sedyo Hartono, M.P; Dr. Ir. Sri Sulandari, S.U

Universitas Gadjah Mada, 2018 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Temaja, I.G.R.M., Puspawati, N.M.P., & Mayadewi, N.N.A. 2012. Utilization of SDT-RT-PCR for Plant Virus Detection. *J. Agric. Sci. and Biotechnol.* Vol 1.No. 1. p 24-29.
- Tenriulo A, Suryati E, Parenrengi A & Rosmiat. 2001. Ekstraksi DNA rumput laut *Kappaphycus alvarezii* dengan metode fenol klorofoem. *Marina Chimica Acta.* 2 (2): 6-10.
- Tsai, W.S., Shih, S.L., Green, S.K., Akkermans, D., & Jan, F.J., 2006. Molecular characterization of a distinct tomato-infecting *Begomovirus* associated with yellow leaf curl diseased tomato in Lembang, Java Island of Indonesia. *Plant Disease* 90 (6),831.
- Utami Fadilah Nurul, 2012, Isolasi dan Purifikasi Likopen dari Buah Tomat dan Semangka, Fakultas Matematika dan Ilmu Pengetahuan Alam, *Program Ekstensi Farmasi Universitas Indonesia*, Depok, 573.
- Vaira. A.M, Accotto G.P, Vecchiati M. & Bragalon M.. 2002. *Tomato infectious chlorosis virus* Causes Leag Yellowing anda reddening of Tomato in Italy. *Phytoparasitica* 30 (3): 290-294.
- van Pelt-Verkuil E, van Belkum A, & Hays JP. 2008. *Principles and technical aspects of PCR amplification*. Springer Science Business Media B.V. hlm 35. DOI:10.1007/978-1-4020-6241-4.
- Valverde R.A, Nameth S.T, & Jordan R.L. 1990. Analysis of double stranded RNA for plant virus diagnosis. *Plant Dis* 74:255–258.
- Vargas-Asencio, J.A., Hernandez E., Barboza N., Hammoond R., Mora F. & Ramirez P. 2013. Detection of *Tomato chlorosis virus* and its vector *Trialeurodes vaporariorum* in Greenhouse-Grown Tomato and Sweet Pepper in The Cartago Province, Costa Rica. *Journal of Plant Pathology.* 95 (3): 627-630.
- Viljoen, G.J., L.H. Nel, & J.R. Crowther. 2005. *Molecular Diagnostic PCR Handbook*. Springer. Netherlands. 307p.
- Wasonowati, C. 2011. *Meningkatkan Pertumbuhan Tanaman Tomat (Lycopersicon esculentum Mil)* Dengan Sistem Budidaya Hidroponik *Agrovigor*. Vol 4 No. 1: 21-28.
- Wintermantel, W. M. 2004. Emergence of Greenhouse Whitefly (*Trialeurodes vaporariorum*) Transmitted Criniviruses as Threats to Vegetable and Fruit Production in North America. *APSnet feature*. <http://www.apsnet.org/online/feature/whitefly/>, diakses 2/2/2018.
- Wintermantel, W.M, Wisler G. C., Anchieta A. G., Liu H.-Y., Karasev A. V. & Tzanetakis I. E. 2005. The complete nucleotide sequence and genome organization of tomato chlorosis virus. *Archives of Virology.* 150: 2287-2298.
- Wintermantel, W.M. & Wisler G.C.. 2006. Vector Specificity, Host Range, and Genetic Diversity of *Tomato chlorosis virus*. *Plant Disease* 90: 814–819.
- Wintermantel, W.M, Cortez A.A., Anchieta A.G, Gulati-Sakhuja A. & Hladky L.L. 2008. Co-Infection by Two *Criniviruses* Alters Accumulation of Each Virus in a Host-Specific Manner and Influence Efficiency of Virus Transmission. *Phytopathology*.Vol. 98, No. 2:1340-1345.





UNIVERSITAS  
GADJAH MADA

**METODE MULTIPLEX RT-PCR UNTUK DETEKSI SIMULTAN CRINIVIRUS DAN BEGOMOVIRUS PADA TANAMAN TOMAT**

ESTI PRASETYA N, Dr. Ir. Sedyo Hartono, M.P; Dr. Ir. Sri Sulandari, S.U

Universitas Gadjah Mada, 2018 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Wintermantel, W. M., Laura H. A. G., Sakhuja R., Li, Liu H-Y., & Tzanetakis I. E.. 2009. The Complete Nucleotide Sequence and Genome Organization of *Tomato infectious chlorosis virus*: A Distinct Crinivirus Most Closely Related to *Lettuce infectious yellow virus*. *Archives of Virology* 154: 1335–1341.
- Wisler, G. C., Liu H.-Y., Klassen V. A., Duffus J. E. & Falk B. W.. 1996. *Tomato Infectious Chlorosis Virus* Has a Bipartite Genome and Induce Phloem-Limited Inclusions Characteristic of the Closteroviruses. *Phytopathology*. Vol. 86 No. 6: 623-626.
- Wisler, G. C., Duffus J.E., Liu H. -Y., Li R., & Falk B.W.. 1997. New Whitefly-transmitted Closterovirus Identified in Tomatoes. *California Agriculture* 51: 24–26.
- Wisler, G. C., Duffus J.E., Liu H.-Y., & Li R.H.. 1998. Ecology and Epidemiology of Whitefly-transmitted Closteroviruses. *The American Phytopathological Society* 82: 270–280.
- Wyatt, S. D., & Brown J.K. 1996. Detection of Subgroup III Geminivirus Isolates in Leaf Extracts by Degenerate Primers and Polymerase Chain Reaction. *Phytopathology Vol 86 No. 12* : 1288-1293
- Xie, M., Chen, Y.H., & Wan, H. 2006. Responses of two whitefly species : *Trialeurodes vaporariorum* (Westwood) and *Bemisia tabaci* (Gennadius) B-biotype, to low temperature. *J of Insect Sci.* 8:1-53.
- Yang L, Wang C., Wang L., Xu C., & Chen K. 2013. An Efficient *Multiplex* PCR Assay for Early Detection of *Agrobacterium tumefaciens* in Transgenic Plant Material. *Turk J Agric For.* 37: 157-162.
- Zhang, J., Dong, J., Xu, Y., & Wu, J. 2012. V2 Protein encoded by *Tomato yellow leaf curl China virus* is an RNA silencing suppressor. *Virus Res.* 163: 51-58.
- Zou Y., Mason M.G, Wang Y., Wee E., Turni C, & Blackall P.J. 2017. Nucleic acid purification from plants, animals and microbes in under 30 seconds. *PLoS Biol.* 15 (11): e2003916.<https://doi.org/10.1371/journal.pbio.2003916>.

