

DAFTAR PUSTAKA

- Adhelia, R., Uyun, Y., Sari, D., 2014, *Insidensi Kultur Apusan Kulit Positif Setelah Disinfeksi Dengan Isopropil Alkohol 70% Diikuti Povidon Iodin 10% Dibandingkan dengan Povidon Iodin 10% Sebelum Anestesia Spinal*, (Tesis), Universitas Gadjah Mada, Yogyakarta.
- Adam MN, Dinulescu T, Mathieu P, Giacomini T, Le Pennec MP, 1996, Comparison of the effect of antiseptics for prevention of epidural catheter related infection. *Cah Anesth*, 44:465–467.
- Aaron, M., Catherine, L, Trish, M. 2008, *Chlorhexidine: Expanding the Armamentarium for infection control and prevention*, *CID*, 46: 274-81.
- Aromaa, U., Lahdensuu, M., Cozanitis, D.A. 1997, Severe complications associated with epidural and spinal anaesthesias in Finland 1987–1993 A study based on patient insurance claims, *Acta Anaesthesiol. Scand*, 41: 445–452.
- Birnback, D.J., Meadows, W., Stein, D.J., Murray, O., Thys, D.M., Sordillo, E.M., 2003, Comparison of *Povidone iodine* and DuraPrep, an iodophor-in-isopropyl alcohol solution, for skin disinfection prior to epidural catheter insertion in parturients. *J. Am. Soc. Anesthesiol*, 98, 164–169.
- Campbell, J.P., Plaat, F., Checketts, M.R., Bogod, D., Tighe, S., Moriarty, A., Koerner, R. 2014, Safety guideline: skin antisepsis for central neuraxial blockade: Association of Anaesthetists of Great Britain and Ireland Obstetric Anaesthetists' Association Regional Anaesthesia UK Association of Paediatric Anaesthetist of Great Britain and Ireland, *Anaesthesia*, 69: 1279–1286. doi:10.1111/anae.12844 Website onlinelibrary.wiley.com/doi/10.1111/anae.12844 Diakses 14 Juni 2017 pukul 02.24
- Checketts, M.R. 2012, Wash and Go, But With What? Skin Antiseptic Solutions for Central Neuraxial Blocks, *Anaesthesia*; 67: 819-22. Website <https://www.ncbi.nlm.nih.gov/pubmed/22775369> F Diakses 14 Juni 2017 pukul 02.48 WIB

- Darouiche, R.O., Wall, M.J., Kamal M.F. Itani, Otterson, M.H. 2010, *Chlorhexidine–Alcohol versus Povidone–Iodine for Surgical-Site Antisepsis*, *The New England Journal of Medicine*, p. 18-26.
- Davis CP, 1996, Chapter 6: *Normal Flora in Medical Microbiology*, 4th ed, Galveston: University of Texas Medical
- Fleischer W, Reimer K, 1997, Povidone-Iodine in Antisepsis - State of the Art, *Dermatology*, 195:3-9
- Genuit, Thomas, Grant Bochicchio, Lena M. Napolitano, Robert J. McCarter and Mary-Claire Roghman, 2001, Prophylactic *Chlorhexidine* Oral Rinse Decreases Ventilator-Associated Pneumonia in Surgical ICU Patients, *Surgical Infections*, March, 2(1): 5-18. doi:10.1089/109629601750185316.
- Grewal, S., Hocking, G., Wildsmith, J.A.W. 1996. Epidural Abscesses, *BJA* , 3: 292-302.
- Hayek, S.M., Deer, T.R., Pope, J.E., Panchal, S.J., Patel, V.B. 2011, Intrathecal Therapy for Cancer and Non-cancer Pain, *Pain Physician*, 14(3):219–248.
- Hebl, J. 2006, The Importance and Implications of Aseptic Techniques During Regional Anesthesia. *Reg. Anesth. Pain Med.*, 31: 311–323.
doi:10.1016/j.rapm.2006.04.004 Website
<https://www.ncbi.nlm.nih.gov/pubmed/16857551> Diakses 15 Februari 2017 pukul 10.54
- Hibbard J. 2005, Analysis Comparing the Antimicrobial Activity and Safety of Current Antiseptics: A Review, *Journal of Infusion Nursing*; 28(3): 194-207.
- Horlocker, T.T., Wedel, D.J. 2008, Infectious Complications of Regional Anesthesia, *Best Practice & Research Clinical Anaesthesiology*, 22(3): 451–475.
- Hunter C.J., Petrosyan M., Ford H. R., Prasadara N.V. 2008, *Enterobacter sakazakii*: An Emerging Pathogen in Infants and Neonates, *Surgical Infections*, 9 (5):533-539
- Hurst, D.S. 2008, Infection Control: Preventing Infection Is Easy as 1, 2, 3, *OR Nurse*, 2(10): 15-16.
- Iversen C., Mullane N., McCardell B., Tall B. D., Lehner A., Fanning S., Stephan R., Joosten H. 2008, *Cronobacter* gen.nov., a new genus to accommodate the biogroups of *Enterobacter sakazakii*, and proposal of *Cronobacter sakazakii*

gen.nov., *Cronobacter malanoticus* nov., *Cronobacter turicensis* sp. nov., *Cronobacter muytjensii* sp. nov., *Cronobacter dublinensis* sp. nov., *Cronobacter genomospecies* 1, and of three subspecies, *Cronobacter dublinensis* subsp. *dublinensis* subsp. nov., *Cronobacter dublinensis* subsp. *lausannensis* subsp. nov. and *Cronobacter dublinensis* subsp. *lactaridi* subsp. nov. *International Journal of Systematic and Evolutionary*, 58: 1442-1447

Katzung BG, Masters SB, Trevor AJ, 1999, *Basic and Clinical Pharmacology* 11th ed, Philadelphia: McGraw-Hill

Karpinski TM, Szkaradkiewicz AK, 2015, *Chlorhexidine* - pharmaco-biological activity and application, *European Review for Medical and Pharmacological Sciences*, 19:1321-1326

Kasuda, H., Fukuda, H., Togashi, H., Hotta, K., Hirai, Y., Hayashi, M. 2002, Skin disinfection before epidural catheterization: comparative study of povidone-iodine versus *chlorhexidine* ethanol. *Dermatology*, 204, 42–46.

Keegan, M.T., Brown, D.R. 2004, Perioperative Antibiotics and Practice Little Things that Make a Big Difference, *Anesthesiology Clin N Am*, 22: 473-491.

Khan, M. 2006, Antiseptics, Iodine, *Povidone iodine* and Traumatic Wound Cleansing, Leaflet, *Tissue Viability Society*, 16(4): 3856-3861.

Kim S, Chen J, Cheng T, Gindulyte A, He J, He S, Li Q, Shoemaker BA, Thiessen PA, Yu B, Zaslavsky L, Zhang J, Bolton EE. PubChem 2019 update: improved access to chemical data. *Nucleic Acids Res.* 2019 Jan 8; 47(D1):D1102-1109. doi:10.1093/nar/gky1033. [PubMed PMID: 30371825]

Kinirons, B., Mimoz, O., Lafendi, L., Naas, T., Meunier, J.-F., Nordmann, P. 2001, *Chlorhexidine* versus *Povidone iodine* in Preventing Colonization of Continuous Epidural Catheters in Children. *Anesthesiology*, 94, 239–44.

Kloos W.E., Schleifer K. H. 1975, Isolation and Characterization of Staphylococci from Human Skin. *International Journal of Sytematic Bacteriology*, 25 (1): 62-79

McDonnell, Gerald, A., Denver, Russell. 1999, Antiseptics and Disinfectants: Activity, Action and Resistance, *Clinical Microbiology Reviews*, 12.1: 147-79. Print.

- Misrha S, Bhatnagar S, Srikati M. 2006, Clinical implication of routine bacterial culture from epidural catheters tip in postoperative cancer patients: a prospective study, *Anesthesia*, 2006;61(1):878–82.
- Murray P. R., 2018, *Basic medical microbiology 1st edition*, Philadelphia : Elsevier
- Naomi, P. O'Grady, Mary, Alexander, Lillian, A., Burns, E., Patchen, Dellinger, Jeffrey, Garland, Stephen, O., Heard, Pamela, A., Lipsett, Henry, Masur, Leonard, A., Mermel, Michele, L., Pearson, Issam, I., Raad, Adrienne, G., Randolph, Mark, E., Rupp, Sanjay Saint, 2011, *Guidelines for the Prevention of Intravascular Catheter-related Infections*, *Clinical Infectious Disease*: 52 (1 May), And the Healthcare Infection Control Practices Advisory Committee (HICPAC) (Appendix 1).
- Rao, B., Rao, M. 2016, Comparison of *chlorhexidine* with povidone - iodine solution for skin disinfection in epidural and central venous catheter insertion, *Int. J. Adv. Med*, 101–105. doi:10.18203/2349-3933.ijam20160198
- Sakuragi T, Yanagisawa K, Kenjiro D. 1995, Bactericidal Activity of Skin Disinfectants on Methicillin-Resistant *Staphylococcus aureus*. *Anesth. Analg*, 81, 555–8.
- Santoso, J., Uyun, Y., Sudadi, 2015. *Perbandingan Efektivitas Antiseptik Chlorhexidine 0, 5% dalam Alkohol 70% dan Povidone iodine 10% untuk Menekan Pertumbuhan Colony Forming Unit Jarum Epidural Pasca Anestesi Epidural* (Tesis), Universitas Gadjah Mada, Yogyakarta.
- Sarna, M.C., Smith, I., James, J.M., 1990, Paresthesia with lumbar epidural catheters: A comparison of air and saline in loss-of-resistance technique. *Anaesthesia*, Volume 45, pages 1077-1079
- Sato, S., Sakuragi, T., Dan, K. 1996, Human skin flora as a potential source of epidural abscess. *Anesthesiology*, 85:1276-1282.
- Sastroasmoro, S., 2008, Inferensi: Dari Sampel Ke Populasi. Dalam: Sastroasmoro S & Ismael S (eds), *Dasar-Dasar Metodologi Penelitian Klinis*. Edisi ke-3, CV. Sagung Seto Jakarta, p. 12-25.
- Selvaggi, G., Monstrey, S., Van, Landuyt, K., Hamdi, M., Blondeel, P H. 2003, The Role of Iodine in Antisepsis and Wound Management: A Reappraisal, *Acta chir belg*, 103: 241-247.

- Steffen P, Seeling W, Essig A, Stiepan E, Rockemann MG, 2004, Bacterial Contamination of Epidural Catheters: Microbiological Examination of 502 Epidural Catheters Used for Postoperative Analgesia, *Journal of Clinical Anesthesia*, 16:92-97
- Viale P., Stefani S. 2006, Vascular Catheter-Associated Infections: A Microbiological and Therapeutic Update, *Journal of Chemotherapy*, 18 (3): 235-249
- Wang, L., Hauerberg, J., Schmidt, J. 1999, Incidence of spinal epidural abscess after epidural analgesia: A national 1 - year survey. *Anesthesiology*, 91, 1928–1936.
- Wiratnolo, R., Widyastuti, Y., 2014. *Perbandingan Efektifitas Antiseptik Chlorhexidine 0,5% Dalam Alkohol 70% (W/V) Dan Povidone iodine 10% (W/V) Pada Kultur Bakteri Jarum Spinal Pasca Subarachnoid Block (SAB)*, (Tesis), Universitas Gadjah Mada, Yogyakarta.
- Yentur, A., Luleci, N., Topcu, I., Degerli, K., Surucuoglu, S. 2003, Is Skin Disinfection With 10% Povidone iodine Sufficient to Prevent Epidural Needle and Catheter Contamination? *Reg. Anesth. Pain Med.*, 28, 389–393. doi:10.1016/S1098-7339(03)00399-7 Website <https://www.ncbi.nlm.nih.gov/labs/.../reg-anesth-pain-med/> Diakses 15 Februari 2017 pukul 10.21 WIB
- Yuan, H.B., Zuo, Z., Yu, K.W., Lin, W.M., Lee, H.C., Chan, K.H. 2008, Bacterial Colonization of Epidural Catheters Used for Short-term Postoperative Analgesia: Microbiological Examination and Risk Factor Analysis. *Anesthesiology*, 108:130–7
- Zinn, J. 2010, Intraoperative Patient Skin Prep Agents; Is There a Difference? *Aorn Journal*, 92(6): 662-670.