

## DAFTAR PUSTAKA

- Asher SR, Parichat C, et al. Survival Advantage and PaO<sub>2</sub> Threshold in Severe Traumatic Brain Injury. *J Neurosurg Anesthesiol.* 2013; 25: 168-173.
- Atkinson JL, R.E. Anderson, M.J. Murray, The early critical phase of severe head injury: importance of apnea and dysfunctional respiration. *Journal of Trauma-Injury Infection & Critical Care.* 1998 ;45(5): 941-5.
- Baker SP et al, "The Injury Severity Score: a method for describing patients with multiple injuries and evaluating emergency care", *J Trauma* 14:187-196;1974.
- Bazzazi A, Hasanloei MA, Mahoori A, Gholamnejad M, Tarverdipour H. Correlation between arterial blood gas analysis and outcome in patients with severe head trauma. *Ulus Travma Acil Cerrahi Derg.* 2014 ; 20 (4) : 236-240.
- Bernard SA, Vina N, Peter C, Kevin M, Mark F, David JC, et al. Prehospital Rapid Sequence Intubation Improves Functional Outcome for Patients With Severe Traumatic Brain Injury. *Ann Surg.* 2010 ;252 (6) : 959-965.
- Bisri DW, Tatang B. Pengelolaan Perioperatif Cedera Otak Traumatik. 4th ed. Bandung. *Fakultas Kedokteran Universitas Padjajaran.* 2012 ; 143-153.
- Butterworth JF, David CM, John DW. Neurophysiology & Anesthesia. *Morgan and Mikhail's Clinical Anesthesiology.* 5th ed. New York: Mc.Graw Hill; 2013; 575-582.
- Chen JJ, Diana R, David HS. Age-associated reductions in cerebral blood flow are independent from regional atrophy. *Neuroimage.* 2010 ; 55: 468-478.

Chesnut, RM, Marshall LF, Klauber MR, Blunt BA. The role of secondary brain injury in determining outcome from severe head injury. *Journal of Trauma-Injury Infection & Critical Care*. 1993 ; 34(2): 216-22.

Chi, JH, Knudson, MM, Mary JV, Mary CM, Michael BS, Susan M, et al, Prehospital hypoxia affects outcome in patients with traumatic brain injury: a prospective multicenter study. *Journal of Trauma-Injury Infection & Critical Care*. 2006 ;61(5): 1134-41.

Choffat, C, Cecile D, Nicolas F, Patrick S, Effect of Pre-Hospital Intubation in Patients with Severe Traumatic Brain Injury on Outcome: A Prospective Cohort Study. *J. Clin. Med*. 2019 ; 8(4), 470.

Cottrel, JE, Philipa N, *Handbook of Neuroanesthesia*. 5th ed. Philadelphia: Lippincolt Williams & Wilkins : 2010.

Dai D, Qiang Y, Yinfeng S, Fang Y, Zuopeng S, Jun D, et al. Impact Thoracic Injury on Traumatic Brain Injury Outcome. *Department neurosurgery shanghai*. 2013 ; 8 (9) : 1-9.

Davis DP, Hoyt, DB, Ochs M, Fortalge D, Holbrook T, Marshall LK, Rosen P. Paramedic rapid sequence intubation for severe traumatic brain injury: perspectives from an expert panel. *Prehospital Emergency Care*, 2007 ;11(1): 18.

Elm, EV, P. Schoettker P, Henzi I, Osterwalder J, Walder B. Pre-hospital tracheal intubation in patients with traumatic brain injury: systematic review of current evidence. *Br J of Anaesth*. 2009 ; 103 (3): 371–86.

Fuji T, Mark F, Scott S. Risk factors for cervical spine injury among patients with traumatic brain injury. *Journal of Emergencies, Trauma, and Shock*. 2013 ; 6 (4) : 252-8.

Godoy DA, Ali S, David G, Santiago LM, Francisco M. Hyperventilation Therapy for Control of Posttraumatic Intracranial Hypertension. *Frontiers in Neurology*. 2017; 8 : 1-13.

Grigorakos L, et al. Predictors of Outcome in Patients with Severe Traumatic Brain Injury. *J Neurosci Clin Res*. 2016 ; 1 (1) : 1-4.

Haddad SH, Yaseen MA. Critical care management of severe traumatic brain injury in adults. Haddad and Arabi *Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine*. 2012 ; 20 (12) : 1-15.

Heegaard W, Biros M, Traumatic brain injury. *Emergency Medicine Clinics of North America*. 2007; 25(3): 655-78.

Howle AA, Melissa TN, Ian JB. Aspiration Pneumonia Following Severe Traumatic Brain Injury: Prevalence and Risk Factors for Long-Term Mortality. *Brain Injury Rehabilitation Service*. 2011 ; 12 (3) : 179-186.

Jung YI. Airway management of patients with traumatic brain injury/C-spine injury. *Korean J Anesthesiol*. 2015 ; 68 (3) : 213-219.

Manley, G, Knudson MM, Lawrence HP, Hypotension, hypoxia, and head injury: frequency, duration, and consequences. *Archives of Surgery*. 2001; 136(10): 1118-23.

Mayglothling J, Duane TM, Gibbs M, McCunn M, Legome E, Eastman AL, et al. Emergency tracheal intubation immediately following traumatic injury: An Eastern Association for the Surgery of Trauma practice management guideline. *J Trauma Acute Care Surg.* 2012; 73 (5) : 333-340.

McSwain NES, Pons, PT, *Pre Hospital Trauma Life Support.* 6th ed. St Louis, Missouri. Mosby Elsevier ; 2006.

Miller, RD, *Miller's Anesthesia. 8th ed. Philadelphia:* Churchill Livingstone Elsevier ; 2015 ;423-443

Murray, JA, Demetriades D, Berne TV, Stratton SJ, Cryer HG, Bongard F et al, Prehospital intubation in patients with severe head injury. *Journal of Trauma-Injury Infection & Critical Care.* 2000 ;49(6): 1065-70.

Page D, Enyo A, Brian T, Nicholas MM, Stephen. Emergency department hyperoxia is associated with increased mortality in mechanically ventilated patients: a cohort study. *Page et al. Critical Care.* 2018 ; 22 : 9.

Pakkanen T, Iikka V, Antti K, Heini H, Tom S, Janne V *et al.* Pre-hospital severe traumatic brain injury comparison of outcome in paramedic versus physician staffed emergency medical services. *Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine.* 2016 ; 24 (62): 1-7.

Pasqual JM, Ruth P. Surgical Management of Severe Closed Head Injury in Adults. *Schmidek & Sweet Operative Neurosurgical Techniques.* 6 th ed. Philadelphia. 2012 vol 2:1536-8.

Qureshi H, Hussain M, Jacob E, Marco M. Anesthetic Management of Traumatic Brain Injury. *Clin Med Rev Case*. 2017 ;4 (3) : 159.

Shi J, Bo D, Yumin M, Wei G, Jiachao C. Traumatic brain injury and hyperglycemia, a potentially modifiable risk factor. *Neurosci Lett*. 2016; 7(43): 71052–71061.

Spaite DW, Chengcheng H, Bentley JB, Vatsal C, Bruce B, Joshua BG. The Impact of Combined Prehospital Hypotension and Hypoxia on Mortality in Major Traumatic Brain Injury. *Ann Emerg Med*. 2017 ; 69(1): 62–72.

Stocchetti, N, Furlan A, Volta F, Hypoxemia and arterial hypotension at the accident scene in head injury. *Journal of Trauma-Injury Infection & Critical Care*. 1996 ; 40(5): 764-7.

Tintinalli JEK, Stapezynski JS, Emergency Medicine: A Comprehensive Study Guide 5thed. New York: McGraw-Hill ; 2000.

Tuma M, Ayman EM, Husham A, Hassan AT, Ahmad Z, Ashok P, et al. Prehospital Intubation in Patients with Isolated Severe Traumatic Brain Injury: A 4-Year Observational Study. *Critical Care Research and Practice*. 2014 : 1-6.

Vigue BB, C. Ract, K. Tazarourte. The First 24 Hours after Severe Head Trauma. *Annual Update in Intensive Care and Emergency Medicine*. 2012 ; 27: 722-728.

Winchell RJ, Hoyt DB, Endotracheal intubation in the field improves survival in patients with severe head injury. Trauma Research and Education Foundation of San Diego. *Arch Surg*. 1997 ; 132 (6) : 592-7.

Ziaeirad M, Nasrollah A, Alireza I, Bahram A. Association between Outcome of Severe Traumatic Brain Injury and Demographic, Clinical, Injury-related Variables of Patients. *Iran J Nurs Midwifery Res.* 2018; 23(3): 211–216.