

DAFTAR PUSTAKA

- Adebamowo, C.A., Spiegelman, D., Danby, F.W., Frazier, A.L., Willet, W.C., et al. 2005. High school dietary intake and teenage acne. *J Am Acad Dermatol*, 52(2):207-14.
- Adebamowo, C.A., Spiegelman, D., Berkey, C.S., Danby, F.W., Rockett, H.H., et al. 2008. Milk consumption and acne in teenage boys. *J Am Acad Dermatol*, 58(5): 787–793.
- Barnes, L.E., Levender, M.M., Fleischer, A.B., Feldman, S.R. 2012. Quality of life measure for acne patients. *Dermatol Clin*, 30: 2903-300.
- Beylot, C., Auffret, N., Poli, F., Claudel, J.P., Leccia, M.T., et al. 2014. Propionibacterium acnes: an update on its role in the pathogenesis of acne. *JEADV*, 28:271-278.
- Bhate, K., Williams, H.C. 2013. Epidemiology of acne vulgaris. *Br J Dermatol*, 168(3):107-114.
- Bhagavan, N.V. 2002a. CHAPTER 18- Lipids I: Fatty Acids and Eicosanoids. In *Medical Biochemistry* (4th edition), San Diego: Academic Press:901-928.
- Bhagavan, N.V. 200b. CHAPTER 38- Vitamin Metabolism. In *Medical Biochemistry* (4th edition), San Diego: Academic Press:901-928.
- Bowe W.P., Shalita A.R. 2008. Effective over-the-counter acne treatments. *Semin Cutan Med Surg*, 27:170-6.
- Bowe W.P., Joshi S.S., Shalita A.R. 2010. Diet and acne. *J Am Acad Dermatol*, 63(1):124-41.
- Bulkley, L.D. 1985. Acne, its Etiology, Pathology and Treatment. New York, NY: GP Putnam's Sons.
- Burris, J., Rietkerk, W., Woolf, K. 2014. Relationships of self-reported dietary factors and perceived acne severity in a cohort of New York young adults. *J Acad Nutr Diet*, 114(3):384–392.
- Capitanio, B., Sinagra, J.L., Ottaviani, M., Bordinon, V., Amantea, A., et al. 2009. Acne and smoking. *Dermato-Endocrinology*, 1(3):129-135.
- Choi, J.M., Lew, V.K., Kimball, A.B. 2006. A Single-Blinded, Randomized, Controlled Clinical Trial Evaluating the Effect of Face Washing on Acne Vulgaris. *Pediatr Dermatol*, 23(5):421-7.
- Cordain, L. 2005. Implications for the role of diet in acne. *Semin Cutan Med Surg*, 24:84–91.
- Costa, A., Siqueira Talarico, A., Parra Duarte Cde, O., Silva Pereira, C., de Souza Weimann, E.T., et al. 2013. Evaluation of the Quantitative and Qualitative Alterations in the Fatty Acid Contents of the Sebum of Patients with Inflammatory Acne during Treatment with Systemic Lymecycline and/or Oral Fatty Acid Supplementation. *Dermatol Res Pract*, 1204-75.
- Dahlan, M.S. 2016. Besar sampel dan cara pengambilan sampel edisi 4. Jakarta: Salemba Medika.
- Danby, F.W. 2005. Acne and milk, the diet myth, and beyond. *J Am Acad Dermatol*, 52(2):360–362.

- Dewi, N.A. 2017. Hubungan Tingkat Asupan Gizi Makro dengan Kejadian Vaginosis Bakterial. Universitas Gadjah Mada.
- Dietary Guidelines Advisory Committee. 2010. Report of the Dietary Guidelines Advisory Committee on the Dietary Guidelines for Americans to the Secretary of Agriculture and the Secretary of Health and Human Services: U.S. Department of Agriculture, Agricultural Research Service, Washington D.C.
- Draelos, Z.D. 2006. The effect of a daily facial cleanser for normal to oily skin on the skin barrier of subjects with acne. *Cutis*; 78 (1 Suppl.): 34–40
- Durán, R.V., Oppliger, W., Robitaille, A.M., Heiserich, L., Skendaj, R., et al. 2012. Glutaminolysis activates Rag-mTORC1 signaling. *Mol Cell*, 47(3):349–358.
- Ekanayake-Mudiyanselage, S., Thiele, J. 2006. Sebaceous glands as transporters of vitamin E. *Hautarzt*, 57(4):291–6.
- El-Akawi, Z., Abdel-Latif, N., Abdul-Razzak, K., et al. 2006. Does the plasma level of vitamins A and E affect acne condition?. *Clin Exp Dermatol*, 31(3):430–4.
- Eleazu, C.O. 2016. The concept of low glycemic index and glycemic load foods as panacea for type 2 diabetes mellitus; prospects, challenges and solutions. *Afr Health Sci*, 16(2):468–79.
- Evans, D.M., Kirk, K.M., Nyholt, D.R., Novac, C., Martin, N.G. 2005. Teenage acne is influenced by genetic factors. *Br J Dermatol*, 152:565–95.
- Fabbri, M., Paone, A., Calore, F., Galli, R., Gaudio, E., et al. 2012. MicroRNAs bind to Toll-like receptors to induce prometastatic inflammatory response. *Proc Natl Acad Sci U S A*, 109(31):E2110–E2116.
- Fabbrocini, G., Cameli, N., Lorenzi, S., De Padova, M.P., Marasca, C., et al. 2014. A dietary supplement to reduce side effects of oral isotretinoin therapy in acne patients. *G Ital Dermatol Venereol*, 149(4): 441–5.
- Fernandez-Garcia, E. 2014. Skin protection against UV light by dietary antioxidants. *Food Func*, 5:1994–2003.
- Flowers, E., Won, G.Y., Fukuoka, Y. 2015. MicroRNAs associated with exercise and diet: a systematic review. *Physiol Genomics*, 47(1):1–11.
- Fox, L., Csongradi, C., Aucamp, M., du Plessis, J., Garber, M. 2016. Treatment modalities for acne. *Molecules*, 21: 1063–1083.
- Gharamti, A.A., Kanafani, Z.A. 2017. Cutibacterium (formerly Propionibacterium) acne infections associated with implantable devices. *Expert Rev Anti Infect Ther*, 15(12):1083–1094.
- Gollnick, H.P.M. 2003. Current concept of the pathogenesis of acne. *Drugs*, 63(15):1579–1596.
- Gollnick, H.P.M. 2015. From new findings in acne pathogenesis to new approaches in treatment. *J Eur Acad Dermatol*, 29:1–7.
- Goulden, V., McGeown, C.H., Cunliffe WJ. 1999a. The familial risk of adult acne: a comparison between first-degree relatives of affected and unaffected individuals. *Br J Dermatol*, 141:297–300.
- Goulden, V., Stables, G.I., Cunliffe, W.J. 1999b. Prevalence of facial acne in adults. *J Am Acad Dermatol*, 41:577–80.

- Gropper, S.S & Smith, J.L. 2013. Advanced Nutrition and Human Metabolism. 6th edition. Belmont, CA: Cengage Learning.
- Grossi, E., Cazzaniga, S., Crotti, S., Naldi, L., Di Landro, A., et al. 2014. The constellation of dietary factors in adolescent acne: a semantic connectivity map approach. *J Eur Acad Dermatol Venereol*.Epub.
- Halvorsen, J.A., Stern, R.S., Dalgard, F., Thoresen, M., Bjertness, E., et al. 2011. Suicidal ideation, mental health problems and social impairment are increased in adolescents with acne: a population-based study, *J Invest Dermatol*, 131(2): 363-370.
- Han, X.D., Oon, H.H., Goh, C.L. 2016. Epidemiology of post adolescence acne and adolescence acne in Singapore: a 10 year retrospective and comparative study. *J Eur Acad Dermatol Venereol*, 7:1-4.
- Harahap, H., Widodo, Y. & Mulyati, S. 2005. Penggunaan berbagai cut-off indeks massa tubuh senbagai indikator obesitas terkait penyakit degeneratif di Indonesia. *Gizi Indon*, 31:1-12.
- Hardinsyah, Riyadi, H & Napitupulu, V. 2012. Kecukupan energi, protein, lemak dan karbohidrat. Departemen Gizi FKUI:1-26.
- Heinrich, U., Garnter, C., Wiebusch, M., Eichler, O., Sies, H., et al. 2003. Supplementation with β -carotene or a similar amount of mixed carotenoids protects humans from UV-induced erythema. *J. Nutr*, 133:98–101.
- Ismail, N.H., Manaf, Z.A., Azizan, N.Z. 2012. High glycemic load diet, milk and ice cream consumption are related to acne vulgaris in Malaysian young adults: a case control study. *BMC Dermatology*, 12:13.
- Isoda, K., Seki, T., Inoue, Y., Umeda, K., Nishizaka, T, et al. 2015. Efficacy of the combined use of a facial cleanser and moisturizers for the care of mild acne patients with sensitive skin. *The Journal of Dermatology*, 42(2):181-8.
- Jung, J.Y., Yoon, M.Y., Hong, J.S., Choi, Y.S., Suh, D.H. 2010. The influence of dietary patterns on acne vulgaris in Koreans. *Eur J Dermatol*, 20(6): 1–5.
- Jung, J.Y., Kwon, H.H., Hong, J.S., Yoon, J.Y., Park, M.S., et al. 2014. Effect of dietary supplementation with omega-3 fatty acid and gamma-linolenic acid on acne vulgaris: a randomised, double-blind, controlled trial. *Acta Derm Venereol*, 94(5):521-5.
- Kaymak, Y., Adisen, E., Ilter, N., Bideci, A., Gurler, D., et al. 2007. Dietary glycemic index and glucose, insulin, insulin-like growth factor-1, insulin-like growth factor binding protein 3, and leptin levels in patients with acne. *J Am Acad Dermatol*, 57(5):819-23.
- Khayef, G., Young, J., Burns-Whitmore, B., Spalding, T. 2012. Effects of fish oil supplementation on inflammatory acne. *Lipids Health Dis*, 11:165.
- Kovacks, D., Lovaszi, M., Poliska, S., Olah, A., Biro, T., et al. 2015. Sebocytes differentially express and secrete adipokines. *Exp Dermatol*, 25: 194-199.
- Kubena, K.S., Mc Murray, D.N. 1996. Nutrition and the immune system: a review of nutrient-nutrient interactions. *J Am Diet Assoc*, 96(11):1156-64; quiz 1165-6.

- Kumar, B. Pathak, R., Mary, P.B., Jha, D., Sardhana, K., et al. 2016. New insights into acne pathogenesis: exploring the role of acne associated microbial populations. *Dermatol Sin*, 34:67-73.
- Kwon, H.H., Yoon, J.Y., Hong, J.S., Jung, J.Y., Park, M.S., et al. 2012. Clinical and histological effect of a low glycaemic load diet in treatment of acne vulgaris in Korean patients: a randomized, controlled trial. *Acta Derm Venereol*, 92(3):241–246.
- Lehmann, H.P., Robinson, K.A., Andrew, J.S. Holoway, V., Goodman. 2002. Acne therapy: a methodologic review. *J Am Acad Dermatol*, 37:231-40.
- Levine, M., Conry-Cantilena, C., Wang, Y., Welch, R.W., Washko, P.W, et al. 1996. Vitamin C pharmacokinetics in healthy volunteers: Evidence for a recommended dietary allowance. *Proc. Natl. Acad. Sci. USA*, 93:3704–3709.
- Lynn, D.D., Umari, T., Dunnick, C.A., Dellavalle, R.P. 2016. The epidemiology of acne vulgaris in late adolescence. *Adolesc Health Med Ther*, 7:13-25.
- Makrantonaki, E., Ganceviciene, R., Zouboulis, C.C. 2011. An update on the role of the sebaceous gland in the pathogenesis of acne. *Dermatoendocrinology*, 3(1):41-49.
- Maleki, A., Khalid, N. 2018. Exploring the relationship between stress and acne: a medical student's perspective. *Clinical, Cosmetic and Investigational Dermatology*, 11:173–174.
- Melnik, B.C., Schmitz, G. 2008. Role of insulin, insulin-like growth factor-1, hyperglycaemic food and milk consumption in the pathogenesis of acne vulgaris. *Exp Dermatol*, 18(10):833–841.
- Melnik, B.C., John, S.M., Schmitz, G. 2013. Milk is not just food but most likely a genetic transfection system activating mTORC1 signaling for postnatal growth. *Nutr J*, 12:103.
- Melnik, B.C. 2015. The pathogenic role of persistent milk signaling in mTORC1- and milk-microRNA-driven type 2 diabetes mellitus. *Curr Diabetes Rev*, 11(1):46–62.
- Menteri Kesehatan RI. 2013. Permenkes RI No.75 Tahun 2013 tentang Angka Kecukupan Gizi yang Dianjurkan bagi Bangsa Indonesia.
- Nelson, A.M., Thiboutot, D.M. 2012. Biology of sebaceous glands. In: Wolff K, Goldsmith L.A., Katz, S.I., Gilchrist, B.A., Paller, A.S. Leffel, D.J., Fitzpatrick's Dermatology in General Medicine. 8thed. New York: McGraw- Hill.
- Primanda, Y., Kritpracha, C., Thaniwattananon, P. 2011. Dietary behaviors among patients with type 2 diabetes mellitus in Yogyakarta, Indonesia. *NMJN*. 1(2):211-223.
- Ramli, R., Malik, A.S., Hani, A.F.M., Jamil, A. 2012. Acne analysis, grading and computational assessment methods: an overview. *Skin Res Technol*, 18: 1-14.
- Shah, J., Parmar, D. 2015. A complete review on acne vulgaris. *JAMDSR*. 3(4):20-24.

- Shi, V.Y., Leo, M., Hassoun, L., Chahal, D.S., Maibach, H.I., et al. 2015. Role of sebaceous glands in inflammation dermatoses. *J Am Acad Dermatol*, 73:856-63.
- Silverberg, J.L., Silverberg, N.B. 2014. Epidemiology and extracutaneous comorbidities of severe acne in adolescence: a US population-based study. *Br J Dermatol*, 170 (5): 1136-1142.
- Smith, R., Mann, N., Mäkeläinen, H., Roper, J., Braue, A., et al. 2008. A pilot study to determine the short-term effects of a low glycemic load diet on hormonal markers of acne: a nonrandomized, parallel, controlled feeding trial. *Mol Nutr Food Res*, 52(6):718–726.
- Suh, D.H., Kim, B.Y., Min, S.U., Lee, D.H., Yoon, M.Y., et al. 2011. A multicenter epidemiological study of acne vulgaris in Korea. *Int J Dermatol*, 50(6):673-81.
- Suva, M.A., Patel, A.M., Sharma, N., Bhattacharya, C., Mangi, R.K. 2014. A brief review on case acne vulgaris: pathogenesis, diagnosis and treatment. *STM journals*, 4(3): 1-12.
- Tahir, C.M. 2010. Pathogenesis of acne vulgaris: simplified. *JPAD*, 20:93-7.
- Tan, J.K.L., Tang, J., Fung, K., Gupta, A.K., Thomas, R., et al. 2007. Development and validation of a comprehensive acne severity scale. *K Cutan Med Surg*, 11(6): 211-216.
- Tanghetti, E.A. 2013. The role of inflammation in the pathology of acne. *J Clin Aesthet Dermatol*, 6(9): 27-35.
- Taylor, M., Gonzales, M., Porter, R. 2011 Pathways of inflammation: acne pathophysiology. *Eur J Dermatol*, 21: 323-33.
- Thompson, F.E. & Subar, A.F. 2017. Chapter 1- Dietary Assessment Methodology. In C.J. Boushey, M.G Ferruzzi. Nutrition in the prevention and Treatment of Disease (4th Edition). Academic Press:5-48.
- US Department of Health and Human Services. 2015. US Department of Agriculture. Health.gov, Scientific report of the 2015 dietary guidelines advisory committee. U.S. Department of Health and Human Services and U. S. Department of Agriculture.
- Verstak, B., Nagpal, K., Bottomley, S.P., Golenbock, D.T., Hertzog, P.J., et al. 2009. MyD88 adapter-like (Mal)/TIRAP interaction with TRAF6 is critical for TLR2- and TLR4-mediated NF-*Kappa*B proinflammatory responses. *J Biol Chem*, 284(36):24192–24203.
- Wasitaatmadja, S.M. 2010. Acne: Clinical sign, classification and grading. Dalam: Makalah National Symposium and Workshop in Cosmetic Dermatology: Acne, new concepts and challenges. Jakarta.
- Wasitaatmadja, S.M. 2013. Indonesia Acne Expert Meeting 2012. Kelompok Studi Dermatologi Kosmetik Indonesia. Jakarta.
- Whitney, E., Rolfes S.R. 2016a. An Overview of Nutrition. In Understanding Nutrition. Stamford: Cengage Learning:8.
- Whitney, E., Rolfes S.R. 2016b. The carbohydrates: sugars, starches and fibers. In Understanding Nutrition. Stamford: Cengage Learning:99.

- Xu, S.X., Wang, H.L., Fan, X., Sun, L.D., Yang, S., et al. 2007. The familial risk of acne vulgaris in Chinese Hans – a case-control study. *J Eur Acad Dermatol Venereol*, 21:602–5.
- Yamamoto, A., Takenouchi, K., Ito, M. 1995. Impaired water barrier function in acne vulgaris. *Arch Dermatol Res*, 287(2):214–218.
- Yang, C.H., Yue, J., Pfeffer, S.R., Fan, M., Paulus, E., et al. 2014. MicroRNA-21 promotes glioblastoma tumorigenesis by down-regulating insulin-like growth factor-binding protein-3 (IGFBP3). *J Biol Chem*, 289(36):25079–25087.
- Yasuda, M., Tanaka, Y., Kume, S., Morita, Y., Chin-Kanasaki, M., et al. 2014. Fatty acids are novel nutrient factors to regulate mTORC1 lysosomal localization and apoptosis in podocytes. *Biochem Biophys Acta*, 1842(7):1097–1108.
- Youn, S.W. 2010. The role of facial sebum secretion in acne pathogenesis: facts and controversies. *Clin Dermatol*, 28: 8-11.
- Young, V.R. 1994. Adult amino acid requirements the case for a major revision in current recommendations. *The Journal of Nutrition*, 124:1517S-1523S.
- Zanglein, A.L., Graber, E.M. Thiboutot, D.M. 2012. Acne vulgaris and Acneiform Eruption. In: Goldsmith AL, Katz IS, Gilchrest AB, et al, editors. Fitzpatrick's Dermatology in General Medicine. Mc. Graw Hill Medical, New York.
- Zari, S., Alrahmani, D. 2017. The association between stress and acne among female medical students in Jeddah, Saudi Arabia. *Clinical, Cosmetic and Investigational Dermatology*, 10:503–506.
- Zouboulis, C.C. 2004. Acne and sebaceous gland function. *Clin Dermatol*, 22: 360-6.
- Zouboulis, C.C. 2014. Acne as a chronic systemic disease. *Clin Dermatol*, 32: 389-396.