

## DAFTAR PUSTAKA

- Ada, L., Dean, C.M., Lindley, R., 2013. Randomized trial of treadmill training to improve walking in community-dwelling people after stroke: the AMBULATE trial. *Int. J. Stroke* 8: 436–444. doi:10.1111/j.1747-4949.2012.00934.x
- Adhtiya, Y., 2015. Keluarga di Masyarakat Jawa dalam Perspektif Cultural Studies. Universitas Islam Negeri Walisongo Semarang.
- Ain, Q.U., Dar, N.Z., Ahmad, A., Munzar, S., Yousafzai, A.W., 2014. Caregiver stress in stroke survivor: data from a tertiary care hospital -a cross sectional survey. *BMC Psychol.* 2: 1–7.
- Ajlouni, M.T., Dawani, H., Diab, S.M., 2015. Home Health Care (HHC) Managers Perceptions About Challenges and Obstacles that Hinder HHC Services in Jordan. *Glob. J. Health Sci.* 7: 121–9. doi:10.5539/gjhs.v7n4p121
- Allen, L., Richardson, M., Mcintyre, A., Janzen, S., Meyer, M., Ure, D., Willems, D., Teasell, R., 2014. Community Stroke Rehabilitation Teams: Providing Home-Based Stroke Rehabilitation in Ontario, Canada. *Can. J. Neurol. Sci. Inc* 41: 697–703. doi:10.1017/cjn.2014.31
- Azwar, S., 2016. Penyusunan Skala Psikologis, 2nd ed. Pustaka Pelajar, Yogyakarta.
- Azwar, S., 2015. Reliabilitas dan Validitas, 4th ed. Pustaka Pelajar, Yogyakarta.
- Bann, C.M., Fehnel, S.E., Gagnon, D.D., 2003. Development and Validation of the Diabetic Foot Ulcer Scale – Short Form ( DFS-SF ). *Pharmacoeconomics* 21: 1277–1290.
- Barbosa, S.F., Tronchin, D.M.R., 2015. Manual for monitoring the quality of nursing home care records. *Rev Bras Enferm* 68: 227–234.
- Bartolo, M., De Nunzio, M.A., Sebastiano, F., Spicciato, F., Tortola, P., Nilsson, J., Pierelli, F., 2014. Arm Weight Support Training Improves Functional Motor Outcome and Movement Smoothness after Stroke. *Funct. Neurol.* 29: 15–21.
- Bartolo, M., Luca, D. De, Serrao, M., Sinforiani, E., Zucchella, C., Sandrini, G., 2010. Caregiver burden and needs in community neurorehabilitation. *J Rehabil Med* 42: 818–822. doi:10.2340/16501977-0612
- Bashir, A.H., Abdullahi, A., Abba, M.A., Mukhtar, N.B., 2017. Central Poststroke Pain: Its Profile among Stroke Survivors inKano, Nigeria. *Behav. Neurol.* 1–5. doi:Research ArticleCentral Poststroke Pain: Its Profile among Stroke Survivors inKano, NigeriaAbdulbaki Halliru Bashir, Auwal Abdullahi, Muhammad Aliyu Abba, andNaziru Bashir MukhtarDepartment of Physiotherapy, Bayero University Kano, Kano, NigeriaCorrespondence should be addressed to Auwal Abdullahi; aabdullahi.pth@buk.edu.ngReceived 31 March 2017; Revised 24 June 2017; Accepted 26 July 2017; Published 19 September 2017AcademicEditor:Mayowa OwolabiCopyright © 2017 Abdulbaki Halliru Bashir et al. T
- Bos, J.T., Frijters, D.H.M., Wagner, C., Carpenter, G.I., Finne-Soveri, H.,

- Topinkova, E., Garms-Homolová, V., Henrard, J.-C., Jónsson, P. V, Sørbye, L., Ljunggren, G., Schroll, M., Gambassi, G., Bernabei, R., 2007. Variations in quality of Home Care between sites across Europe, as measured by Home Care Quality Indicators. *Aging Clin. Exp. Res.* 19: 323–9. doi:10.1007/BF03324709
- Boss, H.M., Schaik, S.M. Van, Deijle, I.A., Melker, E.C. De, Berg, B.T.J. Van Den, Scherder, E.J.A., 2014. Safety and feasibility of post-stroke care and exercise after minor ischemic stroke or transient ischemic attack : MotiveS & MoveIT. *NeuroRehabilitation* 34: 401–407. doi:10.3233/NRE-141049
- Brunner, I.C., Skouen, J.S., Strand, L.I., 2012. Is modified constraint-induced movement therapy more effective than bimanual training in improving arm motor function in the subacute phase post stroke ? A randomized controlled trial. *Clin. Rehabil.* 26: 1078–1086. doi:10.1177/0269215512443138
- Buss, A., Mscn, B.A., Wolf-ostermann, K., Dassen, T., Lahmann, N., 2016. Effectiveness of educational nursing home visits on quality of life , functional status and care dependency in older adults with mobility impairments : a randomized controlled trial. *J. Eval. Clin. Pract.* 22: 213–221. doi:10.1111/jep.12457
- Campbell, S.M., Braspenning, J., Hutchinson, A., Marshall, M., 2003. Research methods used in developing and applying quality indicators in primary care. *Qual. Saf. Health Care* 326: 816–9. doi:10.1136/qhc.11.4.358
- Chaiyawat, P., Kulkantrakorn, K., 2012a. Effectiveness of home rehabilitation program for ischemic stroke upon disability and quality of life : A randomized controlled trial 114: 866–870. doi:10.1016/j.clineuro.2012.01.018
- Chaiyawat, P., Kulkantrakorn, K., 2012b. Randomized controlled trial of home rehabilitation for patients with ischemic stroke : impact upon disability and elderly depression. *Psychogeriatrics* 12: 193–199. doi:10.1111/j.1479-8301.2012.00412.x
- Chiu, D., 2010. Vascular Disease, in: Rolak, L.A. (Ed.), *Neurologi Secrets*. Mosby Elsevier, Philadelphia, pp. 269–282.
- Christensen, H., Boysen, G., Truelsen, T., 2005. The Scandinavian Stroke Scale predicts outcome in patients with mild ischemic stroke. *Cerebrovasc. Dis.* 20: 46–48. doi:10.1159/000086280
- Creasy, K.R., Lutz, B.J., Young, M.E., Stacciarini, J.R., 2015. Clinical Implications of Family-Centered Care in Stroke Rehabilitation. *Rehabil. Nurs.* 40: 349–359. doi:10.1002/rnj.188
- Creswell, J.W., 2014. *Research Design, Qualitative, Quantitative, Mixed Methods Approaches*, 4th ed. SAGE Publication, California.
- Creswell, J.W., Clark, V.L.P., 2011. *Designing and Conducting Mixed Methods Research*, 2nd ed. SAGE Publication, United State of America.
- Dalby, D.M., Hirdes, J.P., Fries, B.E., 2005. Risk adjustment methods for Home Care Quality Indicators (HCQIs) based on the minimum data set for home care. *BMC Heal. Serv Res* 5: 7. doi:1472-6963-5-7 [pii]r10.1186/1472-6963-5-7
- Daniel, K., Wolfe, C.D.A., Busch, M.A., Mckevitt, C., 2009. What are the social

- consequences of stroke for working-aged adults? a systematic review. *Stroke* 40: e431–e441. doi:10.1161/STROKEAHA.108.534487
- Dean, C.M., Ada, L., Lindley, R.I., 2014. dwelling people after stroke who walk faster than 0 . 4 m / s : a randomised trial. *J. Physiother.* 60: 97–101. doi:10.1016/j.jphys.2014.03.004
- DeVellis, R.F., 2012. Scale Development: Theory and Applications, 3rd ed. SAGE Publication, United State of America.
- Dinata, C.A., Safrita, Y., Sastri, S., 2013. Gambaran Faktor Risiko dan Tipe Stroke pada Pasien Rawat Inap di Bagian Penyakit Dalam RSUD Kabupaten Solok Selatan Periode 1 Januari 2010 - 31 Juni 2012. *J. Kesehat. Andalas* 2: 57–61.
- Direktorat Pelayanan Sosial Lanjut Usia, 2014. Pendampingan dan perawatan sosial lanjut usia di rumah (home care).
- Dobkin, B.H.K., Nadeau, S.E., Behrman, A.L., Wu, S.S., Rose, D.K., Bowden, M., Studenski, S., Lu, X., Duncan, P.W., 2014. Prediction of responders for outcome measures of Locomotor Experience Applied Post Stroke trial. *JRRD* 51: 39–50.
- Donabedian, a, 1988. The quality of care. How can it be assessed? *JAMA* 260: 1743–1748. doi:10.1001/jama.260.12.1743
- Doran, D., Hirdes, J.P., Blais, R., Baker, G.R., Poss, J.W., Li, X., 2013. Adverse Events Associated with Hospitalization or Detected through the RAI-HC Assessment among Canadian Home Care Clients Événements indésirables associés à l ’ hospitalisation ou détectés à l ’ aide du RAI-HC chez les clients qui reçoivent des soins à do. *Heal. Care Policy* 9: 76–88.
- Doyle, P.J., 2002. Measuring health outcomes in stroke survivors. *Arch. Phys. Med. Rehabil.* 83: 39–43. doi:10.1053/apmr.2002.36838
- Dragert, K., Zehr, E.P., 2013. High-intensity unilateral dorsiflexor resistance training results in bilateral neuromuscular plasticity after stroke 93–104. doi:10.1007/s00221-012-3351-x
- Duncan, pamela W., Sullivan, K.J., Behrman, A.L., Azen, S.P., Wu, S.S., Nadeau, S.E., Dobkin, B.H., Rose, D.K., Tilson, J.K., Cen, S., Hayden, S.K., 2011. Body-Weight–Supported Treadmill Rehabilitation after Stroke. *N. Engl. J. Med.* 364: 2026–36.
- Effendy, C., Vissers, K., Woitha, K., Paap, J. van R., Tejawinata, S., Vernooij-Dassen, M., Engels, Y., 2014. Face-validation of quality indicators for the organization of palliative care in hospitals in Indonesia : a contribution to quality improvement. *Support Care Cancer* 22: 3301–3310. doi:10.1007/s00520-014-2343-8
- Elwyn, G., Buetow, S., Hibbard, J., Wensing, M., 2007. Respecting the subjective : quality measurement from the patient ’ s perspective. *BMJ Open* 335: 1021–1022.
- Emblem Health, 2010. Care for the family caregiver: a place to start, March. ed. National alliance for caregiving.
- Engel, O., Meisel, A., 2010. Models of infection before and after stroke: investigating new targets. *Infect. Disord. Drug Targets* 10: 98–104. doi:BSP/ID-DT/E-Pub/0014-10-2 [pii]

- Fallis, A., 2013. No Title No Title, *Journal of Chemical Information and Modeling*. doi:10.1017/CBO9781107415324.004
- Feigin, V.L., Lawes, C.M.M., Bennett, D.A., Barker-collo, S.L., Parag, V., 2009. Worldwide stroke incidence and early case fatality reported in 56 population-based studies: a systematic review. *Lancet Neurol.* 8: 355–369. doi:10.1016/S1474-4422(09)70025-0
- Fisher, M., Norrving, B., 2011. The international agenda for stroke.
- Fitch, K., Bernstein, S.J.J., Aguilar, M.D., Burnand, B., LaCalle, J.R., Lazaro, P., Van Het Loo, M., McDonnell, J., Vader, J.P., Kahan, J.P., 2001. The RAND / UCLA Appropriateness Method User ' s Manual, Transformation.
- Foebel, A.D., van Hout, H.P., van der Roest, H.G., Topinkova, E., Garms-Homolova, V., Frijters, D., Finne-Soveri, H., Jónsson, P. V., Hirdes, J.P., Bernabei, R., Onder, G., 2015. Quality of care in European home care programs using the second generation interRAI Home Care Quality Indicators (HCQIs). *BMC Geriatr.* 15: 148. doi:10.1186/s12877-015-0146-5
- Fonarow, G.C., Alberts, M.J., Broderick, J.P., Jauch, E.C., Kleindorfer, D.O., Saver, J.L., Solis, P., Suter, R., Schwamm, L.H., 2014. Stroke Outcomes Measures Must Be Appropriately Risk Adjusted to Ensure Quality Care of Patients. *Stroke* 45: 1589–1601. doi:10.1161/STR.0000000000000014
- Gache, K., Leleu, H., Nitenberg, G., Woimant, F., Ferrua, M., Minvielle, E., 2014. Main barriers to effective implementation of stroke care pathways in France: a qualitative study. *BMC Health Serv. Res.* 14: 2–19. doi:10.1186/1472-6963-14-95
- Genet, N., Boerma, W., Kroneman, M., Hutchinson, A., Saltman, R.B., 2012. Home Care across Europe - Current structure and future challenges. *World Heal. Organ.* 156.
- Gillespie, R., Florin, D., Gillam, S., 2004. How is patient-centred care understood by the clinical, managerial and lay stakeholders responsible for promoting this agenda? *Heal. Expect.* t: 142–148.
- Gilmore-Bykovskiy, A.L., Kennelty, K.A., DuGoff, E., Kind, A.J.H., 2018. Hospital discharge documentation of a designated clinician for follow-up care and 30-day outcomes in hip fracture and stroke patients discharged to sub-acute care. *BMC Health Serv. Res.* 18: 1–7.
- Glaser, B.G., Strauss, A.L., 2006. The discovery of grounded theory: strategies for qualitative research. Aldine transaction, New Jersey.
- Godwin, K.M., Swank, P.R., Vaeth, P., Ostwald, S.K., 2013. The longitudinal and dyadic affects of mutuality on perceived stress for stroke survivors and their spousal caregivers. *Aging Ment. Heal.* 17: 423–431. doi:10.1080/13607863.2012.756457.The
- Goldman, R.E., Parker, D.R., Walker, J., Eaton, C.B., Borkan, J.M., 2015. Recommendations for a Mixed Methods Approach to Evaluating the Patient-Centered Medical Home. *Ann. Fam. Med.* 13: 168–175. doi:10.1370/afm.1765.INTRODUCTION
- Gonzalez, C., Bakas, T., 2013. Factor associated with stroke survivor behaviors as identified by family caregivers. *Rehabil. Nurs.* 38: 202–211. doi:10.1002/rnj.85.FACTORS

- Gordon, C.D., Wilks, R., McCaw-Binns, A., 2013. Effect of Aerobic Exercise ( Walking ) Training on Functional Status and Health-related Quality of Life in Chronic Stroke Survivors. *Stroke* 44: 1179–1182. doi:10.1161/STROKEAHA.111.000642
- Gratao, A.C.M., Talmelli, L.F. da S., Figueiredo, L.C., Rosset, I., Freitas, C.P., Rodrigues, R.A.P., 2013. Functional Dependency of Older Individuals and Caregiver Burden. *Rev Esc Enferm USP* 47: 134–41.
- Hack, N., Akbar, U., Monari, E.H., Eilers, A., Thompson-Avila, A., Hwynn, N.H., Sriram, A., Haq, I., Hardwick, A., Malaty, I.A., Okun, M.S., 2015. Person-centered care in the home setting for parkinson’s disease: Operation house call quality of care pilot study. *Parkinsons. Dis.* 2015: 1–6. doi:10.1155/2015/639494
- Hackett, M.L., Hons, M.A., Yapa, C., Parag, V., Anderson, C.S., 2005. Frequency of Depression After Stroke A Systematic Review of Observational Studies. *Stroke* 36: 1330–1341. doi:10.1161/01.STR.0000165928.19135.35
- Hair, J.F., Black, J. W.C., Babin, B.J., Anderson, R.E., 2014. Confirmatory Factor Analysis, in: Multivariate Data Analysis. Pearson, United State of America, pp. 599–638.
- Hebert, M.A., Jansen, J.J., Brant, R., Hailey, D., van der Pol, M., 2004. Successes and challenges in a field-based, multi-method study of home telehealth. *J. Telemed. Telecare* 10 Suppl 1: 41–44. doi:10.1258/1357633042614348
- Hendryadi, 2014. Content validity (validitas isi).
- Herawati, N., 2014. Studi Fenomenologi Pengalaman Perubahan Citra Tubuh Pada Klien Kelemahan Pasca Stroke Di Rs Dr M Djamil Kota Padang. *J. Keperawatan Jiwa* 2: 31–40.
- Hidayat, A.A.A., 2007. Metode Penelitian Keperawatan dan Teknik Analisis Data. Salemba Medika, Jakarta.
- Hirdes, J.P., Fries, B.E., Morris, J.N., Ikegami, N., Zimmerman, D., Dalby, D.M., Aliaga, P., Hammer, S., Jones, R., 2004. Home care quality indicators (HCQIs) based on the MDS-HC. *Gerontologist* 44: 665–679. doi:10.1093/geront/44.5.665
- Horgan, F., McGee, H., Hickey, A., Whitford, D.L., Murphy, S., Royston, M., Cowman, S., Shelley, E., Conroy, R.M., Wiley, M., O’Neill, D., 2011. From Prevention to Nursing Home Care: A Comprehensive National Audit of Stroke Care. *Cerebrovasc. Dis.* 32: 385–392. doi:10.1159/000330640
- Horter, S., Stringer, B., Reynolds, L., Shoab, M., Kasozi, S., Casas, E.C., Verputten, M., du Cros, P., 2014. “Home is where the patient is”: a qualitative analysis of a patient-centred model of care for multi-drug resistant tuberculosis. *BMC Health Serv. Res.* 14: 81. doi:10.1186/1472-6963-14-81
- Hsu, C.-C., Sandford, B.A., 2007. The Delphi Technique: Making Sense of Consensus. *Pract. Assessment, Res. Eval.* 12: 1–8.
- <http://www.nihstrokescale.org/>, 1999. NIH Stroke Scale (NIHSS).
- Huang, H., Huang, L., Hu, C., Chang, C., Lee, H., Shyu, M., Chang, H., 2014. The mediating effect of psychological distress on functional dependence in stroke patients. *J. Clin. Nurs.* 23: 3533–3543. doi:10.1111/jocn.12606
- Huang, K.T.L., Lu, T.J., Alizadeh, F., Mostaghimi, A., 2016. Homebound

- patients' perspectives on technology and telemedicine: A qualitative analysis. *Home Health Care Serv. Q.* 35: 172–181. doi:10.1080/01621424.2016.1264341
- Hunt, C.K., 2003. Concepts in caregiver research 35: 27–32.
- Ihle-hansen, H., Thommessen, B., Afgerland, M.W., Oksengard, A.R., Wyller, T.B., Engedal, K., Fure, B., 2014. Effect on anxiety and depression of a multifactorial risk factor intervention program after stroke and TIA : a randomized controlled trial. *Aging Ment. Health* 18: 540–546.
- Ingeman, A., 2010. Medical complications in patients with stroke : Data validity, processes of care, and clinical outcome.
- Institute of Medicine, 2001. Crossing the Quality Chasm: A New Health System for the 21st Century. National Academy Press, Washington. doi:10.1136/bmj.323.7322.1192
- Jayadevappa, R., Chhatre, S., 2011. Patient Centered Care - A Conceptual Model and Review of the State of the Art Identification of Studies. *Open Health Serv. Policy J.* 4: 15–25.
- Johnson, W., Onuma, O., Owolabi, M., Sachdev, S., 2016. Stroke: a global response is needed. *Bull. World Health Organ.* 94: 633–708.
- Jun, E., Roh, Y.H., Kim, M.J., 2012. The effect of music-movement therapy on physical and psychological states of stroke patients. *J. Clin. Nurs.* 22: 22–31. doi:10.1111/j.1365-2702.2012.04243.x
- Kaluzny, A.D., McLaughlin, C.P., Simpson, K., 1992. Applying total quality management concepts to public health organizations. *Public Health Rep.* 107: 257–264.
- Kamus Besar Bahasa Indonesia, n.d.
- Keefe, F.J., Ahles, T.A., Porter, L.S., Sutton, L.M., McBride, C.M., Pope, M.S., McKinstry, E.T., Furstenberg, C.P., Dalton, J.A., Baucom, D.H., 2003. The self-efficacy of family caregivers for helping cancer patients manage pain at end-of-life. *Pain* 103: 157–162. doi:10.1016/S0304-3959(02)00448-7
- Kelly-Hayes, M., Robertson, J.T., Broderick, J.P., Duncan, P.W., Hershey, L.A., Roth, E.J., Thies, W.H., Trombly, C.A., 1998. The American Heart Association STroke Outcome Classification. *Stroke* 129: 1274–1280.
- Kementerian Kesehatan Republik Indonesia, 2018. Laporan Nasional Riset Kesehatan Dasar 2018. DepKes RI, Jakarta.
- King, M., Hijmans, J., Sampson, M., Satherley, J., Hale, L., 2012. Home-based stroke rehabilitation using computer gaming. *New Zeal. J. Physiother.* 40: 128–134.
- Kitago, T., Krakauer, J., 2013. Motor learning principles for neurorehabilitation. *Neurol. Rehabil.* 110: 93–103.
- Kosteniuk, J.G., Morgana, D.G., O'Connell, M.E., Bello-Haasc, V.D., Stewart, J., N., 2016. Focus on dementia care: Continuing education preferences, challenges, and catalysts among rural home care providers. *Educ. Gerontol.* 42: 608–620.
- Krakauer, J., 2005. Arm function after stroke. *Semin. Neurol.* 25: 384–395.
- Krakauer, J.W., 2006. Motor learning: its relevance to stroke recovery and neurorehabilitation. *Curr. Opin. Neurol.* 19: 84–90.

doi:10.1097/01.wco.0000200544.29915.cc

- Kulshreshtha, A., Anderson, L.M., Goyal, A., Keenan, N.L., 2012. Stroke in South Asia: A systematic review of epidemiologic literature from 1980 to 2010. *Neuroepidemiology* 38: 123–129. doi:10.1159/000336230
- Landi, F., Tua, E., Onder, G., Carrara, B., Sgadari, A., Rinaldi, C., Gambassi, G., Lattanzio, F., Bernabei, R., 2000. Minimum Data Set for Home Care A Valid Instrument to Assess Frail Older People Living in the Community. *Med. Care* 38: 1184–1190.
- Langstaff, C., Martin, C., Brown, G., Mcguinness, D., Mather, J., Loshaw, J., Fletcher, K., Paterson, J., 2014. Enhancing Community-Based Rehabilitation for Stroke Survivors: Creating a Discharge Link. *Top. Stroke Rehabil.* 21: 510–519. doi:10.1310/tsr2106-510
- Lawrence, M., Kinn, S., 2012. Defining and measuring patient-centred care: An example from a mixed-methods systematic review of the stroke literature. *Heal. Expect.* 15: 295–326. doi:10.1111/j.1369-7625.2011.00683.x
- Levy, C.E., Silverman, E., Jia, H., Geiss, M., Omura, D., 2015. Effects of physical therapy delivery via home video telerehabilitation on functional and health-related quality of life outcomes. *JRRD* 52: 361–370.
- Linder, S.M., Rosenfeldt, A.B., Bay, R.C., Sahu, K., Wolf, S.L., Alberts, J.L., 2015. Improving Quality of Life and Depression After Stroke Through Telerehabilitation. *Am. J. Occup. Ther.* 69: 1–10.
- Linder, S.M., Rosenfeldt, A.B., Reiss, A., Buchanan, S., Bay, C.R., Wolf, S.L., Alberts, J.L., Foundation, C.C., Foundation, C.C., 2013. HHS Public Access 8: 46–53. doi:10.1111/j.1747-4949.2012.00971.x.The
- Lines, L.M., Anderson, W.L., Blackmon, B.D., Pronier, C.R., Allen, R.W., Kenyon, A.E., 2018. Qualitative analysis and conceptual mapping of patient experiences in home health care. *Home Health Care Serv. Q.* 1–16. doi:10.1080/01621424.2017.1421490
- Low, L.L., Vasanwala, F.F., Ng, L., Chen, C., Lee, K.H., Tan, S.Y., 2015. Effectiveness of a transitional home care program in reducing acute hospital utilization: a quasi-experimental study. *BMC Health Serv. Res.* 15: 1–8. doi:10.1186/s12913-015-0750-2
- Lueckenotte, A.G., 2000. Gerontological nursing, Second edi. ed. Mosby Inc, St.Louis.
- Lunenburg, F.C., 2012. Organizational Structure: Mintzberg's Framework. *Int. J. Sch. Acad. Intellect. Divers.* 14: 1–8.
- Luvizutto, G.J., Monteiro, T.A., Braga, G., Pontes-Neto, O.M., Resende, L.A. de L., Bazan, R., 2012. Validation of the Scandinavian Stroke Scale in a multicultural population in Brazil. *Cerebrovasc Dis Extra* 2: 121–126. doi:10.1159/000345948
- Mackenzie, C., Muir, M., Allen, C., Jensen, A., 2014. Non-speech oro-motor exercises in post-stroke dysarthria intervention: a randomized feasibility trial. *Int. J. Lang. Commun. Disord.* 49: 602–617. doi:10.1111/1460-6984.12096
- Mahoney, F.I., Barthel, D.W., 1965. Functional evaluation: The Barthel Index. *Md. State Med. J.* 14: 56–61.

- Maier, M., Ballester, B.R., Duarte, E., Duff, A., Verschure, P.F.M.J., 2014. Social Integration of Stroke Patients through the Multiplayer Rehabilitation Gaming System 100–114.
- Mainz, J., 2003a. Defining and classifying clinical indicators for quality improvement. *Int. J. Qual. Heal. Care* 15: 523–530. doi:10.1093/intqhc/mzg081
- Mainz, J., 2003b. Developing evidence-based clinical indicators: a state of the art methods primer. *Int. J. Qual. Health Care* 15: i5–i11. doi:10.1093/intqhc/mzg084
- Mainz, J., Krog, B.R., Bjornshave, B., Bartels, P., 2004. Nationwide continuous quality improvement using clinical indicators: the Danish National Indicator Project. *Int. J. Qual. Heal. Care* 16: i45–i50.
- Mansfield, A., Wong, J.S., Bayley, M., Biasin, L., Brooks, D., Brunton, K., Howe, J., Inness, E.L., Jones, S., Lymburner, J., Mileris, R., Mcilroy, W.E., 2013. Using wireless technology in clinical practice: does feedback of daily walking activity improve walking outcomes of individuals receiving rehabilitation post-stroke? Study protocol for a randomized controlled trial. *BMC Neurol.* 13: 2–10.
- Mares, K., Cross, J., Clark, A., Vaughan, S., Barton, G.R., Poland, F., Mcglashan, K., Watson, M., Myint, P.K., Driscoll, M.O., Pomeroy, V.M., 2014. Feasibility of a randomized controlled trial of functional strength training for people between six months and five years after stroke: FeSTivaLS trial. *BMC Trials* 15: 1–11.
- Markle-Reid, M., Orridge, C., Weir, R., Browne, G., Gafni, A., Lewis, M., Walsh, M., Levy, C., Daub, S., Brien, H., Roberts, J., Thabane, L., 2011. Interprofessional stroke rehabilitation for stroke survivors using home care. *Can. J. Neurol. Sci.* 38: 317–34. doi:10.1017/S0317167100011537
- Maryam, R.S., Rosidawati, Riasmini, N.M., Suryati, E.S., 2012. Beban keluarga merawat lansia dapat memicu tindakan kekerasan dan penelantaran terhadap lansia. *J. Keperawatan Indones.* 15: 143–150.
- Maslow, A., 2000. *A Theory of Human Motivation*. Toronto.
- Mayo, N.E., Mackay-lyons, M.J., Scott, S.C., Moriello, C., Brophy, J., 2013. A randomized trial of two home-based exercise programmes to improve functional walking post-stroke. *Clin. Rehabil.* 27: 659–671. doi:10.1177/0269215513476312
- Menteri Kesehatan Republik Indonesia, 2014a. Peraturan Menteri Kesehatan Republik Indonesia Nomor 79 tahun 2014 tentang penyelenggaraan pelayanan geriatri di rumah sakit.
- Menteri Kesehatan Republik Indonesia, 2014b. Peraturan Menteri Kesehatan Republik Indonesia Nomor 75 Tahun 2014 tentang pusat kesehatan masyarakat.
- Menteri Kesehatan Republik Indonesia, 2011. Peraturan Menteri Kesehatan Republik Indonesia Nomor 028/Menkes/per/1/2011.
- Misbach, J., 2001. Pattern of hospitalized-stroke patients in ASEAN countries an ASNA stroke epidemiological study. *Med J Indones* 10: 48–56.
- Misbach, J., Wendra, A., 2000. Clinical pattern of hospitalized strokes in 28

- hospitals in Indonesia. *Med J Indones* 9: 29–34.
- Mofina, A.M., 2010. A Comparison of Home care Quality Indicators and The Influence of Risk Adjustment Between Two provinces.
- Mohammad, M., Gikonyo, J., 2005. Operational Challenges Community Home Based Care (CHBC) for PLWHA in Multi-Country HIV/AIDS Programs (MAP) for Sub-Saharan Africa. *Africa Reg. Working Pap. Ser.* 1–62.
- Moira, S., 2001. Towards a global definition of patient centred care. *Prim. Care* 322: 444–445.
- Moran, G.M., Fletcher, B., Feltham, M.G., Calvert, M., Sackley, C., Marshall, T., 2014. Fatigue , psychological and cognitive impairment following transient ischaemic attack and minor stroke : a systematic review. *Eur. J. Neurol.* 21: 1258–1267. doi:10.1111/ene.12469
- Morris, J.N., Berg, K., Topinkova, E., Gray, L.C., Schachter, E., 2018. Developing quality indicators for in-patient post-acute care. *BMC Geriatr.* 18: 1–13.
- Munce, S.E.P., Graham, I.D., Salbach, N.M., Jaglal, S.B., Richards, C.L., Eng, J.J., Desrosiers, J., Mackay-lyons, M., Wood-dauphinee, S., Korner-bitensky, N., Mayo, N.E., Teasell, R.W., Zwarenstein, M., Mokry, J., Black, S., Bayley, M.T., 2017. Perspectives of health care professionals on the facilitators and barriers to the implementation of a stroke rehabilitation guidelines cluster randomized controlled trial. *BMC Health Serv. Res.* 17: 1–13. doi:10.1186/s12913-017-2389-7
- Mutai, H., Furukawa, T., Nakanishi, K., Hanihara, T., 2016. Longitudinal functional changes, depression, and health-related quality of life among stroke survivors living at home after inpatient rehabilitation. *Psychogeriatrics* 16: 185–190. doi:10.1111/psyg.12137
- Nakajoh, K., Nakagawa, T., Sekizawa, K., Matsui, T., Arai, H., Sasaki, H., 2000. Relation between incidence of pneumonia and protective reflexes in post-stroke patients with oral or tube feeding. *J. Intern. Med.* 247: 39–42. doi:10.1046/j.1365-2796.2000.00565.x
- Nakrem, S., 2015. Understanding organizational and cultural premises for quality of care in nursing homes: an ethnographic study. *BMC Health Serv. Res.* 15: 508. doi:10.1186/s12913-015-1171-y
- National Institute of Neurological Disorders and Stroke, 2018. Post-Stroke Rehabilitation Fact Sheet [WWW Document]. *Institute’s Brain Resour. Inf. Netw. Am.* URL <https://www.ninds.nih.gov/Disorders/Patient-Caregiver-Education/Fact-Sheets/Post-Stroke-Rehabilitation-Fact-Sheet> (accessed 10.8.18).
- National Stroke Foundation, 2012. Movement and exercise after stroke.
- Navarro, J.C., Bitanga, E., Suwanwela, N., Chang, H.M., Ryu, S.J., Huang, Y.N., Wong, L., Arjundas, D., 2008. Complication of acute stroke : A study in ten Asian countries. *Neurol. Asia* 13: 33–39.
- Nochomovitz, E., 2008. Skilled Nursing Facilities and Other Long Term Care Facilities: Addressing Issues of Cost and Quality 1–14.
- Norris, M., Allotey, P., Barrett, G., 2012. ‘ It burdens me ’: the impact of stroke in central Aceh , Indonesia. *Sociol. Health Illn.* 34: 826–840.

doi:10.1111/j.1467-9566.2011.01431.x

- Okoli, C., Pawlowski, S.D., 2004. The Delphi method as a research tool: An example, design considerations and applications. *Inf. Manag.* 42: 15–29. doi:10.1016/j.im.2003.11.002
- Oostendorp, R.A., Rutten, G.M., Dommerholt, J., Sanden, M.W.N. der, Harting, J., 2013. Guideline-based development and practice test of quality indicators for physiotherapy care in patients with neck pain. *J. Eval. Clin. Pract.* 19: 1044–1053.
- Page, S.J., Levine, P., Hill, V., 2015. Mental Practice – Triggered Electrical Stimulation in Chronic, Moderate, Upper-Extremity Hemiparesis after Stroke. *Am. J. Occup. Ther.* 69: 1–8.
- Patricia, H., Kembuan, M.A.H.N., Tumboimbela, M.J., 2015. Karakteristik Penderita Stroke yang Dirawat Inap di RSUP Prof. DR.R.D.Kandou Manado Tahun 2012-2013. *J. e-Clinic* 3: 445–451.
- Perry, M., Draxkovic, I., Achterberg, T. van, Eijken, M. van, Lucassen, P., Vernooij-Dassen, M., Rikkert, M.O., 2010. Development and Validation of Quality Indicators for Dementia Diagnosis and Management in a Primary Care Setting Diagnosis and Management in a Primary Care Setting. *J Am Geriatr Soc* 58: 557–563. doi:10.1111/j.1532-5415.2010.02726.x
- Pettersen, R., Dahl, T., TB, W., 2002. Prediction of long-term functional outcome after stroke rehabilitation. *Clin. Rehabil.* 16: 149-159 11p.
- Pindus, D.M., Mullis, R., Lim, L., Wellwood, I., Rundell, A.V., Aziz, A.A., Mant, J., 2018. Stroke survivors' and informal caregivers' experiences of primary care and community healthcare services – A systematic review and meta-ethnography. *PLoS One* 1–23.
- Pinelle, D., Gutwin, C., 2002. Supporting collaboration in multidisciplinary home care teams., in: AMIA Annual Symposium Proceeding. pp. 617–21.
- Rao, A., Barrow, E., Vuik, S., Darzi, A., Aylin, P., 2016. Systematic review of hospital readmissions in stroke patients. *Stroke Res. Treat.* 2016: 1–11.
- Riyadina, W., Rahajeng, E., 2013. Determinan Penyakit Stroke. *J. Kesehatan. Masy. Nas.* 7: 324–330.
- Säilä, T., Mattila, E., Kaila, M., Aalto, P., Kaunonen, M., 2008. Measuring patient assessments of the quality of outpatient care: a systematic review. *J. Eval. Clin. Pract.* 14: 148–154. doi:10.1111/j.1365-2753.2007.00824.x
- Salter, K., Campbell, N., Richardson, M., Mehta, S., Jutai, J., Zettler, L., Moses, M., McClure, A., Mays, R., Foley, N., Teasell, R., 2013. Outcome Measures in Stroke Rehabilitation, in: Evidence-Based Review of Stroke Rehabilitation. pp. 1–144.
- Schepers, V.P., Visser-Meily, A.M., Ketelaar, M., Lindeman, E., 2005. Prediction of Social Activity 1 Year Poststroke. *Arch. Phys. Med. Rehabil.* 86: 1472–1476. doi:10.1016/j.apmr.2004.11.039
- Setyoadi, Wihastuti, T.A., Selvia, T.D., 2018. Hubungan Sindroma Kejenuhan Pemberi Perawatan terhadap Pemenuhan Kebutuhan Perawatan Penderita Paska Stroke di Poli Fisioterapis RS Tk II Dr.Saoepraoen. *J. Univ. Muhammadiyah Malang* 9: 125–133.
- Shekelle, P.G., MacLean, C.H., Morton, S.C., Wenger, N.S., 2001. Assessing

- Care of Vulnerable Elders : Methods for Developing Quality Indicators. *Ann. Intern. Med.* 135: 647–652.
- Shepperd, S., GoncalvesBradley, C.D., Straus, S.E., Wee, B., 2016. Hospital at home: home-based end-of-life care. *Cochrane Libr.* 1–44. doi:10.1002/14651858.CD009231.pub2.www.cochranelibrary.com
- Signe, A., Elmståhl, S., 2008. Psychosocial intervention for family caregivers of people with dementia reduces caregiver's burden: development and effect after 6 and 12 months. *Scand. J. Caring Sci.* 22: 98–109. doi:10.1111/j.1471-6712.2007.00498.x
- Simmons, S.E., 2015. A Systematic Review of Quality of Primary Care: A Comparison of Physicians and Advance Practice Nurse. *Univ. Texas.* doi:10.1017/CBO9781107415324.004
- Sivan, M., Gallagher, J., Makower, S., David, K., Bhakta, B., Connor, R.J.O., Levesley, M., 2014. Home-based Computer Assisted Arm Rehabilitation ( hCAAR ) robotic device for upper limb exercises after stroke : results of a feasibility study in home setting. *J. Neuroeng. Rehabil.* 11: 1–33. doi:10.1186/1743-0003-11-163
- Slijper, A., Svensson, K.E., Backlund, P., Engström, H., Sunnerhagen, K.S., 2014. Computer game-based upper extremity training in the home environment in stroke persons : a single subject design. *J. Neuroeng. Rehabil.* 11: 1–8.
- Somerville, J.A., 2008. Delphi Characteristics. *Unpubl. Dr. Diss.* 1–11.
- Sorocco, K.H., Bratkovich, K.L., Wingo, R., Qureshi, S.M., Mason, P.J., 2013. Integrating care coordination home telehealth and home based primary care in rural Oklahoma : a pilot study. *Psychol. Serv.* 10: 350–352. doi:10.1037/a0032785
- Statistic Centre Bureau, 1994. Profil statistik wanita, ibu dan anak di Indonesia. Jakarta.
- Stelfox, H.T., Boyd, J.M., Straus, S.E., Gagliardi, A.R., 2013. Developing a patient and family-centred approach for measuring the quality of injury care: a study protocol. *BMC Health Serv. Res.* 13: 1–9. doi:10.1186/1472-6963-13-31
- Stienen, J.J.C., Tabbers, M.M., Benninga, M.A., Harmsen, M., Ouwens, M.M.T.J., 2011. Development of quality indicators based on a multidisciplinary , evidence-based guideline on pediatric constipation. *Eur J Pediatr* 170: 1513–1519. doi:10.1007/s00431-011-1458-x
- Suat, E., Fatma, U., Nilgu, B.E.K., 2011. The effects of dynamic ankle-foot orthoses on functional ambulation activities , weight bearing and spatio-temporal characteristics of hemiparetic gait 33: 2605–2611. doi:10.3109/09638288.2011.582926
- Suh, J.H., Han, S.J., Jeon, S.Y., Kim, H.J., Lee, J.E., Yoon, T.S., Chong, H.J., 2014. Effect of rhythmic auditory stimulation on gait and balance in hemiplegic stroke patients. *Neuro Rehabil.* 34: 193–199. doi:10.3233/NRE-131008
- Sullivan, J.E., Hurley, D., Hedman, L.D., 2012. Afferent stimulation provided by glove electrode during task-specific arm exercise following stroke. *Clin. Rehabil.* 26: 1010–1020. doi:10.1177/0269215512442915

- Sulter, G., Steen, C., Keyser, J. De, 1999. Acute of the Barthel Index and Modified Rankin Scale in acute stroke trials. *Stroke* 30: 1538–1541.
- Supardi, S., Notosiswoyo, M., 2005. Pengobatan sendiri sakit kepala, demam, batuk dan pilek pada masyarakat di desa Ciwalen, kecamatan Warungkondang, kabupaten Cianjur, Jawa Barat. *Maj. Ilmu Kefarmasian* 2: 134–144.
- Supraptingsih, 1993. Reliabilitas modifikasi Indeks Barthel pada penderita stroke. Universitas Gadjah Mada.
- Tarricone, R., Tsouros, A.D., 2008. Home care in Europe. The solid facts, World Health.  
doi:[http://www.euro.who.int/libaccess.lib.mcmaster.ca/\\_\\_data/assets/pdf\\_file/0005/96467/E91884.pdf](http://www.euro.who.int/libaccess.lib.mcmaster.ca/__data/assets/pdf_file/0005/96467/E91884.pdf).
- Teasell, R., Foley, N., Richardson, M., Allen, L., Speechley, M., 2013. Outpatient Stroke Rehabilitation, in: Evidence-Based Review of Stroke Rehabilitation. pp. 1–41.
- Tejada-Tayabas, L.M., Partida-Ponce, K.L., Hernández-Ibarra, L.E., 2015. Coordinated hospital-home care for kidney patients on hemodialysis from the perspective of nursing personnel. *Rev. Lat. Am. Enfermagem* 23: 225–33. doi:10.1590/0104-1169.0058.2546
- The National Commission for the protection of human subjects of biomedical and behavioral research, 1979. Ethical principles and guidelines for the protection of human subjects of research [WWW Document].
- Thibaut, A., Chatelle, C., Ziegler, E., Bruno, M.-A., Laureys, S., Gosseries, O., 2013. Spasticity after stroke: physiology, assessment and treatment. *Brain Inj.* 27: 1093–105. doi:10.3109/02699052.2013.804202
- Trialists, O.S., 2009. Therapy-based rehabilitation services for stroke patients at home ( Review ). *Cochrane Database Syst. Rev.* 1–68.
- Tsuchihashi-makaya, M., Matsuo, H., Kakinoki, S., Takechi, S., Kinugawa, S., Tsutsui, H., 2013. Home-Based Disease Management Program to Improve Psychological Status in Patients With Heart Failure in Japan. *Circ. J.* 77: 926–933. doi:10.1253/circj.CJ-13-0115
- Umphred, D.A., Lazaro, R.T., Roller, M.L., Burton, G.U., 2013. Umphred's Neurological Rehabilitation, 6th ed. Elsevier, Mosby.
- Usrin, I., Mutiara, E., Yusad, Y., 2013. Pengaruh Hipertensi terhadap Kejadian Stroke iskemik dan Stroke Hemoragik di Ruang Neurologi di Rumah Sakit STroke Nasional (RSSN) Bukittinggi Tahun 2011 1–9.
- Vanclay, F., 1991. Functional outcome measures in stroke rehabilitation. *Stroke* 22: 105–108.
- Wenzelburger, R., Kopper, F., Frenzel, A., Stolze, H., Klebe, S., Brossmann, A., Kuhtz-Buschbeck, J., Gölge, M., Illert, M., Deuschl, G., 2005. Hand coordination following capsular stroke. *Brain* 128: 64–74. doi:10.1093/brain/awh317
- Westendorp, W.F., 2011. Post-stroke infection : A systematic review and meta-analysis. *BMC Neurol.* 0–7.
- Wet, C. de, McKay, J., Bowie, P., 2012. Combining QOF data with the care bundle approach may provide a more meaningful measure of quality in

- general practice. *BMC Health Serv. Res.* 12: 1–11.
- White, M.C., 1992. Infection and infection risks in home care settings. *Infect. Control Hosp. Epidemiol.* 13: 535–539.
- WHO, 2018. Noncommunicable diseases.
- WHO, 2002. Community Home-Based Care in Resource-Limited Settings.
- WHO, n.d. Cardiovascular diseases (CVDs).
- Wirawan, Rosiana Pradanasari, 2009. Rehabilitasi Stroke pada Pelayanan Kesehatan Primer. *Maj. Kedokt. Indones.* 59: 61–71.
- Wirawan, R P, 2009. Rehabilitasi Stroke pada Pelayanan Kesehatan Primer. *Maj. Kedokt. Indones.* 59: 61–71.
- Yun, Y.H., Jung, J.Y., Sim, J.A., Lee, J., Noh, D.-Y., Han, W., Park, K.J., Wu, H.-G., Chie, E.K., Kim, H.J., Jung, K.H., Zo, J., Kim, S., Lee, J.E., Nam, S.J., Lee, E.S., Oh, J.H., Kim, Y.-W., 2018. Development and validation of the smart management strategy for health assessment tool-short form (SAT-SF) in cancer survivor. *Qual. Life Res.* 27: 347–354.
- Yusrizal, 2008. Pengujian validitas konstruk dengan menggunakan analisis faktor. *J. Tabularasa PPS Unimed* 5: 73–92.