

DAFTAR PUSTAKA

Abrogoua, D.P., Kablan, B.J., Thierry, B.A., Aulagner, G., N'Guessan, K., *et al.* (2012) 'Assessment of the impact of adherence and other predictors during HAART on various CD4 cell responses in resource-limited settings', *Patient Preference and Adherence*, 6, pp. 227–237.

Adiningsih, S. and Widiyanti, M. (2018) 'Risiko malnutrisi terhadap jumlah CD4⁺ orang dengan HIV / AIDS yang menjalani terapi antiretroviral di Mimika', *Jurnal Kedokteran Brawijaya*, 30(1), pp. 41–46.

Alwarawrah, Y., Kiernan, K. and MacIver, N. J. (2018) 'changes in nutritional status impact immune cell metabolism and function', *Frontiers in Immunology*, 9(1055), pp. 1–14.

Annison, L., Dompreeh, A. and Adu-Sarkodie, Y. (2013) 'The immunological response of HIV-positive patients initiating HAART at the Komfo Anokye Teaching Hospital, Kumasi, Ghana.', *Ghana medical journal*, 47(4), pp. 164–70.

Asfaw, A., Ali, D., Eticha, T., Alemayehu A., Alemayehu, M., and Kindeya F. (2015) 'CD4 cell count trends after commencement of antiretroviral therapy among HIV-infected patients in Tigray, Northern Ethiopia: a retrospective cross-sectional study', *PLoS ONE*, 10(3), pp. 1–9.

Ayalew, M. B. (2017) 'Mortality and its predictors among hiv infected patients taking antiretroviral treatment in ethiopia: a systematic review', *aids research and treatment*, pp. 1–10.

Ayele, T., Jarso, H. and Mamo, G. (2017) 'Immunological outcomes of tenofovir versus zidovudine-based regimens among people living with hiv/aids: a two years retrospective cohort study', *AIDS Research and Therapy*. BioMed Central, 14(1), pp. 1–9.

Ayele, W., Mulugeta, A., Desta, A., and Rabito, F.A. (2015) 'Treatment Outcomes and their determinants in hiv patients on anti-retroviral treatment program in selected health facilities of Kembata and Hadiya Zones, Southern Nations, Nationalities and Peoples Region, Ethiopia', *BMC Public Health*. BMC Public Health, 15(1), pp. 1–13.

Badii, V.S., Buabeng, K.O. (2018) 'Tenofovir-based highly active antiretroviral therapy is associated with superior CD4 T Cells repopulation compared to zidovudine-based HAART in HIV 1 infected adults', *International Journal of Chronic Diseases*. Hindawi, 2018, pp. 1–8.

Bapat, P.R., Satav, A.R., Husain, A.A., Shekhawat, S.D., Kawle, A.P., Chu, J.J., *et al.* (2015) 'Differential levels of alpha-2-macroglobulin, haptoglobin and sero-transferrin as adjunct markers for TB diagnosis and disease progression in the

malnourished tribal population of Melghat, India', *PLoS ONE*, pp. 1–17.

Beach, R. S. and Thomson, C. A. (1995) 'HIV & Nutrition', in Carmichael, C. G., Carmichael, J. K., and Fischl, M. A. (eds) *HIV/AIDS Primary Care Handbook*. London: Prentice Hall International Inc, pp. 133–145.

Blashill, A.J., Mayyer, K.H., Crane, H.M., Grasso, C., and Safren, S.A. (2013) 'Body mass index, immune status, and virological control in hiv-infected men who have sex with men', *Journal of the International Association of Providers of AIDS Care*, 12(5), pp. 319–324.

Borucki, M. J. (1997) 'Imunologi', in Anugerah, P. and Asih, Y. (eds) *HIV: Manual untuk Tenaga Kesehatan*. Jakarta: Penerbit Buku Kedokteran EGC, pp. 17–22.

Burch, L.S., Smith, C.J., Anderson, J., Sherr, L., Radger, A.J., O'Connell, R., *et al.* (2016) 'Socioeconomic status and treatment outcomes for individuals with hiv on antiretroviral treatment in the UK: cross-sectional and longitudinal analyses', *The Lancet Public Health*. The Author(s). Published by Elsevier Ltd. This is an Open Access article under the CC BY license, 1(1), pp. e26–e36.

Cain, L. (2012) 'The effect of efavirenz versus nevirapine-containing regimens on immunologic, virologic and clinical outcomes in a prospective observational study', *AIDS*, 26(13), pp. 1691–1705.

Center for Disease Control and Prevention (2018) *About HIV/AIDS*. Available at: <https://www.cdc.gov> (Accessed: 2 September 2018).

Chevalier, M. F. and Weiss, L. (2012) 'THE SPLIT PERSONALITY OF REGULATORY T CELLS IN HIV INFECTION', *Blood Journal*, pp. 1–25.

Crawford, K.W., Wakabi, S., Magala F., Kibuuka H., Liu, M., and Hamm, T.E. (2015) 'Evaluation of treatment outcomes for patients on first-line regimens in US President's Emergency Plan for AIDS Relief (PEPFAR) clinics in Uganda: predictors of virological and immunological response from RV288 analyses', *HIV Medicine*, 16(2), pp. 95–104.

Crum-Cianflone, N.F., Roediger, M., Eberly, L.E., Vyas, K., Landrum. M.L., Ganesan, A., *et al.* (2010) 'Obesity among HIV-Infected Persons: Impact of Weight on CD4 Cell Count', *AIDS*, 24(7), pp. 1069–1072.

Del Amo, J. (2017) *Inequalities by educational level in response to combination antiretroviral treatment and survival in HIV-positive men and women in Europe*, *AIDS*. 31(2), pp. 253–262.

Dinas Kesehatan DIY (2017) *Profil Kesehatan Provinsi DI Yogyakarta tahun 2017*. Yogyakarta.

Dravid, M.N., Kulkarni, S.D., Khadse, R., and Adchitre, H.R (2011) 'Two years

cd4 count follow-up of rural patients on antiretroviral therapy: a study in government hospital', *Indian Journal of Sexually Transmitted Diseases and AIDS*, 32(1), pp. 59–60.

Duggal, S., Chugh, T. Das and Duggal, A. K. (2012) 'HIV and malnutrition : effects on immune system', *Clinical and Developmental Immunology*, pp. 1–7.

Eholié, S. P., Badje, A., Kouarne, G.M., N'takpe, J., Moh, R., Danel, C., *et al.* (2016) 'Antiretroviral Treatment regardless of cd4 count : the universal answer to a contextual question', *AIDS Research and Therapy*. BioMed Central, 13(27), pp. 1–9.

Fatmah (2006) 'Respon Imunitas yang Rendah Pada Tubuh Manusia Usia Lanjut', *Makara Kesehatan*, 10(1), pp. 47–53.

Fauci, A. S. (1991) 'Immunopathogenesis Mechanism of HIV Infection', in Girard, M. And Valette, L. (eds) *Retroviruses of Human A.I.D.S. and Related Animal Diseases*. Paris: Foundation Marcel Mereux, pp. 5–8.

Feleke, D. G., Yemanebhane, N. and Gebretsadik, D. (2017) 'AIDS & Clinical research nutritional status and cd4 cell counts in hiv / aids patients under highly active antiretroviral therapy in Addis Ababa, Ethiopia', *Journal AIDS & Clinical Research*, 8(4), pp. 8–11.

Flynn, A.G., Anguzu, G., Mubiru, F., Kiragga, A.N., Kanya, M., Meya, D.B., *et al.* (2017) 'Socioeconomic position and ten-year survival and virologic outcomes in a ugandan hiv cohort receiving antiretroviral therapy', *PLoS ONE*, 12(12), pp. 1–12.

Furrer, H. (2016) 'Association of tuberculosis with cd4 recovery and hiv rna decline on art in Europe', in *Conference on Retroviruses and Opportunistic Infections*, pp. 314–315. Available at: <http://www.iasusa.org/sites/default/files/tam/24-e1-4.pdf%0Ahttp://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed17&NEWS=N&AN=613269069>.

Gezie, L. D. (2016) 'Predictors of CD4 count over time among hiv patients initiated ART in Felege Hiwot Referral Hospital, Northwest Ethiopia: Multilevel Analysis', *BMC Research Notes*. BioMed Central, 9(1), pp. 1–9.

Gill, G. and Beeching, N. (2009) *Tropical Medicine*. 6th edn. United Kingdom: Willey Blackwell.

Gitahi-Kamau, N.T., Kiarie, J.N., Mutai, K.K., Gatumia, B.W., Gatongi, P.M., and Lakati, A. *et al.* (2015) 'Socio-economic Determinants of Disease Progression Among HIV Infected Adults in Kenya', *BMC Public Health*. BMC Public Health, 15(1), pp. 1–6.

Hastuti (2015) *Faktor-Faktor yang Berpengaruh Terhadap Peningkatan Sel T*

CD4+ >350 sel/mm³ dalam 24 Bulan Pertama Menjalani Pengobatan Antiretroviral Pada Pasien HIV. Universitas Gadjah Mada.

He, L., Pan, X., Dou, Z., Huang, P., Zhou, X., Peng, Z., *et al.* (2016) 'The factors related to CD4+ T-cell recovery and viral suppression in patients who have low CD4+ T cell counts at the initiation of HAART: A retrospective study of the national HIV treatment sub-database of Zhejiang Province, China, 2014', *PLoS ONE*, 11(2), pp. 1–14.

Hunt, K., Mondal, P., Konrad, S., Skinner, S., Gartner, K., Lim, H.J.. (2015) 'Identifying factors associated with changes in cd4+ count in hiv-infected adults in Saskatoon, Saskatchewan', *Canadian Journal of Infectious Diseases and Medical Microbiology*, 26(4), pp. 207–211.

Ilovi, C.S., Lule, G.N., Abel, A.O., and Irimu, H.M. (2011) 'Correlation of WHO clinical staging with cd4 counts in adult hiv/aids patients at Kenyatta National Hospital, Nairobi', *East Afr Med J*, 88(2), pp. 65–70.

Iswara, N. P. A. A. P., Sutarsa, I. N. and Sawitri, A. A. S. (2018) 'Prediktor immunological failure pada pasien HIV / AIDS di Yayasan Kerti Praja , Bali : Studi Kohort Retrospektif', *E-Jurnal Medika Udayana*, 7(3), pp. 136–142.

Kan, W., Teng, T., Liang, S., Ma, Y., Tang, H., Zuohela, T., *et al.* (2017) 'Predictors of HIV virological failure and drug resistance in chinese patients after 48 months of antiretroviral treatment, 2008-2012: A Prospective Cohort Study', *BMJ Open*, 7(9), pp. 1–15.

Karo, B., Krause, G., Castell, S., Kollan, C., Hamouda, O., Haas, W., *et al.* (2017) 'Immunological recovery in tuberculosis/hiv co-infected patients on antiretroviral therapy: implication for tuberculosis preventive therapy', *BMC Infectious Diseases*. *BMC Infectious Diseases*, 17(1), pp. 1–9.

Karyadi, T. (2017) 'Keberhasilan Pengobatan antiretroviral (ARV)', *Jurnal Penyakit Dalam Indonesia*, 4(1), pp. 2–4.

Kementerian Kesehatan RI (2006) *Pedoman Pelayanan Kefarmasian Untuk Orang Dengan HIV/AIDS (ODHA)*. Jakarta: Kementerian Kesehatan RI.

Kementerian Kesehatan RI (2011) *Pedoman Nasional Tatalaksana Klinis Infeksi HIV dan Terapi Antiretroviral pada Orang Dewasa*. Jakarta.

Kementerian Kesehatan RI (2014) *Peraturan Menteri Kesehatan Republik Indonesia Nomor 87 Tahun 2014 tentang Pedoman Pengobatan Antiretroviral*.

Kementerian Kesehatan RI (2017) *Laporan Perkembangan HIV-AIDS & Penyakit Infeksi Menular Seksual (PMS) Triwulan 1 Tahun 2017*. Jakarta. doi: 10.15713/ins.mmj.3.

Kementerian Kesehatan RI (2018) *Profil Kesehatan Indonesia 2017*. Jakarta.

Kiefer, E., Hoover, D.R., Shi, Q., Dusingize, J., Cohen, M., Mutimura, E., *et al.* (2011) 'Association of Pre-treatment nutritional status with change in cd4 count after antiretroviral therapy at 6 , 12 , and 24 months in Rwandan Women', *PLoS ONE*, 6(12), pp. 2–6.

Kleinbaum, D. G. and Klein, M. (2012) *Survival Analysis - A Self Learning Text*. 3rd edn. Edited by M. Gail et al. Atlanta: Springer.

Koethe, J.R., Jenkins, C.A., Shepherd, B.E., Stinnette, S.E., and Sterling T.R. (2011) 'An optimal body mass index range associated with improved immune reconstitution among hiv-infected adults initiating antiretroviral therapy', *HIV.AIDS*, 53, pp. 952–960.

Koethe, J.R., Jenkins, C.A., Lau, B., Shepherd, B.E., Silverberd, Brown, T.T., *et al.* (2015) 'Body mass index and early CD4+ t-cell recovery among adults initiating antiretroviral therapy in North America, 1998-2010', *HIV Med*, 16(9), pp. 572–277.

Koethe, J.R., Jenkins, C.A., Lau, B., Shepherd, B.E., Justice, A.C., Tate, J.P., *et al.* (2015) 'Rising obesity prevalence and weight gain among adults starting antiretroviral therapy in the United States and Canada', *AIDS Research and Human Retroviruses*, 32(1), pp. 50–58.

Koethe, J. R., Hulgan, T. and Niswender, K. (2013) 'Adipose tissue and immune function: a review of evidence relevant to HIV infection', *Journal of Infectious Diseases*, 208(8), pp. 1194–1201.

Kurniawan, F., Djauzi, S., Yunihastuty, E., dan Nugroho, P. (2017) 'Faktor prediktor kegagalan virologis pada pasien hiv yang mendapat terapi arv lini pertama dengan kepatuhan berobat baik', *Jurnal Penyakit Dalam Indonesia*, 4(1), pp. 29–34.

Kwofie, T.B., Owusu, M., Mutocheluh, M., Nguah, S.B., Obeng-Baah, J., Hanson, C., *et al.* (2015) 'Pattern and predictors of immunologic recovery in hiv infected patients', *BMC Research Notes*. BioMed Central, 8(1), pp. 1–7.

Laerd Dissertation, L. R. L. (2018) *Total Population Sampling*. Available at: <http://dissertation.laerd.com/total-population-sampling.php> (Accessed: 5 October 2018).

Luckheeram, R.V., Zhou, R., Verma, A.D., and Xia, B. (2012) 'CD4+T Cells: differentiation and functions', *Clinical and Developmental Immunology*, pp. 1–12.

Makvandi-Nejad, S. (2016) *Human Immunodeficiency Virus (HIV)*. Oxford.

Maskew, M., Brennan, A.T., Westreich, D., McNamara, L., MacPhail, A.P., and Fox, M.P. (2013) 'Gender differences in mortality and cd4 count response', *Journal of WOmens's Health*, 22(2), pp. 113–119.

Mathur, M. K. and Rajput, J. S. (2017) 'CD4 change among hiv patients on art regime , switch over from nevirapine to efavirenz : a comparative study', *International Journal of Contemporary Medical Research*, 4(9), pp. 1883–1885.

Maurya, S.P, Singh, R., Negi, N., Kapil, A., Chaudhry, R., and Das, B.K. (2016) 'The Level of education affects cd4 cell count and wellness among hiv infected adult between age group 18 to 60 years', *International Journal of Infectious Diseases*. International Society for Infectious Diseases, 45, p. 264.

Means, A.R., Risher, K.A., Ujeneza, K.A., Maposa, I., Nondi, J., and Belian, S.E. (2016) 'Impact of age and sex on cd4+ cell count trajectories following treatment initiation: an analysis of the tanzanian hiv treatment database', *PLoS ONE*, 11(10), pp. 1–13.

Miftahurachman, R. W. (2015) 'Hubungan antara indeks massa tubuh dan jumlah cd4 pada penderita hiv yang mendapat pengobatan ARV', *Majalah Kedokteran Bandung.*, December, pp. 237–241.

Mirna, W., Sandy Samuel and Eva, F. (2015) 'Dampak perpaduan obat arv pada pasien hiv / aids ditinjau dari kenaikan jumlah limfosit CD4 + di RSUD Dok II Kota Jayapura', *Plasma*, 1(2), pp. 53–58.

Montarroyos, U.R., Miranda-Filho, D.B., Cesar, C.C., Souza, W.V., Lacerda, H.R., Albuquerque, P.M.A., *et al.* (2014) 'Factors related to changes in cd4+ t-cell counts over time in patients living with HIV/AIDS: A Multilevel Analysis', *PLoS ONE*, 9(2).

Moro-García, M. A., Alonso-Arias, R. and López-Larrea, C. (2013) 'When Aging Reaches CD4+ T-Cells: Phenotypic and Functional Changes', *Frontiers in Immunology*, 4(MAY), pp. 1–12.

Mosha, F., Muchunguzi, V., Matee, M., Sangeda, R.Z., Vercauteren, J., Nusbuga, P. *et al.* (2013) 'Gender differences in HIV disease progression and treatment outcomes among HIV patients one year after starting antiretroviral treatment (ART) in Dar es Salaam , Tanzania', *BMC Public Health*, 13(38), pp. 2–7.

Murti, B. (2018) *Prinsip dan Metode Riset Epidemiologi*. 4th edn. Surakarta: Prodi IKM, UNS.

Onayemi, O.E., Oripelaye, M.M., Afolabi, O., and Olanrewaju, O.F. (2018) 'The effects of gender on clinical and immunological response to antiretroviral therapy among people living with HIV in Ile-Ife, Nigeria', *HIV & AIDS Review*, 17(4), pp. 278–282.

Palermo, B., Bosch, R.J., Bennet, K., and Jacobson, J.M. (2011) 'Body mass index and cd4+ t-lymocyte in hiv infected men with viral suppression on antiretroviral therapy', *HIV Clinical Trials*, 12(4), pp. 222–227.

Panel on Opportunistic Infections in HIV-Infected Adults and Adolescents (2018)

Guidelines for the Prevention and Treatment of Opportunistic Infections in HIV-Infected Adults and Adolescents, Center for Disease Control and Prevention, the National Institutes of Health. Available at: http://aidsinfo.nih.gov/contentfiles/lvguidelines/adult_oi.pdf.

Priyatno, D. (2013) *Analisis Korelasi, Regresi dan Multivariat dengan SPSS*. Yogyakarta: Penerbit Gava Media.

Rajasekaran, S., Jayaseelan, L., Raja, K., Vijila, S., Krithigraipriya, K.A., and Kuralmozhi, R. (2009) 'Increase in CD4 cell counts between 2 and 3.5 years after initiation of antiretroviral therapy and determinants of CD4 progression in India', *Journal of Postgraduate Medicine*, 55(4), pp. 261–266.

Rajasuriar, R., Gouillou, M., Spelman, T., Read, T., Hoy, J., Law, M., *et al.* (2011) 'Clinical predictors of immune reconstitution following combination antiretroviral therapy in patients from the australian HIV observational database', *PLoS ONE*, 6(6).

Ren, L., Li, J., Zhou, S., Xia, X., Xie, Z., Liu, P., *et al.* (2017) 'Prognosis of HIV patients receiving antiretroviral therapy according to cd4 counts: a long-term follow-up study in Yunnan, China', *Scientific Reports*, 7(1), pp. 1–7.

Roul, H., Muriellea, M., Ghosn, J., Constancec, D., Pialoux, G., Cizin, L., *et al.* (2018) 'CD4+ cell count recovery after combined antiretroviral therapy in the modern combined antiretroviral therapy era', *AIDS*, 32(17), pp. 2605–2614.

Sarfo, F.S., Sarfo, M.A., Kasim, A., Phillips, R., Booth, M., and Chadwick, D. (2014) 'Long-term effectiveness of first-line non-nucleoside reverse transcriptase inhibitor (NNRTI)-based antiretroviral therapy in Ghana', *Journal of Antimicrobial Chemotherapy*, 69(1), pp. 254–261.

Savira, M. (2014) 'Imunologi Human Immunodeficiency Virus (HIV) dalam Kehamilan', *JIK*, 8(1), pp. 1–7.

Schomaker, M., Egger, M., Maskew, M., Garone, D., Prozesky, H., Hoffmann, C., *et al.* (2013) 'Immune recovery after starting art in hiv-infected patients presenting and not presenting with tuberculosis in South Africa', *J Acquir Immune Defic Syndr*, 63(1), pp. 142–145..

Sharma, A., Hoover, D.R., Shi, Q., Gustafon, D., Plankey, W.M., Herhow, R.C., *et al.* (2015) 'Relationship between body mass index and mortality in hiv-infected haart users in the women ' s interagency HIV study', *PLoS ONE*, 10(2), pp. 1–16.

Simoni, J. M., Yard, S. S. and Huh, D. (2013) 'Prospective prediction of viral suppression and immune response nine months after ART nitiation in Seattle, WA', *AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV*, 25(2), pp. 181–185.

Sobrino-Vegas, P., Rodríguez-Urrego, J., Berenguer, J., Caro-Murillo, A.M., Blonco, J.R., Viciano, P., *et al.* (2012) 'Educational gradient in hiv diagnosis delay, mortality, antiretroviral treatment initiation and response in a country with universal health care', *Antiviral Therapy*, 17(1), pp. 1–8.

Ssebutinde, P., Kyamwanga, I.T., Turyakira, E., Asimwe, S, and Bajunirwa, F. (2018) 'Effect of age at initiation of antiretroviral therapy in treatment outcomes; a retrospective cohort study at a large HIV clinic in Southwestern Uganda', *PLoS ONE*, 13(8), pp. 1–14.

Stirrup, O.T., Copas, A.J., Phillips, A.N., Gill, M.J., Geskus, R.B., Touloumi, G., *et al.* (2018) 'Predictors of CD4 cell recovery following initiation of antiretroviral therapy among HIV-1 positive patients with well-estimated dates of seroconversion', *HIV Medicine*, 19(3), pp. 184–194.

Sudfeld, C.R., Isanaka, S., Mugusi, F.M., Aboud, S., Wang, M., Chalamila, G.E., *et al.* (2013) 'Weight change at 1 mo of antiretroviral therapy and its association with subsequent mortality, morbidity, and CD4 T cell reconstitution in a tanzanian hiv-affected adult cohort 1 – 3', *American Journal Clinical Nutrition*, 97(3), pp. 1278–1287.

Takarinda, K.C., Harries, A.D., Shiraishi, R.W., Mutasa-Apollo, T., Abdul-Quader, A., and Mugurungi, O. (2015) 'Gender-related differences in outcomes and attrition on antiretroviral treatment among an HIV-infected patient cohort in Zimbabwe: 2007 – 2010', *International Journal of Infectious Diseases*. International Society for Infectious Diseases, 30, pp. 98–105.

Thorsteinsson, K., Ladelund, S., Jensen-Fangel, S., Johansen, I.S., Katzenstein, T.L., Pedersen, G., *et al.* (2012) 'Impact of gender on response to highly active antiretroviral therapy in HIV-1 infected patients: A nationwide population-based cohort study', *BMC Infectious Diseases*, 12(293), pp. 1–11.

Tran, B.X., Hwang, J., Nguyen, L.H., Nguyen, A.T., Latkin, N.R.K., Tran, N.K., *et al.* (2016) 'Impact of socioeconomic inequality on access, adherence, and outcomes of antiretroviral treatment services for people living with HIV/AIDS in Vietnam', *PLoS ONE*, 11(12), pp. 1–13.

Tran, M., Wood, E., Kerr, T., Patterson, S., Bangsberg, D., Dong, H., *et al.* (2017) 'Increases in CD4+T-cell count at antiretroviral therapy initiation among HIV-positive illicit drug users during a treatment-as-prevention initiative in Canada', *Antiviral Therapy*, 22(5), pp. 403–411.

Tsiodras, S. *et al.* (2010) 'The HIV-1/HAART associated metabolic syndrome - novel adipokines, molecular associations and therapeutic implications', *Journal of Infection*. Elsevier Ltd, 61(2), pp. 101–113.

UNAIDS (2017) *UNAIDS DATA 2017*. Switzerland.

Walker, B. and McMichael, A. (2012) 'The T-Cell Response to HIV', *Cold Spring*

Harbor Prespective in Medicine, 2(a0070554), pp. 1–19.

WHO (2007) *WHO Case Definitions of HIV for Surveillance and Revised Clinical Staging And Immunological Classification of HIV-Related Disease in Adults and Children*. Geneva.

WHO (2017) *Number of People (All Ages) Living with HIV Estimates by WHO Region, Global Health Observatory data repository*. doi: apps.who.int/gho/data/?theme=main&vid=22100.

WHO (2018a) *Antiretroviral Therapy Coverage Data and Estimates by WHO Region*. Available at: <http://apps.who.int/gho/data/node.main.626> (Accessed: 21 August 2018).

WHO (2018b) *Global Tuberculosis Report*. Geneva.

Yogani, I., Karyadi, T.H., Uyainah, A., dan Koesnoe, S. (2015) ‘Faktor-faktor yang berhubungan dengan kenaikan CD4 pada pasien HIV yang mendapat highly active antiretroviral therapy dalam 6 bulan pertama’, *Jurnal Penyakit Dalam Indonesia*, 2(4), pp. 217–222.

Yusra, E., Efrida and Elmatris (2018) ‘Hubungan karakteristik klinis dengan pemulihan respons imun penderita HIV-1 yang mendapat terapi antiretroviral di RSUP Dr M Djamil Padang’, *Jurnal Kesehatan Andalas*, 7(3), pp. 436–442.

Zimmerman, E. and Woolf, S. H. (2014) *Understanding the Relationship between Education and Health*. Washington, DC. Available at: <http://nam.edu/wp-content/uploads/2015/06//understandingtherelationship>.