

DAFTAR PUSTAKA

Akpinar, H., Nazıroğlu, M., Övey, I.S., Çiğ, B., Akpınar, O., 2016. The neuroprotective action of dexmedetomidin on apoptosis, calcium entry and oxidative stress in cerebral ischemia-induced rats: Contribution of TRPM2 and TRPV1 channels. *Nature Sci. Rep.* (6):37196

Barde YA. , 1989. Trophic factors and neuronal survival. *Neuron* 2, 1525–1534.

Bartels, M., Althoff, R.R., Boomsma, D.I., 2009. Anesthesia and cognitive performance in children: no evidence for a causal relationship. *Twin Res. Hum. Genet.* 12, 246–253.

Bortner, C.D., Oldenburg, N.B., Cidlowski, J.A., 1995. The role of DNA fragmentation in apoptosis. *Trends Cell Biol.* 5, 21–26.

Bratton, D.L., Fadok, V.A., Richter, D.A., Kailey, J.M., Guthrie, L.A., Henson, P.M., 1997. Appearance of phosphatidylserine on apoptotic cells requires calcium-mediated nonspecific flip-flop and is enhanced by loss of the aminophospholipid translocase. *J. Biol. Chem.* 272, 26159–26165.

Cancer Chemoprevention Research Center. 2010. *Mekanisme dan Regulasi Apoptosis*, Universitas Gadjah Mada.

Charan, J., Kantharia, N.D., 2013. How to calculate sample size in animal studies. *J. Pharmacol. Pharmacother.* 4, 303.

Choi, I.-Y., Hwang, L., Jin, J.-J., Ko, I.-G., Kim, S.-E., Shin, M.-S., Shin, K.-M., Kim, C.-J., Park, S.-W., Han, J.-H., Yi, J.-W., 2017. Dexmedetomidin alleviates cerebral ischemia-induced short-term memory impairment by inhibiting the expression of apoptosis-related molecules in the hippocampus of gerbils. *Exp. Ther. Med.* 13, 107–116. <https://doi.org/10.3892/etm.2016.3956> [Akses 18 Januari 2019]

Cohen, G.M., 1997. Caspases: the executioners of apoptosis. *Biochem. J.* 326, 1–16.

Creeley, C.E., Olney, J.W., 2010. The Young: Neuroapoptosis Induced by Anesthetics and What to Do About It: *Anesth. Analg.* 110, 442–448. <https://doi.org/10.1213/ANE.0b013e3181c6b9ca> [Akses 28 Mei 2018]

Elmore, S., 2007. Apoptosis: a review of programmed cell death. *Toxicol. Pathol.* 35, 495–516.

Gertler, R., Brown, H.C., Mitchell, D.H., Silvius, E.N., 2001. Dexmedetomidin: a novel sedative-analgesic agent, in: Baylor University Medical Center. *Proceedings. Baylor University Medical Center*, p. 13.

Gleich, S., Nemergut, M., Flick, R., 2013. Anesthetic-related neurotoxicity in young children: an update. *Curr. Opin. Anaesthesiol.* 26, 340–347. <https://doi.org/10.1097/ACO.0b013e3283606a37> [Akses 28 Mei 2018]

Hansen, H.H., Briem, T., Dzierko, M., Siffringer, M., Voss, A., Rzeski, W., Zdzisinska, B., Thor, F., Heumann, R., Stepulak, A., Bittigau, P., Ikonomidou, C.,

2004. Mechanisms leading to disseminated apoptosis following NMDA receptor blockade in the developing rat brain. *Neurobiol. Dis.* 16, 440–453. <https://doi.org/10.1016/j.nbd.2004.03.013> [Akses 18 Januari 2019]

Hengartner, M.O., 2000. The biochemistry of apoptosis. *Nature* 407, 770–776.

Hu, S., Snipas, S.J., Vincenz, C., Salvesen, G., Dixit, V.M., 1998. Caspase-14 is a novel developmentally regulated protease. *J. Biol. Chem.* 273, 29648–29653.

Handoyo, D., Rudiretna, A. 2000. *General Principle and Implementation of Polymerase Chain Reaction*. Surabaya, 17-28.

Ignely, F.H., Krammer, P.H., 2002. Death and anti-death: tumour resistance to apoptosis. *Nat. Rev. Cancer* 2, 277–288. <https://doi.org/10.1038/nrc776> [Akses 28 Mei 2018]

J, L., Guo J, 2013. Comparison of dexmedetomidin and midazolam on neurotoxicity in neonatal mice. *Sheng Wu Yi Xue Gong Cheng Xue Za Zhi*, 23865328 30, 607–10. <https://doi.org/23865328> [Akses 28 Mei 2018]

Jevtovic-Todorovic, V., Olney, J.W., 2008. PRO: Anesthesia-Induced Developmental Neuroapoptosis: Status of the Evidence: *Anesth. Analg.* 106, 1659–1663. <https://doi.org/10.1213/ane.0b013e3181731ff2> [Akses 28 Mei 2018]

Joza, N., Susin, S.A., Daugas, E., Stanford, Cho, S.K., Li, C.Y., Sasaki, T., Elia, A.J., Cheng, H.-Y.M., Ravagnan, L., 2001. Essential role of the mitochondrial apoptosis-inducing factor in programmed cell death. *Nature* 410, 549.

Kang, S.J., Wang, S., Kuida, K., Yuan, J., 2002. Distinct downstream pathways of caspase-11 in regulating apoptosis and cytokine maturation during septic shock response. *Cell Death Differ.* 9, 1115–1125. <https://doi.org/10.1038/sj.cdd.4401087> [Akses 28 Mei 2018]

Li, Y., Zeng, M., Chen, W., Liu, C., Wang, F., Han, X., Zuo, Z., Peng, S., 2014. Dexmedetomidin Reduces Isofluran-Induced Neuroapoptosis Partly by Preserving PI3K/Akt Pathway in the Hippocampus of Neonatal Rats. *PLoS ONE* 9, e93639. <https://doi.org/10.1371/journal.pone.0093639> [Akses 18 Januari 2019]

Liu, Y.-J., Wang, D.-Y., Yang, Y.-J., Lei, W.-F., 2017. Effects and mechanism of dexmedetomidin on neuronal cell injury induced by hypoxia-ischemia. *BMC Anesthesiol.* 17. <https://doi.org/10.1186/s12871-017-0413-4> [Akses 18 Januari 2019]

Lu, L.X., Yon, J.-H., Carter, L.B., Jevtovic-Todorovic, V., 2006. General anesthesia activates BDNF-dependent neuroapoptosis in the developing rat brain. *Apoptosis* 11, 1603–1615. <https://doi.org/10.1007/s10495-006-8762-3> [Akses 18 Januari 2019]

Longnecker, D.E., Brown, D.L., Newman, M.F., Zap0, W.M. 2012. *Anesthesiology* 2nd Edition. McGraw-Hill Professional, New York.

Martinvalet, D., Zhu, P., Lieberman, J., 2005. Granzyme A Induces Caspase-Independent Mitochondrial Damage, a Required First Step for Apoptosis. *Immunity* 22, 355–370. <https://doi.org/10.1016/j.immuni.2005.02.004> [Akses 28 Mei 2018]

McCann, E., M., Soriano, G S., 2012. General anesthetics in pediatric anesthesia: influences on the developing brain. *Curr. Drug Targets* 13, 944–951.

Nair, A., Jacob, S., 2016. A simple practice guide for dose conversion between animals and human. *J. Basic Clin. Pharm.* 7, 27. <https://doi.org/10.4103/0976-0105.177703> [Akses 18 Januari 2019]

Newton, C.R., Graham, A. *PCR*. BIOS Scientific Publishers Limited. Oxford. 1994.

Pancaro C., Segal, B.S., Sikes, R.W., 2016. Dexmedetomidin and ketamine show distinct patterns of cell degeneration and apoptosis in the developing rat neonatal brain. *J. Matern. Fetal Neonatal Med.* 1. <https://doi.org/Doi:10.3109/14767058.2016.1148132> [Akses 28 Mei 2018]

Reilly, C., 2015. Stoelting's Pharmacology and Physiology in Anesthetic Practice. *Br. J. Anaesth.* 115, 482–483. <https://doi.org/10.1093/bja/aev266> [Akses 28 Mei 2018]

Saelens, X., Festjens, N., Walle, L.V., Gurp, M. van, Loo, G. van, Vandenabeele, P., 2004. Toxic proteins released from mitochondria in cell death. *Oncogene* 23, 2861–2874. <https://doi.org/10.1038/sj.onc.1207523> [Akses 28 Mei 2018]

Sanders, R.D, Xu, J., Shu, Y., Januszewski, A., Haider, S., Fidalgo, A. , Sun, P., Hossain, M, Ma, D., Maze, M., 2009. Dexmedetomidin Attenuates Isofluran-induced

Neurocognitive Impairment in Neonatal Rat. *Anesthesiology* V; 110:1077–85 [Akses 18 Januari 2019]

Si, Y., Zhang, Y., Han, L., Chen, L., Xu, Y., Sun, F., Ji, M., Yang, J., Bao, H., 2016. Dexmedetomidin acts via the JAK2/STAT3 pathway to attenuate isofluran-induced neurocognitive deficits in senile mice. *PloS One* 11, e0164763.

Semple, B.D., Blomgren, K., Gimlin, K., Ferriero, D.M., Noble-Haeusslein, L.J., 2013. Brain development in rodents and humans: Identifying benchmarks of maturation and vulnerability to injury across species. *Prog. Neurobiol.* 106–107, 1–16. <https://doi.org/10.1016/j.pneurobio.2013.04.001> [Akses 28 Mei 2018]

Slee, E.A., Adrain, C., Martin, S.J., 2001. Executioner Caspase-3, -6, and -7 Perform Distinct, Non-redundant Roles during the Demolition Phase of Apoptosis. *J. Biol. Chem.* 276, 7320–7326. <https://doi.org/10.1074/jbc.M008363200> [Akses 28 Mei 2018]

Slikker, W., Zou, X., Hotchkiss, C.E., Divine, R.L., Sadovova, N., Twaddle, N.C., Doerge, D.R., Scallet, A.C., Patterson, T.A., Hanig, J.P., Paule, M.G., Wang, C., 2007. Ketamine-Induced Neuronal Cell Death in the Perinatal Rhesus Monkey. *Toxicol. Sci.* 98, 145–158. <https://doi.org/10.1093/toxsci/kfm084> [Akses 28 Mei 2018]

Smith, C.C., Guvremont, D., Williams, J.M., Napper, R.M.A., 2015. Apoptotic Cell Death and Temporal Expression of Apoptotic Proteins Bcl-2 and Bax in the Hippocampus, Following Binge Ethanol in the Neonatal Rat Model. *Alcohol. Clin. Exp. Res.* 39, 36–44. <https://doi.org/10.1111/acer.12606> [Akses 28 Mei 2018]

Wang, K., Zhu, Y., 2018. Dexmedetomidine protects against oxygen-glucose deprivation/reoxygenation injury-induced apoptosis via the p38 MAPK/ERK signalling pathway. *J. Int. Med. Res.* 46, 675–686. <https://doi.org/10.1177/0300060517734460> [Akses 18 Januari 2019]

Wang, Y., Wu, C., Han, B., Xu, F., Mao, M., Guo, X., Wang, J., 2016. Dexmedetomidin attenuates repeated propofol exposure-induced hippocampal apoptosis, PI3K/Akt/Gsk-3 β signaling disruption, and juvenile cognitive deficits in neonatal rats. *MOLECULAR MEDICINE REPORTS* 14: 769-775 <https://doi.org/10.3892/mmr.2016.5321> [Akses 18 Januari 2019]

Weerink, M.A.S., Struys, M.M.R.F., Hannivoort, L.N., Barends, C.R.M., Absalom, A.R., Colin, P., 2017. Clinical Pharmacokinetics and Pharmacodynamics of Dexmedetomidin. *Clin. Pharmacokinet.* 56, 893–913. <https://doi.org/10.1007/s40262-017-0507-7> [Akses 18 Januari 2019]

Yeh, C.-H., Hsieh, L.-P., Lin, M.-C., Wei, T.-S., Lin, H.-C., Chang, C.-C., Hsing, C.-H., 2018. Dexmedetomidin reduces lipopolysaccharide induced neuroinflammation, sickness behavior, and anhedonia. *PLOS ONE* 13, e0191070. <https://doi.org/10.1371/journal.pone.0191070> [Akses 18 Januari 2019]

Yon, J.-H., Carter, L.B., Reiter, R.J., Jevtovic-Todorovic, V., 2006. Melatonin reduces the severity of anesthesia-induced apoptotic neurodegeneration in the developing rat brain. *Neurobiol. Dis.* 21, 522–530. <https://doi.org/10.1016/j.nbd.2005.08.011> [Akses 28 Mei 2018]

Young, C., Jevtovic-Todorovic, V., Qin, Y.-Q., Tenkova, T., Wang, H., Labruyere, J., Olney, J.W., 2005. Potential of ketamine and midazolam, individually or in combination, to induce apoptotic neurodegeneration in the infant mouse brain. *Br. J. Pharmacol.* 146, 189–197.

Young, C., Klocke, B.J., Tenkova, T., Choi, J., Labruyere, J., Qin, Y.Q., Holtzman, D.M., Roth, K.A., Olney, J.W., 2003. Ethanol-induced neuronal apoptosis in vivo requires BAX in the developing mouse brain. *Cell Death Differ.* 10, 1148–1155.

Young, C., Roth, K.A., Klocke, B.J., West, T., Holtzman, D.M., Labruyere, J., Qin, Y.-Q., Dikranian, K., Olney, J.W., 2005. Role of caspase-3 in ethanol-induced developmental neurodegeneration. *Neurobiol. Dis.* 20, 608–614.
<https://doi.org/10.1016/j.nbd.2005.04.014> [Akses 28 Mei 2018]