



DAFTAR PUSTAKA

Abid, O., Sun, Q., Sugimoto, K., Mercan, D., Vincent, J., *Predictive Value of Microalbuminuria in Medical ICU Patients-Results of a Pilot Study, Clinical Investigations in Critical Care*, CHEST, 2001, Pp. 1984-1988

Agarwal, R., Haria, J., *Microalbuminuria as a Marker of Sepsis-A Prospective Study in a Tertiary Care Hospital, Annals of International Medical and Dental Research*, Vol (3), Issue (3), 2017, Pp. 26-29

Angus DC, Linde-Zwirble WT, Lidicker J. *Epidemiology of severe sepsis in the United States: Analysis of incidence, outcome, and associated costs of care*. Crit Care Med. 2001;29:1303–10.

Annam, V., Maleedhu, P., Bhaskar, M.V., Venugopal, L. 2016. *Evaluation of Serum Procalcitonin Levels and Sequential Organ Failure Assessment Score in Assessing the Severity and Outcome of Sepsis International Journal of Scientific Study*, 3(10).

Basu, S., Bhattacharya, M., Catterjee.K., Chaudhuri,S., todi,S.K., Majumdar, a., *Microalbuminuria: a Novel biomarker of sepsis, Indian Journal of critical Care Medicine*, Jaypee Brother Medical Publishing(P) Ltd, 2010, Pp.22-28

Blaine, J., *Evaluation and Epidemiology of Proteinuria, Proteinuria: Basic Mechanisms, Pathophysiology and Clinical Relevance*, Springer, Switzerland, 2016, Pp.1-9

Chelazzi, C., Villa, G., Mancinelli, P., Gaudio, R.D, adembri, C., *Glycocalyx and Sepsis-Induced Alterations in Vascular Permeability*, Critical care , Italy, 2015, Pp. 4-7

Carrillo, ER., Contreras, DV., *Microalbuminuria as Marker of Severity in the Patient with Sepsis, Medicina Critical Journal*, 2005, Pp. 5-9

Dobrinskikh,E., Blaine,J., *Glomerular Mechanisms of Proteinuria, Basic Mechanisms, Pathophysiology and Clinical Relevance*, Springer, Switzerland, 2016, Pp.11-16

Dutta, SK., Sahu,S., Thatoi,PK., Chaturdevi,AN., Sarkar,S., Saha, TK., *Evaluation of Microalbuminuria and Serum TNF A in Patient with Sepsis and Their Correlation with Disease Severity, IOSR Journal of Dental and Medical Science*, volume 13, 2014, Pp.53-58

Fujishima, Shitaro., *Organ dysfunction as new standard for defining sepsis*, Biomed central, *Center For General Medicine Education*, Tokyo, 2016, Pp.1-6



Gauer.R.L., *Early Recognition and Management of Sepsis in Adults: The First Six Hours*, American Family Physician, Womack Army Medical Center, Fort Bragg, North Carolina, 2013, Pp.44-53

Gaudio, R.D., Grechi, S., Filipo,A., Bonechi, M.L., *Glomerular permeability and sepsis: a correlation between microalbuminuria and sofa score*, Critical Care Medicine, 1998.Pp.1-4

Godijn, N., Smith, SM., Voort, PHJ., *Albuminuria in Critically Ill Patients: prospective Cohort Study*, International Journal of Critical Care and Emergency Medicine, volume I, 2015, Pp.2-5

Henrich, Michael., Gruss, Marco., Weigand, Markus., *Sepsis-Induced Degradation of Endothelial Glycocalix*, The Scientific World Journal, 2010, Pp.917–923

Johnson, S., Saranya, AVR., *Comparison of Different Scoring Systems Used in the Intensive Care Unit*, J Pulm Respir Med , Volume 55, 2015, Pp. 1-4

Koike, Kaoru., Mochizuk, Tohru., Kushimoto, Shigeki, shihibata,Y., Kido, Y., Tsujii, A., Yamamoto, Y., *Microalbuminuria Correlates with Endothelial Injury and Multiple Organ Dysfunction, Microalbuminuria and Vascular Permeability*, JJAAM 2000, Pp.261-268

Kontra, J., *Evidence-Based Management of Severe Sepsis and Septic Shock*, The Journal of Lancaster General Hospital, Vol. 1, 2006, Pp. 39-46

Lie, K.C, Lau, C.Y, Chau, N.V, west, T.E., *Utility of SOFA score, management and outcomes of sepsis in Southeast Asia: a multinational multicenter prospective observational study*, Journal of Intensive Care, 2018, Pp.6:9

Moss, M., *Epidemiology of Sepsis: Race, Sex, and Chronic Alcohol Abuse*, CID, 2005, Pp.490-497

Mulgund, S., Dhat, V., *Indicators of sepsis: Microalbuminuria and serum Nitric oxide*, Indian Journal of Basic and Applied Medical Research, Volume 2, 2016, Pp. 437-441

Oni,M.O., Oguntibeju,O.O., *Clinical and diagnostic importance of proteinuria: A review*, African Journal of Biotechnology Vol. 7, 2008, Pp 3166-3172

PP-PDPI, Press Release Perhimpunan Dokter Paru Indonesia World Pneumonia, www.klikpdpi.com/index.php?mod=article&sel=8704, 2018



Routray, S., Mohanty, D., Dash, L., Mishra, D., Prusty, A., *Microalbuminuria as a Marker of sepsis - A Prospective Study in a Tertiary Care Hospital*, Indian Journal of Clinical Anaesthesia , 2016, Pp.27-32

Sastroasmoro S., Ismael, Sofyan., Dasar-dasar Metodologi Penelitian Klinis, Edisi ke- 5, Sagung Seto, 2014, Pp.1-500

Seyam, SH., Sabra, MM., Elissa, MM., Abdelmaboud, M.A., Nooreldin, TM., *Microalbuminuria as Prognostic Value for Post Operative Patients With Risk of Sepsis After Major Abdominal Surgery*, ZUMJ, Vol 22, 2016, Pp. 123-132

Sileem, A.E, Said, A.M, Meleha, M.S, *Acinebacter baumanii in ICU patients: A prospective study highlighting their incidence, antibiotic sensitivity pattern and impact on ICU stay and mortality*, Egyptian Journal of chest Disease and Tuberculosis, 2017, Pp 693-698

Singer M., Deutschman CS., Seymour CW., Shankar, HM., Annane D., Bauer M., et all, *The Third International Consensus Definitions for Sepsis and Septic Shock (Sepsis-3)*. JAMA, 2016. Pp. 801-8010

Suárez-Santamaría, M., Santolaria, F., Pérez-Ramírez, A., Alemán-Valls, M.R., Martínez-Riera, A., González-Reimers, E., de la Vega, M.J. & Milena, A. 2010. *Prognostic value of inflammatory markers (notably cytokines and procalcitonin), nutritional assessment, and organ function in patients with sepsis*. Eur. Cytokine Netw., 21(1):19-26.

Tayeh, Osama., Taema, Khaled., Eldesouky, Mohamed., Omara, Adel., *Urinary albumin/creatinine ratio as an early predictor of outcome in critically-ill septic patients*, The Egyptian Journal of Critical Care Medicine, 2016, Pp. 47–55

Venkat, KK., *Proteinuria and Microalbuminuria in Adults; Significance, Evaluation, and Treatment*, Southern Medical Journal, Volume 97, 2004, Pp. 969-979

Zanon, F., Caovilla, J., Michel, R., Cabeda, E., Cerreta, D., Luckemeyer, G, Beltrame, C., Posenatto, N, *Sepsis in the Intensive Care Unit: Etiologies, Prognostic Factors and Mortality*, Revista Brasileira de Terapia Intensiva, Vol. 20 No 2, 2008, Pp.128-134